

DAFTAR PUSTAKA

- Alberto, L., Peres, B., Gaspar, A.D., Scarpari, D.F., Barazetti, J., Alves, F., Neto, R.G. & Oliveira, D. 2013. Biomarkers of acute kidney injury. *J Bras Nefrol*, 35(3): 229–236.
- Alfonso, A.A., Mongan, A.E. & Memah, M.F. 2016. Gambaran kadar kreatinin serum pada pasien penyakit ginjal kronik stadium 5 non dialisis. *eBm*, 4(1): 2–7.
- Alharazy, S.M., Kong, N., Saidin, R., Gafor, A.H.A., Maskon, O., Mohd, M. & Zakaria, S.Z.S. 2014. Neutrophil gelatinase-associated lipocalin as an early marker of contrast-induced nephropathy after coronary angiography. *Angiology*, 65(3): 216–223.
- Almendarez, M., Gurm, H.S., Mariani, J., Montorfano, M., Brilakis, E.S., Mehran, R. & Azzalini, L. 2019. Procedural Strategies to Reduce the Incidence of Contrast-Induced Acute Kidney Injury During Percutaneous Coronary Intervention. *JACC Cardiovasc Interv*, 12(19): 1877–1888.
- Arques, S. 2018. Human serum albumin in cardiovascular diseases. *Eur J Int Med*, 52(April): 8–12.
- Bagshaw, S.M. & Bellomo, R. 2007. Early diagnosis of acute kidney injury. *Curr Opin Critical Care*, 13(6): 638–644.
- Beatrice, R., Olivia, M., Cenko, E. & Bugiardini, R. 2018. STEMI: Management. *Encyclopedia of Cardiovascular Research and Medicine*: 474–488.
- Belinskaia, D.A., Voronina, P.A., Batalova, A.A. & Goncharov, N. V. 2020. Serum Albumin. *Encyclopedia*, 1(1): 65–75.
- Caspi, O., Habib, M., Cohen, Y., Kerner, A., Roguin, A., Abergel, E., Boulos, M., Kapeliovich, M.R., Beyar, R., Nikolsky, E. & Aronson, D. 2017. Acute Kidney Injury After Primary Angioplasty: Is Contrast-Induced Nephropathy the Culprit? *J Am Heart Assoc*, 6(6): 1–10.
- Chalikias, G., Drosos, I. & Tziakas, D.N. 2016. Contrast-Induced Acute Kidney Injury: An Update. *Cardiovasc Drugs Ther*, 30(2): 215–228.
- Chien, S.C., Chen, C.Y., Lin, C.F. & Yeh, H.I. 2017. Critical appraisal of the role of serum albumin in cardiovascular disease. *Biomarker Research*, 5(1): 1–9.
- Chillo, P., Malaja, N. & Kisenge, P. 2021. Magnitude and associated factors of contrast induced nephropathy among patients undergoing coronary angiography and interventions at a cardiac referral hospital in Tanzania - a cross-sectional study. *Pan Afr Med J*, 38: 311.
- Çınar, T., Karabağ, Y., Ozan Tanık, V., Çağdaş, M., Rencüzoğulları, İ. & Öz, A. 2019. The investigation of TIMI risk index for prediction of contrast-induced acute kidney injury in patients with ST elevation myocardial infarction. *Acta Cardiologic*: 1–8.
- Dalal, R., Zs, B. & Js, S. 2022. Physiology , Renal Blood Flow and Filtration Pathophysiology. *NCBI Bookshelf*: 11–14.
- Dhanju, A.S., Chhina, G., Manekar, S.P. & Sandhu, P.S. 2022. A study of serum albumin levels in acute coronary syndrome and its correlation with clinical outcome. *Int J Adv Med*, 9(5): 571–574.
- Faucou, A.L., Bobrie, G. & Clément, O. 2019. Nephrotoxicity of iodinated contrast media: From pathophysiology to prevention strategies. *Eur J Radiol*, 116(March): 231–241.
- Fliser, D., Laville, M., Covic, A., Fouque, D., Vanholder, R., Juillard, L. & Van Biesen, W. 2012. A European Renal Best Practice (ERBP) position statement on the Kidney Disease Improving Global Outcomes (KDIGO) Clinical Practice Guidelines on Acute Kidney Injury: Part 1: Definitions, conservative management and contrast-induced nephropathy. *Nephrol Dial Transplant*, 27(12): 4263–4272.
- Ganji, S.B. & Revupalli, S. 2019. Evaluation of Quality Assurance in a New Clinical

- Chemistry Laboratory by Six Sigma Metrics. *Journal of Clinical and Diagnostic Research*, (July 2018): 10–13.
- Giacoppo, D., Madhavan, M. V., Baber, U., Warren, J., Bansilal, S., Witzenbichler, B., Dangas, G.D., Kirtane, A.J., Xu, K., Kornowski, R., Brener, S.J., Généreux, P., Stone, G.W. & Mehran, R. 2015. Impact of contrast-induced acute kidney injury after percutaneous coronary intervention on short- and long-term outcomes: Pooled analysis from the HORIZONS-AMI and ACUITY trials. *Circ: Cardiovasc Interv*, 8(8): 1–9.
- Gounden V, Vashisht R, J.I. 2022. Hypoalbuminemia Pathophysiology. *StatPearls*: 5–9.
- Harselia, S. 2018. Tindakan Percutaneous Coronary Intervention Pada Pasien Stenosis Arteri Koroner. *Arsip Kardiovask. Indones*, 1: 186–191.
- Heidari, B., Hassan, T., Karimollah, H.-T., Yolmeh, M. & Akbari, R. 2015. Low baseline serum albumin as a predictor of anemia in chronic hemodialysis patients. *Caspian J Intern Med*, 6(3): 161–164.
- Hidayati L dan Maradhona Y. 2018. Six Sigma For Evaluation Of Quality Control in Clinical Laboratory. *International Journal Of Public Health And Clinical Scieces*, 5(4): 144–150.
- Hossain, M.A., Costanzo, E., Cosentino, J., Patel, C., Qaisar, H., Singh, V., Khan, T., Cheng, J.S., Asif, A. & Vachharajani, T.J. 2018. Contrast-Induced Nephropathy : Pathophysiology , Risk Factors , and Prevention. *Saudi J Kidney Dis Transplat*, 29(1): 1–9.
- Jain, T., Shah, S., Shah, J., Jacobsen, G. & Khandelwal, A. 2018. Contrast-induced nephropathy in STEMI patients with and without chronic kidney disease. *Crit Pathw Cardiol*, 17(1): 25–31.
- Kabeer, M.A., Cross, J., Hamilton, G. & Rashid, S.T. 2020. Obesity as a Risk Factor for Radiographic Contrast-Induced Nephropathy. *Angiology*, 72(3): 274–278.
- Kalkan, S., Cagan Efe, S., Karagöz, A., Zeren, G., Yılmaz, M.F., Şimşek, B., Batgerel, U., Özkalaycı, F., Tanboğa, İ.H., Oduncu, V., Karabay, C.Y. & Kıрма, C. 2022. A New Predictor of Mortality in ST-Elevation Myocardial Infarction: The Uric Acid Albumin Ratio. *Angiology*, 73(5): 461–469.
- Kashani, K., Cheungpasitporn, W. & Ronco, C. 2017. Biomarkers of acute kidney injury: The pathway from discovery to clinical adoption. *Clinical Chemistry and Laboratory Medicine*, 55(8): 1074–1089.
- Kellum, J.A., Lameire, N., Aspelin, P., Barsoum, R.S., Burdmann, E.A., Goldstein, S.L., Herzog, C.A., Joannidis, M., Kribben, A., Levey, A.S., MacLeod, A.M., Mehta, R.L., Murray, P.T., Naicker, S., Opal, S.M., Schaefer, F., Schetz, M. & Uchino, S. 2012. Kidney disease: Improving global outcomes (KDIGO) acute kidney injury work group. KDIGO clinical practice guideline for acute kidney injury. *Kidney Int Suppl*, 2(1): 1–138.
- Kim, S. & Joo, K.W. 2007. Electrolyte and Acid-Base Disturbances Associated with Non-Steroidal Anti-Inflammatory Drugs. *Electrolyte Blood Press*, 5: 116–125.
- Klein, L.W., Sheldon, M.W., Brinker, J., Mixon, T.A., Skelding, K., Strunk, A.O., Tommaso, C.L., Weiner, B., Bailey, S.R., Uretsky, B., Kern, M. & Laskey, W. 2009. The Use of Radiographic Contrast Media During PCI : A Focused Review A Position Statement of the Society of Cardiovascular Angiography and Interventions. *Catheter Cardiovac Interv*, 74: 728–746.
- Kuboyama, O. & Tokunaga, T. 2016. The prevalence and prognosis of contrast-induced acute kidney injury according to the definition in patients with acute myocardial infarction who underwent primary percutaneous coronary intervention. *Clin Trials Regul*, 13(June): 29–33.

- Kumar, B.V. & Mohan, T. 2018. Sigma metrics as a tool for evaluating the performance of internal quality. *Journal of Laboratory Physicians*, 10(2): 194–199.
- Lee, E.H., Kim, W.J., Kim, J.Y., Chin, J.H., Choi, D.K., Sim, J.Y., Choo, S.J., Chung, C.H., Lee, J.W. & Choi, I.C. 2016. Effect of exogenous albumin on the incidence of postoperative acute kidney injury in patients undergoing off-pump coronary artery bypass surgery with a preoperative albumin level of less than 4.0 gm/dl. *Anesthesiology*, 124: 1001–1011.
- Levitt, D.G. & Levitt, M.D. 2016. Human serum albumin homeostasis: A new look at the roles of synthesis, catabolism, renal and gastrointestinal excretion, and the clinical value of serum albumin measurements. *Int J Gen Med*, 9: 229–255.
- Liebetrau, C., Gaede, L., Doerr, O., Blumenstein, J., Rixe, J., Teichert, O., Willmer, M., Weber, M., Rolf, A., Möllmann, H., Hamm, C. & Nef, H. 2014. Neutrophil gelatinase-associated lipocalin (NGAL) for the early detection of contrast-induced nephropathy after percutaneous coronary intervention. *Scand J Clin Lab*, 74(2): 81–88.
- Maioli, M., Toso, A., Gallopin, M., Leoncini, M., Tedeschi, D., Micheletti, C. & Bellandi, F. 2010. Preprocedural score for risk of contrast-induced nephropathy in elective coronary angiography and intervention. *J Cardiovasc Med*, 11(6): 444–449.
- Maulana, R.F. 2021. Tatalaksana Intervensi Koroner Perkutan Primer pada Infark Miokardium dengan Elevasi pada Segmen ST. *Jurnal Penelitian Perawat Profesional*, 3(1): 1–8.
- Mehran, R., Aymong, E.D., Nikolsky, E., Lasic, Z., Iakovou, I., Fahy, M., Mintz, G.S., Lansky, A.J., Moses, J.W., Stone, G.W., Leon, M.B. & Dangas, G. 2004. A simple risk score for prediction of contrast-induced nephropathy after percutaneous coronary intervention: Development and initial validation. *J AM Coll Cardiol*, 44(7): 1393–1399.
- Meinel, F.G., De Cecco, C.N., Schoepf, U.J. & Katzberg, R. 2014. Contrast-induced acute kidney injury: Definition, epidemiology, and outcome. *Biomed Res Int*, 2014.
- Moman, R., Gupta, N. & Varacallo, M. 2022. Physiology , Albumin. *NCBI Bookshelf*: 1–3.
- Morcos, R., Kucharik, M., Bansal, P., Al Taii, H., Manam, R., Casale, J., Khalili, H. & Maini, B. 2019. Contrast-Induced Acute Kidney Injury: Review and Practical Update. *Clin Med Insights: Cardiol*, 13(Table 1).
- Murat, S.N., Kurtul, A. & Yarlioglu, M. 2015. Impact of Serum Albumin Levels on Contrast-Induced Acute Kidney Injury in Patients with Acute Coronary Syndromes Treated with Percutaneous Coronary Intervention. *Angiology*, 66(8): 732–737.
- Nash, K., Hafeez, A. & Hou, S. 2002. Hospital-acquired renal insufficiency. *Am J Kidney Dis*, 39: 930–936.
- Novrianti, I., Wijaya, D., Mustamin, F. & Wijayanti, S. 2020. Pharmacological Therapy for ST-Segment Elevation Myocardial Infarction: A Review. *J Islam Pharm*, 5(2): 9–13.
- Nusca, A., Miglionico, M., Proscia, C., Ragni, L., Carassiti, M., Pepe, F.L. & Sciascio, G. Di. 2018. Early prediction of contrast-induced acute kidney injury by a ‘bedside’ assessment of Neutrophil Gelatinase-Associated Lipocalin during elective percutaneous coronary interventions. *PLoS ONE*, 13(5): 1–12. <http://dx.doi.org/10.1371/journal.pone.0197833>.
- Oduncu, V., Erkol, A., Karabay, C.Y., Kurt, M., Akgün, T., Bulut, M., Pala, S. & Kirma, C. 2013. The prognostic value of serum albumin levels on admission in patients with acute ST-segment elevation myocardial infarction undergoing a primary percutaneous coronary intervention. *Coron Artery Dis.*, 24(2): 88–94.

- Oweis, A.O., Alshelleh, S.A., Saadeh, N., Jarrah, M.I., Ibdah, R. & Alzoubi, K.H. 2020. Long-Term Follow-Up of Contrast-Induced Acute Kidney Injury: A Study from a Developing Country. *Int J Vasc*, 2020: 15–20.
- Ozkok, S. & Ozkok, A. 2017. Contrast-induced acute kidney injury: A review of practical points. *World J Nephrol*, 6(3): 86.
- Paolisso, P., Foà, A., Bergamaschi, L., Donati, F., Fabrizio, M., Chiti, C., Angeli, F., Toniolo, S., Stefanizzi, A., Armillotta, M., Rucci, P., Iannopollo, G., Casella, G., Marrozzini, C., Galiè, N. & Pizzi, C. 2021. Hyperglycemia, inflammatory response and infarct size in obstructive acute myocardial infarction and MINOCA. *Cardiovasc Diabetol*, 20(33): 1–11. <https://doi.org/10.1186/s12933-021-01222-9>.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI). 2021. *PEDOMAN NASIONAL PELAYANAN KEDOKTERAN INTERVENSI KORONER PERKUTAN*.
- Qin, Y.U.H.A.N., Yan, G.A.O.L., Ma, C.L.E., Tang, C.C. & Ma, G.E.N.S. 2018. Effects of hyperglycaemia and elevated glycosylated haemoglobin on contrast - induced nephropathy after coronary angiography. *Exp Ther Med*, 16(1): 377–383.
- Rear, R., Bell, R.M. & Hausenloy, D.J. 2016. Contrast-induced nephropathy following angiography and cardiac interventions. *Heart*, 102(8): 638–648.
- Ricos, C., Alvarez, V. & Cava, F. 2014. Desirable Biological Variation Database specifications. *Westgard QC*.
- Ronco, F., Tarantini, G. & McCullough, P.A. 2020. Contrast induced acute kidney injury in interventional cardiology: An update and key guidance for clinicians. *Rev Cardiovasc Med*, 21(1): 9–23.
- Sasatomi, Y., Ito, K., Abe, Y., Miyake, K., Ogahara, S., Nakashima, H. & Saito, T. 2012. Association of Hypoalbuminemia with Severe Anemia in Patients with Diabetic Nephrosclerosis Association of Hypoalbuminemia with Severe Anemia in Patients with Diabetic Nephrosclerosis. *Ren Fail*, 34(2): 189–193.
- Sendeski, M.M. 2011. Pathophysiology of renal tissue damage by iodinated contrast media. *Clinical and Experimental Pharmacology and Physiology*, 38(5): 292–299.
- Shah, R., Le, F.K., Labroo, A. & Khan, M.R. 2020. Contrast-associated acute kidney injury. *Quant Imaging Med Surg*, 10(4): 891–894.
- Shiyovich, A., Bental, T., Assali, A., Vaknin-Assa, H., Kornowski, R. & Perl, L. 2020. Changes over time in serum albumin levels predict outcomes following percutaneous coronary intervention. *J Cardiol*, 75(4): 381–386.
- Silvain, J., Nguyen, L.S., Spagnoli, V., Kerneis, M., Guedeney, P., Vignolles, N., Cosker, K., Barthelemy, O., Le Feuvre, C., Helft, G., Collet, J.P. & Montalescot, G. 2018. Contrast-induced acute kidney injury and mortality in ST elevation myocardial infarction treated with primary percutaneous coronary intervention. *Heart*, 104(9): 767–772.
- De Simone, G., Di Masi, A. & Ascenzi, P. 2021. Serum albumin: A multifaced enzyme. *International Journal of Molecular Sciences*, 22(18): 1–23.
- Simsek, Y., Ada, S.S., Satar, S. & İcen, Y.K. 2021. Analysis of Contrast-Induced Nephropathy in Patient with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention in the Emergency Department. *Anatol J Emerg Med*, 4(2): 39–42.
- Soeters, P.B., Wolfe, R.R. & Shenkin, A. 2019. Hypoalbuminemia: Pathogenesis and Clinical Significance. *Journal of Parenteral and Enteral Nutrition*, 43(2): 181–193.
- Solomon, R. & Dauerman, H.L. 2010. Contrast-induced acute kidney injury. *Circulation*, 122(23): 2451–2455.
- Sreenivasan, J., Khan, M.S., Mattumpuram, J., Agrawal, R. & Harshakumar, S. 2018. Hypoalbuminemia as a Predictor for Contrast-Induced Acute Kidney Injury

- Following Coronary Angiography. *Circ Cardiovasc Interv*, 138: 2–6.
- Stacul, F., Van Der Molen, A.J., Reimer, P., Webb, J.A.W., Thomsen, H.S., Morcos, S.K., Almén, T., Aspelin, P., Bellin, M.F., Clement, O. & Heinz-Peer, G. 2011. Contrast induced nephropathy: Updated ESUR Contrast Media Safety Committee guidelines. *Eur Radiol*, 21(12): 2527–2541.
- Tehrani, S., Laing, C., Yellon, D.M. & Hausenloy, D.J. 2013. Contrast-induced acute kidney injury following PCI. *Eur J Clin Invest*, 43(5): 483–490.
- Tsai, T.T., Patel, U.D., Chang, T.I., Kennedy, K.F., Masoudi, F.A., Matheny, M.E., Kasiborod, M. & Amin, A.P. 2014. Contemporary Incidence, Predictors, and Outcomes of Acute Kidney Injury in Patients Undergoing Percutaneous Coronary Interventions. *JACC Cardiovasc Interv*, 7(1): 1–9.
- Valero, E., Rodriguez, J.C., Moyano, P., Minana, G., Sanchis, J. & Nunez, J. 2016. Role of Neutrophil Gelatinase-associated Lipocalin in the Detection of Contrast-induced Nephropathy in Patients Undergoing a Coronary Angiography. *Rev Esp Cardiol*, 69(5): 520–530.
- Vogel, B., Claessen, B.E., Arnold, S. V., Chan, D., Cohen, D.J., Giannitsis, E., Gibson, C.M., Goto, S., Katus, H.A., Kerneis, M., Kimura, T., Kunadian, V., Pinto, D.S., Shiomi, H., Spertus, J.A., Steg, P.G. & Mehran, R. 2019. ST-segment elevation myocardial infarction. *Nat Rev Dis Primers*, 5(1): 1–20.
- Waikar, S. & Bonventre, J. 2009. Creatinine kinetics and the definition of acute kidney injury. *J Am Soc Nephrol*, 3: 672–679.
- Wang, C., Ma, S., Deng, B., Lu, J., Shen, W., Jin, B., Shi, H. & Ding, F. 2017. The predictive value of the product of contrast medium volume and urinary albumin/creatinine ratio in contrast-induced acute kidney injury. *Ren Fail*, 39(1): 555–560.
- Wang, Y., Sun, W.J., Ji, Z.S., Liu, C. Bin & Wang, R. 2020. Serum albumin and the risk of contrast-induced acute kidney injury after percutaneous coronary intervention. *Rev Cardiovasc Med*, 21(1): 139–145.
- Weaving, G., Batstone, G.F. & Jones, R.G. 2016. Age and sex variation in serum albumin concentration : an observational study. *Ann Clin Biochem*, 53(1): 106–111.
- Wessely, R., Koppa, T., Bradaric, C., Vorpahl, M., Braun, S., Schulz, S., Mehilli, J. & Scho, A. 2009. Choice of Contrast Medium in Patients With Impaired Coronary Intervention. *Circ Cardiovasc Interv*, 2: 430–437.
- Xiao, W., Ye, P., Cao, R., Yang, X., Bai, Y. & Wu, H. 2015. Urine Albumin Excretion Is Associated with Cardiac Troponin T Detected with a Highly Sensitive Assay in a Community-Based Population. *PLoS ONE*, 10(8): 1–9.
- Yang, Y., George, K.C., Luo, R., Cheng, Y., Shang, W., Ge, S. & Xu, G. 2018. Contrast-induced acute kidney injury and adverse clinical outcomes risk in acute coronary syndrome patients undergoing percutaneous coronary intervention: A meta-analysis. *BMC Nephrol*, 19(1): 1–10.
- Yoshioka, G., Natsuaki, M., Goriki, Y., Shinzato, K., Nishihira, K., Kuriyama, N., Shimomura, M., Inoue, Y., Nishikido, T., Hongo, H., Kaneko, T., Kamishita, K., Yokoi, K., Yajima, A., Sakamoto, Y., Tago, M., Kawaguchi, A., Yamaguchi, T., Asaka, M., Kotooka, N., Sonoda, S., Hikichi, Y., Shibata, Y. & Node, K. 2022. Serum Albumin and Bleeding Events After Percutaneous Coronary Intervention in Patients With Acute Myocardial Infarction (from the HAGAKURE-ACS Registry). *Am J Cardiol*, 165: 19–26.
- Yu, Y.T., Liu, J., Hu, B., Wang, R.L., Yang, X.H., Shang, X.L., Wang, G., Wang, C.S., Li, B.L., Gong, Y., Zhang, S., Li, X., Wang, L., Shao, M., Meng, M., Zhu, F., Shang, Y., Xu, Q.H., Wu, Z.X., Chen, D.C. & Wei, P.F. 2021. Expert consensus on the use of

- human serum albumin in critically ill patients. *Chinese Med J*, 134(14): 1639–1654.
- Zhang, J., Zhang, R., Wang, Y., Li, H., Han, Q., Wu, Y. & Wang, T. 2019. The Level of Serum Albumin Is Associated with Renal Prognosis in Patients with Diabetic Nephropathy. *J Diabetes Res*, 17.
- Zhao, L., Xin, M., Piao, X., Zhang, S., Li, Y. & Cheng, X.W. 2022. Prognostic Implications of the Admission Cardiac Troponin I Levels and Door-to-Balloon Time on Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction Undergoing Percutaneous Coronary Intervention. *Ther Clin Risk Manag*, 18: 31–45.