

REFERENCES

- Ahmad, A., Lajis, M.A., Yusuf, N.K., & Ab Rahim, S.N. Statistical Optimization by the Response Surface Methodology of Direct Recycled Aluminum-Alumina Metal Matrix Composite (MMC-AIR) Employing the Metal Forming Process. *Processes* **2020**, 8, doi:10.3390/pr8070805.
- Ait-Amir, B., Pougnet, P., & el Hami, A. (2015). Meta-model development. In *Embedded Mechatronic Systems* (Vol. 2, pp. 151–179). Elsevier Inc. <https://doi.org/10.1016/b978-1-78548-014-0.50006-2>
- AOAC, 2016. Available online: http://www.eoma.aoac.org/app_f.pdf. (accessed on 25 October 2022).
- Arbeláez, P., Borrull, F., Pocurull, E., & Marcé, R. M. (2015). Determination of high-intensity sweeteners in river water and wastewater by solid-phase extraction and liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, *1393*, 106–114. <https://doi.org/10.1016/j.chroma.2015.03.035>
- Aydar, A. Y. (2018). Utilization of Response Surface Methodology in Optimization of Extraction of Plant Materials. In *Statistical Approaches With Emphasis on Design of Experiments Applied to Chemical Processes*. InTech. <https://doi.org/10.5772/intechopen.73690>
- Bae, I. K., Ham, H. M., Jeong, M. H., Kim, D. H., & Kim, H. J. (2015). Simultaneous determination of 15 phenolic compounds and caffeine in teas and mate using RP-HPLC/UV detection: Method development and optimization of extraction process. *Food Chemistry*, *172*, 469–475. <https://doi.org/10.1016/j.foodchem.2014.09.050>
- Baucher, M., Monties, B., Van Montagu, & M., Boerjan, W. Biosynthesis and genetic engineering of lignin. *Crit. Rev. Plant Sci.* 1998, *17*, 125–197.
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escaleira, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. In *Talanta* (Vol. 76, Issue 5, pp. 965–977). Elsevier. <https://doi.org/10.1016/j.talanta.2008.05.019>
- Bradley, E. H., Curry, L. A., & Devers, K. J. (2007). Qualitative data analysis for health services research: Developing taxonomy, themes, and theory. *Health Services Research*, *42*(4), 1758–1772. <https://doi.org/10.1111/j.1475-6773.2006.00684.x>
- Cao, X., Xiong, X., Xu, Z., Zeng, Q., He, S., Yuan, Y., Wang, Y., Yang, X., & Su, D. (2020). Comparison of phenolic substances and antioxidant activities in different varieties of chrysanthemum flower under simulated tea making conditions.

- Journal of Food Measurement and Characterization*, 14(3), 1443–1450.
<https://doi.org/10.1007/s11694-020-00394-4>
- Chen, G. L., Chen, S. G., Xie, Y. Q., Chen, F., Zhao, Y. Y., Luo, C. X., & Gao, Y. Q. (2015). Total phenolic, flavonoid and antioxidant activity of 23 edible flowers subjected to in vitro digestion. *Journal of Functional Foods*, 17, 243–259.
<https://doi.org/10.1016/j.jff.2015.05.028>
- Chiang, S. H., Tsou, M. F., Chang, C. Y., & Chen, C. W. (2020). Physicochemical characteristics, sensory quality, and antioxidant properties of Paochung tea infusion brewed in cold water. *International Journal of Food Properties*, 23(1), 1611–1623. <https://doi.org/10.1080/10942912.2020.1820519>
- Chirinos, R., Betalleluz-Pallardel, I., Huamán, A., Arbizu, C., Pedreschi, R., & Campos, D. HPLC-DAD characterisation of phenolic compounds from Andean oca (*Oxalis tuberosa* Mol.) tubers and their contribution to the antioxidant capacity. *Food Chem.* 2009, 113, 1243–1251.
- Chung, I.M., Park, M.R., Chun, J.C., & Yun, S.J. Resveratrol accumulation and resveratrol synthase gene expression in response to abiotic stresses and hormones in peanut plants. *Plant Sci.* 2003, 164, 103–109.
- Costa, D. C., Costa, H. S., Albuquerque, T. G., Ramos, F., Castilho, M. C., & Sanches-Silva, A. (2015). Advances in phenolic compounds analysis of aromatic plants and their potential applications. *Trends in Food Science and Technology*, 45(2), 336–354. <https://doi.org/10.1016/j.tifs.2015.06.009>
- Cotruț, R., & Bădulescu, L. (2016). UPLC Rapid Quantification of Ascorbic Acid in Several Fruits and Vegetables Extracted Using Different Solvents. *Agriculture and Agricultural Science Procedia*, 10, 160–166.
<https://doi.org/10.1016/j.aaspro.2016.09.047>
- Coutinho, J. P., Barbero, G. F., Avellán, O. F., Garcés-Claver, A., Godoy, H. T., Palma, M., & Barroso, C. G. (2015). Use of multivariate statistical techniques to optimize the separation of 17 capsinoids by Ultra performance liquid chromatography using different columns. *Talanta*, 134, 256–263.
<https://doi.org/10.1016/j.talanta.2014.11.004>
- Diaz Napal, G.N., Defago, M., Valladares, G., & Palacios, S. Response of *Epilachna paenulata* to two flavonoids, Pinocembrin and quercetin, in a comparative study. *J. Chem. Ecol.* 2010, 36, 898–904.
- Ding, S., Schoenmakers, I., Jones, K., Koulman, A., Prentice, A., & Volmer, D. A. (2010). Quantitative determination of vitamin D metabolites in plasma using UHPLC-MS/MS. *Analytical and Bioanalytical Chemistry*, 398(2), 779–789.
<https://doi.org/10.1007/s00216-010-3993-0>

- FDA, Cder, Beers, & Donald. (2015). *Analytical Procedures and Methods Validation for Drugs and Biologics Guidance for Industry*.
<http://www.FDA.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/default.htm> and/or <http://www.fda.gov/BiologicsBloodVaccines/GuidanceComplianceRegulatoryInformation/Guidances/default.htm>
- Fernandes, L., Casal, S., Pereira, J. A., Saraiva, J. A., & Ramalhosa, E. (2017). Edible flowers: A review of the nutritional, antioxidant, antimicrobial properties and effects on human health. In *Journal of Food Composition and Analysis* (Vol. 60, pp. 38–50). Academic Press Inc. <https://doi.org/10.1016/j.jfca.2017.03.017>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. In *Analytica Chimica Acta* (Vol. 597, Issue 2, pp. 179–186). <https://doi.org/10.1016/j.aca.2007.07.011>
- Gomez-Cordoves, C., Bartolome, B., Vieira, W., & Virador, V.M. Effects of wine phenolic compounds and sorghum tannins on tyrosinase activity and growth of melanoma cells. *J. Agric. Food Chem.* 2001, 49, 1620–1624.
- Han, Y., Zhou, M., Wang, L., Ying, X., Peng, J., Jiang, M., Bai, G., & Luo, G. (2015). Comparative evaluation of different cultivars of *Flos Chrysanthemi* by an anti-inflammatory-based NF- κ B reporter gene assay coupled to UPLC-Q/TOF MS with PCA and ANN. *Journal of Ethnopharmacology*, 174, 387–395. <https://doi.org/10.1016/j.jep.2015.08.044>
- Hoye, A.T., Davoren, J.E., Wipf, P., Fink, M.P., & Kagan, V.E. Targeting mitochondria. *Acc. Chem. Res.* 2008, 41, 87–97.
- Imanulkhan, Setyaningsih, W., Rohman, A., & Palma, M. (2020). Development and validation of hplc-dad method for simultaneous determination of seven food additives and caffeine in powdered drinks. *Foods*, 9(8). <https://doi.org/10.3390/foods9081119>
- ISO IEC 17025 2005 + CORR 1-2006. (n.d.).
- Jin, D. & Mumper, R.J. Plant phenolic compounds: Extraction, analysis and their antioxidant and anticancer properties. Review. *Molecules* 2010, 15, 7313–7352.
- Jin, X.H., Ohgami, K., Shiratori, K., Suzuki, Y., Koyama, Y., Yoshida, K., Ilieva, I., Tanaka, T., Onoe, K., Ohno, S. Effects of blue honeysuckle (*Lonicera caerulea* L.) extract on lipopolysaccharide-induced inflammation *in vitro* and *in vivo*. *Exp. Eye Res.* 2006, 82, 860–867.

- Kennedy, D.O., Wightman, E.L. Herbal extracts and phytochemicals: Plant secondary metabolites and the enhancement of human brain function. *Adv. Nutr.* 2011, 2, 32–50.
- Kusirisin W, Srichairatanakool S, Lerttrakarnnon P, Lailerd N, Suttajit M, Jaikang C, Chaivasut C. Antioxidative activity, polyphenolic content and anti-glycation effect of some Thai medicinal plants traditionally used in diabetic patients. *Med Chem.* 2009 Mar;5(2):139-47. doi: 10.2174/157340609787582918. PMID: 19275712.
- Lin, L. Z., & Harnly, J. M. (2010). Identification of the phenolic components of chrysanthemum flower (*Chrysanthemum morifolium* Ramat). *Food Chemistry*, 120(1), 319–326. <https://doi.org/10.1016/j.foodchem.2009.09.083>
- Mohanlal, S., Parvathy, R.; Shalini, V., Mohanan, R., Helen, A., & Jayalekshmy, A. Chemical indices, Antioxidant activity and anti-inflammatory effect of extracts of the medicinal rice “Njavara” and staple varieties. *J. Food Biochem.* 2012, 36, 1–12.
- Naczki, M., Shahidi, F. Review: Extraction and analysis of phenolic compounds in food. *J. Chromatogr. A* 2004, 1054, 95–111.
- Ordoñez, E. Y., Rodil, R., Quintana, J. B., & Cela, R. (2015). Determination of artificial sweeteners in beverages with green mobile phases and high temperature liquid chromatography-tandem mass spectrometry. *Food Chemistry*, 169, 162–168. <https://doi.org/10.1016/j.foodchem.2014.07.132>
- Pan, Y., Li, J., Li, X., Chen, J., & Bai, G. (2014). Determination of free amino acids in *isatidis radix* by HILIC-UPLC-MS/MS. *Bulletin of the Korean Chemical Society*, 35(1), 197–203. <https://doi.org/10.5012/bkcs.2014.35.1.197>
- Patil, A. S. (2015). Asian Journal of Pharmaceutical Technology & Innovation A Review on Ultra Performance Liquid Chromatography (UPLC) Corresponding Author. *Asian Journal of Pharmaceutical Technology & Innovation*, 10, 2015. www.asianpharmtech.com
- Pedreschi, R., & Cisneros-Zevallos, L. Antimutagenic and antioxidant properties of phenolic fractions from Andean purple corn (*Zea mays* L.). *J. Agric. Food Chem.* 2006, 54, 4557–4567.
- Pereira, D.M., Valentão, P., Pereira, J.A., & Andrade, P.B. Phenolic compounds: From chemistry to biology. *Molecules* 2009, 2202–2211.
- Pieme, C.A., Penlap, V.N., Ngogang, J., & Costache, M. *In vitro* cytotoxicity and antioxidant activities of five medicinal plants of Malvaceae family from Cameroon. *Environ. Toxicol. Pharmacol.* 2010, 29, 223–228.

- Ramadhan, I., Rohyami, Y., & Ahdiaty, R. (2022). Verifikasi Metode Uji COD secara Spektrofotometri UV-Vis untuk Low Concentration dan High Concentration. *IJCA (Indonesian Journal of Chemical Analysis)*, 5(1), 52–61. <https://doi.org/10.20885/ijca.vol5.iss1.art6>
- Ramos, S. Cancer chemoprevention and chemotherapy: Dietary polyphenols and signaling pathways. *Mol. Nutr. Food Res.* 2008, 52, 507–526.
- Ravichandran, V., Sahlini, S., Sundram, K. M., & Rajak, H. (2010). Validation of analytical methods—strategies & importance. *Journal of Pharmacy and Pharmaceutical Science*, 12 (3), 18–22.
- Rostagno, M. A., Palma, M., & Barroso, C. G. (2005). Short-term stability of soy isoflavones extracts: Sample conservation aspects. *Food Chemistry*, 93(3), 557–564. <https://doi.org/10.1016/j.foodchem.2004.12.035>
- Sahu, P. K., Ramiseti, N. R., Cecchi, T., Swain, S., Patro, C. S., & Panda, J. (2018). An overview of experimental designs in HPLC method development and validation. In *Journal of Pharmaceutical and Biomedical Analysis* (Vol. 147, pp. 590–611). Elsevier B.V. <https://doi.org/10.1016/j.jpba.2017.05.006>
- Scalbert, A., Manach, C., Remesy, C., & Morand, C. Dietary polyphenols and the prevention of diseases. *Crit. Rev. Food Sci. Nutr.* 2005, 45, 287–306.
- Sawadogo, W.R., Maciuk, A., Banzouzi, J.T.; Champy, P., Figadere, B., Guissou, I.P., Nacoulma, O.G. Mutagenic effect, Antioxidant and anticancer activities of six medicinal plants from Burkina Faso. *Nat. Prod. Res.* 2012, 26, 575–579.
- Setyaningsih, W., Saputro, I. E., Carrera, C. A., & Palma, M. (2019). Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolic compounds in rice grains. *Food Chemistry*, 288, 221–227. <https://doi.org/10.1016/j.foodchem.2019.02.107>
- Setyaningsih, W., Saputro, I. E., Carrera, C. A., Palma, M., & Barroso, C. G. (2017). Multiresponse optimization of a UPLC method for the simultaneous determination of tryptophan and 15 tryptophan-derived compounds using a Box-Behnken design with a desirability function. *Food Chemistry*, 225, 1–9. <https://doi.org/10.1016/j.foodchem.2016.12.034>
- Setyaningsih, W., Saputro, I. E., Carrera, C. A., Palma, M., & García-Barroso, C. (2019). Fast Determination of Phenolic Compounds in Rice Grains by Ultrapformance Liquid Chromatography Coupled to Photodiode Array Detection: Method Development and Validation. *Journal of Agricultural and Food Chemistry*, 67(10), 3018–3027. <https://doi.org/10.1021/acs.jafc.8b05430>

- Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2016). Pressurized liquid extraction of phenolic compounds from rice (*Oryza sativa*) grains. *Food Chemistry*, 192, 452–459. <https://doi.org/10.1016/j.foodchem.2015.06.102>
- Slivova, V., Zaloga, G., DeMichele, S.J., Mukerji, P., Huang, Y.S., Siddiqui, R., Harvey, K., Valachovicova, T., & Sliva, D. Green tea polyphenols modulate secretion of urokinase plasminogen activator (uPA) and inhibit invasive behavior of breast cancer cells. *Nutr. Cancer* 2005, 52, 66–73.
- Sik, B., Székelyhidi, R., Lakatos, E., Kapcsándi, V., & Ajtony, Z. (2022). Analytical procedures for determination of phenolic compounds active herbal ingredients in fortified functional foods: an overview. In *European Food Research and Technology* (Vol. 248, Issue 2, pp. 329–344). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s00217-021-03908-6>
- Soo Lim, H., Young Hwang, J., Choi, E. A., Lee, G., Sun Yoon, S., & Kim, M. K. (2018). Development and validation of HPLC method for the determination of ferrocyanide ion in food grade salts. *Food Chemistry*, 239, 1167–1174. <https://doi.org/10.1016/j.foodchem.2017.07.070>
- Soto-Vaca, A., Losso, J.N., Xu, Z., & Finley, J.W. Review: Evolution of phenolic compounds from color and flavor problems to health benefits. *J. Agric. Food Chem.* 2012, Epub ahead of print.
- Trenerry, C.V.; Rochfort, S., J. Modern Methods in Natural Products Chemistry; 2010; Vol. II; Available online: <https://www.sciencedirect.com/> (accessed on 25 October 2022).
- Validation of Analytical Procedures Q2(R2); Available online: <https://www.ema.europa.eu/en> (accessed on 25 October 2022).
- Vanholme, R., Demedts, B., Morreel, K., Ralph, & J., Boerjarr, W. Lignin biosynthesis and structure. *Plant. Physiol.* 2010, 153, 895–905.
- Wijngaard, H.H., Rößle, C. & Brunton, N. A survey of Irish fruit and vegetable waste and byproducts as a source of polyphenolic antioxidants. *Food Chem.* 2009, 116, 202–207.
- Xie, Y. Y., Qu, J. L., Wang, Q. L., Wang, Y., Yoshikawa, M., & Yuan, D. (2012). Comparative evaluation of cultivars of chrysanthemum morifolium flowers by HPLC-DAD-ESI/MS analysis and antiallergic assay. *Journal of Agricultural and Food Chemistry*, 60(51), 12574–12583. <https://doi.org/10.1021/jf304080v>
- Yang, D., Yang, X., Yan, H., Fan, B., Dai, J., Song, J., Lei, Y., & Guo, N. (2019). UPLC-MS/MS Determination of Twelve Ginsenosides in Shenfu Tang and Dushen Tang. *International Journal of Analytical Chemistry*, 2019. <https://doi.org/10.1155/2019/6217125>

- Yang, Y., Sun, X., Liu, J., Kang, L., Chen, S., Ma, B., & Guo, B. (2016). Quantitative and qualitative analysis of flavonoids and phenolic acids in snow chrysanthemum (*Coreopsis tinctoria* Nutt.) by HPLC-DAD and UPLC-ESI-QTOF-MS. *Molecules*, 21(10). <https://doi.org/10.3390/molecules21101307>
- Yolmeh, M., & Jafari, S. M. (2017). Applications of Response Surface Methodology in the Food Industry Processes. In *Food and Bioprocess Technology* (Vol. 10, Issue 3, pp. 413–433). Springer New York LLC. <https://doi.org/10.1007/s11947-016-1855-2>
- Zhang, L., Ravipati, A.S., Koyyalamudi, S.R., Jeong, S., Reddy, N., Smith, P.T., Bartlett, J., Shanmugam, K., Münch, G., Wu, M.J. Antioxidant and anti-inflammatory activities of selected medicinal plants containing phenolic and flavonoid compounds. *J. Agric. Food Chem.* 2011, 59, 12361–12367.
- Zheng, J., Meenu, M., & Xu, B. (2019). A systematic investigation on free phenolic acids and flavonoids profiles of commonly consumed edible flowers in China. *Journal of Pharmaceutical and Biomedical Analysis*, 172, 268–277. <https://doi.org/10.1016/j.jpba.2019.05.007>
- Zhou, Y., Fung-Kei Choi, F., He, Z. Z., Song, J. Z., Qiao, C. F., Liu, X., Ding, L. S., Gesang, S. L., & Xu, H. X. (2010). Optimisation of ultra-performance LC conditions using response surface methodology for rapid separation and quantitative determination of phenolic compounds in *Artemisia minor*. *Journal of Separation Science*, 33(23–24), 3675–3682. <https://doi.org/10.1002/jssc.201000452>
- Zhou, Y., Song, J. Z., Choi, F. F. K., Wu, H. F., Qiao, C. F., Ding, L. S., Gesang, S. L., & Xu, H. X. (2009). An experimental design approach using response surface techniques to obtain optimal liquid chromatography and mass spectrometry conditions to determine the alkaloids in *Meconopsis* species. *Journal of Chromatography A*, 1216(42), 7013–7023. <https://doi.org/10.1016/j.chroma.2009.08.058>
- Zulak, K., Liscombe, D., Ashihara, & H., Facchini, P. *Alkaloids. Plant Secondary Metabolism in Diet and Human Health*, Blackwell Publishing: Oxford, UK, 2006.