

DAFTAR PUSTAKA

1. Alizadeh A, Dyck SM, Abdolrezaee SK. Traumatic spinal cord injury - an overview of pathophysiology, models and acute injury mechanisms. *Front Neurol* 2019;10:282.
2. Jin MC, Medress ZA, Azad TD, Doulames VM, Veeravagu A. Stem cell therapies for acute spinal cord injury in humans: a review. *Neurosurg Focus* 2019;46(3):E10-E20.
3. Krupa P, Vackova I, Ruzicka J, Zaviskova K, Dubisova J, Koci Z, Turnovcova K, et al. The effect of human mesenchymal stem cells derived from Wharton's jelly in spinal cord injury treatment is dose-dependent and can be facilitated by repeated application. *Int J Mol Sci* 2018;19:1503.
4. Ruzicka J, Machova-Urdzikova L, Gillick J, Amemori T, Romanyuk N, Karova K, et al. A comparative study of three different types of stem cells for treatment of rat spinal cord injury. *Cell Transplant* 2017;26(4):585-603.
5. Jarocha D, Milczarek O, Wedrychowicz A, Kwiatkowski S, Majka M. Continuous improvement after multiple mesenchymal stem cell transplantations in a patient with complete spinal cord injury. *Cell Transplant* 2015;24(4):661-72.
6. Li J, Lepski G. Cell transplantation for spinal cord injury: a systematic review. *Biomed Res Int* 2013;2013:786475.
7. Abbaszadeh HA, Niknazar S, Darabi S, Roozbahany NA, Noori-Zadeh A, Ghoreishi SK, et al. Stem cell transplantation and functional recovery after spinal cord injury: a systematic review and meta-analysis. *Anat Cell Biol* 2018;51:180-188.
8. Yamazaki K, Kawabori M, Seki T, Houkin K. Clinical trials of stem cell treatment for spinal cord injury. *Int J Mol Sci* 2020;21(11):3994-4014.
9. Ichim TE, Solano F, Lara F, Paris E, Ugalde F, Rodriguez JP, et al. Feasibility of combination allogeneic stem cell therapy for spinal cord injury: a case report. *Int Arch Med* 2010;3:30-40.
10. Li C, Chen X, Qiao S, Liu X, Liu C, Zhu D, et al. Effects of Wharton's jelly cells of the human umbilical cord on acute spinal cord injury in rats, and expression of interleukin-1 β and nerve growth factor in spinal cord tissues. *Artif Cells Nanomed Biotechnol* 2016;44(5):1254-1258.

11. Xing C, Jia Z, Qu H, Liu S, Jiang W, Zhong H, et al. Correlation analysis between magnetic resonance imaging-based anatomical assessment and behavioral outcome in a rat contusion model of chronic thoracic spinal cord injury. *Front Neurosci* 2022;16:838786.
12. Freund P, Seif M, Weiskopf N, Friston K, Fehlings MG, Thompson AJ, et al. MRI in traumatic spinal cord injury: from clinical assessment to neuroimaging biomarkers. *Lancet Neurol* 2019;18(12):1123-1135.
13. Kumar Y, Hayashi D. Role of magnetic resonance imaging in acute spinal trauma: a pictorial review. *Musculoskelet Disord* 2016;17:310.
14. Liao LL, Ruszymah BH, Ng MH, Law JX. Characteristics and clinical applications of Wharton's jelly-derived mesenchymal stromal cells. *Curr Res Transl Med* 2020;68(1):5-16.
15. Cheng H, Liu X, Hua R, Dai G, Wang X, Gao J, An Y. Clinical observation of umbilical cord mesenchymal stem cell transplantation in treatment for sequelae of thoracolumbar spinal cord injury. *J Translational Med* 2014;12:253-259.
16. Fehlings MG, Tetreault LA, Wilson JR, Kwon BK, Burns AS, Martin AR, et al. A clinical practice guideline for the management of acute spinal cord injury: Introduction, rationale and scope. *Glob Spine J* 2017; 7(3): 84-94.
17. Roberts TT, Leonard GR, Cepela DJ. Classifications in brief: American Spinal Injury Association (ASIA) Impairment Scale. *Clin Orthop Relat Res* 2017;475(5):1499-1504.
18. Rouanet C, Reges D, Rocha E, Gagliardi V, Silva GS. Traumatic spinal cord injury: current concepts and treatment update. *Arq Neuropsiquiatr* 2017; 75(6): 387-393.
19. Wang Y, Xie H, Zhao X. Psychological morbidities and positive psychological outcomes in people with traumatic spinal cord injury in Mainland China. *Spinal Cord* 2018; 56: 704-711.
20. Ackery A, Tator C, Krassioukov A. A global perspective on spinal cord injury epidemiology. *J Neurotrauma* 2004;21(10):1355-70.
21. Wyndaele M, Wyndaele JJ. Incidence, prevalence and epidemiology of spinal cord injury: What learns a worldwide literature survey? *Spinal Cord* 2006;44(9):523-9.
22. Silva NA, Sousa N, Reis RL, Salgado AJ. From basics to clinical: A comprehensive review on spinal cord injury. *Prog Neurobiol* 2014;114:25-57.

23. Houle JD, Tessler A. Repair of chronic spinal cord injury. *Exp Neurol* 2003; 182: 247-260.
24. Huang L, Fu C, Xiong F, He C, Wei Q. Stem cell therapy for spinal cord injury. *Cell Transplant*. 2021; 30: 0963689721989266.
25. Silvestro S, Bramanti P, Trubiani O, Mazzon E. Stem cells therapy for spinal cord injury: an overview of clinical trials. *Int J Med Sci* 2020; 21:659.
26. Shetty P, Cooper K, Viswanarhan C. Comparison of proliferative and multilineage differentiation potentials of cord matrix, cord blood, and bone marrow mesenchymal stem cells. *Asian J Transfus Sci* 2010;4:14-24.
27. Fu YS, Shih YT, Cheng YC, Min MY. Transformation of human umbilical mesenchymal cells into neurons in vitro. *J Biomed Sci* 2004;11:652-660.
28. Tewarie RSN, Hurtado A, Bartels RH, Grotenhuis A, Oudega M. Stem cell-based therapies for spinal cord injury. *J Spinal Cord Med*. 2009; 32(2): 105-114.
29. Vawda R, Wilcox J, Fehlings MG. Current stem cell treatments for spinal cord injury. *Indian J Orthop*. 2012;46(1):10-8.
30. Qu J, Zhang H. Roles of mesenchymal stem cells in spinal cord injury. *Stem Cells Int* 2017: 5251313.
31. Park JH, Kim DY, Sung IY, Choi GH, Jeon MH, Kim KK, et al. Long-term results of spinal cord injury therapy using mesenchymal stem cells derived from bone marrow in humans. *Neurosurgery*. 2012;70(5):1238-47.
32. Vismara I, Papa S, Rossi F, Forloni G, Veglianese P. Current options for cell therapy in spinal cord injury. *Trends Mol Med* 2017;23(9):831-49.
33. Savic G, DeVivo MJ, Frankel HL, Jamous MA, Soni BM, Charlifue S. Causes of death after traumatic spinal cord injury - a 70-year British study. *Spinal Cord* 2017; 55:891-897.
34. Li J, Wong WHS, Chan S, Chim JCS, Cheung KMC, Lee TL, Au WY, et al. Factors affecting mesenchymal stromal cells yield from bone marrow aspiration. *Chinese J Cancer Res* 2011; 23(1): 43-48.
35. Mothe AJ, Tator CH. Review of transplantation of neural stem/progenitor cells for spinal cord injury. *Int J Dev Neurosci* 2013;31(7):701-13.

36. Hofstetter CP, Schwarz EJ, Hess D, Widenfalk J, Manira AE, Prockop DJ, et al. Marrow stromal cells form guiding strands in the injured spinal cord and promote recovery. *PNAS* 2002;99(4):2199-2204.
37. Pittenger MF, Mackay AM, Beck SC, Jaiswal RK, Douglas R, Mosca JD, et al. Multilineage potential of adult human mesenchymal stem cells. *Science* 1999; 284(5411):143-7.
38. Caplan AI, Dennis JE. Mesenchymal stem cells as trophic mediators. *J Cell Biochem* 2006;98(5):1076-84.
39. Park JH, Kim DY, Sung IY, Choi GH, Jeno MH, Kim KK, et al. Long-term results of spinal cord injury therapy using mesenchymal stem cells derived from bone marrow in humans. *Neurosurg* 2012; 70: 1238-1247.
40. Mendonça MVP, Larocca TF, Souza BSF, Villarreal CF, Silva LFM, Mato AC, et al. Safety and neurological assessments after autologous transplantation of bone marrow mesenchymal stem cells in subjects with chronic spinal cord injury. *Clin Trial Stem Cell Res Ther* 2014;5(6):126.
41. Wright KT, Masri WE, Osman A, Chowdhury J, Johnson WE. Concise review: Bone marrow for the treatment of spinal cord injury: mechanisms and clinical applications. *Stem Cells* 2011;29(2):169-78.
42. Majdan M, Plancikova D, Nemcovska E, Krajcovicova L, Brazinova A, Rusnak M. Mortality due to traumatic spinal cord injuries in Europe: a cross-sectional and pooled analysis of population-wide data from 22 countries. *Scandinavian J Trauma Resusc Emerg Med* 2017; 25: 1-10.
43. Sahni V, Kessler JA. Stem cell therapies for spinal cord injury. *Nature Rev Neurol* 2010; 6: 363-372.
44. Gao L, Peng Y, Xu W, He P, Li T, Lu X, et al. Progress in stem cell therapy for spinal cord injury. *Stem Cells Int* 2020;2020:2853650.
45. Fracaro L, Zoehler B, Rebelatto CLK. Mesenchymal stromal cells as a choice for spinal cord injury treatment. *Neuroimmunol Neuroinflamm* 2019; 7 :1-12.
46. Shao A, Tu S, Lu J, Zhang J. Crosstalk between stem cell and spinal cord injury: pathophysiology and treatment strategies. *Stem Cell Res Ther* 2019; 10(238): 1-13.
47. Gao J, Dennis JE, Muzic RF, Lundberg M, Caplan AI. The dynamic in vivo distribution of bone marrow-derived mesenchymal stem cells after infusion. *Cells Tissue Organs* 2001; 169: 12-20.

48. Panfeng X, Xianliang Y. The efficacy and safety of mesenchymal stem cell transplantation for spinal cord injury patients: a meta-analysis and systematic review. *Cell Transpl* 2019; 28(1): 36-46.
49. Zachar L, Bacenkova D, & Rosocha J. Activation, homing, and role of the mesenchymal stem cells in the inflammatory environment. *J Inflamm Res* 2016; 9: 231-240.
50. Pal R, Gopinath C, Rao NM, Banerjee P, Krishnamoorthy V, Venkataramana NK, et al. Functional recovery after transplantation of bone marrow-derived human mesenchymal stromal cells in a rat model of spinal cord injury. *Cytotherapy* 2010;12:792-806..
51. Guest J, Benavides F, Padgett K, Mendez E, Tovar D. Technical aspects of spinal cord injections for cell transplantation. Clinical and translational considerations. *Brain Res Bull* 2011;84:267-279.
52. Dai G, Liu X, Zhang Z, Yang Z, Dai Y, Xu R. Transplantation of autologous bone marrow mesenchymal stem cells in the treatment of complete and chronic cervical spinal cord injury. *Brain Res* 2013;1533:73-79.
53. Zhao H, Sun QL, Duan LJ, Yang YD, Gao YS, Zhao DY, et al. Is cell transplantation a reliable therapeutic strategy for spinal cord injury in clinical practice? A systematic review and meta-analysis from 22 clinical controlled trials. *Eur Spine J*. 2019;28(5):1092-112.
54. Samdani AF, Paul C, Betz RR, Fischer I, Neuhuber B. Transplantation of human marrow stromal cells and mono-nuclear bone marrow cells into the injured spinal cord: a comparative study. *Spine (Phila Pa 1976)* 2009;34(24):2605-12.
55. Gabr H, El-Kheir WA, Farghali HA, Ismail ZM, Zickri MB, Maadawi ZM, et al. Intrathecal transplantation of autologous adherent bone marrow cells induces functional neurological recovery in a canine model of spinal cord injury. *Cell Transplant* 2015;24:1813-1827.
56. Kim YC, Kim YH, Kim JW, Ha KY. Transplantation of mesenchymal stem cells for acute spinal cord injury in rats: comparative study between intralesional injection and scaffold based transplantation. *J Korean Med Sci* 2016;31(9):1373-82.
57. Kim JW, Ha KY, Molon JN, Kim YH. Bone marrow-derived mesenchymal stem cell transplantation for chronic spinal cord injury in rats: comparative study between intralesional and intravenous transplantation. *Spine (Phila Pa 1976)* 2013;38(17):E1065-74.

58. Xu P, Yang X. The efficacy and safety of mesenchymal stem cells transplantation for spinal cord injury patients: A meta-analysis and systematic review. *Cell Transplant* 2019; 28(1): 36-46.
59. Deng J, Zhang Y, Xie Y, Zhang L, Tang P. Cell transplantation for spinal cord injury: tumorigenicity of induced pluripotent stem cell-derived neural stem/progenitor cells. *Stem Cells Int* 2018;2018:5653787.
60. Jeon SR, Park JH, Lee JH, Kim DY, Kim HS, Sung IY, et al. Treatment of spinal cord injury with bone marrow-derived, cultured autologous mesenchymal stem cells. *Tissue Eng Regen Med* 2010;7:316-322.
61. Xie JL, Wang XR, Li MM, Tao ZH, Teng WW, Saijilafu S. Mesenchymal stromal cell therapy in spinal cord injury: mechanisms and prospects. *Front Cell Neurosci* 2022;16:862673.
62. El-Kheir W, Gabr H, Awad MR, Ghannam O, Barakat Y, Farghali HA, et al. Autologous bone marrow-derived cell therapy combined with physical therapy induces functional improvement in chronic spinal cord injury patients. *Cell Transplant* 2014;23:729-745.
63. Karamouzian S, Nematollahi-Mahani SN, Nakhaee N, Eskandary H. Clinical safety and primary efficacy of bone marrow mesenchymal cell transplantation in subacute spinal cord injured patients. *Clin Neurol Neurosurg* 2012;114:935-939.
64. Mitchell KE, Weiss ML, Mitchell BM, Martin P, Davis D, Morales L, et al. Matrix cells from Wharton's jelly form neurons and glia. *Stem Cells*. 2003;21:50-60.
65. Yang CC, Shih YH, Ko MH, Hsu SY, Cheng H, Fu YS. Transplantation of human umbilical mesenchymal stem cells from Wharton's jelly after complete transection of the rat spinal cord. *PLoS One* 2008;3(10):e3336.
66. Cho PS, Messina DJ, Hirsh EL, Chi N, Goldman SN, Lo DP, et al. Immunogenicity of umbilical cord tissue derived cells. *Blood* 2008;111:430-438.
67. Troyer DL, Weiss ML. Wharton's jelly-derived cells are a primitive stromal cell population. *Stem Cells* 2008;26:591-599.
68. Weiss ML, Anderson C, Medicetty S, Seshareddy KB, Weiss RJ, VanderWerff I, et al. Immune properties of human umbilical cord Wharton's jelly-derived cells. *Stem Cells* 2008;26:2865-2874.

69. Liu J, Han D, Wang Z, Xue M, Zhu L, Yan H, et al. Clinical analysis of the treatment of spinal cord injury with umbilical cord mesenchymal stem cells. *Cytotherapy* 2013;15:185-191.
70. Cheng H, Liu X, Hua R, Dai G, Wang X, Gao J, et al. Clinical observation of umbilical cord mesenchymal stem cell transplantation in treatment for sequelae of thoracolumbar spinal cord injury. *J Transl Med* 2014;12:253-260.
71. Nishida H, Nakayama M, Tanaka H, Kitamura M, Hatoya S, Sugiura K, et al. Safety of autologous bone marrow stromal cell transplantation in dogs with acute spinal cord injury. *Vet Surg* 2012;41(4):437-442.
72. Xu P, Yang X. The efficacy and safety of mesenchymal stem cell transplantation for spinal cord injury patients: A meta-analysis and systematic review. *Cell Transplant* 2019; 28(1): 36 -46.
73. Fan X, Wang, JZ, Lin XM, Zhang L. Stem cell transplantation for spinal cord injury: A meta-analysis of treatment effectiveness and safety. *Neural Regen Res* 2017;12(5).
74. Kumar AA, Kumar SR, Narayanan R, Arul K, Baskaran M. Autologous bone marrow derived mononuclear cell therapy for spinal cord injury: A phase I/II clinical safety and primary efficacy data. *Clin Trial Exp Clin Transplant* 2009;7(4):241-8.
75. Yoon SH, Shim YS, Park YH, Chung JK, Nam JH, Kim MO, et al. Complete spinal cord injury treatment using autologous bone marrow cell transplantation and bone marrow stimulation with granulocyte macrophage-colony stimulating factor: Phase I/II clinical trial. *Stem Cells* 2007; 25:2065-2073.
76. Okada S, Ischii K, Yamane, J, Iwanami A, Ikegami T, Katoh, H, et al. In vivo imaging of engrafted neural stem cells : its application in evaluating the optimal timing of transplantation for spinal cord injury. *FASEB J* 2005;19(13):1839-1841.
77. Wang L, Fan J, Lin YS, Guo YS, Gao B, Shi QY, et al. Glucocorticoids induce autophagy in rat bone marrow mesenchymal stem cells. *Mol Med Rep* 2014; 11(4): 2711-2716.
78. Macias MY, Syring MB, Pizzi MA, Crowe MJ, Alexanian AR, Kurpad SN. Pain with no gain: Allodynia following neural stem cell transplantation in spinal cord injury. *Exper Neurol* 2006; 201(2): 335-348.