

DAFTAR PUSTAKA

- Amering, M., & Schmolke, M. (2009). Recovery in Mental Health Reshaping Scientific and Clinical Responsibilities. In *Wiley-Blackwell*. John Wiley & Sons. <https://doi.org/10.1002/9780470743171>
- Anderson, S., Allen, P., Peckham, S., & Goodwin, N. (2008). Asking the right questions: Scoping studies in the commissioning of research on the organisation and delivery of health services. *Health Research Policy and Systems*, 6(7), 1–12. <https://doi.org/10.1186/1478-4505-6-7>
- Anthony, W. A. (1993). Recovery from mental illness: The guiding vision of the mental health service system in the 1990s. *Psychosocial Rehabilitation Journal*, 16, 11–23. <https://doi.org/10.1037/h0095655>
- Anthony, W. A. (2000). A recovery-oriented service system: Setting some system level standards. *Psychiatric Rehabilitation Journal*, 24(2), 159–168. <https://doi.org/10.1037/h0095104>
- Anthony, W. A. (2007a). Recovery from Mental Illness: The Guiding Vision of the Mental Health System in the 1990s. In *Toward a Vision of Recovery* (2nd Edition, pp. 7–20). Center for Psychiatric Rehabilitation - Boston University.
- Anthony, W. A. (2007b). *Toward a Vision of Recovery for Mental Health and Psychiatric Rehabilitation Services* (2nd Editio). Center for Psychiatric Rehabilitation - Boston University.
- Anthony, W. A., Cohen, M. R., Farkas, M. D., & Bachrach, L. L. (1990). *Psychiatric Rehabilitation*. Center for Psychiatric Rehabilitation - Boston University.
- APA. (2020). *recovery*. American Psychological Association. <https://dictionary.apa.org/recovery>
- Aromataris, E., & Pearson, A. (2014). The Systematic Review. *AJN, American Journal of Nursing*, 114(3), 47. <https://doi.org/10.1097/01.NAJ.0000444496.24228.2c>
- Australian Health Ministers. (2009). *National Mental Health Policy 2009* (pp. 1–31). Australian Health Ministers. <https://www.health.gov.au/sites/default/files/documents/2020/11/national-mental-health-policy-2008.pdf>
- Bauer, M. S. (2002). A Review of Quantitative Studies of Adherence to Mental Health Clinical Practice Guidelines. *Harvard Review of Psychiatry*, 10(3), 138–153. <https://doi.org/10.1080/10673220216217>
- Begiashvili, A., Beria, Z., & Naneishvili, M. (2004). *Georgia Country Profile*.

- Bila, N. J. (2019). Social Workers' Perspectives on the Recovery-Oriented Mental Health Practice in Tshwane, South Africa. *Social Work in Mental Health*, 17(3), 344–363. <https://doi.org/10.1080/15332985.2018.1554547>
- Bonell, C., Jamal, F., Melendez-Torres, G. J., & Cummins, S. (2015). “Dark logic”: Theorising the harmful consequences of public health interventions. *Journal of Epidemiology and Community Health*, 69(1), 95–98. <https://doi.org/10.1136/jech-2014-204671>
- Booth, A., & Carroll, C. (2015). How to build up the actionable knowledge base: the role of ‘best fit’ framework synthesis for studies of improvement in healthcare. *BMJ Quality & Safety*, 24(11), 700–708. <https://doi.org/10.1136/bmjqs-2014-003642>
- Booth, A., Noyes, J., Flemming, K., Gerhardus, A., Wahlster, P., van der Wilt, G. J., Mozygemba, K., Refolo, P., Sacchini, D., Tummers, M., & Rehfues, E. (2016). *Guidance on Choosing Qualitative Evidence Synthesis Methods for Use in Health Technology Assessment of Complex Intervention*.
- Brunton, G., Oliver, S., & Thomas, J. (2020). Innovations in framework synthesis as a systematic review method. *Research Synthesis Methods*, 11(3), 316–330. <https://doi.org/10.1002/jrsm.1399>
- Brunton, V. (2017). *Innovation in systematic review methods: successive developments in framework synthesis*. University College London.
- Cambridge. (2021a). *implementation*. Cambridge University Press. <https://dictionary.cambridge.org/dictionary/english/implementation>
- Cambridge. (2021b). *recovery*. Cambridge University Press. <https://dictionary.cambridge.org/dictionary/english/recovery>
- Canese, K., & Weis, S. (2013). PubMed: The bibliographic database. *The NCBI Handbook*.
- Carroll, C., Booth, A., & Cooper, K. (2011). A worked example of “best fit” framework synthesis: A systematic review of views concerning the taking of some potential chemopreventive agents. *BMC Medical Research Methodology*, 11(29), 1–9. <https://doi.org/10.1186/1471-2288-11-29>
- Chan, M. (2013). *WHO Director-General Launches Mental Health Action plan*. WHO.
- Chang, Y.-C., Chang, L.-H., Hsu, S.-T., & Huang, M.-W. (2021). Professional Perspectives on Providing Recovery-Oriented Services in Taiwan: A Qualitative Study. *BMC Psychiatry*, 21(1), 154. <https://doi.org/10.1186/s12888-021-03152-y>
- Clarke, M. (2007). The Cochrane Collaboration and The Cochrane Library. In *Otolaryngology - Head and Neck Surgery* (Vol. 137, Issue 4 SUPPL., pp. S52–S54). <https://doi.org/10.1016/j.otohns.2007.05.050>

- Damschroder, L. J., Aron, D. C., Keith, R. E., Kirsh, S. R., Alexander, J. A., & Lowery, J. C. (2009). Fostering implementation of health services research findings into practice: a consolidated framework for advancing implementation science. *Implementation Science*, 4(50), 1–15. <https://doi.org/10.1186/1748-5908-4-50>
- Davidson, L. (2021). Recovery-Oriented Systems of Care: A Perspective on the Past, Present, and Future. *Alcohol Research: Current Reviews*, 41(1), 1–11. <https://doi.org/10.35946/arcr.v41.1.09>
- Deegan, P. E. (1988). Recovery: The lived experience of rehabilitation. *Psychosocial Rehabilitation Journal*, 11(4), 11–19. <https://doi.org/10.1037/h0099565>
- Department of Health and Children. (2006). *A vision for Change: Report of the Expert Group on Mental Health Policy*. Stationery Office.
- Department of Health (UK). (2001). *The Journey to Recovery: The Government's Vision for Mental Health Care*. Department of Health Publications.
- Dixon-Woods, M. (2011). Using framework-based synthesis for conducting reviews of qualitative studies. *BMC Medicine*, 9(1), 1–2. <https://doi.org/10.1186/1741-7015-9-39>
- Dixon-Woods, M., Bonas, S., Booth, A., Jones, D. R., Miller, T., Sutton, A. J., Shaw, R. L., Smith, J. A., & Young, B. (2006). How can systematic reviews incorporate qualitative research? A critical perspective. In *Qualitative Research* (Vol. 6, Issue 1, pp. 27–44). <https://doi.org/10.1177/1468794106058867>
- Dixon-Woods, M., Sutton, A., Shaw, R., Miller, T., Smith, J., Young, B., Bonas, S., Booth, A., & Jones, D. (2007). Appraising qualitative research for inclusion in systematic reviews: A quantitative and qualitative comparison of three methods. In *Journal of Health Services Research and Policy* (Vol. 12, Issue 1, pp. 42–47). <https://doi.org/10.1258/135581907779497486>
- Fleury, M.-J., Grenier, G., Bamvita, J.-M., & Caron, J. (2011). Mental Health Service Utilization Among Patients with Severe Mental Disorders. *Community Mental Health Journal*, 47(4), 365–377. <https://doi.org/10.1007/s10597-010-9320-6>
- Flisher, A. J. ., Lund, C., Funk, M., Banda, M., Bhana, A., Doku, V., Drew, N., Kigozi, F. N., Knapp, M., Omar, M., Petersen, I., & Green, A. (2007). Mental Health Policy Development and Implementation in Four African Countries. *Journal of Health Psychology*, 12(3), 505–516. <https://doi.org/10.1177/1359105307076237>
- Forman, S. G., Shapiro, E. S., Coddington, R. S., Gonzales, J. E., Reddy, L. A., Rosenfield, S. A., Sanetti, L. M. H., & Stoiber, K. C. (2013). Implementation science and school psychology. *School Psychology Quarterly*, 28(2), 77–100. <https://doi.org/10.1037/spq0000019>

- Gask, L., & Coventry, P. (2012). Person-centred mental health care: the challenge of implementation. *Epidemiology and Psychiatric Sciences*, 21(2), 139–144. <https://doi.org/10.1017/S2045796012000078>
- Glenton, C., Colvin, C. J., Carlsen, B., Swartz, A., Lewin, S., Noyes, J., & Rashidian, A. (2013). Barriers and facilitators to the implementation of lay health worker programmes to improve access to maternal and child health: qualitative evidence synthesis. In C. Glenton (Ed.), *Cochrane Database of Systematic Reviews* (Issue 10, pp. 1–77). John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD010414.pub2>
- Gold, P. B., Meisler, N., Santos, A. B., Keleher, J., Becker, D. R., Knoedler, W. H., Carnemolla, M. A., Williams, O. H., Toscano, R., & Stormer, G. (2003). The program of assertive community treatment: Implementation and dissemination of an evidence-based model of community-based care for persons with severe and persistent mental illness. *Cognitive and Behavioral Practice*, 10(4), 290–303. [https://doi.org/10.1016/S1077-7229\(03\)80047-0](https://doi.org/10.1016/S1077-7229(03)80047-0)
- Gough, D., Oliver, S., & Thomas, J. (2012). *An introduction to systematic reviews / David Gough, Sandy Oliver, James Thomas*. <https://b-ok.asia/book/2718381/a08a63>
- Grant, S. P., Mayo-Wilson, E., Melendez-Torres, G. J., & Montgomery, P. (2013). Reporting Quality of Social and Psychological Intervention Trials: A Systematic Review of Reporting Guidelines and Trial Publications. *PLoS ONE*, 8(5), 1–11. <https://doi.org/10.1371/journal.pone.0065442>
- Greenhalgh, T., & Peacock, R. (2005). Effectiveness and efficiency of search methods in systematic reviews of complex evidence: audit of primary sources. *BMJ*, 331(7524), 1064–1065. <https://doi.org/10.1136/bmj.38636.593461.68>
- Gubernur Jawa Barat. (2020). *Peraturan Gubernur Jawa Barat Nomor 15 Tahun 2020 Tentang Tarif Layanan Unit Pelaksana Teknis Daerah Rumah Sakit Jiwa*. Berita Daerah Provinsi Jawa Barat.
- Guz, A. N., & Rushchitsky, J. J. (2009). Scopus: A system for the evaluation of scientific journals. *International Applied Mechanics*, 45(4), 1–12. <https://doi.org/10.1007/s10778-009-0189-4>
- Hannes K. (2011). Chapter 4: Critical appraisal of qualitative research. In J. Noyes, A. Booth, K. Hannes, A. Harden, J. Harris, S. Lewin, & C. Lockwood (Eds.), *Supplementary Guidance for Inclusion of Qualitative Research in Cochrane Systematic Reviews of Interventions* (1st ed., Vol. 1, Issue August).
- Harangozo, J., & Kristof, R. (2000). Where is Hungarian mental health reform? *Mental Health Reforms*, 2, 14–18.

- Harper, D. (2021a). *recover*. Online Publication Dictionary. <https://www.etymonline.com/search?q=recover>
- Harper, D. (2021b). *recovery*. Online Publication Dictionary. <https://www.etymonline.com/search?q=recovery>
- Harris, J. L., Booth, A., Cargo, M., Hannes, K., Harden, A., Flemming, K., Garside, R., Pantoja, T., Thomas, J., & Noyes, J. (2018). Cochrane Qualitative and Implementation Methods Group guidance series—paper 2: methods for question formulation, searching, and protocol development for qualitative evidence synthesis. *Journal of Clinical Epidemiology*, 97, 39–48. <https://doi.org/10.1016/j.jclinepi.2017.10.023>
- Higgins, J. P. T., Altman, D. G., Gotzsche, P. C., Juni, P., Moher, D., Oxman, A. D., Savovic, J., Schulz, K. F., Weeks, L., & Sterne, J. A. C. (2011). The Cochrane Collaboration’s tool for assessing risk of bias in randomised trials. *BMJ*, 343(oct18 2), d5928–d5928. <https://doi.org/10.1136/bmj.d5928>
- Higgins, J. P. T., Thomas, J., Chandler, J., Cumpston, M., Li, T., Page, M. J., & Welch, V. A. (2019). Cochrane Handbook for Systematic Reviews of Interventions. In J. P. T. Higgins, J. Thomas, J. Chandler, M. Cumpston, T. Li, M. J. Page, & V. A. Welch (Eds.), *Cochrane Handbook for Systematic Reviews of Interventions*. John Wiley & Sons. <https://doi.org/10.1002/9781119536604>
- Hsu, W.-T., Wu, H.-C., & Chou, F. H.-C. (2017). A History of Mental Health Laws in Taiwan. *Taiwanese Journal of Psychiatry (Taipei)*, 31(3), 195–203.
- Hunter, K. (1998). Sciencedirect™. *Series Librarian*, 33(3–4), 287–297. https://doi.org/https://doi.org/10.1300/J123v33n03_07
- Idaiani, S. (2015). The Effectiveness of Community-based Mental Health Program by Community Health Centers on The Recovery of Patients with Psychosis in Aceh. *ASEAN Journal of Psychiatry*, 16(2).
- IHI. (2004). The Breakthrough Series: IHI’s Collaborative Model for Achieving Breakthrough Improvement. *Diabetes Spectrum*, 17(2), 97–101. <https://doi.org/10.2337/diaspect.17.2.97>
- Ito, H., & Sederer, L. I. (1999). Mental health services reform in Japan. In *Harvard Review of Psychiatry* (Vol. 7, Issue 4, pp. 208–215). <https://doi.org/10.1093/hrp/7.4.208>
- Jacobson, N., & Greenley, D. (2001). What Is Recovery? A Conceptual Model and Explication. *Psychiatric Services*, 52(4), 482–485. <https://doi.org/10.1176/appi.ps.52.4.482>
- James, K., Brooks, H., Susanti, H., Waddingham, J., Irmansyah, I., Keliat, B. A., Utomo, B., Rose, D., Colucci, E., & Lovell, K. (2020). Implementing civic engagement within mental health services in South East Asia: A systematic review and realist synthesis of current

- evidence. *International Journal of Mental Health Systems*, 14(1), 1–13. <https://doi.org/https://doi.org/10.1186/s13033-020-00352-z>
- Jia-Pei, S., Chao-Yueh, S., & Frank Huang-Chih, C. (2015). Enhancing the protection of medical human rights for mental patients in taiwan. *International Journal of Emergency Mental Health*, 17(3), 659–660. <https://doi.org/10.4172/1522-4821.1000252>
- KBBI. (2019). *pulih*. Kamus Besar Bahasa Indonesia (KBBI).
- Kemdikbud. (2016). *bangkit*. KBBI Daring.
- Khan, K. S., Kunz, R., Kleijnen, J., & Antes, G. (2003). Five steps to conducting a systematic review. *JRSM*, 96(3), 118–121. <https://doi.org/10.1258/jrsm.96.3.118>
- Knapp, M., Funk, M., Curran, C., Prince, M., Grigg, M., & McDaid, D. (2006). Economic Barriers to Better Mental Health Practice and Policy. *Health Policy and Planning*, 21(3), 157–170. <https://doi.org/10.1093/heapol/czl003>
- Kneale, D., Thomas, J., & Harris, K. (2015). Developing and optimising the use of logic models in systematic reviews: Exploring practice and good practice in the use of programme theory in reviews. *PLoS ONE*, 10(11), 1–26. <https://doi.org/10.1371/journal.pone.0142187>
- Kysh, L. (2013). *What's in a Name?: The Difference between A Systematic Review and A Literature Review and Why It Matters*. University of Southern California.
- Langer, L., Steward, R., & Winters, N. (2015). Sensitivity ananalysis in systematic reviews of qualitative evidence: an example from a mixed-methods systematic review. *23rd Cochrane Colloquium*.
- Lasserson, T. J., Thomas, J., & Higgins, J. P. T. (2019). Chapter 1: Starting a review. In J. P. T. Higgins, J. Thomas, J. Chandler, M. Cumpston, T. Li, M. J. Page, & V. A. Welch (Eds.), *Cochrane Handbook for Systematic Reviews of Interventions* (2nd ed., pp. 3–12). John Wiley & Sons.
- Le Boutillier, C., Chevalier, A., Lawrence, V., Leamy, M., Bird, V. J., Macpherson, R., Williams, J., & Slade, M. (2015). Staff understanding of recovery-orientated mental health practice: a systematic review and narrative synthesis. *Implementation Science*, 10(1), 87. <https://doi.org/10.1186/s13012-015-0275-4>
- Leamy, M., Bird, V., Boutillier, C. Le, Williams, J., & Slade, M. (2011). Conceptual framework for personal recovery in mental health: systematic review and narrative synthesis. *British Journal of Psychiatry*, 199(6), 445–452. <https://doi.org/10.1192/bjp.bp.110.083733>

- Lewin, S., Booth, A., Glenton, C., Munthe-Kaas, H., Rashidian, A., Wainwright, M., Bohren, M. A., Tunçalp, Ö., Colvin, C. J., Garside, R., Carlsen, B., Langlois, E. v., & Noyes, J. (2018). Applying GRADE-CERQual to qualitative evidence synthesis findings: Introduction to the series. *Implementation Science*, *13*(Suppl 1), 1–10. <https://doi.org/10.1186/s13012-017-0688-3>
- Lewin, S., Glenton, C., Munthe-Kaas, H., Carlsen, B., Colvin, C. J., Gülmezoglu, M., Noyes, J., Booth, A., Garside, R., & Rashidian, A. (2015). Using Qualitative Evidence in Decision Making for Health and Social Interventions: An Approach to Assess Confidence in Findings from Qualitative Evidence Syntheses (GRADE-CERQual). *PLOS Medicine*, *12*(10), e1001895. <https://doi.org/10.1371/journal.pmed.1001895>
- Li, L., Deng, M., Liu, Z., & Rohrbaugh, R. (2019). A Qualitative Study of Implementation Challenges of Mental Health Clubhouse Rehabilitation Services in China's Hunan Province. *Psychiatric Services*, *70*(8), 674–680. <https://doi.org/10.1176/appi.ps.201800549>
- Llewellyn-Beardsley, J., Rennick-Egglestone, S., Callard, F., Crawford, P., Farkas, M., Hui, A., Manley, D., McGranahan, R., Pollock, K., Ramsay, A., Sælør, K. T., Wright, N., & Slade, M. (2019). Characteristics of Mental Health Recovery Narratives: Systematic Review and Narrative Synthesis. *PLoS ONE*, *14*(3), 1–31. <https://doi.org/10.1371/journal.pone.0214678>
- Lumerman, J., & Conover, S. (2013). Development of a sustainable community mental health program in a remote region: the Austral Institute for Mental Health. *Cad. Saúde Colet*, *21*(1), 80–84. <https://doi.org/10.1590/S1414-462X2013000100012>
- Mental Health Commission of Canada. (2009). Toward Recovery & Wellbeing: A Framework for Mental Health Strategy in Canada. In *Mental Health Commission of Canada*.
- Midin, M. (2018). Mental Health Services in Malaysia. *Taiwanese Journal of Psychiatry*, *32*(4), 281–293.
- Ministry of Health & Family Welfare. (2014). *New Pathway New Hope: National Mental Health Policy of India* (pp. 1–20). Government of India.
- Ministry of Health Labor and Welfare. (2004). *Mental Health and Medical Welfare Vision of Reform*.
- Montgomery, P., Mayo-Wilson, E., Hopewell, S., MacDonald, G., Moher, D., & Grant, S. (2013). Developing a reporting guideline for social and psychological intervention trials. In *American Journal of Public Health* (Vol. 103, Issue 10, pp. 1741–1746). <https://doi.org/10.2105/AJPH.2013.301447>
- Mueser, K. T., Meyer-Kalos, P. S., Glynn, S. M., Lynde, D. W., Robinson, D. G., Gingerich, S., Penn, D. L., Cather, C., Gottlieb, J. D., Marcy, P., Wiseman, J. L., Potretzke, S.,

- Brunette, M. F., Schooler, N. R., Addington, J., Rosenheck, R. A., Estroff, S. E., & Kane, J. M. (2019). Implementation and fidelity assessment of the NAVIGATE treatment program for first episode psychosis in a multi-site study. *Schizophrenia Research*, *204*, 271–281. <https://doi.org/10.1016/j.schres.2018.08.015>
- Munn, Z., Peters, M. D. J., Stern, C., Tufanaru, C., McArthur, A., & Aromataris, E. (2018). Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Medical Research Methodology*. <https://doi.org/10.1186/s12874-018-0611-x>
- New Zealand Mental Health Commission. (2001). *Recovery Competencies for New Zealand Mental Health Workers*. Mental Health Commission.
- Noyes, J., Booth, A., Cargo, M., Flemming, K., Harden, A., Harris, J., Garside, R., Hannes, K., Pantoja, T., & Thomas, J. (2019). Qualitative evidence. In J. P. T. Higgins, J. Thomas, J. Chandler, T. Cumpston, Miranda Li, M. J. Page, & V. A. Welch (Eds.), *Cochrane Handbook for Systematic Reviews of Interventions* (Issue July, pp. 525–545).
- Noyes, J., Booth, A., Flemming, K., Garside, R., Harden, A., Lewin, S., Pantoja, T., Hannes, K., Cargo, M., & Thomas, J. (2018). Cochrane Qualitative and Implementation Methods Group guidance series—paper 3: methods for assessing methodological limitations, data extraction and synthesis, and confidence in synthesized qualitative findings. *Journal of Clinical Epidemiology*, *97*, 49–58. <https://doi.org/10.1016/j.jclinepi.2017.06.020>
- O’Hagan, M., Reynolds, P., & Smith, C. (2012). Recovery in New Zealand: An evolving concept? *International Review of Psychiatry*, *24*(1), 56–63. <https://doi.org/10.3109/09540261.2011.651447>
- Papaioannou, D., Sutton, A., Carroll, C., Booth, A., & Wong, R. (2009). Literature searching for social science systematic reviews: consideration of a range of search techniques. *Health Information & Libraries Journal*, *27*(2), 114–122. <https://doi.org/10.1111/j.1471-1842.2009.00863.x>
- Piat, M., & Sabetti, J. (2012). Recovery in Canada: Toward social equality. *International Review of Psychiatry*, *24*(1), 19–28. <https://doi.org/10.3109/09540261.2012.655712>
- Piat, M., Wainwright, M., Sofouli, E., Vachon, B., Deslauriers, T., Préfontaine, C., & Frati, F. (2021a). Factors influencing the implementation of mental health recovery into services: a systematic mixed studies review. *Systematic Reviews* *2021 10:1*, *10*(1), 1–21. <https://doi.org/10.1186/S13643-021-01646-0>
- Piat, M., Wainwright, M., Sofouli, E., Vachon, B., Deslauriers, T., Préfontaine, C., & Frati, F. (2021b). Factors influencing the implementation of mental health recovery into services: a systematic mixed studies review. *Systematic Reviews*, *10*(1), 134. <https://doi.org/10.1186/s13643-021-01646-0>

- Pincus, H. A., Spaeth-Rublee, B., Sara, G., Goldner, E. M., Prince, P. N., Ramanuj, P., Gaebel, W., Zielasek, J., Großimlinghaus, I., Wrigley, M., van Weeghel, J., Smith, M., Ruud, T., Mitchell, J. R., & Patton, L. (2016). A review of mental health recovery programs in selected industrialized countries. *International Journal of Mental Health Systems*, 10(73), 1–9. <https://doi.org/10.1186/s13033-016-0104-4>
- Pinnock, H., Epiphaniou, E., Sheikh, A., Griffiths, C., Eldridge, S., Craig, P., & Taylor, S. J. C. (2015). Developing standards for reporting implementation studies of complex interventions (StaRI): a systematic review and e-Delphi. *Implementation Science*, 10(1), 42. <https://doi.org/10.1186/s13012-015-0235-z>
- President's New Freedom Commission on Mental Health. (2001). *President's New Freedom Commission on Mental Health Achieving the Promise: Transforming Mental Health Care in America*. President of The United States of America.
- Radar Bandung. (2020). *Kampung Walagri, Fasilitas Pelayanan Bagi Penderita Gangguan Jiwa*. Radar Bandung.Id. <https://www.radarbandung.id/2020/03/23/kampung-walagri-fasilitas-pelayanan-bagi-penderita-gangguan-jiwa/>
- Rehfuess, E. A., Booth, A., Brereton, L., Burns, J., Gerhardus, A., Mozygamba, K., Oortwijn, W., Pfadenhauer, L. M., Tummers, M., van der Wilt, G.-J., & Rohwer, A. (2018). Towards a taxonomy of logic models in systematic reviews and health technology assessments: A priori, staged, and iterative approaches. *Research Synthesis Methods*, 9(1), 13–24. <https://doi.org/10.1002/jrsm.1254>
- Retnowaty, E. (2019). *Pemerintah Provinsi Jawa Barat melalui RS Jiwa Provinsi Jawa Barat menghadirkan Kampung Walagri (Wahana Layanan ODGJ Mandiri)*. Biro Komunikasi Dan Pelayanan Masyarakat Kementerian Kesehatan RI. <https://mediakom.kemkes.go.id/index.php/posts/detail/kampung-walagri-ikhtiar-menyembuhkan-gangguan-kejiwaan>
- Rioli, G., Ferrari, S., Henderson, C., Vandelli, R., Galli, G., Minarini, A., & Galeazzi, G. M. (2020). Users' choice and change of allocated primary mental health professional in community-based mental health services: A scoping review. *International Journal of Social Psychiatry*, 66(4), 373–381. <https://doi.org/10.1177/0020764020910182>
- Ritchie, J., & Spencer, L. (2012). Qualitative Data Analysis for Applied Policy Research. In A. M. Huberman & M. B. Miles (Eds.), *The Qualitative Researcher's Companion* (pp. 305–329). SAGE Publications Inc. <https://doi.org/10.4135/9781412986274.n12>
- Roberts, C., Davies, J., & Maggs, R. G. (2015). Structured community activity for forensic mental health – A feasibility study. *Journal of Forensic Practice*, 17(3), 180–191. <https://doi.org/10.1108/JFP-12-2014-0049>

- Roe, D., Bril-Barniv, S., & Kravetz, S. (2012). Recovery in Israel: A legislative recovery response to the needsrights paradox. *International Review of Psychiatry*, 24(1), 48–55. <https://doi.org/10.3109/09540261.2011.652600>
- Rohwer, A., Pfadenhauer, L., Burns, J., Brereton, L., Gerhardus, A., Booth, A., Oortwijn, W., & Rehfuess, E. (2017). Series: Clinical Epidemiology in South Africa. Paper 3: Logic models help make sense of complexity in systematic reviews and health technology assessments. *Journal of Clinical Epidemiology*, 83, 37–47. <https://doi.org/10.1016/j.jclinepi.2016.06.012>
- Rossi, P. H., Lipsey, M. W., & Henry, G. T. (2019). *Evaluation: A Systematic Approach* (8th Edition). SAGE Publications Inc.
- SAMHSA. (2004). *National Consensus Statement on Mental Health Recovery*. US Department of Health and Human Services.
- Scottish Government. (2009). *Toward a Mentally Flourishing Scotland: Policy and Action Plan 2009-2011*. Scottish Government.
- Sessions, K. L., Wheeler, L., Shah, A., Farrell, D., Agaba, E., Kuule, Y., & Merry, S. P. (2017). Mental illness in Bwindi, Uganda: Understanding stakeholder perceptions of benefits and barriers to developing a community-based mental health programme. *African Journal of Primary Health Care & Family Medicine*, 9(1). <https://doi.org/10.4102/phcfm.v9i1.1462>
- Shannon, L. M., Hulbig, S. K., Shira, B., Newell, J., & Neal, C. (2015). Implementation of an enhanced probation program: Evaluating process and preliminary outcomes. *Evaluation and Program Planning*, 49, 50–62. <https://doi.org/https://doi.org/10.1016/j.evalprogplan.2014.11.004>
- Shaw, L., Nunns, M., Briscoe, S., Anderson, R., & Thompson Coon, J. (2021). A “Rapid Best-Fit” model for framework synthesis: Using research objectives to structure analysis within a rapid review of qualitative evidence. *Research Synthesis Methods*, 12(3), 368–383. <https://doi.org/10.1002/jrsm.1462>
- Shera, W., & Ramon, S. (2013). Challenges in the Implementation of Recovery-Oriented Mental Health Policies and Services. *International Journal of Mental Health*, 42(2–3), 17–42. <https://doi.org/10.2753/IMH0020-7411420202>
- Slade, M., Amering, M., & Oades, L. (2008). Recovery: an international perspective. *Epidemiologia e Psichiatria Sociale*, 17(2), 128–137. <https://doi.org/10.1017/S1121189X00002827>
- St Vincent Mental Health. (2014). *The Strengths Model: A Recovery-Oriented Approach to Mental Health Services*. St Vincent’s Hospital Melbourne.

- Stansfield, C., Brunton, G., & Rees, R. (2014). Search wide, dig deep: literature searching for qualitative research. An analysis of the publication formats and information sources used for four systematic reviews in public health. *Research Synthesis Methods*, 5(2), 142–151. <https://doi.org/10.1002/jrsm.1100>
- Stansfield, C., Kavanagh, J., Rees, R., Gomersall, A., & Thomas, J. (2012). The selection of search sources influences the findings of a systematic review of people views: A case study in public health. In *BMC Medical Research Methodology* (Vol. 12, Issue 55, pp. 1–8). <https://doi.org/10.1186/1471-2288-12-55>
- Subandi, M. A. (2015). Bangkit: The Processes of Recovery from First Episode Psychosis in Java. *Culture, Medicine and Psychiatry*, 39(4), 597–613. <https://doi.org/10.1007/s11013-015-9427-x>
- Surjaningrum, E. R., Minas, H., Jorm, A. F., & Kakuma, R. (2018). The feasibility of a role for community health workers in integrated mental health care for perinatal depression: a qualitative study from Surabaya, Indonesia. *International Journal of Mental Health Systems*, 12(1), 27. <https://doi.org/10.1186/s13033-018-0208-0>
- Thomas, J., & Harden, A. (2008). Methods for the thematic synthesis of qualitative research in systematic reviews. *BMC Medical Research Methodology*, 8, 1–10. <https://doi.org/10.1186/1471-2288-8-45>
- Thornicroft, G & Tansella, M. (2003). What are the arguments for community-based mental health care? In *World Health Organization Regional Office for Europe (Health Evidence Network report)* (Issue August).
- Thornicroft, G., Deb, T., & Henderson, C. (2016). Community mental health care worldwide: current status and further developments. *World Psychiatry*, 15(3), 276–286. <https://doi.org/10.1002/wps.20349>
- Thornicroft, G., Semrau, M., Alem, A., Drake, R. E., Ito, H., Mari, J., McGeorge, P., & Thara, R. (2011). *Community Mental Health Putting Policy into Practice Globally*. John Wiley & Sons, Ltd.
- Tse, S., Siu, B. W. M., & Kan, A. (2013). Can Recovery-Oriented Mental Health Services be Created in Hong Kong? Struggles and Strategies. *Administration and Policy in Mental Health and Mental Health Services Research*, 40(3), 155–158. <https://doi.org/10.1007/s10488-011-0391-7>
- Veysey, B. M., Andersen, R., Lewis, L., Mueller, M., & Stenius, V. M. K. (2004). Integration of alcohol and other drug, trauma and mental health services: An experiment in rural services integration in Franklin County, MA. In *Alcoholism Treatment Quarterly: The practitioner's quarterly to individual, group, and family therapy* (pp. 19–40). Taylor and Francis. https://doi.org/10.1300/J020v22n03_02

- Wahlbeck, K. (2015). Public mental health: The time is ripe for translation of evidence into practice. *World Psychiatry*, 14(1), 36–42. <https://doi.org/10.1002/wps.20178>
- WHA. (2013). Comprehensive Mental Health Action Plan 2013-2020. In *WHA66.8*. <https://doi.org/10.26719/2015.21.7.461>
- Whitley, R., & Drake, R. E. (2010). Recovery: A Dimensional Approach. *Psychiatric Services*, 61(12), 1248–1250. <https://doi.org/10.1176/appi.ps.61.12.1248>
- WHO. (2003). Mental Health Policy and Service Guidance Package: Organization of services for Mental Health. *Mental Health Policy and Service Guidance Package*.
- WHO. (2013). *Consolidated Guidelines on The Use of Antiretroviral Drugs for Treating and Preventing HIV Infection Recommendation for A Public Health Approach* (Issue June).
- WHO. (2016). Framework on integrated, people-centred health services. In *World Health Assembly* (Vol. 69, Issue 39).
- WHO. (2017a). Culture and Mental Health in Liberia: A Primer. In *World Health Organization* (pp. 1–42). World Health Organization. <https://www.who.int/publications/i/item/culture-and-mental-health-in-liberia>
- WHO. (2017b). Helping people with severe mental disorders live longer and healthier lives POLICY BRIEF. In *World Health Organization* (pp. 1–12). <https://www.who.int/publications/i/item/WHO-MSD-MER-17.7>
- WHO. (2021a). *Community Mental Health Centres: Promoting Person-centred and Rights-based Approaches*. World Health Organization. <https://www.who.int/publications/i/item/9789240025769>
- WHO. (2021b). *Community outreach mental health services Promoting person-centred and rights-based approaches (Guidance and technical packages on community mental health services: promoting person-centred and rights-based approaches)* (pp. 1–59). <https://www.who.int/publications/i/item/9789240025806>
- WHO. (2021c). Comprehensive mental health service networks: promoting person-centred and rights-based approaches (Guidance and technical packages on community mental health services: promoting person-centred and rights-based approaches). In *World Health Organization* (pp. 1–62). <https://www.who.int/publications/i/item/9789240025844>
- WHO. (2021d). *Guidance on Community Mental Health Services: Promoting Person-centred and Rights Based Approaches*. World Health Organization.
- WHO. (2021e). Guidance on community mental health services: promoting person-centred and rights-based approaches (Guidance and technical packages on community mental health services: promotin

- g person-centred and rights-based approaches). In *World Health Organization* (pp. 1–262). World Health Organization. <https://www.who.int/publications/i/item/9789240025707>
- WHO. (2021f). Mental health crisis services: promoting person-centred and rights-based approaches (Guidance and technical packages on community mental health services: promoting person-centred and rights-based approaches). In *World Health Organization* (pp. 1–51). World Health Organization. <https://www.who.int/publications/i/item/9789240025721>
- WHO. (2021g). Peer support mental health services: promoting person-centred and rights-based approaches (Guidance and technical packages on community mental health services: promoting person-centred and rights-based approaches). In *World Health Organization* (pp. 1–42). World Health Organization. <https://www.who.int/publications/i/item/9789240025783>
- WHO. (2021h). Supported living services for mental health: promoting person-centred and rights-based approaches (Guidance and technical packages on community mental health services: promoting person-centred and rights-based approaches). In *World Health Organization* (pp. 1–59). World Health Organization. <https://www.who.int/publications/i/item/9789240025820>
- WHO & WONCA. (2008). *Integrating mental health into primary care: a global perspective*. World Health Organization & World Organization of Family Doctors. <https://www.who.int/publications/i/item/9789241563680>
- Wildridge, V., & Bell, L. (2002). How CLIP became ECLIPSE: a mnemonic to assist in searching for health policy/management information. *Health Information and Libraries Journal*, 19(2), 113–115. <https://doi.org/10.1046/j.1471-1842.2002.00378.x>
- Winsper, C., Crawford-Docherty, A., Weich, S., Fenton, S.-J., & Singh, S. P. (2020). How do recovery-oriented interventions contribute to personal mental health recovery? A systematic review and logic model. *Clinical Psychology Review*, 76, 101815. <https://doi.org/10.1016/j.cpr.2020.101815>
- Wood, A. H., & Alberta, A. J. (2009). A community-driven behavioral health approach for older adults: Lessons learned. *Journal of Community Psychology*, 37(5), 663–669. <https://doi.org/10.1002/jcop.20315>
- World Health Organization, & Calouste Gulbenkian Foundation. (2014). *Social Determinants of Mental Health*.