

DAFTAR PUSTAKA

- Abbas, A. K., Lichtman, A. H., and Pillai, S. (2018). *Cellular and molecular immunology*. 9th ed. Philadelphia: Elsevier.
- Abu-Ghazaleh, R.I., Kita, H., Gleich, G.J. (1992). Eosinophil activation and function in health and disease. *Immunol Ser*, 57,137-67.
- Adachi, T. and Alam, R. (1998). The mechanism of IL-5 signal transduction. *American Journal of Physiology-Cell Physiology*, 275(3), C623-C633.
- Agnello, D., Lankford, CSR., Bream, J., Morinobu, A., Gadina, M., O'Shea, JJ. (2003). Cytokines and transcription factors that regulate T helper cell differentiation: new players and new insights. *J Clin Immunol*, 23(3), 147–61.
- Altman, K., Vanness, E., Westergaard, R.P. (2015). Cutaneous manifestations of human immunodeficiency virus: a clinical update. *Curr Infect Dis Rep*. 17(3):464.
- Amatya, B., Wennersten, G., Nordlind, K. (2008). Patients' perspective of pruritus in chronic plaque psoriasis: a questionnaire-based study. *Journal of the European Academy of Dermatology and Venereology*, 22(7), 822-826.
- Amsen, D., Visser, K.E., and Town, T. (2009). Approaches to Determine Expression of Inflammatory Cytokines. *Inflammation and Cancer*, 107-142.
- Ankad, Balachandra, and Savitha B., (2016). "Hypertrophic Lichen Planus versus Prurigo Nodularis: A Dermoscopic Perspective." *Dermatology Practical & Conceptual* 6 (2): 9–15.
- Aprilliana, KF. and Mutiara, H. (2017). Psoriasis vulgaris pada laki-laki 46 tahun. *J Agromed Unila*, 4(1), 160-6.
- Ariyanti, Pramita, and Sunarso, S. (2014). "Studi Retrospektif: Pemahaman Klinis Lichen Simplek Kronikus (Clinical Understanding of Lichen Simplex Chronicus: A Retrospective Study)" 26 (2): 5–9.
- Astindari, Sawitri, and Sandhika, W. (2014). Perbedaan dermatitis seboroik dan psoriasis vulgaris berdasarkan manifestasi klinis dan histopatologi. *Berkala Ilmu Kesehatan Kulit & Kelamin*, 26(1), 72-8.
- Baliwag, J., Barnes, D. and Johnston, A. (2015). Cytokines in psoriasis. *Cytokine*, 73(2), 342-350.
- Bienvenu JA, Monneret G, Gutowski MC, Fabien N. (1998). Cytokine assays in human sera and tissues. *J Toxicology*. Aug 7;129(1):55-61.
- Bilsborough J, Leung, D.Y (2006) IL-31 is associated with cutaneous lymphocyte antigenpositive skin homing T cells in patients with atopic dermatitis. *J Allergy Clin Immunol*, 117(2):418–425.
- Blom, L., Martel, B., Larsen, L., Hansen, C., Christensen, M., Juel-Berg, N., Litman, T. and Poulsen, L. (2017). The immunoglobulin superfamily member CD200R identifies cells involved in type 2 immune responses. *Allergy*, 72(7), 1081-1090.
- Bodoor, K., Al-Qarqaz, F., Heis, L.A., Alfaqih, M.A., Oweis, A.O., Almomani, R., Obeidat, M.A.(2020) IL-33/13 Axis and IL-4/31 Axis Play Distinct Roles in Inflammatory Process and Itch in Psoriasis and Atopic Dermatitis. *Clin Cosmet Investig Dermatol*, Jun 19;13:419-424.

- Bonthu, Indira, Ramachandra B V, Nivedita Devi V, Lakshmi P V, Satyanarayana V V V, Swarnakumari G, Sridevi L, and Anilkumar T P. (2017). "Clinical and Histopathological Study of Pruritic Papular Eruptions in HIV Patients at a Tertiary Care Centre." *Journal of Evolution of Medical and Dental Sciences* 6 (68): 4842–47.
- Bozek, A., Zajac, M. and Krupka, M. (2020). Atopic Dermatitis and Psoriasis as Overlapping Syndromes. *Mediators of Inflammation*, 2020, 1-4.
- Borg, M., S. Brincat, G. Camilleri, P. Schembri-Wismayer, M. Brincat, and J. Calleja-Agius. 2013. "The Role of Cytokines in Skin Aging." *Climacteric* 16(5): 514–21.
- Bragoni, A., A. Gambella, S. Pigozzi, M. Grigolini, R. Fiocca, L. Mastracci, and F. Grillo. (2017). "Quality Control in Diagnostic Immunohistochemistry: Integrated on-Slide Positive Controls." *Histochemistry and Cell Biology* 148 (5): 569–73.
- Cevikbas F, Wang X et al (2014) A sensory neuron-expressed IL-31 receptor mediates T helper cell-dependent itch: involvement of TRPV1 and TRPA1. *J Allergy Clin Immunol*, 133(2):448–460.
- Chang, S., Han, S., Jung, H. and Choi, J. (2007). Neuropeptides and their receptors in psoriatic skin in relation to pruritus. *British Journal of Dermatology*, 156(6), 1272-1277.
- Crosby, Katie, Jessica AU - Simendinger, Christopher AU - Grange, Michelle AU - Ferrante, Trisha AU - Bernier, and Claire AU - Standen. (2014). "Immunohistochemistry Protocol for Paraffin-Embedded Tissue Sections - ADVERTISEMENT." *JoVE*, no. 86: e5064.
- Czarnecka-Operacz, M., Polańska, A., Klimañska, M., Teresiak-Mikołajczak, E., Molińska-Glura, M., Adamski, Z. and Jenerowicz, D. (2015). Itching sensation in psoriatic patients and its relation to body mass index and IL-17 and IL-31 concentrations. *Advances in Dermatology and Allergology*, 6, 426-430.
- Darjani, A., Heidarzadeh, A., Golchai, J., Sadr-Eshkevari, S., Alizadeh, N., Arami, M., and Nichhah, N. (2014). Quality of life in psoriatic patients: A study using the short form-36. *International Journal of the preventive medicine* [online], 5(9), 1146-1152.
- Darsow U, Scharein E et al (1997) Skin testing of the pruritogenic activity of histamine and cytokines (interleukin-2 and tumour necrosis factor-alpha) at the dermal-epidermal junction. *Br J Dermatol*, 137(3):415–417.
- De Brouwer, S.J.M., van Middendorp, H., Stormink, C., Kraaimaat, F.W., Joosten, I., Radstake, TRDJ., et al. (2014). Immune responses to stress in rheumatoid arthritis and psoriasis. *Rheumatol Oxf Engl*, 53(10), 1844–8.
- Di Salvo, E., Ventura-Spagnolo, E., Casciaro, M., Navarra, M., Gangemi, S. (2018). *IL-33/IL-31 Axis: A Potential Inflammatory Pathway* [online]. Mediators of Inflammation. Available from: <https://www.hindawi.com/journals/mi/2018/3858032/> [accessed 2021 Jan 13].
- Dillon SR, Sprecher C et al (2004) Interleukin 31, a cytokine produced by activated T cells, induces dermatitis in mice. *Nat Immunol*, 5(7):752–760.

- Dogra, S. and Mahajan, R. (2016). Psoriasis: Epidemiology, clinical features, co-morbidities, and clinical scoring. *Indian Dermatology Online Journal* [online], 7(6), 471-480.
- Eisman, S. (2006). Pruritic Papular Eruption in HIV. *Dermatologic Clinics*, 24(4), 449–457.
- Erickson, Stephen, Aaron Ver Heul, and Brian S. Kim. (2021). “New and Emerging Treatments for Inflammatory Itch.” *Annals of Allergy, Asthma and Immunology* 126 (1): 13–20.
- Fallahzadeh MK, Roozbeh J et al (2011) Interleukin-2 serum levels are elevated in patients with uremic pruritus: a novel finding with practical implications. *Nephrol Dial Transplant*, 26(10):3338–3344.
- Feld, M., Garcia, R., Buddenkotte, J., Katayama, S., Lewis, K., Muirhead, G., Hevezi, P., Plessner, K., Schrupf, H., Krjutskov, K., Sergeeva, O., Müller, H., Tsoka, S., Kere, J., Dillon, S., Steinhoff, M. and Homey, B. (2016). The pruritus- and T H 2-associated cytokine IL-31 promotes growth of sensory nerves. *Journal of Allergy and Clinical Immunology*, 138(2), 500-508.e24.
- Ferrelli, C., Pinna, A.L., Pilloni, L., Tomasini, C.F. and Rongioletti, F. (2018). Histopathological aspects of psoriasis and its uncommon variants. *Giornale Italiano di Dermatologia e Venereologia*, 153(2), 173-84.
- Fitzpatrick, T., Goldsmith, L. and Wolff, K. (2012). *Fitzpatrick's dermatology in general medicine*. New York: McGraw-Hill.
- Fostini, A. C., Girolomoni, G., Tessari, G. (2013). Prurigo nodularis: an update on etiopathogenesis and therapy. *Journal of Dermatological Treatment*, 24(6), 458-462.
- Fukushi, S., Yamasaki, K., Aiba, S. (2011). Nuclear localization of activated STAT6 and STAT3 in epidermis of prurigo nodularis. *British Journal of Dermatology*, 165(5), 990–996.
- Garcovich, S., Maurelli, M., Gisondi, P., Peris, K., Yosipovitch, G. and Girolomoni, G. (2021). Pruritus as a Distinctive Feature of Type 2 Inflammation. *Vaccines*, 9(303),1-16.
- Gordon, S. C. P., Lee, S.-H., Morris, L., Rabinowitz, S. (1986). Trophic and defense functions of murine macrophages. In *Mechanisms of Host Resistance to Infectious Agents, Tumors, and Allografts* (Steinman, R. M., North, R. J., eds.). Rockefeller University Press, New York, NY.
- Grillo, Federica, Martina Bruzzone, Simona Pigozzi, Stefano Prosapio, Paola Migliora, Roberto Fiocca, and Luca Mastracci. (2017). “Immunohistochemistry on Old Archival Paraffin Blocks: Is There an Expiry Date?” *Journal of Clinical Pathology* 70 (11): 988–93.
- Groneberg, D., Serowka, F., Peckenschneider, N., Artuc, M., Grützkau, A., Fischer, A., Henz, B. and Welker, P. (2005). Gene expression and regulation of nerve growth factor in atopic dermatitis mast cells and the human mast cell line-1. *Journal of Neuroimmunology*, 161(1-2), 87-92.
- Grundmann, S. and Ständer, S. (2011). Chronic Pruritus: Clinics and Treatment. *Annals of Dermatology*, 23(1), 1.
- Haas, S., Capellino, S., Phan, N., Böhm, M., Luger, T., Straub, R. and Ständer, S. (2010). Low density of sympathetic nerve fibers relative to substance P-

- positive nerve fibers in lesional skin of chronic pruritus and prurigo nodularis. *Journal of Dermatological Science*, 58(3), 193-197.
- Hashimoto, T., Nattkemper, L., Kim, H., Kursewicz, C., Fowler, E., Shah, S., Nanda, S., Fayne, R., Paolini, J., Romanelli, P. and Yosipovitch, G. (2021). Itch intensity in prurigo nodularis is closely related to dermal interleukin-31, oncostatin M, IL-31 receptor alpha and oncostatin M receptor beta. *Experimental Dermatology*.
- He, Y., Ding, G., Wang, X., Zhu, T., & Fan, S. (2000). Calcitonin gene-related peptide in Langerhans cells in psoriatic plaque lesions. *Chinese medical journal*, 113(8), 747–751.
- Hewitt, S. M., Baskin, D. G., Frevert, C. W., Stahl, W. L., & Rosa-Molinar, E. (2014). Controls for Immunohistochemistry. *Journal of Histochemistry & Cytochemistry*, 62(10), 693–697.
- Iking, A., S. Grundmann, E. Chatzigeorgakidis, N. Q. Phan, D. Klein, and S. Ständer. (2013). “Prurigo as a Symptom of Atopic and Non-Atopic Diseases: Aetiological Survey in a Consecutive Cohort of 108 Patients.” *Journal of the European Academy of Dermatology and Venereology* 27 (5): 550–57.
- Jensen, Ellen C. (2013). “Quantitative Analysis of Histological Staining and Fluorescence Using ImageJ.” *Anatomical Record* 296 (3): 378–81.
- Johansson, O., Liang, Y. and Emtestam, L. (2002). Increased nerve growth factor- and tyrosine kinase A-like immunoreactivities in prurigo nodularis skin – an exploration of the cause of neurohyperplasia. *Archives of Dermatological Research*, 293(12), 614-619.
- Kaaz, K., Szepietowski, J. C., Matusiak, Ł. (2019). Sleep Quality Among Adult Patients with Chronic Dermatoses. *Postepy dermatologii i alergologii* 36(6): 659–666.
- Keustermans, Genoveva C.E., Sanne B.E. Hoeks, Jenny M. Meerding, Berent J. Prakken, and Wilco de Jager. 2013. “Cytokine Assays: An Assessment of the Preparation and Treatment of Blood and Tissue Samples.” *Methods* 61 (1): 10–17.
- Kobayashi, H., Gleich, G., Butterfield, J. Kita, H. (2002). Human eosinophils produce neurotrophins and secrete nerve growth factor on immunologic stimuli. *Blood*, 99(6), 2214-2220.
- Komiya, E., Tominaga, M., Kamata, Y., Suga, Y. and Takamori, K. (2020). Molecular and Cellular Mechanisms of Itch in Psoriasis. *International Journal of Molecular Sciences*, 21(21), 8406.
- Kou, K., Nakamura, F., Aihara, M., Chen, H., Seto, K., Komori-Yamaguchi, J., Kambara, T., Nagashima, Y., Goshima, Y. and Ikezawa, Z. (2012). Decreased Expression of Semaphorin-3A, a Neurite-Collapsing Factor, is Associated With Itch in Psoriatic Skin. *Acta Dermato Venereologica*, 92(5), 521-528.
- Krzyżanowska, M., Muszer, K., Chabowski, K. and Reich, A. (2015). Assessment of the sensory threshold in patients with atopic dermatitis and psoriasis. *Advances in Dermatology and Allergology*, 2, 94-100.
- Kupczyk, P., Reich, A., Wysokińska, E., Gajda, M., Hołysz, M., Hwang, C. (2014) Opioid receptors expression and PGP 9.5-positive epidermal nerve fiber density in psoriasis - relationship with itch. 52.

- Laval, K., Vernejoul, J. B., Van Cleemput, J., Koyuncu, O. O., and Enquist, L. W. (2018). Virulent Pseudorabies Virus infection induces a specific and lethal systemic inflammatory response in mice. *Journal of virology* [online], 92(24).
- Lee, Michael R., and Stephen Shumack. (2005). "Prurigo Nodularis: A Review." *Australasian Journal of Dermatology* 46 (4): 211–20.
- Letchumanan, A.A. Salleh, M.N. and Yee, C.C. (2019). Detection of Interleukin 5 and 6 on Suspected Patients with Clinical Symptoms of Guttate Psoriasis. *International Journal of Innovative Science and Research Technology*, 4(2), 43-7.
- Liang, Y., Jacobi, H., Reimert, C., Haak-Frendscho, M., Marcusson, J. and Johansson, O. (2000). CGRP-immunoreactive nerves in prurigo nodularis - an exploration of neurogenic inflammation. *Journal of Cutaneous Pathology*, 27(7), 359-366.
- Liang, Y., Jacobi, HH., Marcusson, JA., Haak-Frendscho, M., Johansson, O. (1999). Dendritic mast cells in prurigo nodularis skin. *Eur J Dermatol EJD*, 9(4), 297–9.
- Liang, Y., Marcusson, J., Jacobi, H., Haak-Frendscho, M. and Johansson, O. (1998). Histamine-containing mast cells and their relationship to NGFr-immunoreactive nerves in prurigo nodularis: a reappraisal. *Journal of Cutaneous Pathology*, 25(4), 189-198.
- Lin, Fan, and Zongming Chen. (2014). "Standardization of Diagnostic Immunohistochemistry: Literature Review and Geisinger Experience." *Archives of Pathology and Laboratory Medicine* 138 (12): 1564–77.
- Madej, A., Reich, A., Orda, A. and Szepietowski, J. (2007). Vascular adhesion protein-1 (VAP-1) is overexpressed in psoriatic patients. *Journal of the European Academy of Dermatology and Venereology*, 21(1), 72-78.
- Malak, S., Kandou, RT. and Pandaleke, TA. (2016). Profil dermatitis seboroik di poliklinik kulit dan kelamin RSUP Prof. Dr. R. D. Kandou Manado periode Januari-Desember 2015. *Jurnal e-Clinic (eCl)*, 4(1), 201-6.
- Matsumura, S., Terao, M., Murota, H. and Katayama, I. (2015). Th2 cytokines enhance TrkA expression, upregulate proliferation, and downregulate differentiation of keratinocytes. *Journal of Dermatological Science*, 78(3), 215-223.
- Mitra, A. D. and Mitra A. (2013). *Clinical presentation of psoriasis*. London: IntechOpen.
- Mullins, TB., Sharma, P., Riley, CA., Sonthalia, S. (2020). *Prurigo Nodularis* [online]. Treasure Island (FL): StatPearls Publishing. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK459204/> [accessed 2021 Jan 13]
- Nair PA, Patel T. (2019). Dermatologic Features of Prurigo Nodularis. *Indian Dermatol Online J*. 10: 187-9
- Nakamura, M., Toyoda, M. Morohashi, M. (2003) Pruritogenic mediators in psoriasis vulgaris: comparative evaluation of itch-associated cutaneous factors. *Br J Dermatol*, 149(4), 718–30.
- Nakashima, C., Otsuka, A. and Kabashima, K., 2018. Interleukin-31 and interleukin-31 receptor: New therapeutic targets for atopic dermatitis. *Experimental Dermatology*, 27(4), pp.327-331.

- Narbutt, J., Olejniczak, I., Sobolewska-Sztychny, D., Sysa-Jedrzejowska, A., Słowik-Kwiatkowska, I., Hawro, T. and Lesiak, A. (2012). Narrow band ultraviolet B irradiations cause alteration in interleukin-31 serum level in psoriatic patients. *Archives of Dermatological Research*, 305(3), 191-195.
- Nattkemper, L., Tey, H., Valdes-Rodriguez, R., Lee, H., Mollanazar, N., Albornoz, C., Sanders, K. and Yosipovitch, G. (2018). The Genetics of Chronic Itch: Gene Expression in the Skin of Patients with Atopic Dermatitis and Psoriasis with Severe Itch. *Journal of Investigative Dermatology*, 138(6), pp.1311-1317.
- Nigam, R., El-Nour, H., Amatya, B. and Nordlind, K. (2010). GABA and GABAA receptor expression on immune cells in psoriasis: a pathophysiological role. *Archives of Dermatological Research*, 302(7), 507-515.
- Niyonsaba F, Ushio H et al (2010) Antimicrobial peptides human beta-defensins and cathelicidin LL-37 induce the secretion of a pruritogenic cytokine IL-31 by human mast cells. *J Immunol*, 184(7):3526–3534.
- Nowak, Dominik, and Jensen Yeung. (2017). “Clinical Review Diagnosis and Treatment of Pruritus” 63: 918–24.
- Pereira, M. P., Basta, S., Moore, J., and Stander, S. (2018). Prurigo nodularis: A physician survey to evaluate current perceptions of its classification, clinical experience and unmet need. *Journal of the European Academy of Dermatology and Venerology* [online], 32(12), 2224-2229.
- Pereira, M., Pogatzki-Zahn, E., Snels, C., Vu, T., Üçeyler, N., Loser, K., Sommer, C., Evers, A., van Laarhoven, A., Agelopoulos, K. and Ständer, S. (2017). There is no functional small-fibre neuropathy in prurigo nodularis despite neuroanatomical alterations. *Experimental Dermatology*, 26(10), 969-971.
- Pergolizzi, S., Vaccaro, M., Magauda, L., Mondello, M., Arco, A., Bramanti, P., Cannavò, S. and Guarneri, B. (1998). Immunohistochemical study of epidermal nerve fibres in involved and uninvolved psoriatic skin using confocal laser scanning microscopy. *Archives of Dermatological Research*, 290(9), 483-489.
- Perez, G.L., Peters, M.S., Reda, A.M., Butterfield, J.H., Peterson, E.A., Leiferman, K.M. (1993). Mast cells, neutrophils, and eosinophils in prurigo nodularis. *Archives of Dermatology*, 129(7), 861-865.
- Pratiwi, KD. and Damayanti. (2018). Psoriasis vulgaris: A retrospective study. *Periodical of Dermatology and Venerology*, 30(3), 248-54.
- Raap, U., Ikoma, A. and Kapp, A. (2006). Neurophysiologie des Pruritus. *Der Hautarzt*, 57(5), 379-384.
- Raap, U., Wichmann, K., Bruder, M., Ständer, S., Wedi, B., Kapp, A. and Werfel, T., (2008). Correlation of IL-31 serum levels with severity of atopic dermatitis. *Journal of Allergy and Clinical Immunology*, 122(2), pp.421-423.
- Radonjic-Hoesli, S., Brügggen, MC., Feldmeyer, L., Simon, HU., Simon, D. (2021). Eosinophils in skin diseases. *Semin Immunopathol*, 43, 393–409.
- Ranefall, P., Wester, K., Andersson, A.-C., Busch, C., & Bengtsson, E. (1998). Automatic Quantification of Immunohistochemically Stained Cell Nuclei Based on Standard Reference Cells. *Analytical Cellular Pathology*, 17(2), 111–123.

- Reich, A., Orda, A., Wisnicka, B. and Szepletowski, J. (2007). Plasma Neuropeptides and Perception of Pruritus in Psoriasis. *Acta Dermato-Venereologica*, 87(4), 299-304.
- Reich, A., Szepletowski, J., Wiśnicka, B. and Pacan, P. (2003). Does Stress Influence Itching in Psoriatic Patients?. *Dermatology and Psychosomatics / Dermatologie und Psychosomatik*, 4(3), 51-155.
- Rendon, A. and Schakel, K. (2019). Psoriasis pathogenesis and treatment. *International Journal of Molecular Sciences* [online], 20(6), 1475.
- Reszke, R., Białynicki-Birula, R. and Szepletowski, J. (2019). Itch in Psoriasis: A New Look at Well-known Subject. *Acta Dermato Venereologica* 99(4): 429-434.
- Roblin, D., Yosipovitch, G., Boyce, B., Robinson, J., Sandy, J., Mainero, V., Wickramasinghe, R., Anand, U. and Anand, P. (2015). Topical TrkA Kinase Inhibitor CT327 is an Effective, Novel Therapy for the Treatment of Pruritus due to Psoriasis: Results from Experimental Studies, and Efficacy and Safety of CT327 in a Phase 2b Clinical Trial in Patients with Psoriasis. *Acta Dermato Venereologica*, 95(5), 542-548.
- Rosen, Daniel G., Xuelin Huang, Michael T. Deavers, Anais Malpica, Elvio G. Silva, and Jinsong Liu. (2004). "Validation of Tissue Microarray Technology in Ovarian Carcinoma." *Modern Pathology* 17 (7): 790–97.
- Saraceno, R., Kleyn, C., Terenghi, G. and Griffiths, C. (2006). The role of neuropeptides in psoriasis. *British Journal of Dermatology*, 155(5), 876-882.
- Saray, Yasemin, D. Seçkin, and B. Bilezikçi. (2006). "Acquired Perforating Dermatitis: Clinicopathological Features in Twenty-Two Cases." *Journal of the European Academy of Dermatology and Venereology* 20 (6): 679–88.
- Schuhknecht, B., M. Marziniak, A. Wissel, N. Q. Phan, D. Pappai, J. Dangelmaier, D. Metze, and S. Ständer. (2011). "Reduced Intraepidermal Nerve Fibre Density in Lesional and Nonlesional Prurigo Nodularis Skin as a Potential Sign of Subclinical Cutaneous Neuropathy." *British Journal of Dermatology* 165 (1): 85–91.
- Segar, D., Karmila, I. G. A. A. D., Praharsini, I. G. A. A., and Indira I. G. A. A. E. (2019). Prevalence and clinical manifestation of patients with psoriasis in RSUP Sanglah from 2017 to 2018. *Intisari Sains Medis* [online], 10(3), 840-844.
- Sestito, R., Madonna, S., Scarponi, C., Cianfarani, F., Failla, C., Cavani, A., Girolomoni, G. and Albanesi, C., 2010. STAT3-dependent effects of IL-22 in human keratinocytes are counterregulated by sirtuin 1 through a direct inhibition of STAT3 acetylation. *The FASEB Journal*, 25(3), pp.916-927.
- Shu, Jie, G. E. Dolman, Jiang Duan, Guoping Qiu, and Mohammad Ilyas. (2016). "Statistical Colour Models: An Automated Digital Image Analysis Method for Quantification of Histological Biomarkers." *BioMedical Engineering Online* 15 (1): 1–17.
- Silvestre Salvador, J., Romero-Pérez, D., & Encabo-Durán, B. (2017). Atopic Dermatitis in Adults: A Diagnostic Challenge. *Journal of Investigational Allergology and Clinical Immunology*, 27(2), 78–88.

- Singh, B., Jegga, A., Shanmukhappa, K., Edukulla, R., Khurana Hershey, G., Medvedovic, M., Dillon, S. and Madala, S. (2017). Correction: IL-31-Driven Skin Remodeling Involves Epidermal Cell Proliferation and Thickening That Lead to Impaired Skin-Barrier Function. *PLOS ONE*, 12(1), e0170446.
- Sonkoly, E., Muller, A., Lauerma, A., Pivarcsi, A., Soto, H., Kemeny, L., Alenius, H., Dieu-Nosjean, M., Meller, S., Rieker, J., Steinhoff, M., Hoffmann, T., Ruzicka, T., Zlotnik, A. and Homey, B. (2006). IL-31: A new link between T cells and pruritus in atopic skin inflammation. *Journal of Allergy and Clinical Immunology*, 117(2), 411-417.
- Stander, S., Ketz, M., Kossack, N., Akumo, D., Pignot, M., Gabriel, S., and Chavda, R. (2020). Epidemiology of prurigo nodularis compared with psoriasis in Germany: A claims database analysis. *Acta Dermato-Venereologica* [online], 100.
- Storan, E. R., O'Gorman, S. M., McDonald, I. D., & Steinhoff, M. (2015). Role of cytokines and chemokines in itch. *Handbook of experimental pharmacology*, 226, 163–176.
- Szepietowski, J. and Reich, A. (2015). Pruritus in psoriasis: An update. *European Journal of Pain*, 20(1), pp.41-46.
- Taneda, K., Tominaga, M., Negi, O., Tenggara, S., Kamo, A., Ogawa, H. and Takamori, K. (2011). Evaluation of epidermal nerve density and opioid receptor levels in psoriatic itch. *British Journal of Dermatology*, 165(2), 277-284.
- Takaki, S, H Kanazawa, M Shiiba, and K Takatsu. (1994). "A Critical Cytoplasmic Domain of the Interleukin-5 (IL-5) Receptor Alpha Chain and Its Function in IL-5-Mediated Growth Signal Transduction." *Molecular and Cellular Biology* 14 (11): 7404–13.
- Tokura, Y., Yagi, H., Hanaoka, K., Ito T., Towyama, K., Sachi, Y., et al. (1997). Subacute and chronic prurigo effectively treated with recombination interferon-gamma: implications for participation of Th2 cells in the pathogenesis of prurigo. *Acta Derm Venereol*, 77(3), 231–4.
- Vaidya D.C, Schwartz R.A. (2008). Prurigo nodularis: a benign dermatosis derived from a persistent pruritus. *Acta Dermatovenerol Croat*. 16:38–44.
- Weigelt, Nils, Dieter Metze, and Sonja Stander. (2010). "Prurigo Nodularis: Systematic Analysis of 58 Histological Criteria in 136 Patients." *Journal of Cutaneous Pathology* 37 (5): 578–86.
- Williams, Kyle A., Amy H. Huang, Micah Belzberg, and Shawn G. Kwatra. (2020). "Prurigo Nodularis: Pathogenesis and Management." *Journal of the American Academy of Dermatology* 83 (6): 1567–75.
- Wilson SR, The L et al (2013) The epithelial cell-derived atopic dermatitis cytokine TSLP activates neurons to induce itch. *Cell*, 155(2):285–295.
- Xie, R., Chung, J.Y., Ylaya, K., Williams, R.L., Guerrero, N., Nakatsuka, N., Badie, C., Hewitt, S.M. 2011. Factors influencing the degradation of archival formalin-fixed paraffin-embedded tissue sections. *J Histochem Cytochem*, 59(4): 356-365.
- Yosipovitch, G., Misery, L., Proksch, E., Metz, M., Ständer, S. and Schmelz, M., 2019. Skin Barrier Damage and Itch: Review of Mechanisms, Topical

Management and Future Directions. *Acta Dermato Venereologica*, 99(13), pp.1201-1209.

Zeidler, C., & Ständer, S. (2015). The pathogenesis of Prurigo nodularis - “Super-Itch” in exploration. *European Journal of Pain*, 20(1), 37–40.