

DAFTAR PUSTAKA

- Abdellah, M.H., Nosier, S.A., El-Shazly, A.H., and Mubarak, A.A., 2018, Photocatalytic decolorization of methylene blue using TiO_2/UV system enhanced by air sparging, *Alexandria Eng. J.*, 57, 3727–3735.
- Ahangaran, F., Hassanzadeh, A., and Nouri, S., 2013, Surface modification of Fe_3O_4 @ SiO_2 microsphere by silane coupling agent, *Int. Nano. Lett.*, 3(23).
- Álvarez, P.M., Jaramillo, J., López-Piñero, F., and Plucinski, P.K., 2010, Preparation and characterization of magnetic TiO_2 nanoparticles and their utilization for the degradation of emerging pollutants in water, *Appl. Catal. B.*, 100, 338–345.
- Alzahrani, E., 2017, Photodegradation of Binary Azo Dyes Using Core-Shell $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ Nanospheres, *AJAC*, 08(01), 95–115.
- Anitha, V.C., Banerjee, A.N., and Joo, S.W., 2015, Recent developments in TiO_2 as n- and p-type transparent semiconductors: synthesis, modification, properties, and energy-related application, *J. Mater. Sci.*, 50(23), 7495-7536.
- Aware, D. v. and Jadhav, S.S., 2016, Synthesis, characterization and photocatalytic applications of Zn-doped TiO_2 nanoparticles by sol–gel method, *Appl. Nanosci.*, 6(7), 965–972.
- Azeez, F., Al-Hetlani, E., Arafa, M., Abdelmonem, Y., Nazeer, A.A., Amin, M.O., and Madkour, M., 2018, The effect of surface charge on photocatalytic degradation of methylene blue dye using chargeable titania nanoparticles, *Sci. Rep.*, 8.
- Beydoun, D., Amal, R., Low, G.K.C., and McEvoy, S., 2000, Novel Photocatalyst: Titania-Coated Magnetite. Activity and Photodissolution, *J. Phys. Chem. B.*, 104(18), 4387–4396.
- Beydoun, D., Amal, R., Low, G., and Mceyoy, S., 2002, Occurrence and prevention of photodissolution at the phase junction of magnetite and titanium dioxide, *Cat. A. Chem.*, 180.
- Cahyana, A. H., Pratiwi, D., & Ardiansah, B., 2017, Citrate-capped superparamagnetic iron oxide ($\text{Fe}_3\text{O}_4\text{-CA}$) nanocatalyst for synthesis of pyrimidine derivative compound as antioxidative agent, In *IOP Conf. Ser.: Mater. Sci. Eng.*, 188(1).
- Cambrussi, A.N.C.O., Morais, A.Í.S., Neris, A. de M., Osajima, J.A., Filho, E.C. da S., and Ribeiro, A.B., 2019, Photodegradation study of TiO_2 and ZnO in suspension using miniaturized tests, *Rev. Mater.*, 24(4).
- Chalsani, R. and Vasudevan, S., 2013, Cyclodextrin-functionalized $\text{Fe}_3\text{O}_4/\text{TiO}_2$: Reuseable, magnetic nanoparticles for photocatalytic degradation of endocrine-disrupting chemicals in water supplies, *ACS Nano.*, 7, 4093-4104.
- Choi, J., Park, H., and Hoffmann, M.R., 2010, Effects of single metal-ion doping on the visible-light photoreactivity of TiO_2 , *J. Phys. Chem. C.*, 114(2), 783–792.

- Dambournet, D., Belharouak, I., and Amine, K., 2010, Tailored preparation methods of TiO_2 anatase, rutile, brookite: Mechanism of formation and electrochemical properties, *Chem. Mater.*, 22, 1173–1179.
- Dariani, R.S., Esmaili, A., Mortezaali, A., and Dehghanpour, S., 2016, Photocatalytic reaction and degradation of methylene blue on TiO_2 nano-sized particles, *Optik (Stuttg.)*, 127(18), 7143–7154.
- Dhaou, M., Elaloui, E., Khirouni, K., Guermazi, H., and Guermazi, S., 2021, Enhancement of dielectric responses and conduction properties of Zn-doped TiO_2 for energy storage and photosensitivity applications, *J. Mater. Sci.: Mater. Electron.*, 32(10), 13187–13204.
- Dorothy, A.A. and Panigrahi, P., 2022, Bandgap Engineering of TiO_2 as Visible light Photocatalyst with Pd Doping Using First Principles, *IOP Conf. Ser. Mater. Sci. Eng.*, 1219(1), 012041.
- Ebi Ebi, O., Falilat Taiwo, A., and Tunde Folorunsho, A., 2018, Kinetic Modelling of the Biosorption of Methylene Blue onto Wild Melon (*Lagenariasphaerica*), *Am. J. Chem. Eng.*, 6, 126–134.
- Ekwere, I.O., Horsfall, M., and Otaigbe, J.O.E., 2019, A Study on the Photocatalytic Reduction of Some Metal Ions in Aqueous Solution Using UV- Titanium Dioxide System, *Int. Res. J. Pure. Appl. Chem.*, 1–7.
- Fayazi, M., Taher, M.A., Afzali, D., and Mostafavi, A., 2016, Enhanced Fenton-like degradation of methylene blue by magnetically activated carbon/hydrogen peroxide with hydroxylamine as Fenton enhancer, *J. Mol. Liq.*, 216, 781–787.
- Fisli, A., Ridwan, Krisnandi, Y.K., and Gunlazuardi, J., 2017, Preparation and characterization of $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ composite for methylene blue removal in water, *Int. J. Technol.*, 8(1), 76–84.
- Ghazanfari, M.R., Kashefi, M., Shams, S.F., and Jaafari, M.R., 2016, Perspective of Fe_3O_4 Nanoparticles Role in Biomedical Applications, *Biochem. Res. Int.*, 2016.
- Goharrizi, A.S., Azadi, M., and Shahryari, Z., 2010, Experimental study of methylene blue adsorption from aqueous solutions onto carbon nano tubes, *Int. J. Water. Environ. Eng.*, 2(2), 16-28.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95.
- Hou, C., Hu, B., and Zhu, J., 2018, Photocatalytic degradation of methylene blue over TiO_2 pretreated with varying concentrations of NaOH, *Catalysts*, 8(12).
- Huang, C.W. and Wu, M.C., 2020, Photocatalytic degradation of methylene blue by UV-assistant TiO_2 and natural sericite composites, *J. Chem. Technol. Biotechnol.*, 95(10), 2715–2722.
- Husain, S., Irfansyah, M., Haryanti, N.H., Suryajaya, S., Arjo, S., and Maddu, A., 2019, Synthesis and characterization of Fe_3O_4 magnetic nanoparticles from iron ore., In, *J. Phys. Conf. Ser.*, Institute of Physics Publishing.

- Jiang, L. and Zhang, Z., 2016, Efficient transfer hydrogenation of nitro compounds over a magnetic palladium catalyst, *Int. J. Hydrog. Energy.*, 41, 22983–22990.
- Karuppasamy, P., Ramzan Nilofar Nisha, N., Pugazhendhi, A., Kandasamy, S., and Pitchaimuthu, S., 2021, An investigation of transition metal doped TiO_2 photocatalysts for the enhanced photocatalytic decoloration of methylene blue dye under visible light irradiation, *J. Environ. Chem. Eng.*, 9(4).
- Khairy, M. and Zakaria, W., 2014, Effect of metal-doping of TiO_2 nanoparticles on their photocatalytic activities toward removal of organic dyes, *Egypt. J. Pet.*, 23(4), 419–426.
- Khaki, D. R.M., Shafeeyan, S. M., Raman, A. A. A., Daud, and W. A. M. W., 2018, Evaluating the efficiency of nano-sized Cu doped TiO_2/ZnO photocatalyst under visible light irradiation, *J. Mol. Liq.*, 258, 354–365.
- Khan, Idrees, Khan, Ibrahim, Usman, M., Imran, M., and Saeed, K., 2020, Nanoclay-mediated photocatalytic activity enhancement of copper oxide nanoparticles for enhanced methyl orange photodegradation, *J. Mater. Sci. Mater.*, 31(11), 8971–8985.
- Khan, Idrees, Saeed, K., Zekker, I., Zhang, B., Hendi, A.H., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L.A., Shah, T., and Khan, Ibrahim, 2022, Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation, *Water (Switz.)*, 14(2).
- Kong, G., Pang, J., Tang, Y., Fan, L., Sun, H., Wang, R., Feng, S., Feng, Y., Fan, W., Kang, W., Guo, H., Kang, Z., and Sun, D., 2019, Efficient dye nanofiltration of a graphene oxide membrane: Via combination with a covalent organic framework by hot pressing, *J. Mater. Chem. A. Mater.*, 7(2), 24301–24310.
- Krajnik, B., Gajda-Rączka, M., Piątkowski, D., Nyga, P., Jankiewicz, B., Hofmann, E., and Mackowski, S., 2013, Silica nanoparticles as a tool for fluorescence collection efficiency enhancement, *Nanoscale Res. Lett.*, 8(1), 1–7.
- Kumar, A., 2017, A Review on the Factors Affecting the Photocatalytic Degradation of Hazardous Materials, *MSEIJ*, 1(3).
- Yetim, N.K, Kurşun Baysak, F., Koç, M.M., and Nartop, D., 2020, Characterization of magnetic $\text{Fe}_3\text{O}_4/\text{SiO}_2$ nanoparticles with fluorescent properties for potential multipurpose imaging and theranostic applications, *J. Mater. Sci.: Mater. Electron.*, 31(20), 18278–18288.
- Lee, S.Y., Kang, D., Jeong, S., Do, H.T., and Kim, J.H., 2020, Photocatalytic Degradation of Rhodamine B Dye by TiO_2 and Gold Nanoparticles Supported on a Floating Porous Polydimethylsiloxane Sponge under Ultraviolet and Visible Light Irradiation, *ACS Omega*, 5(8), 4233–4241.
- Li, H., Liu, L., Cui, Jianguo, Cui, Jiali, Wang, F., and Zhang, F., 2020, High-efficiency adsorption and regeneration of methylene blue and aniline onto activated carbon from waste edible fungus residue and its possible mechanism, *RSC Adv.*, 10(24), 14262–14273.

- Li, W. and Wu, H., 2017, Sodium citrate functionalized reusable $\text{Fe}_3\text{O}_4/\text{TiO}_2$ photocatalyst for water purification, *Chem. Phys. Lett.*, 686, 178–182.
- Liu, G., Zhang, X., Xu, Y., Niu, X., Zheng, L., and Ding, X., 2005, The preparation of Zn^{2+} -doped TiO_2 nanoparticles by sol-gel and solid phase reaction methods respectively and their photocatalytic activities, *Chemosphere*, 59, 1367–1371.
- Mahyar, A., Ali Behnajady, M., and Modirshahla, N., 2010, Characterization and photocatalytic activity of $\text{SiO}_2\text{-TiO}_2$ mixed oxide nanoparticles prepared by sol-gel method, *Indian J. Chem. – Inor. Phys.*, 49(12), 1593–1600.
- Mironyuk, I.F., Soltys, L.M., Tatarchuk, T.R., and Savka, K.O., 2020, Methods of titanium dioxide synthesis (review), *Phys. Chem. Solid State*, 21(3), 462–477.
- Morel, A.-L., Nikitenko, S.I., Gionnet, K., Wattiaux, A., Lai-Kee-Him, J., Labrugère, C., Chevalier, B., Deleris, G., Petibois, C., Brisson, A., and Lai-Kee, J., Sonochemical approach to the synthesis of $\text{Fe}_3\text{O}_4/\text{SiO}_2$ core-shell nanoparticles with tunable properties.
- Nandanwar, R., Singh, P., and Haque, F., 2015, Synthesis and Characterization of SiO_2 Nanoparticles by Sol-Gel Process and Its Degradation of Methylene Blue, *Am. Chem. Sci. J.*, 5(1), 1–10.
- Nigam, S., Barick, K.C., and Bahadur, D., 2011, Development of citrate-stabilized Fe_3O_4 nanoparticles: Conjugation and release of doxorubicin for therapeutic applications, *J. Magn. Magn. Mater.*, 323(2), 237–243.
- Nikmah, A., Taufiq, A., and Hidayat, A., 2019, Synthesis and Characterization of $\text{Fe}_3\text{O}_4/\text{SiO}_2$ nanocomposites,. In, *IOP Conf. Ser.: Earth and Environ. Sci.* Institute of Physics Publishing.
- Nunzi, F., Agrawal, S., Selloni, A., and de Angelis, F., 2015, Structural and electronic properties of photoexcited TiO_2 nanoparticles from first principles, *J. Chem. Theory Comput.*, 11(2), 635–645.
- Rashid, J., Barakat, M.A., Ruzmanova, Y., and Chianese, A., 2015, $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ nanoparticles for photocatalytic degradation of 2-chlorophenol in simulated wastewater, *Environ. Sci. Pollut. Res.*, 22(4), 3149–3157.
- Rauf, M.A., Meetani, M.A., and Hisaindee, S., 2011, An overview on the photocatalytic degradation of azo dyes in the presence of TiO_2 doped with selective transition metals, *Desalination.*, 276, 13–27.
- Reza, K.M., Kurny, A., and Gulshan, F., 2017, Parameters affecting the photocatalytic degradation of dyes using TiO_2 : a review, *Appl. Water Sci.*, 7(4), 1569–1578.
- Rivani, D.A., Retnosari, I., Kusumandari, and Saraswati, T.E., 2019, Influence of TiO_2 addition on the magnetic properties of carbon-based iron oxide nanocomposites synthesized using submerged arc-discharge,. In, *IOP Conf. Ser.: Mater. Sci. Eng.*, Institute of Physics Publishing.

- Santhi, K., Ponnusamy, S., Harish, S., and Navaneethan, M., 2022, A facile synthesis of Zn-doped TiO_2 nanostructures for enhanced photocatalytic performance, *J. Mater. Sci.: Mater. Electron.*, 33(12), 9798–9813.
- Scarpelli, F., Mastropietro, T.F., Poerio, T., and Godbert, N., 2018, Mesoporous TiO_2 Thin Films: State of the Art,. In, *Titanium Dioxide - Material for a Sustainable Environment*. InTech.
- Shang, X., Li, B., Zhang, T., Li, C., and Wang, X., 2013, Photocatalytic Degradation of Methyl Orange with Commercial Organic Pigment Sensitized TiO_2 , *Procedia Environ. Sci.*, 18, 478–485.
- Sharma, R., Sarkar, A., Jha, R., Kumar Sharma, A., and Sharma, D., 2020, Sol-gel-mediated synthesis of TiO_2 nanocrystals: Structural, optical, and electrochemical properties, *Int. J. Appl. Ceram. Technol.*, 17(3), 1400–1409.
- Singla, P., Sharma, M., Pandey, O.P., and Singh, K., 2014, Photocatalytic degradation of azo dyes using Zn-doped and undoped TiO_2 nanoparticles, *Appl. Phys. A Mater. Sci. Process*, 116(1), 371–378.
- Siqueira, T.C.A., da Silva, I.Z., Rubio, A.J., Bergamasco, R., Gasparotto, F., Paccola, E.A. de S., and Yamaguchi, N.U., 2020, Sugarcane bagasse as an efficient biosorbent for methylene blue removal: Kinetics, isotherms and thermodynamics, *Int. J. Environ. Res. Public Health*, 17(2).
- Tarcea, C.I., Pantilimon, C.M., Matei, E., Predescu, A.M., Berbecaru, A.C., Rapa, M., Turcanu, A., and Predescu, C., 2020, Photocatalytic Degradation of Methylene Blue Dye Using TiO_2 and $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ as Photocatalysts,. In, *IOP Conf. Ser.: Mater. Sci. Eng.*, Institute of Physics Publishing.
- Tichapondwa, S.M., Newman, J.P., and Kubheka, O., 2020, Effect of TiO_2 phase on the photocatalytic degradation of methylene blue dye, *Phys. Chem. Earth.*, 118–119.
- Upendar, G., Dutta, S., Bhattacharya, P., and Dutta, A., 2017, Bioremediation of methylene blue dye using *Bacillus subtilis* MTCC 441, *Water Sci. Technol.*, 75, 1572-1583.
- Verma, R., Gangwar, J., and Srivastava, A.K., 2017, Multiphase TiO_2 nanostructures: A review of efficient synthesis, growth mechanism, probing capabilities, and applications in bio-safety and health, *RSC Adv.*, 7, 44199–44224.
- Wang, X.Q., Han, S.F., Zhang, Q.W., Zhang, N., and Zhao, D.D., 2018, Photocatalytic oxidation degradation mechanism study of methylene blue dye waste water with GR/TiO_2 , In, *MATEC Web of Conferences*. EDP Sciences.
- Wang, Y., Peng, Q., Akhtar, N., Chen, X., and Huang, Y., 2020, Microporous carbon material from fish waste for removal of methylene blue from wastewater, material from fish waste for removal of methylene blue from wastewater, *Water Sci. Technol.*, 81, 1180–1190.
- Wu, W., Wu, Z., Yu, T., Jiang, C., and Kim, W.S., 2015, Recent progress on magnetic iron oxide nanoparticles: Synthesis, surface functional strategies and biomedical applications, *Sci. Technol. Adv. Mater.*, 16(2), 23501.

- Xue, C., Zhang, Q., Li, J., Chou, X., Zhang, W., Ye, H., Cui, Z., and Dobson, P.J., 2013a, High photocatalytic activity of $\text{Fe}_3\text{O}_4\text{-SiO}_2\text{-TiO}_2$ functional particles with core-shell structure, *J. Nanomater.*, 2013.
- Yang, B., Zuo, J., Tang, Xinhua, Liu, F., Yu, X., Tang, Xinyao, Jiang, H., and Gan, L., 2014, Effective ultrasound electrochemical degradation of methylene blue wastewater using a nanocoated electrode, *Ultrason. Sonochem.*, 21, 1310–1317.
- Yu, Z. and Chuang, S.S.C., 2007, Probing methylene blue photocatalytic degradation by adsorbed ethanol with in situ IR, *J. Phys. Chem. C.*, 111(3), 13813–13820.
- Zhang, F., Wang, X., Liu, H., Liu, C., Wan, Y., Long, Y., and Cai, Z., 2019, Recent advances and applications of semiconductor photocatalytic technology, *Appl. Sci. (Switz.)*, 9(2).
- Zhang, Q. and Li, C., 2020, High temperature stable anatase phase titanium dioxide films synthesized by mist chemical vapor deposition, *Nanomater.*, 10.
- Zhu, J., Xie, J., Chen, M., Jiang, D., and Wu, D., 2010, Low temperature synthesis of anatase rare earth doped titania-silica photocatalyst and its photocatalytic activity under solar-light, *Colloids Surf. A Physicochem. Eng. Asp.*, 355, 178–182.
- Zhang, Q., & Li, C., 2020, High temperature stable anatase phase titanium dioxide films synthesized by mist chemical vapor deposition. *Nanomater.*
- Zhu, J., Xie, J., Chen, M., Jiang, D., & Wu, D., 2010, Low temperature synthesis of anatase rare earth doped titania-silica photocatalyst and its photocatalytic activity under solar-light. *Colloids and Surf.: Physicochem. Eng. Asp.*, 355(1–3), 178–182.