

## DAFTAR PUSTAKA

- Abdu, S., McKechnie, A.E., Lee, A.T.K., Cunningham, S.J. (2018). Can providing shade at water points help Kalahari birds beat the heat?. *Journal of Arid Environments*, 152:21-27. [Doi:10.1016/j.jaridenv.2018.01.018](https://doi.org/10.1016/j.jaridenv.2018.01.018)
- Achard, F., Renebeuchle, Mayaux, P., Stibig, H.J. U., Bodart, C., Brink, A., Carboni, S., Descalee, B., Donnay, F., Eva, H.D., Lupi, A., Rasi, R., Seliiger, F., Simonetti, D. (2014). Determination Of Tropical Deforestation Rates And Related Carbon Losses From 1990 To 2010. *Global Change Biology*, 20, 2540–2554. [Doi.Org/10.1111/Gcb.12605](https://doi.org/10.1111/Gcb.12605)
- Adelina, M., Harianto, S.O., Nurcahyani, N. (2016). Keanekaragaman jenis burung di Hutan Rakyat Pekon Kelungu Kecamatan Kota Agung Kabupaten Tanggamus. *Jurnal Sylva Lestari*, 4 (2), 51-60. [Doi: 10.23960/jsl2451-60](https://doi.org/10.23960/jsl2451-60)
- Albright, T.P., Mutiibwa, D., Gerson, A.R., Smith, E.K., Talbot, W.A., O'Neill, J.J., McKechnie, A.E., Wolf, B.O. (2017). Mapping evaporative water loss in desert passerines reveals an expanding threat of lethal dehydration. *Proceedings of the National Academy of Sciences*, 114 (9), 2283–2288. [Doi:10.1073/pnas.1613625114](https://doi.org/10.1073/pnas.1613625114)
- Ali, A.A., Idris, N.H., Ishak, M.H. (2019). The influence of land-use land-cover change on urban communities. *Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci.*, 4 (16), 93–100. [Doi:10.5194/isprs-archives-XLII-4-W16-93-2019](https://doi.org/10.5194/isprs-archives-XLII-4-W16-93-2019)
- Allen, C. R., Saunders, D. A. (2002). Variability between Scales: Predictors of Nomadism in Birds of an Australian Mediterranean-climate Ecosystem. *Ecosystems*, 5(4), 348–359. [Doi:10.1007/s10021-001-0079-z](https://doi.org/10.1007/s10021-001-0079-z)
- Allen, H.D. (2014). *Mediterranean Ecogeography*. Pp. 286. New York: Routledge.
- Almazán-Núñez, R.C., Charre, G.H., Pineda-López., R. Corcuera,P., Rodríguez-Godínez, R., Álvarez-Álvarez, E.A., Bahena, A.M. (2018). Relationship between bird diversity and habitat along a Pine-Oak successional forest in Southern Mexico. In: Viana, H. F.dos S., Morote, F.A.G. (2018). *New Perspectives in Forest Science*. [10.5772/intechopen.68364](https://doi.org/10.5772/intechopen.68364) (Chapter 10). Pp. 185-201. Intechopen, London, UK., [Doi:10.5772/intechopen.72435](https://doi.org/10.5772/intechopen.72435)
- Altaf, M., Javid, A., Majid, A., Khan, M. S. H., Umair, M. (2018). Journal of Asia-Paci fi c Biodiversity Anthropogenic impact on the distribution of the birds in the tropical, *11*. [https://Doi.org/10.1016/j.japb.2018.03.001](https://doi.org/10.1016/j.japb.2018.03.001)
- Alvarez-Alvarez, E.A., Almazán-Núñez, R.C., Corcuera, P., González-García, F., Brito-Millán, M., Alvarado-Castro, V.M. (2022). Land use cover changes the bird distribution and functional groups at the local and landscape level in a Mexican shaded-coffee agroforestry system. *Agriculture, Ecosystems and Environment*, 330, 107882. [https://Doi.org/10.1016/j.agee.2022.107882](https://doi.org/10.1016/j.agee.2022.107882)
- Alvarez-Alvarez, E. A., Almazán-Núñez, R. C., González-García, F., Brito-Millán, M., Méndez-Bahena, A., García-Ibáñez, S. (2020). Shade coffee plantations maintain woody plant diversity and structure in a cloud forest

- landscape of southern Mexico. *Journal of Forestry Research*.(). Doi:10.1007/s11676-020-01143-5
- Alvarez-Alvarez, E.A., Corcuera, P., Almazán-Núñez, R.C. (2018). Spatiotemporal variation in the structure and diet types of bird assemblages in tropical dry forest in southwestern Mexico. *The Wilson Journal of Ornithology*, 130(2),457–469. Doi:10.1676/17-009.1
- Alvarsson, J. J., Wiens, S., & Nilsson, M. E. (2010). Stress Recovery during Exposure to Nature Sound and Environmental Noise. *International Journal of Environmental Research and Public Health*, 7, 1036-1046
- Alves, G.. (2007). Thematic assessment report the united nations convention on biological diversity (uncbd) (national capacity self assessment (nca ) project Timor Leste. Dili, Timor Leste.
- Alves, R. R. N., Leite, R. C. L., Souto, W. M. S., Bezerra, D. M. M., Loures-Ribeiro, A. (2013). Ethno-ornithology and conservation of wild birds in the semi-arid Caatinga of northeastern Brazil. *Journal of Ethnobiology and Ethnomedicine*, 9(1), 14. Doi:10.1186/1746-4269-9-14
- Andrén, H. (1994). Effects of Habitat Fragmentation on Birds and Mammals in Landscapes with Different Proportions of Suitable Habitat: A Review. *Oikos*, 71(3), 355. Doi:org/10.2307/3545823
- Andersen, M. J., Naikatini, A., & Moyle, R. G. (2014). A molecular phylogeny of Pacific honeyeaters (Aves: Meliphagidae) reveals extensive paraphyly and an isolated Polynesian radiation. *Molecular Phylogenetics and Evolution*, 71(1), 308–315. Doi.org/10.1016/j.ympev.2013.11.014
- Aparicio A. (2008). Descriptive analysis of the “relictual” Mediterranean landscape in the Guadalquivir River valley (southern Spain): a baseline for scientific research and the development of conservation action plans. *Biodivers Conserv* 17:2219–2232. Doi: 10.1007/s10531-007-9295-y
- Arnan, X., Arcoverde, G. B., Pie, M. R., Ribeiro-Neto, J. D., Leal, I. R. (2018). Increased anthropogenic disturbance and aridity reduce phylogenetic and functional diversity of ant communities in Caatinga dry forest. *Science of The Total Environment*, 631-632, 429–438. Doi:10.1016/j.scitotenv.2018.03.037
- Arrijani, Setiadi, D., Guhardjam, E., Qayim, I. (2006). Analisis vegetasi hulu DAS Cianjur Taman Nasional Gunung Gede-Pangrango. *Biodiversitas*, 7 (2), 147-153. Doi: [10.13057/biodiv/d070212](https://doi.org/10.13057/biodiv/d070212)
- Arroyo-Rodriguez, V.A., Mandujano, S. (2006). Forest fragmentation modifies quality for *Alouatta palliate*. *International Journal of Primatology*. 27 (4), 1079-1096. Doi: 10.1007/s10764-006-9061-0
- Arunkumar, A.N., Dhyani, A. Joshi, G. (2019). *Santalum album*. The IUCN Red List of Threatened Species 2019: e.T31852A2807668. <https://dx.Doi.org/10.2305/IUCN.UK.2019-1.RLTS.T31852A2807668.en>. Accessed on 02 March 2022.
- Ascensão, F., Kindel, A., Teixeira, F.Z., Barrientos, R., D’Amico, M., Borda-de-Água, L., Pereira, H.M. (2019). Beware that the lack of wildlife mortality records can mask a serious impact of linear infrastructures. *Global Ecology and Conservation*, e00661. Doi:10.1016/j.gecco.2019.e00661

- Asrianny, Saputra, H., dan Achamd, A. (2018). Identifikasi keanekaragaman Jenis Burung untuk Pengembangan Ekowisata Bird Watching di Taman Nasional Bantimurung Bulusaraung. *Jurnal Perennial* 14(1):17-23. Doi: [10.24259/perennial.v14i1.4999](https://doi.org/10.24259/perennial.v14i1.4999)
- Astriyantika, M., Arief, H., Sunarminto, T. (2014). Studi sumberdaya alam hayati pada masyarakat Tengger di Resort Ranu Pani, Taman Nasional Bromo Tengger Semeru. *Media Konservasi* 19 (1):1-11.
- Avenzora, R. (2008). Ekoturisme: Teori dan praktek. pp 1-300. Nias: BRR-NAD-Nias.
- Bacchetta, G., Farris, E., Pontecorvo, C. (2011). A new method to set conservation priorities in biodiversity hotspots. *Plant Biosyst*, 146 (3), 638-648. Doi: [10.1080/11263504.2011.642417](https://doi.org/10.1080/11263504.2011.642417)
- Bailey, R.G. (1988). Ecogeographic analysis: A guide to the ecological division of land for resource management. Miscellaneous Publication 1465. Washington, DC.U.S. Department of Agriculture. Forest Service. 18 p.
- Bailey, J. (1984). *Principles of Wildlife Management*. New York: John Wiley & Sons.
- Bain, G.C., MacDonald, M.A., Hamer, R., Gardiner, R., Johnson, C.N., Jones, M.E. (2020). Changing bird communities of an agricultural landscape: Declines in arboreal foragers, increases in large species. *Royal Society Open Science*, 7(3). Doi:10.1098/rsos.200076
- Bakermans, M. H., Rodewald, A. D., Vitz, A. C., Rengifo, C. (2012). Migratory bird use of shade coffee: the role of structural and floristic features. *Agroforestry Systems*, 85(1), 85–94. Doi:10.1007/s10457-011-9389-0
- Bale, S., Beazley, K.F., Westwood, A., Bush, P. (2020). The benefits of using topographic features to predict climate-resilient habitat for migratory forest landbirds: An example for the Rusty Blackbird, Olive-sided Flycatcher, and Canada Warbler. *The Condor* ,122(1),. Doi:10.1093/condor/duz057
- BAPPENAS, (2016). Indonesia *Biodiversity Strategy Action Plan (IBSAP) 2015-2020*. Kementerian Perencanaan Pembangunan Nasional/BAPPENAS. Jakarta.
- Barrantes, G., Ocampo, D., Ramírez-Fernández, J.D., Fuchs, E.J. (2016). Effect of fragmentation on the Costa Rican dry forest avifauna. *PeerJ* 4:e2422; Doi:10.7717/peerj.2422
- Barbour, G.M., Burk, J.K., dan Pitts. (1987). *Terrestrial Plant Ecology*. The Benjamin/Cummings Publishing Company. New York.
- Barker, F. K., Cibois, A., Schikler, P., Feinstein, J., & Cracraft, J. (2004). Phylogeny and diversification of the largest avian radiation. *Proceedings of the National Academy of Sciences*, 101(30), 11040–11045. Doi.org/10.1073/pnas.0401892101
- Barlow, J., Lennox, G. D., Ferreira, J., Berenguer, E., Lees, A. C., Nally, R. Mac, Thomson, J.R., Ferraz, S.F.de B., Louzada, J., Oliveira, V.H.F., Parry, L., Solar, R.R.de C., Vieira, I.C.G., Aragão., L.E.O.C., Begotti, R.A., Braga, R.F., Cardoso, T.M., Oliveira Jr, R.C.De., Souza Jr, C.M., Moura, N.G., Nunes, S.S., Siqueira, J.V., Pardini, R., Silveira, J.M., Vaz de-Mello, F.Z., Veiga, R.C.S., Venturieri, A., Gardnes, T.A. (2016). Anthropogenic

- distribance in tropical forest can double biodiversity loss from deforestation. *Nature*, 535(7610), 144–147. [Doi.org/10.1038/nature18326](https://doi.org/10.1038/nature18326).
- Barlow, J., Mastre, L.A.M., Gardnes, T.A., Peres, C.A. (2007). The Value of primary, secondary and plantation forests for Amazonian birds. *Biol Conserv*, 136, 212-231. Doi: [10.1016/j.biocon.2006.11.021](https://doi.org/10.1016/j.biocon.2006.11.021)
- Barrantes, G., Ocampo, D., Ramírez-Fernández, J.D., Fuchs, E.J. (2016). Effect of fragmentation on the Costa Rican dry forest avifauna. *PeerJ* 4:e2422; Doi:[10.7717/peerj.2422](https://doi.org/10.7717/peerj.2422)
- Barri, M. F., Setiawan, A. A., Oktaviani, A. R., Prayoga, A. P., Ichsan, A. C. (2018). *Deforestasi Tanpa Henti: “Potret deforestasi di Sumatera Utara, Kalimantan Timur dan Maluku Utara.”* Bogor: Forest Watch Indonesia
- Barros, F.M., Peres, C.A., Pizo, M.A. Ribeiro, M.C. (2019). Divergent flows of avian-mediated ecosystem services across forest-matrix interfaces in human-modified landscapes. *Landscape Ecol*, 34, 879–894. [Doi.org/10.1007/s10980-019-00812-z](https://doi.org/10.1007/s10980-019-00812-z)
- Barstow, M. (2018). *Pterocarpus indicus*. The IUCN Red List of Threatened Species 2018: [https://dx.Doi.org/10.2305/IUCN.UK.2018-2.RLTS.T33241A2835450.en](https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T33241A2835450.en). Diakses: 02 March 2022.
- Barth BJ, FitzGibbon SI, Wilson RS. 2015. New urban developments that retain more remnant trees have greater bird diversity. *Landscape and Urban Planning*, 136(), 122–129. Doi:[10.1016/j.landurbplan.2014.11.003](https://doi.org/10.1016/j.landurbplan.2014.11.003)
- Bartholomew, G.A., Cade, T.J. (1963). The water economy of land birds. *The Auk*. 80 (4):504-539.
- Barton, J., Pretty, J. (2010). What is the Best Dose of Nature and Green Exercise for Improving Mental Health. *Environ. Sci. Technol.*, 44, 3947–3955.
- Baskent, E.Z., Jordan, G.A. (1996). Designing forest management to control spatial stucture of landscape. *Landscape and Urban Planning*, 34:55-74.
- Bathurst, J.C, Iroumé, A., Cisneros, F., Fallas, J., Iturraspe, R., Novillo, M.G., Urciuolo, A., de Bièvre, B., Borges, V.G., Coello, C., Cisneros, P., Gayoso, J., Miranda, M., Ramírez, M. (2011). *Forest impact on floods due to extreme rainfall and snowmelt in four Latin American environments 1: Field data analysis. Journal of Hydrology*, 400,281-291. Doi:[10.1016/j.jhydrol.2010.11.044](https://doi.org/10.1016/j.jhydrol.2010.11.044)
- Bender, I.M.A., Kissling. W.D., Böhning-Gaese, K., Hensen, I., Kühn, I., Wiegand, T., Dehling, D.M., Schleuning, M. (2017). Functionally specialised birds respond flexibly to seasonal changes in fruit availability. *J Anim Ecol*, 86 (4), 800-811. Doi: [10.1111/1365-2656.12683](https://doi.org/10.1111/1365-2656.12683)
- Beninde, J., Veith, M., Hochkirch, A., (2015). Biodiversity in cities needs space: a metaanalysis of factors determining intra-urban biodiversity variation. *Ecol. Lett.* 18 (6), 581–592. [Doi:10.1111/ele.12427](https://doi.org/10.1111/ele.12427)
- Bennett AF, Nimmo DG, Radford JQ. 2014. Riparian vegetation has disproportionate benefits for landscape-scale conservation of woodland birds in highly modified environments. *Journal of Applied Ecology* 51(2):514–523. Doi:[10.1111/1365-2664.12200](https://doi.org/10.1111/1365-2664.12200)
- Bibby, C., Jones, M., Marsden, S. (2000).*Teknik-Teknik Ekspedisi Lapangan*

- Survei Burung*. Bogor: BirdLife International-Indonesia Programme.
- Biederman, I., Vessel, E. (2006). Perceptual Pleasure and the Brain. *American Scientist*, 94, 248-255.
- BIG (Badan Informasi Geospasial). (2022). Satu data Indonesia Akses Informasi Geospasial Terintegrasi. Jakarta: Pusat Pengelolaan dan Penyebarluasan Informasi Geospasial, Bada Informasi Geeospasial (BIG). <https://tanahair.indonesia.go.id> (diakses pada 27 Februari 2022)
- BirdLife International (2022). Endemik Bird Areas factsheets: Timor and Wetar. Diakses dari <http://datazone.birdlife.org/eba/factsheet/164>.
- BirdLife Internatioan. (2022). Data Zone: number of spesies. BirdLife International. Diakses dari <http://datazone.birdlife.org/species/results?thrlev1=&thrlev2=&kw=&fam=0&gen=0&spc=&cmn=&reg=0&cty=0&rlCR=Y&rlEN=Y&rlVU=Y,\.>
- BirdLife International. (2002). Data Zone: Global IUCN Red List Category. BirdLife International. <http://datazone.birdlife.org/species/results?thrlev1=&thrlev2=&kw=&fam=0&gen=0&spc=&cmn=&reg=0&cty=0&rlCR=Y&rlEN=Y&rlVU=Y>. Diakses: 04 April 2022
- Birdlife International. (2001). Threatened Birds of Asia: The Birdlife International Red Data Book. Cambridge (UK): Birdlife International Cambridge.
- BirdLife International. (2018). *Philemon inonartus*. The IUCN Red List of Threatened Species 2018: e.T2270476A13035188. [Doi: 10.2305/IUCN.UK.2018-2.RLTS.T22704176A130351188.en](https://doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22704176A130351188.en).
- BKSDA [Balai Besar Konservasi Sumber Daya ALam VII] Kupang. (1996). Rencana Pengelolaan Taman Wisata Alam Camplong. Periode 1 April 1996 s/d 31 Maret 2021. Kabupaten Kupang Provinsi Nusa Tenggara Timur. Departemen Kehutanan Kantor Wilayah Propinsi NTT, Kupang. Indonesian
- Bishop, C.A., Brogan, J.M. (2013). Estimates of Avian Mortality Attributed to Vehicle Collisions in Canada. *Avian Conservation and Ecology*, 8(2),1-23. Doi:10.5751/ace-00604-080202
- Bonney, R., Shirk, J.L., Phillips, T.B., Wiggins, A., Ballard, H.L., MillerRushing, A.J., Parrish, J.K. (2014). Next steps for citizen science. *Science*, 343(6178): 1436–1437.
- Boontawee, B., Phengkhilai, C., Kao-sa-ard, A. (1995). Monitoring and measuring forest biodiversity in Thailand. In Boyle, T.J.B., Boontawee, B. (Edit.) Measuring and monitoring biodiversity in tropical and temperate forests. Proceeding of a IUFRO symposium held at Chiang Mai, Thailand Agustus 27<sup>th</sup>-September 2cn, 1994: 113-126. Bogor-Indonesia, CIFOR.
- BP2LHK (Balai Pengembangan Penelitian Lingkungan Hidup dan Kehutanan) Kupang. (2021). Tiga Dekade perubahan tutupan hutan di kawasan hutan Mutis Timau, Pulau Timor, NTT. Kupang: Balai Penerapan Standar Instrumen Lingkungan Hidup dan Kehutanan. Diakses dari <http://bpplhkkupang.or.id/index.php/berita/detail/340/Tiga-Dekade-Perubahan-Tutupan-Hutan-di-Kawasan-Hutan-Mutis-Timau-Pulau-Timor-NTT>.

- BPS (Badan Pusat Statistik) Kota Kupang. (2021). Kabupaten Kupang Dalam Angka 2021. pp. 414. Kupang: BPS Kabupaten Kupang.
- BPS (Badan Pusat Statistik) Kota Kupang. (2010). Kabupaten Kupang Dalam BPS (Badan Pusat Statistik) Kabupaten Kupang. (2021). Kabupaten Kupang Dalam Angka 2021. pp. 270. Oelamasi: BPS Kabupaten Kupang.
- BPS (Badan Pusat Statistik) Kabupaten Kupang. (2019). Kabupaten Kupang Dalam Angka 2019. BPS Kabupaten Kupang
- BPS (Badan Pusat Statistik) Kabupaten Kupang. (2011). Kabupaten Kupang Dalam Angka 2010. pp. 398. Oelamasi: BPS Kabupaten Kupang Angka 2010. pp. 468. Kupang: BPS Kabupaten Kupang
- BPS (Badan Pusa Statistik Provinsi) NTT. (2021). Privinsi Nusa Tenggara Timur dalam Angka 2021. pp. 724. Kupang: BPS Nusa Tenggara Timur.
- BPS (Badan Pusat Statistik) Statistics of Nusa Tenggara Timur Province. (2020). Provinsi Nusa Tenggara Timur Dalam Angka (Nusa Tenggara Timur Province in Figures) 2020. BPS Statistics of Nusa Tenggara Timur Province. Kupang-Indonesia
- BPS (Badan Pusat Statistik) Provinsi Nusa Tenggara Timur. (2016). Provinsi Nusa Tenggara Timur Dalam Angka (Nusa Tenggara Timur Province in Figures) 2020. BPS Statistics of Nusa Tenggara Timur Province. Kupang-Indonesia
- Brady, C.J., Noske, R.A. (2009). Succession in bird and plant communities over a 24-year chrono sequence of mine rehabilitation in the Australian monsoon tropic. *Restor Ecol*, 18 (6), 855-864. Doi: [10.1111/j.1526-100X.2008.00511.x](https://doi.org/10.1111/j.1526-100X.2008.00511.x)
- Brady, C.J. (2009). Seasonality of nectar production by woodland plants on yyhe Gove Peninsula. *North Territory Nat*, 21, 34-44.
- Brambilla, M., Illahiane, L., Assandri, G., Ronchi, S., Bogliani, G. (2017). Combining habitat requirements of endemic bird species and other ecosystem services may synergistically enhance conservation efforts. *Science of the Total Environment*, 586 (2017) 206–214
- Brambilla, M., Casae, F., Bergero, V., Crovetto, G.M., Falco, R., Negri, I., Siccardi, P., Bogliani, G. (2009). GIS-models work well, but are not enough: habitat preferences at multiple levels and conservation implication. *Biological Conservation*, 142 (2009) 2033–2042. Doi:10.1016/j.biocon.2009.03.033
- Brennan, L.A., Kuvlesky, Jr., W.P. (2005). North American grassland birds: An Unfolding Conservation crisis? *Journal of Wildlife management*, 69 (1), 1-13.
- Brotons, L., Thuiller, W., Araújo, M.B., Hirzel, A.H. (2004). Presence-absence versus presence-only modelling methods for predicting bird habitat suitability. *Ecography*, 27(4),437–448. Doi:10.1111/j.0906-7590.2004.03764.x
- Broughton, R.K., Bubnicki, J.W., Maziarz, M. (2020). Multi-scale settlement patterns of a migratory songbird in a European primaeval forest. *Behavioral Ecology and Sociobiology*, 74(10), 128–. Doi:10.1007/s00265-020-02906-0

- Brownson, K., Cox, C., Padgett-Vasquet, S. (2020). The impacts of agricultural windbreaks on avian communities and ecosystem services provisioning in the bellbird biological corridor, costa rica. *Agroecology And Sustainable Food Systems*. 34, 592-629. Doi.Org/10.1080/21683565.2020.1838029
- Brulle, R. J. (2000). *Agency, Democracy, and Nature*. Cambridge, Massachusetts, London, England: The MIT Press
- Bruns, H. Kantorowicz-Reznichenko, E., Klement, K., Jonsson, M. L., Rahali, B. (2018). Can Nudges Be Transparent and Yet Effective?. *Journal of Economic Psychology*, (), S0167487017307845– Doi:10.1016/j.joep.2018.02.002
- BSN (Badan Standarisasi Nasional). SNI 7645-1:2014 (2014) Klasifikasi penutup lahan-Bagian 1: Skala kecil dan menengah. BSN Gedung Manggala Wanabakti. Jakarta: Badan Standarisasi Nasional.
- Buckland, S.T; Rexstad, E.A.;Marques, T.A; Oedekoven, C. (2015). *Distance Sampling: Methods and Applications*. New York: Springer International Publishing AG Switzerland.
- Buckland,T.S. (2006). Point-transect surveys for songbirds: robust methodologies. *The Auk*, 123 (2),345-357. Doi:10.1093/auk/123.2.345
- Buckton, S.T., Ormerod, S.J. (1997). Use of a new standardized habitat survey for assessing the habitat preferences and distribution of upland river birds. *Bird Study*, 44 (3), 327-337. Doi: [10.1080/00063659709461068](https://doi.org/10.1080/00063659709461068)
- Buckton, S.T., Brewin, P.A., Lewis, A., Stevens, P.A., Ormerod, S.J. (1998). The distribution of dippers *Cinclus cinclus* (L.), in the acid-sensitive region of Wales, 1984-95. *Freshw Biol*, 39 (2), 387-396. DOI: [10.1046/j.1365-2427.1998.00274.x](https://doi.org/10.1046/j.1365-2427.1998.00274.x)
- Burel, F., Baudry, J. (2003).Landscape ecology: concepts, methods and applications. Science Publishers, Inc.Enfield, Nh. USA.
- Burns, K.C., 2015. A theory of island biogeography for exotic species. *American Naturalist*, 186 (4), 441–451. Doi:10.1086/682934
- Burung Indonesia. (2020). Infografis Status burung di Indonesia 2020. BirdLife International. <https://www.burung.org/2020/02/17/infografis-status-burung-di-indonesia-2020/>
- Butt, N., Seabrook, L., Maron, M., Law, B.S., Dawson, T.P., Syktus, J., McAlpine, C.A. (2015). Cascading effects of climate extremes on vertebrate fauna through changes to low-latitude tree flowering and fruiting phenology. *Global Change Biology*, 21(9): 3267–3277. Doi:10.1111/gcb.12869
- Buxton, R.T., McKenna, M.F., Mennitt, D., Fristrup, K., Crooks, K., Angeloni, L., Wittemyer, G. (2017). Noise pollution ins pervasive id U.S. protected areas. *Science*, 356, 531-533.
- Byron, H. (2000). Biodiversity and environmental impact assessment: A good practice guide for road schemes. Pp. 1-128. The RSPB, WWF-UK: English Nature and The Wildlife Trusts, Sandy.
- Campos-Silva, L.A., Piratelli, A.J. (2020). Vegetation structur drivers taxonomic diversity and functional traits of birds in urban private native forest fragments. *Urban Ecosyst*. Doi 10.1007/s11252-020-01045-8

- Cardinale, B.J., Srivastava, D.S., Emmett D. J., Wright, J.P., Downing, A. L., Sankaran, M., Jouseau, C. (2006). *Effects of biodiversity on the functioning of trophic groups and ecosystems.* , 443(7114), 989–992. Doi:10.1038/nature05202
- Chang, H.Y., Lee, Y.F. (2016). Effects of area size, heterogeneity, isolation, and disturbances on urban park avifauna in a highly populated tropical city. *Urban Ecosyst*, 19 (1), 257-274. Doi: [10.1007/s11252-015-0481-5](https://doi.org/10.1007/s11252-015-0481-5)
- Chang, H.T. (2019). *Introduction to Geographic Information Systems*. McGraw-Hill Education, New York.
- Chazdon, R.L., Harvey, C.A., Martinez-Ramos, M., Balvanera, P., Stoner, K.E., Schondube J.E, Cabadilla, L.D.A, Flores-Hidalgo M. (2011). Seasonally dry tropical forest biodiversity and conservation value in agricultural landscapes of Mesoamerica. In: Dirzo R, Young HS Mooney HA, Ceballos G, editors. *Seasonally dry tropical forest: ecology and conservation*. Washington (DC): Island Press; p. 195–219
- Cheke, R. A., Venn, J. F., Jones, P. J. (2007). Forecasting suitable breeding conditions for the red-billed quelea *Quelea quelea* in southern Africa. *Journal of Applied Ecology*, 44(3), 523–533. Doi:10.1111/j.1365-2664.2007.01295.x
- Chen, A., Yao, L., Sun, R., Chen, L. (2014). How many metrics are required to identify the effects of the landscape pattern on land surface temperature? *Ecological Indicators*, 45(), 424–433. Doi:10.1016/j.ecolind.2014.05.002
- Chmel, K., Ewome, F.L., Gómez, G.U., Klomberg, Y., Mertens, J.E.J., Tropek, R., Janeček, Š. (2021). Bird pollination syndrome is the plant's adaptation to ornithophily, but nectarivorous birds are not so selective. *Oikos* 130(8):1411–1424. Doi:10.1111/oik.08052
- Chiatante, G., Porro, Z., Musacchio, A., Bazzocchi, A., Meriggi, A. (2019). Multi-scale habitat requirements of forest bird species in a highly fragmented landscape. *Journal of Ornithology*, 160 (3), 773–788. Doi:10.1007/s10336-019-01664-9
- Chiawo, D.O., Kombe, W.N., Craig, A.J.F.K. (2018). Bird responses to land use change: guild diversity in a Kenyan coastal forest and adjoining habitats. *Emu - Austral Ornithology*, 118(3), 281–292. Doi:10.1080/01584197.2018.1431052
- Ciocănea, C. M., Sorescu, C., Ianoși, M., & Bagrinovschi, V. (2016). Assessing Public Perception on Protected Areas in Iron Gates Natural Park. *Procedia Environmental Sciences*, 32, 70–79. [Doi.org/10.1016/j.proenv.2016.03.013](https://doi.org/10.1016/j.proenv.2016.03.013)
- Clements, J. F. (2000). *Bird of the World: A Checklist*. Australia: Ibis Publishing Company, Vista
- Coates, J.B., Bishop, K.D. (2000). *Panduan Lapangan Burung-Burung di Kawasan Wallacea (Sulawesi, Maluku, dan Nusa Tenggara) (1st ed.)*.: BirdLife International-Indonesia Programme & Dove Publications Pty.Ltd. Bogor, Indonesia
- Coelho, M. T. P., Raniero, M., Silva, M. I., Hasui, É. (2016). The effects of landscape structure on functional groups of Atlantic forest birds. *The Wilson*

*Journal of Ornithology*, 128(3), 520–534. Doi:10.1676/1559-4491-128.3.520

- Coetzee, B.W.T., Chown, S.L. (2016). Land-use change promotes avian diversity at the expense of species with unique traits. *Ecology and Evolution*, 6(21), 7610–7622. Doi:10.1002/ece3.2389
- Cohen, N., Arieli, T. (2011). Field research in conflict environments: Methodological challenges and snowball sampling. *J Peace Res*, 48 (4): 423-435. Doi:10.1177/0022343311405698
- Collins, B.G., Cary, G., Payne, S. (1980). Metabolism, thermoregulation and evaporative water loss in two species of Australian nectar-feeding birds (family Meliphagidae). *Comparative Biochemistry and Physiology -- Part A: Physiology*, 67 (4), 629–635. Doi :10.1016/0300-9629(80)90252-2
- Cooke, S.C., Balmford, A., Johnston, A., Newson, S.E., Donald, P.F., Variation in abundances of common bird species associated with roads. *J Appl Ecol*. 00:1–12. Doi:10.1111/1365-2664.13614
- Corlett, R.T. (2011). How to be a frugivore (in a changing worls). *Acta Oecol*, 37 (6), 674-681. Doi: [10.1016/j.actao.2011.01.005](https://doi.org/10.1016/j.actao.2011.01.005)
- Cruz-McDonnell, K. K., Wolf, B. O. (2016). Rapid warming and drought negatively impact population size and reproductive dynamics of an avian predator in the arid southwest. *Global Change Biology*, 22(1), 237–253. Doi:10.1111/gcb.13092
- Cubley, E.S., Bateman, H.L., Merritt, D.M., Cooper, D.J. (2020). Using vegetation guilds to predict bird habitat characteristics in riparian areas. *Wetlands*, 1-20. Doi: [10.1007/s13157-020-01372-8](https://doi.org/10.1007/s13157-020-01372-8)
- Cubley, E.S., Bateman, H.L., Riddle, S.B., Holmquist-Johnson, C., Merritt, D.M. (2020). Predicting bird guilds using vegetation composition and structure on a wild and scinec river in Arizona. *Wetlands*, 1-14. Doi: [10.1007/s13157-020-01371-9](https://doi.org/10.1007/s13157-020-01371-9)
- Cueto, V.R., Marone, L., de Casenave, J.L. (2006). Seed prefereces in sparrow species of the monte disert, Argentina: impilications for seed-granivore interactions. *The AUK*, 123 (2), 358-367
- Cui, L., Shi, J. (2012). Urbanization and its environmental effects in Shanghai, China. *Urban Climate*, 2(), 1–15. Doi:10.1016/j.uclim.2012.10.008.
- Dadashpoor, H., Azizi, P., Moghadasi, M. (2019). Land use change , urbanization , and change in landscape pattern in a metropolitan area. *Science of the Total Environment*, 655, 707–719.
- Dako, F.X., Purwanto, R.H., Farida, L.R.W., Sumardi. (2019). Kerusakan antropogenik kawasan hutan lindung Mutis Timau dan Penangguangannya di Pulau Timor Bagian Barat. *Jurnal of Natural Resources and Environmental Manajement*, 9 (2):437-455.
- Darajati, W., Pratiwi, S., Herwinda, E., Radiansyah, A.D., Nalang, V.S., Nooryanto, B., Rahajoe, J.S., Ubaidillah, R., Maryanto, I., Kurniawan, R., Prasetyo, T.A., Rahim, A., Jefferson, J., Hakim, F. (2016). Indonesia Biodivertiy Strategy Action Plan (IBSAP) 2015-2020. Kementerian Perencanaan Pembangunan Nasional/BAPPENAS. (pp:1-320). Indonesian: Jakarta

- Darras, K., Rahman, D, Sugito, W., Mulyani, Y., Prawiradilaga, D., Rozali, A., Fitriawan, I., Tschharntke. (2018). Birds of primary and secondary forest and shrub habitat peat swamp of Berbak National Park, Sumatra [version 1; referees: 1 approved with reservations]. *F1000Research*, 7(229), 1-14. Doi: 10.12688/f1000research.13996.1
- Davcik, N. S. (2014). *The use and misuse of structural equation modeling in management research. Journal of Advances in Management Research*, 11(1), 47–81. Doi:10.1108/JAMR-07-2013-0043
- Dayer, A. A., Silva-Rodríguez, E. A., Albert, S., Chapman, M., Zukowski, B., Ibarra, J. T., Gifford, G., Echeverri, A., Martinez-Salinas, A., Sepúlveda-Luque, C. (2020). Applying conservation social science to study the human dimensions of Neotropical bird conservation. *The Condor*. Doi:10.1093/condor/duaa021
- Dean, W.R.J., (1997). The distribution and biology of nomadic birds in the Karoo, South Africa. *J. Biogeogr.* 24 (6), 769–779. [Doi.org/10.1046/j.1365-2699.1997.00163.x](https://doi.org/10.1046/j.1365-2699.1997.00163.x)
- Dean WRJ, Seymour CL, Joseph GS, Foord SH. 2019. A Review of the Impacts of Roads on Wildlife in Semi-Arid Regions. *Diversity* 11(5):81. Doi:10.3390/d11050081
- Déjeant-Pons, M. (2006). The European Landscape Convention, *Landscape Research*, 31:4, 363-384, Doi: 10.1080/01426390601004343.
- del Castillo, E.M., García-Martin, A., Aladrén, L.A.L., de Luis, M. (2015). Evaluation of forest cover change using remote sensing techniques and landscape metrics in Moncayo Natural Park (Spain). *Applied Geography*, 62(), 247–255. Doi:10.1016/j.apgeog.2015.05.002
- de Lima, R.F., Dallimer, M., Atkinson, P.W., Barlow, J., Cumming, G. (2013). Biodiversity and land-use change: understanding the complex responses of an endemic-rich bird assemblage. *Diversity and Distributions*, 19(4), 411–422. Doi:10.1111/ddi.12015
- Dendang, G., Handayani, W.H. (2015). Structure and composition of forests stands in Gede Pangrango Mountain National Park, West Java. *Pros Sem Nas Masy Biodiv Indon*, 1, 691-695.
- Denier, L., Scherr, S., Shames, S., Chatterton, P., Hovani, L., Stam, N. (2015). *The Little Sustainable Landscapes Book*, Oxford, UK: Global Canopy Programme
- Desantoro, T.G., Hardina, K., Hardikananda, N., Pangestu, F.A.S., Safitri, S., Aziz, A. (2020). Respon komunitas burung terhadap beberapa tipe habitat pada Ekosistem Artifisial di Wilayah PT PJB UP Paiton. *JPSL*, 10 (3), 489-500. Doi: 10.29244/jpsl.10.3.489- 500
- Destro, G.F.G., De Marco, P., Terribile, L.C. (2018). Threats for bird population restoration: A systematic review. *Perspectives in Ecology and Conservation*, 16(2): 68-73. Doi:10.1016/j.pecon.2018.03.003
- Dewi, R.R.M.S.P., Yusita, K., Anik R. (2018). Identifikasi penerapan biophilic design pada interior rumah sakit. *Jurnal Intra* 6 (2), 687-696.

- Dewi, R.S., Mulyani, Y., Santosa, Y. (2007). Keanekaragaman jenis burung di beberapa tipe habitat Taman Nasional Gunung Ciremai. *Media Konservasi*, 13 (3), 114-118.
- Dhosa, D.D. (2021). State-led Forest Development and Social Protest in East Doi. 10.24259/fs.v5i2.11320
- Dietz, T., Stern, P.C. (2008). *Public Participation in Environmental Assessment and Decision Making*. Washington, DC: Nat. Acad. Press
- Dobrowski, S.Z. (2011). A climatic basis for microrefugia: the influence of terrain on climate. *Global Change Biology*, 17(2),1022–1035. Doi:10.1111/j.1365-2486.2010.02263.x
- Dolgener, N., Freudenberger, L., Schluck, M., Schneeweiss, N., Ibisch, P.L., Tiedemann, R. (2014). Environmental niche factor analysis (ENFA) relates environmental parameters to abundance and genetic diversity in an endangered amphibian, the fire-bellied-toad (*Bombina bombina*). *Conservation Genetics*, 15(1),11–21. Doi:10.1007/s10592-013-0517-4
- Dri, G. F., Fontana, C. S., & Dambros, C. de S. (2021). Estimating the impacts of habitat loss induced by urbanization on bird local extinctions. *Biological Conservation*, 256, 109064. Doi:10.1016/j.biocon.2021.109064
- Drum, R. G., Ribic, C. A., Koch, K., Lonsdorf, E., Grant, E., Ahlering, M., ... Sample, D. (2015). Strategic grassland bird conservation throughout the annual cycle: Linking policy alternatives, landowner decisions, and biological population outcomes. *PLoS ONE*, 10(11), 1–16. [Doi.org/10.1371/journal.pone.0142525](https://doi.org/10.1371/journal.pone.0142525)
- Drummond, F.M., Armstrong, D.P. Use of distance sampling to measure long-term change in bird densities in a fenced wildlife sanctuary. *New Zealand Journal of Ecology* 43(2): 3371. Doi: <https://dx.doi.org/10.20417/nzjecol.43.19>
- Dutta, G., Devi, A. (2013). Plant diversity, population structure, and regeneration status in disturbed tropical forests in Assam, Northeast India. *J For Res*, 24 (4), 715-720. Doi: [10.1007/s11676-013-0409-y](https://doi.org/10.1007/s11676-013-0409-y)
- Eaton, J.A., van-Balen, B., Brickle, N.W., Rheindt, F.E. (2016). *Birds of The Indonesian Archipelago: Greater Sundas, and Wallacea*. Lynx Editions Barcelona, Barcelona.
- Enevoldsen, P. (2018). A socio-technical framework for examining the consequences of deforestation : A case study of wind project development in Northern Europe. *Energy Policy*, 115(January), 138–147. [Doi.org/10.1016/j.enpol.2018.01.007](https://doi.org/10.1016/j.enpol.2018.01.007)
- Erfanian, B., Mirkarimi, S.H., Mahini, A.S., Rezaei, H.R. (2013). A presence-only habitat suitability model for Persian leopard (*Panthera pardus saxicolor*) in Golestan National Park, Iran. *Wildlife Biology*, 19 (2), 170–178. Doi:10.2981/12-045
- Esbah, H., Deniz, B., Kara, B., Kesgin, B. (2010). Analyzing landscape changes in the Bafa Lake Nature Park of Turkey using remote sensing and landscape structure metrics. *Environ Monit Assess*, **165**, 617–632 (2010). [https://Doi.org/10.1007/s10661-009-0973-y](https://doi.org/10.1007/s10661-009-0973-y)
- Fachrul, M.F. (2007). *Metode Sampling Bioekologi*. Bumi Aksara. Jakarta.

- Fahrig, L. (2003). Effects of Habitat Fragmentation on Biodiversity. *Annu. Rev. Ecol. Evol. Syst*, 34, 487–515. [Doi.org/10.1146/annurev.ecolsys.34.011802.132419](https://doi.org/10.1146/annurev.ecolsys.34.011802.132419)
- Fahrig, L., Baudry, J., Brotons, L., Burel, F.G., Crist, T.O., Fuller, R.J., Sirami, C., Siriwardena, G.M., Martin, J-L. (2011). Functional landscape heterogeneity and animal biodiversity in agricultural landscapes. *Ecology Letters*, 14(2), 101–112. Doi:10.1111/j.1461-0248.2010.01559.x
- Farashi, A., Alizadeh-Noughani, M. (2018). Niche modelling of the potential distribution of the Egyptian Vulture *Neophron percnopterus* during summer and winter in Iran, to identify gaps in protected area coverage. *Bird Conservation International*, 1–14. Doi:10.1017/s0959270918000278
- Feng, Y., Liu, Y., Tong, X. (2018). Spatiotemporal variation of landscape patterns and their spatial determinants in Shanghai, China. *Ecological Indicators*, 87, 22-32. Doi.org/10.1016/j.ecolind.2017.12.034
- Feng, Y., Tong, X. (2017). Calibrating nonparametric cellular automata with a generalized additive model to simulate dynamic urban growth. *Environ Earth Sci* 76, 496. <https://doi.org/10.1007/s12665-017-6828-x>
- Ferenc, M., Sedláček, O., Fuchs, R. (2014). How to improve urban greenspace for woodland birds: site and local-scale determinants of bird species richness. *Urban Ecosyst*, 17 (2), 625-640. Doi [10.1007/s11252-013-0328-x](https://doi.org/10.1007/s11252-013-0328-x)
- Fisher, R.P. (2011). Socialising the pixel, a mixed methods approach to assessing the state of forests in West Timor. Charles Darwin University. [https://ris.cdu.edu.au/ws/portalfiles/portal/22697208/Thesis\\_CDU\\_13190\\_Fisher\\_R.pdf](https://ris.cdu.edu.au/ws/portalfiles/portal/22697208/Thesis_CDU_13190_Fisher_R.pdf)
- Fisher, R. (2012). Tropical forest monitoring, combining satellite and social data, to inform management and livelihood implications: Case studies from Indonesian West Timor. *International Journal of Applied Earth Observation and Geoinformation*, 16(1), 77–84. Doi:10.1016/j.jag.2011.12.004
- Fleming, T.H., Kress, W. J. (2013). *The Ornaments of Life: Coevolution and Conservation in the Tropics*. Chicago.: University of Chicago Press.
- Folmer, E.O., Olf, H., Piersma, T. (2010). How well do food distributions predict spatial distributions of shorebirds with different degrees of self-organization. *J Anim Ecol* 79, (4), 747-756. Doi: 10.1111/j.1365-2656.2010.01680.x
- Fontúrbel, F.E.; Orellana, J.I.; Rodríguez-Gómez, G.B.; Tabilo, C.A.; Castañovilla, G.J. (2021). Habitat disturbance can alter forest understory bird activity patterns: A regional-scale assessment with camera-traps. *Forest Ecology and Management*, 479(), 118618– Doi:10.1016/j.foreco.2020.118618.
- Fontúrbel, F.E., Salazar, D.A., Medel, R. (2017). Increased resource availability prevents the disruption of key ecological interactions in disturbed habitats. *Ecosphere*, 8 (4), e01768. Doi: [10.1002/ecs2.1768](https://doi.org/10.1002/ecs2.1768)
- Forman, R. T. T. ., K.Collinge, S. (1996). The spatial solution to conserving biodiversity in landscape and region. In *Conservation of Faunal diversity in Forested Landscapes* (pp. 537–565). [Doi.org/10.2307/6009](https://doi.org/10.2307/6009)

- França, L. F., Costa Morais, R. D., Henrique de Brito, S. S., Bezerra D, M. R., Vieira de Paiva, L., Allan de Souza Oliveira, C. (2020a). Constant or varied survival? Effects of seasonal and unpredictable factors on bird survival in a Neotropical semi-arid region. *Journal of Arid Environments*, 182, 104278. Doi:10.1016/j.jaridenv.2020.104278
- França, L.F., Figueiredo-Paixão, V.H., Duarte-Silva, T.A., Santos, K.B., (2020b). The effects of rainfall and arthropod abundance on breeding season of insectivorous birds, in a semi-arid Neotropical environment. *Zoologia*, 37, e37716. [Doi.org/10.3897/zoologia.37.e37716](https://doi.org/10.3897/zoologia.37.e37716)
- Francis, C.D., Barber, J.R. (2013). A framework for understanding noise impacts on wildlife: an urgent conservation priority. *Frontiers in Ecology and the Environment*, 11(6), 305–313. Doi:10.1890/120183
- Fuller, R. A., Irvine, K. N., Devine-Wright, P., Warren, P. H., Gaston, K. J. (2007). Psychological benefits of greenspace increase with biodiversity. *Biology Letters*, 3, 390-394
- Gaaff, A., Reinhard, S. (2012). Incorporating the value of ecological networks into costbenefit analysis to improve spatially explicit land-use planning. *Ecological Economics*, 73, 66–74. [https://Doi.org/10.1016/j.ecolecon.2011.10.021](https://doi.org/10.1016/j.ecolecon.2011.10.021).
- Garabedian, J.E., Moorman, C.M., Peterson, M.N., Kilgo, J.C. (2017). Use of LiDAR to define habitat thresholds for forest bird conservation. *Forest Ecology and Management*, 399, 24–36. Doi:10.1016/j.foreco.2017.05.024
- Gardner, J. L., Amano, T., Sutherland, W. J., Clayton, M., Peters, A. (2016). Individual and demographic consequences of reduced body condition following repeated exposure to high temperatures. *Ecology*. 97 (3), 786-795. Doi:10.1890/15-0642.1
- Garsetiasih, R., Rianti, A., Takandjandji, M. (2018). Potensi vegetasi dan daya dukung untuk habitat Gajah Sumatera (*Elephas maximus sumatranus*) di areal perkebunan sawit dan hutan produksi KSI Kecamatan Sungai Menang, Kabupaten Ogan Komering Ilir. *Berita Biologi*, 17 (1), 49-64. Doi: [10.14203/beritabiologi.v17i1.2997](https://doi.org/10.14203/beritabiologi.v17i1.2997)
- Gatti, A., Naud, C. (2017). Sentinel-2 Products Specification Document.Thales Alenia Space. Finmeccanica Company.
- Geist, H. J., Lambin, E. F. (2002). Proximate Causes and Underlying Driving Forces of Tropical Deforestation. *BioScience*, 52(2), 143–150.
- Ghadirian, T., Qashqaei, A.T., Dadras, M. (2008). Notes on feeding and breeding habits of the Purple Sunbird *Nectarinia asiatica* (*Cinnyris asiaticus*) in Bandar Abbas Hormozgan, Southern Iran. *Podoces*, 2 (2),122-126.
- Ghazoul, J., Burivalova, Z., Garcia-ulloa, J., King, L. A. (2015). Review Conceptualizing Forest Degradation. *Trends in Ecology & Evolution*, 30(10), 622–632. [https://Doi.org/10.1016/j.tree.2015.08.001](https://doi.org/10.1016/j.tree.2015.08.001)
- Ghebregabher, M. G., Yang, T., Yang, X., Wang, X., Khan, M. (2016). *Extracting and analyzing forest and woodland cover change in Eritrea based on landsat data using supervised classification. Egyptian Journal of Remote Sensing and Space Science* (Vol. 19). Authority for Remote Sensing

- and Space Sciences. [Doi.org/10.1016/j.ejrs.2015.09.002](https://doi.org/10.1016/j.ejrs.2015.09.002)
- Ghorbanian, A., Kakooei, M., Amani, M., Mahdavi, S., Mohammadzadeh, A., Hasanlou, M. (2020). Improved land cover map of Iran using Sentinel imagery within Google Earth Engine and a novel automatic workflow for land cover classification using migrated training samples. *ISPRS J Photogrammetry Remote Sens*, 167, 276-288. Doi: [10.1016/j.isprsjprs.2020.07.013](https://doi.org/10.1016/j.isprsjprs.2020.07.013)
- Gibson, L., Lee, T.M., Koh, L.P., Brook, B.W., Gardner, T.A., Barlow, J., Peres, C.A., Bradshaw, C.J.A., Laurance, W.F., Lovejoy, T.E., Sodhi, N.S. (2011). Primary forests are irreplaceable for sustaining tropical biodiversity. *Nature*, 478(7369), 378–381. Doi:10.1038/nature10425
- Giulio, M.D., Holderegger, R., Tobias, S. (2009). Effect of habitat and landscape fragmentation on humans and biodiversity in densely populated landscapes. *Journal Environmental Management* 90, 2959-2968. Doi:10.1016/j.jenvman.2009.05.002
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thaou, D., Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sens Environ*, 202, 18-27. Doi: [10.1016/j.rse.2017.06.031](https://doi.org/10.1016/j.rse.2017.06.031)
- Goulding, W., Moss, P.T., Mcalpine, C.A. (2019). An assessment of the Tagula Honeyeater *Microptilotis vicina*, a Data Deficient bird species in a Melanesian endemic hotspot. *Bird Conservation International*, 1–20. Doi:10.1017/s095927091900025x
- Graf, A. (2008). Influencing habitat selection and use through conspecific attraction and supplementary feeding Influencing habitat selection and use
- Gray, M.A., Baldauf, S.L., Mayhew, P.J., Hil, J.K. (2007). The response of avian feeding guilds to tropical forest disturbance. *Conserv Biol*, 21 (1), 133-141. Doi: [10.1111/j.1523-1739.2006.00557.x](https://doi.org/10.1111/j.1523-1739.2006.00557.x)
- Green, J.M.H., Croft, S.A.; Durán, A. P., Balmford, A. P., Burgess, N.D., Fick, S., Gardner, T.A., Godar, J., Suavet, C., Virah-Sawmy, M., Young, L.E., West, C.D. (2019). Linking global drivers of agricultural trade to on-the-ground impacts on biodiversity. *Proceedings of the National Academy of Sciences*, (), 201905618–. Doi:10.1073/pnas.1905618116.
- Greenwood, J.J. D., Robinson, R.A. (2006). General census methods. In W.J. Sutherland (Ed.), *Ecological Census Techniques* (Second Edi, pp. 87–183). Cambridge, UK: Cambridge University Press.
- Greig-Smith, P. (1983). *Quantitative Plant Ecology, Studies in Ecology*. Volume 9. Oxford: Blackwell Scientific Publications
- Grobler, B.A., Campbell, E.E. (2022). Road and landscape-context impacts on bird pollination in fynbos of the southeastern Cape Floristic Region. *South African Journal of Botany*, 144,676-684. [Doi:10.1016/j.sajb.2021.11.056](https://doi.org/10.1016/j.sajb.2021.11.056)
- Guilford, J. P. (1956). *Fundamental Statistics in Psychology and Education*. New York: Mc Graw-Hill Book Co. Inc.
- Guisan, A., Thuiller, W., Zimmermann, N.E. (2017). *Habitat Suitability and Distribution Models*. (1-496). Cambridge, United Kingdom. Cambridge University Press.

- Gunawan, W., Basuni, S. Indrawan, A., Prasetyo, L.B., Soedjito, H. (2011). Analisis komposisi dan struktur vegetasi terhadap upaya restorasi kawasan Hutan Taman nasional Gunung Gede pangrango. *JPSL* Vol. (1) 2:93-105.
- Gustafson, E.J., (1998). Quantifying landscape spatial pattern: what is the state of the art? *Ecosystems* 1 (2), 143–156. Doi:10.1007/s100219900011
- Hakim, L., Abdoellah, O.S., Parikesit, Withaningsih, S. (2020). Impact of agricultural cropt type and hunting on bird communities of two villages in Bandung, West Java, Indonesia. *Biodiversitas*, 21 (1), 57-66. Doi:10.13057/biodiv/d210109
- Halfwerk, W., Both, C., Slabbekoorn, H. (2016). Noise affects nest-box choice of 2 competing songbird species, but not their reproduction. *Behavioral Ecology*, 27(6),1592–1600.Doi:10.1093/beheco/arw095
- Halley, J. M., Iwasa, Y. (2011). Neutral theory as a predictor of avifaunal extinctions after habitat loss. *PNAS*, 108(6), 2316–2321. Doi:10.1073/pnas.1011217108
- Halley, J.M., Monokrousos, N., Mazaris, A.D., Newmark, W.D., Vokou, D., (2016). Dynamics of extinction debt across five taxonomic groups. *Nat. Commun.* 7, 1–6. [Doi:10.1038/ncomms12283](https://doi.org/10.1038/ncomms12283)
- Hansen, M.C., Potapov, P.V., Moore, R., Hancher, M., Tutubanova, S.A., Tyukavina, A., Thau, D., Stehman, S.V., Goetz, S.J., Loveland, T.R., Kommareddy, A., Egorov, A., Chini, L., Justice, C.O., Townshend, J.R.G. (2013). High-resolution Global Maps of 21<sup>st</sup>-centerury forest cover Change. *Science*, 342 (15): 850-853. Doi 10.1126/science.1244693
- Hanski, I., Gilpin, M. (1991). Metapopulation dynamics: brief history and conceptual domain. In M. Gilpin & I. Hanski (Eds.), *Metapopulation Dynamics : Empirical and Theoretical Investigations* (Vol. 42, pp. 1–16). London: Academic Press.
- Hanski, I., Tiainen, J. (1989). Bird ecology and Taylors' mean regression. *Ann. Zool. Fennici*, 26, 213–217
- Hair, J.F., Black, W.C., Babin, B.J., Anderso, R.E. (2019). *Multivariate Data Analysis*. pp. 834. Cengage Learning
- Hairston , N.G. 1989 . *Ecological Experiments* . Cambridge, UK: Cambridge University Press
- Harrison, S., Bruna, E. (1999). Habitat fragmentation and large-scale conservation: what do we know for sure?. *Ecography*, 22(3), 225–232. Doi:10.1111/j.1600-0587.1999.tb00496.x
- Hartvigsen, M. (2014). Land reform and land fragmentation in Central and Eastern Europe. *Land Use Policy*, 36(), 330–341. Doi:10.1016/j.landusepol.2013.08.016
- Hayes, J.J., Robeson, S.M. (2011). *Relationships between fire severity and post-fire landscape pattern following a large mixed-severity fire in the Valle Vidal, New Mexico, USA.* , 261(8), 0–1400. Doi:10.1016/j.foreco.2011.01.023
- Heil, K., Schmidhalter, U. (2014). Using discriminant Analysis and Logistic regression in mapping quaternary sediments. *Math Geosci*, 46:361-376. Doi: [10.1007/s11004-013-9486-x](https://doi.org/10.1007/s11004-013-9486-x)

- Hermawan, M. T. T., Faida, L. R. W., Wianti, K. F., Marhaento, H., Anindia, A. (2014). *Pengelolaan Kawasan Konservasi*. Yogyakarta: Gadjah Mada University Press.
- Hernowo, J.B., Prasetyo, L.B. (1989). Konsep ruang terbuka hijau di kota sebagai pendukung pelestarian burung. *Media Konservasi*, 2 (4), 61-71.
- Henriques, P.D. de S, Narciso, V. (2010). The Role of Traditional Land Use Systems in the Well-being of Rural Timor-Leste. In L. L.Tolentino, L. D.Landicho, S. Wun'Gaeo, dan B. Ikegami (Eds.), *Asian Rural Sociology IV "The multidimensionality of economy energy and environmental crises adn their implications for rural livelihoods"* (4th Asian, pp. 77–91). Legaspi City, Philippines: The College of Agriculture University of the Philippines Los Baños College, Laguna, Philippines. [https://www.academia.edu/3660461/4th\\_Asian\\_Rural\\_Sociology\\_Association\\_Conference\\_Proceedings](https://www.academia.edu/3660461/4th_Asian_Rural_Sociology_Association_Conference_Proceedings)
- Herrera, C.M. (1985). Habitat-Consumer Interactions in frugivorous birds. In: Cody ML (ed) *Habitat Selection in Birds*. Academic Press, Orlando
- Herse, M. R., Estey, M. E., Moore, P. J., Sandercock, B. K., & Boyle, W. A. (2017). Landscape context drives breeding habitat selection by an enigmatic grassland songbird. *Landscape Ecology*, 1–14. [Doi.org/10.1007/s10980-017-0574-z](https://doi.org/10.1007/s10980-017-0574-z)
- Hilker, T., Lyapustinb, A.I., Tuckerb, C.J., Hallb, F.G., Mynenid, R.B., Wangb, Y., Bid, J., Moura, Y.M., SellersPJ, (2014). Vegetation dynamics and rainfall sensitivity of the Amazon. *Proc. Natl. Acad. Sci. Unit. States Am.* 111 (45), 16041–16046. [Doi. org/10.1073/pnas.1404870111](https://doi.org/10.1073/pnas.1404870111)
- Hirayama, H., Tomita, M., Hara, K. (2020). Quantitative monitoring of changes in forest habitat connectivity following the great eastern Japan earthquake and tsunami. *Landscape Ecology*, 4.():1-12. [https://Doi.org/10.1007/s10980-020-01034-4](https://doi.org/10.1007/s10980-020-01034-4)
- Hirzel, A.H, Lay, G. Le. (2008). Habitat suitability modelling and niche theory. *Journal of Applied Ecology*, 45, 1372–1381.[Doi:10.1111/j.1365-2664.2008.01524.x](https://doi.org/10.1111/j.1365-2664.2008.01524.x)
- Hirzel, A. H. (2006). Presentation on evaluation of presence-only models with the continuous Boyce index and cross-validation. Presented at a workshop at the Castle of Rauschholzhausen.
- Hirzel, A. H., Randin, C., Guisan, A. (2006). Evaluating the ability of habitat suitability models to predict species presences. *Ecological Modelling*, 9, 142–152. [Doi:10.1016/j.ecolmodel.2006.05.017](https://doi.org/10.1016/j.ecolmodel.2006.05.017)
- Hirzel, A. (2004). *Biomapper 3 user's manual*. Lausanne: Lab. of Conservation Biology, Department of Ecology and Evolution, University of Lausanne. <https://www2.unil.ch/biomapper/Biomapper3-Manual.pdf>
- Hirzel, A.H., Posse, B., Crettenand, Y., Glenz, C., Arlettaz, R. (2004). Ecological requirements of reintroduced species and the implications for release policy: the case of the bearded vulture. *Journal of Applied Ecology*, 41, 1103–1116.
- Hirzel, A.H., Arlettaz, R. (2003). Modeling Habitat Suitability for Complex Species Distributions by Environmental-Distance Geometric Mean.

- Environmental Management*, 32(5), 614–623. Doi:10.1007/s00267-003-0040-3
- Hirzel, A., Hausser, J., Perrin, N. (2002a). Biomapper 3.1. Lausanne: Lab. for Conservation Biology. <http://www.unil.ch/biomapper>
- Hirzel, A.H., Hausser, J., Perrin, N. (2002b). Ecological-Niche Factor Analysis : How to Compute Habitat-Suitability Maps without Absence Data ? *Ecology*, 83(2), 2027–2036. Doi:10.2307/3071784
- Hosonuma, N., Herold, M., De Sy, V., De Fries, R.S., Brockhaus, M., Verchot, L., Angelsen, A., Romijn, E. (2012). An assessment of deforestation and forest degradation drivers in developing countries. *Environmental Research Letters*, 7(4), 044009–. Doi:10.1088/1748-9326/7/4/044009
- Huang, Y. Zhao, Y., Li, S., Gadow, K.V. (2015). The effects of habitat area, vegetation structure and insect richness on breeding bird population in Beijing urban parks. *Urban Forestry & Urban Greening*, 14:1027-1039. <http://dx.Doi.org/10.1016/j.ufug.2015.09.010>
- Husby, M. (2017). Traffic influence on roadside bird abundance and behaviour. *Acta Ornithologica*, 52(1), 93–103. Doi:10.3161/00016454ao2017.52.1.009
- Hutchinson, G.E. (1991). Population studies: animal ecology and demography. *Bulletin of Mathematical Biology* Vol. 53, No. 1/2, pp. 193-213
- Ilman, M., Dargusch, P., Dart, P., Onrizal. (2016). A historical analysis of the drivers of loss and degradation of Indonesia's mangroves. *Land Use Policy*, 54: 448–459. Doi::10.1016/j.landusepol.2016.03.010
- Immordino, F., Barsanti, M., Candigliota, E., Cocito, S., Delbono, I., Peirano, A. (2019). Application of Sentinel-2 multispectral data for habitat mapping of Pacific Islands: Palau Republic (Micronesia, Pacific Ocean). *Journal of Marine Science and Engineering*, 7(9). Doi:10.3390/jmse7090316
- Indrawan, M., Primack, R. B., Supriatna, J. (2012). *Biologi Konservasi* (Revisi ke). Jakarta: Yayasan Pustaka Obor Indonesia.
- Indriyanto. (2012). *Ekologi Hutan*. Jakarta: (pp.1-209). Bumi Aksara, Indonesia
- Injaian, A.S., Poon, L.Y., Patricelli, G.L. (2018). Effects of experimental anthropogenic noise on avian settlement patterns and reproductive success. *Behavioral Ecology*, 29(5), 1181-1189. Doi:10.1093/beheco/ary097
- Isworo, S., Oetari, F.S. (2020). Mangrove vegetation and bird communities around Tegal Port Central Java, Indonesia. *Biodiversitas*, 21 (4), 1551-1560. Doi: [10.13057/biodiv/d210436](https://doi.org/10.13057/biodiv/d210436)
- Jankowski, J.E., Merkord, C.L., Rios, W., Cabrera, K.G., Revilla, N.S., Silman, M.R., Gillman, L.N. (2013). The relationship of tropical bird communities to tree species composition and vegetation structure along an Andean elevational gradient. *Journal of Biogeography*, 40(5), 950–962. Doi:10.1111/jbi.12041
- Jaramillo, V.J., Martínez-Yrizar, A., Sanford Jr., R.L., (2011). Primary productivity and biogeochemistry of seasonally dry tropical forests. In: Dirzo, R., Young, H.S., Mooney, H.A., Ceballos, G.- (Eds.), *Seasonally Dry Tropical Forests - Ecology and Conservation*. pp. 109–128, 2011. Washington, DC, USA. Island Press.

- Jetz, W., Wilcove, D.S., Dobson, A.P. (2007). Projected Impacts of Climate and Land-Use Change on the Global Diversity of Birds. *PLoS Biol*, 5(6), e157. [Doi:10.1371/journal.pbio.0050157](https://doi.org/10.1371/journal.pbio.0050157)
- Jiang, Z., Ma, K., Anand, M. (2016). Can the physiological tolerance hypothesis explain herb richness patterns along an elevational gradient? A trait-based analysis. *Community Ecology*, 17 (1):17-23. [Doi: 10.1556/168.2016.17.1.3](https://doi.org/10.1556/168.2016.17.1.3)
- Jiguet, J. Barbet-Massin, M., Henry, P.Y., (2010). Predicting potential distributions of two rare allopatric sister species, the globally threatened *Doliornis cotingas* in the Andes. *J. Field Ornithol.* 81(4):325–339. [Doi: 10.1111/j.1557-9263.2010.00289.x](https://doi.org/10.1111/j.1557-9263.2010.00289.x)
- Johnson, D. H. (1980). The Comparison of Usage and Availability Measurements for Evaluating Resource Preference. *Ecology*, 61(1), 65–71. [Doi.org/10.2307/1937156](https://doi.org/10.2307/1937156)
- Jones, M. J., Linsley, M. D., Marsden, S. J. (1995). International : Population sizes , status and habitat associations of the restricted-range bird species of Sumba , Indonesia. *Bird Conservation International*, 5(1995), 21–52. [Doi.org/10.1017/S0959270900002938](https://doi.org/10.1017/S0959270900002938)
- Jønsson, K. A., Delhey, K., Sangster, G., Ericson, P. G. P., Irestedt, M. (2016). The evolution of mimicry of friarbirds by orioles (Aves: Passeriformes) in Australo-Pacific archipelagos. *Proceedings of the Royal Society B: Biological Sciences*, 283(1833), 20160409. [Doi.org/10.1098/rspb.2016.0409](https://doi.org/10.1098/rspb.2016.0409)
- Joseph, L., Toon, A., Nyari, A.S., Longmore, W., Rowe, K.M.C., Haryoko, T., Trueman, J., Gardnes, J.L. (2014). A New synthesis of the molecular systematics and biogeography of honeyeaters (Passeriformes: Meliphagidae) highlights biogeographical and ecological complexity of a spectacular avian radiation *Zoologica Scripta*, (May), 235–248. [Doi:10.1111/zsc.12049](https://doi.org/10.1111/zsc.12049)
- Juurink, D. N. (2005). Kappa statistic. *Canadian Medical Association Journal*, 173(1), 16–16. [Doi:10.1503/cmaj.1041744](https://doi.org/10.1503/cmaj.1041744)
- Kaban, A., Mardiasuti, A., Prasetyo, L.B. (2018). Struktur lanskap mempengaruhi komunitas burung di Kota Bogor Jawa Barat. *Jurnal Penelitian Kehutanan Wallacea*, 7 (2):109-118. [http://dx.Doi.org/10.18330/jwallacea.2018.vol7iss2pp109-118](http://dx.doi.org/10.18330/jwallacea.2018.vol7iss2pp109-118)
- Kaimowitz, D., Angelsen, A. (1998). *Economic Models of Tropical Deforestation A Review*. Bogor: Center for International Forestry Research.
- Kaiser H, Carvalho VL, Ceballos J, Freed P, Heacox S, Lester B, Richards SJ, Trainor CR, Sanchez C, O’Shea, M. (2011). The herpetofauna of Timor-Leste: a first report. *ZooKeys*, 109, 19–86. [Doi:10.3897/zookeys.109.1439](https://doi.org/10.3897/zookeys.109.1439)
- Kamaluddin, A., Winarno GD, Dewi, BS. 2019. Keanekaragaman jenis avifauna di Pusat Latihan Gajah (PLG) Taman Nasional Waykambas. *Jurnal Sylva Lestari* 7 (1): 10-21. [Doi: 10.23960/jsl1710-21](https://doi.org/10.23960/jsl1710-21)
- Kaya, İ., Görgün, E.K. (2020). Land use and land cover change monitoring in Bandirma (Turkey) using remote sensing and geographic information system. *Environ Monit Assess*, 192 (430), 1-18. [Doi: 10.1007/s10661-020-08411-1](https://doi.org/10.1007/s10661-020-08411-1).
- Keddy, P.A., Laughlin, D.C. (2022). *A Framework for Community Ecology*:

- species pools, filters and traits. Pp. 374. Cambridge, UK: Cambridge University Press. Doi: 10.1017/9781009067881
- Kemenuh (Kementerian Kehutanan). (2009). Peraturan Menteri Kehutanan Republik Indonesia Nomor:P.32/Menhut-II/2009 tentang Tata cara penyusunan rencana teknik rehabilitasi hutan dan lahan Daerah Aliran Sungai (RTkRHL-DAS. Jakarta:Kementerian Kehutanan
- Kennedy, C.M., Grant, E.H.C., Neel, M.C., Fagan, W.F., Marra, P.P. (2011). Landscape matrix mediates occupancy dynamics of Neotropical avian insectivores. *Ecological Applications*, 21(5), 1837–1850. Doi:10.1890/10-1044.1
- Kimmins, J.P. (1987). *Forest Ecology*. Macmillan Publishing CO. New York.
- Kissinger, G., Herold, M., De Sy, V. (2012). *Drivers of deforestation and forest degradation: A Synthesis Report for REDD+ Policymake*. KLexeme Consulting. Vancouver Canada.
- KLHK (Kementerian Lingkungan Hidup dan Kehutanan). (2020). *Rekalkulasi Penutupan Lahan Indonesia Tahun 2020*. Direktorat Inventarisasi dan Pemantauan Sumber Daya Hutan. Direktorat Jenderal Planologi Kehutanan dan Tata Lingkungan. Kementerian Lingkungan Hidup dan Kehutanan. Jakarta: Kementerian Lingkungan Hidup dan Kehutanan
- KLHK (Kementerian Lingkungan Hidup dan Kehutanan). (2019). *Kementerian LHK. (2019). Statistik Kementerian LHK Tahun 2019*. Jakarta: Kementerian Lingkungan Hidup dan Kehutanan
- KLHK (Kementerian Lingkungan Hidup dan Kehutanan). (2019). Peraturan Menteri Lingkungan Hidup Dan Kehutanan Republik Indonesia Nomor P.106/Menlhk/Setjen/Kum.1/12/2018 Tentang Perubahan Kedua Atas Peraturan Menteri Lingkungan Hidup Dan Kehutanan Nomor P.20/Menlhk/Setjen/Kum.1/6/2018 Tentang Jenis Tumbuhan Dan Satwa Yang Dilindungi. Jakarta, Indonesia. Kementerian Lingkungan Hidup dan Kehutanan.
- KLHK (Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia). (2018). Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor P.106/MENLHK/SETJEN/KUM.1/12/2018. Jakarta. Kementerian Lingkungan Hidup dan Kehutanan
- KLHK (Kementerian Lingkungan Hidup dan Kehutanan). (2016). *Statistik Kementerian LHK Tahun 2015*. Jakarta: Kementerian Lingkungan Hidup dan Kehutanan.
- Kozakiewicz, C.P., Carver, S., Burrige, C.P., (2018). Under-representation of avian studies in landscape genetics. *Ibis* 160, 1–12. <https://doi.org/10.1111/ibi.12532>.
- Krebs, S.J. (1994). *Ecology, the Abundance*. Addison-Wesley Educational Publishers. New York.
- Krebs, J.R., Davies, N.B. (1997). *Behavioral Ecology; An Evolutionary Approach*. Blackwell Publishing Company, USA:Malden, MA
- Kuafeu, Y.O., Purnama, S., Aji, T.N., Analisis Potensi Dan Strategi Pengelolaan Mataair Desa Baumata Dan Baumata Timur Kecamatan Taebenu Kabupaten Kupang. Universitas Gadjah Mada.(Tesis). Indonesia. Yogyakarta.

- Kumar, L., Mutanga, O. (2018). Google Earth Engine Application since inception: Usage, trends, and potential. *Remote Sens*, 10 (10-1509), 1-15. Doi: [10.3390/rs10101509](https://doi.org/10.3390/rs10101509)
- Kumar, M., Phukon, S.N., Paygude, A.C., Tyagi, K., Singh, K. (2022). Mapping Phenological Functional Types (PhFT) in the Indian Eastern Himalayas using machine learning algorithm in Google Earth Engine. *Computers & Geosciences*, 158 (104982).
- Kupsch, D., Vendras, E., Ocampo-Ariza, C., Batáry, P., Motombi, F.N., Bobo, K.S., Waltert, M. (2019). *High critical forest habitat thresholds of native bird communities in Afrotropical agroforestry landscapes. Biological Conservation*, 230(), 20–28. Doi:10.1016/j.biocon.2018.12.001
- Kushwaha, C.P., Tripathi, S.K., Tripathi, B.D., Singh, K.P. (2011). Patterns of tree phenological diversity in dry tropics. *Acta Ecologica Sinica*, 31(4):179–185. Doi:10.1016/j.chnaes.2011.04.003
- Kusmana, C., Sukristijiono. (2016). Mangrove resource uses by local community in Indonesia. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 6(2), 217-224. Doi: 10.29244/jpsl.6.2.217.
- Kywe, T.Z.(2012). Habitat Suitability Modeling for Tiger ( *Panthera tigris* ) in the Hukaung Valley Tiger Reserve , Northern Myanmar.(Disertation). Georg-Aufust-Universitat Gottinge. Germany
- Lancichinetti, A., Fortunato, S. (2009). Community detection algorithms: A comparative analysis. *Physical Review E*, 80(5), 1–12. <https://doi.org/10.1103/PhysRevE.80.056117>
- Landis, M.J., Matzke, N.J., Moore, B.R., Huelsenbeck, J.P. (2013), Bayesian analysis of biogeography when the number of areas is large. *Syst Biol*, 62 (6), 789-804. Doi [10.1093/sysbio/syt040](https://doi.org/10.1093/sysbio/syt040)
- Landman, M., Schoeman, D., Hall-Martin, A.J., Kerley, G.I.H., Hayward, Matt. (2012). Understanding Long-Term Variations in an Elephant Piosphere Effect to Manage Impacts. *PLoS ONE*, 7(9), e45334–. Doi:10.1371/journal.pone.0045334
- Lang, S., dan Tiede, D. (2003). *vLATE extension für ArcGIS – vektorbasiertes tool zur quantitativen landschaftsstrukturanalyse, ESRI Anwenderkonferenz 2003*. Innsbruck, Austria
- Lara, C., Saldias, G.S., Paredes, A., Cazelles, B., Broitman, B.R.(2018). Temporal variability of MODIS phenological indices in the temperate rainforest of Northern Patagonia. *Remote Sensing*, 10 (956):1-12. Doi:10.3390/rs10060956
- Lasky, J.R., Keitt, T.H., Weeks, B.C., Economo, E.P., (2017). A hierarchical model of whole assemblage island biogeography. *Ecography* 40, 982–990. Doi:10.1111/ecog.02303
- Laurance, W. F. (1999). Reflections on the tropical deforestation crisis. *Biological Conservation*, 91, 109–117.
- Lee, A.T.K., Wright, D., Barnard, P. (2017). Hot bird drinking patterns: drivers of water visitation in a fynbos bird community. *African Journal of Ecology*, ( ), 1-13. Doi:10.1111/aje.12384

- Leksono, A. S. (2007). *Ekologi: pendekatan deskripsi dan kuantitatif*. Malang: Bayumedia.
- Lele, N., Joshi, P.K., Agrawal, S.P. (2008). Assessing Forest Fragmentation In Northeastern Region (NER) of India Using Landscape Matrices. *Ecological Indicators*, 8 (5), 657–663. Doi:10.1016/j.ecolind.2007.10.002
- Lesmana, D., Trainor, C., Gatur, A. (2000). Arti Penting Hutan di Daratan Timor bagian barat : Telaah Awal Informasi Keanekaragaman Hayati dan Sosial-Ekonomi di Pulau Timor (Propinsi Nusa Tenggara Timur). BirdLife International-Indonesia Programme: Bogor-Indonesia. Doi:10.13140/RG.2.1.5171.0968
- Le Texier, M., Schiel, K., Caruso, G., Arcaute, E. (2018). The provision of urban green space and its accessibility: Spatial data effects in Brussels. *PLOS ONE*, 13(10), e0204684–. Doi:10.1371/journal.pone.0204684
- Leyequién, E., de Boer, W.F., Toledo, V.M. (2010). Bird Community Composition in a Shaded Coffee Agro-ecological Matrix in Puebla, Mexico: The Effects of Landscape Heterogeneity at Multiple Spatial Scales. *Biotropica*, 42(2), 236–245. Doi:10.1111/j.1744-7429.2009.00553.x
- Li, L., Wang, Z., Zerbe, S., Abdusalih, N., Tan, Z., Ma, M., Yin, L., Mohammat, A., Han, W., Fang, J. (2013). Species richness patterns and water-energy dynamics in the drylands of northwest China. *PLoS ONE* 8:e66450. Doi:10.1371/journal.pone.0066450
- Li, W., Dong, R., Fu, G., Wang, J., Yu, L., Gong, P. (2020). Integrating Google Earth imagery with Landsat data to improve 30-m resolution land cover mapping. *Remote Sens Environ*, 237 (111563), 1-16. Doi: [10.1016/j.rse.2019.111563](https://doi.org/10.1016/j.rse.2019.111563)
- Liang C, Feng G, Si X, Mao L, Yang G, Svenning JC, Yang J. 2018. Bird species richness is associated with phylogenetic relatedness, plant species richness, and altitudinal range in Inner Mongolia Ecology and. Evolution, 8, 53–58. Doi:10.1002/ece3.3606
- Likert, R. (1932). A Technique for the Measurement of Attitudes. *Arch Psychol* 140: 1–55.
- Lindenmayer, D. B., Franklin, J. F. (2002). *Conserving forest biodiversity: A Comprehensive Multiscaled Approach*. Washington, DC 20009.: Island Press.
- Lindenmayer, D.B., Cunningham, R.B., Donnelly, C., Nix, H., Lindenmayer, B.D. (2002). Effects of forest fragmentation on bird assemblages in a novel landscape context. *Ecol Monogr*, 72 (1), 1-18. Doi: [0.1890/0012-9615\(2002\)072\[0001:EOFFOB\]2.0.CO;2](https://doi.org/10.1890/0012-9615(2002)072[0001:EOFFOB]2.0.CO;2)
- Lizundia-Loiola, J., Pettinari, M.L., Chuvieco, E. (2020). Temporal Anomalies in Burned Area Trends: Satellite Estimations of the Amazonian 2019 Fire Crisis. *Remote Sens.*, 12, 151; Doi:10.3390/rs12010151
- Loreau, M., Naeem, S., Inchausti, P., Bengtsson, I.J., Grime, J.P., Hector, A., Hooper, D.U., Huston, M. A., Raffaelli, D., Schmid, B., Tilman, D. Wardle, D. A. (2001). Biodiversity and Ecosystem Functioning: Current Knowledge and Future Challenges. *Science*, 294 (5543), 804–808. Doi:10.1126/science.1064088

- Ludwig, J. F., Reynolds, J. A. (1988). *Statistical Ecology A Primer On Methods and Computing*. New York: A Wiley-Interscience Publication John Wiley & Sons.
- Luke, S.H., Slade, E.M., Gray, C.L., Annammala, K.V., Drewer, J., Williamson, J., Agama, A.L., Ationg, M., Mitchell, S.L., Vairappan, C.S., Struebig, M.J. (2019). Riparian buffers in tropical agriculture: Scientific support, effectiveness and directions for policy. *Journal of Applied Ecology*, 56, 85–92. Doi:10.1111/1365-2664.13280
- Lusiana B, Widodo R, Mulyoutami E, Nugroho D.A., van Noordwijk M. (2008). Kajian Kondisi Hidrologis DAS Talau, Kabupaten Belu, Nusa Tenggara Timur. Working Paper No. 59. Bogor, Indonesia. World Agroforestry Centre. 71 p.
- Macario, P., Toledo-Lima, G. S., Tavares-Damasceno, J. P., Pichorim, M. (2021). Avian response to prolonged drought in drylands: The case of two dove species in Brazil's semi-arid region. *Journal of Arid Environments*, 188, 104447. Doi:10.1016/j.jaridenv.2021.104447
- MacArthur, R.H., Wilson, E.O. (1963). An Equilibrium Theory of Insular Zoogeography. *Evolution*, 17(4), 373–387. Doi:10.2307/2407089
- Mace, G.M., Norris, K., Fitter, A.H., (2012). Biodiversity and ecosystem services: a multilayered relationship. *Trends Ecol. Evol.* 27:19–25. <http://dx.Doi.org/10.1016/j.tree.2011.08.006>.
- Machtans, C.S., Latour, P.B. (2003). Boreal forest songbird communities of the Liard Valley, Northwest Territories, Canada. *The Condor*, 105 (1), 27–44. Doi:10.1650/0010-5422(2003)105[27:BFSCOT]2.0.CO;2
- MacKinnon, J., Phillips, K., van-Ballen, B. (2010). Burung-Burung di Sumatera, Jawa, Bali dan Kalimantan (Termasuk Savah, Serawak dan Brunei Darussalam). Burung Indonesia, Indonesi: Bogor
- MacKinnon, J., Verkuil, Y.I. Murray, N. (2012). IUCN situation analysis on East and Southeast Asian intertidal habitats, with particular reference to the Yellow Sea (including the Bohai Sea). Occasional Paper of the IUCN Species Survival Commission No. 47. IUCN, Gland, Switzerland and Cambridge, UK. ii + 70 pp.
- Magurran, A.E. (1988). *Ecological Diversity and Its Measurement*. New Jersey US Princeton. University Press.
- Maillard, O., Herzog, S.K., Soria-Auza, Vides-Almonacid, R. (2022) Impact of fires on Key Biodiversity Areas (KBAs) and priority bird species for conservation in Bolivia. *Fire* 2022, 5, 4. [Doi.org/10.3390/fire5010004](https://doi.org/10.3390/fire5010004)
- Malamassam, D. (2012). *Membedah Potensi Hutan*. IPB Press, Indonesia: Bogor
- Mardiastuti, A., Salim, L.O.R., Mulyani, Y.A. (2001). Perilaku makan Rangkong Sulawesi pada dua jenis ficus di Suaka Margasatwa Lambusango Buton. *Media Konservasi*, 6 (1), 1-5.
- Marengo, J. A., Alves, L. M., Soares, W. R., Rodriguez, D. A., Camargo, H., Riveros, M. P., & Pabló, A. D. (2013). Two Contrasting Severe Seasonal Extremes in Tropical South America in 2012: Flood in Amazonia and Drought in Northeast Brazil. *Journal of Climate*, 26(22), 9137–9154. Doi:10.1175/jcli-d-12-00642.1

- Margono, B.A., Potapov, P.V., Turubanova, S., Stolle, F., Hansen, M.C. (2014). Primary forest cover loss in Indonesia over 2000–2012. *Nature Climate Change* 4(8):730–735. Doi:10.1038/nclimate2277
- Marhaento, H., Booij, M.J., Reintjes, T.H.M., Hoekstra, A.Y. (2019). Sensitivity of Streamflow Characteristics to Different Spatial Land-Use Configurations in Tropical Catchment. *Journal of Water Resources Planning and Management*, 145(12):04019054. Doi:10.1061/(ASCE)WR.1943-5452.0001122
- Marki, P. Z., Jønsson, K. A., Irestedt, M., Nguyen, J. M. T., Rahbek, C., Fjeldså, J. (2017). Supermatrix phylogeny and biogeography of the Australasian Meliphagides radiation (Aves: Passeriformes). *Molecular Phylogenetics and Evolution*, 107, 516–529. [Doi.org/10.1016/j.ympev.2016.12.021](https://doi.org/10.1016/j.ympev.2016.12.021)
- Maron, M., Goulding, W., Ellis, R. D., Mohd-Taib, F. S. (2012). Distribution and individual condition reveal a hierarchy of habitat suitability for an area-sensitive passerine. *Biodiversity and Conservation*, 21(10), 2509–2523. [Doi.org/10.1007/s10531-012-0314-2](https://doi.org/10.1007/s10531-012-0314-2)
- Marsden, S.J., Jones, M.J., Linsley, M.D., Mead, C., Hounscome, M.V. (2016). The conservation status of the restricted-range lowland birds of Buru, Indonesia. *Bird Conservation International*, 7:213-233.
- Marsden, S.J., Whiffin, M., Galetti, M. (2001). Bird diversity and abundance in forest fragments and Eucalyptus plantations around an Atlantic forest reserve, Brazil. *Biodivers Conserv*, 10 (5), 737-751. DOI: [10.1023/A:1016669118956](https://doi.org/10.1023/A:1016669118956)
- Marsono, D., Sahid Susanto, T., Gunawan.(2017). *Konservasi Sumber Daya Hutan dan Lahan (Ke-3)*. Yogyakarta: PT Kanisius Yogyakarta.
- Martensen, A.C., Ribeiro, M.C., Banks-Leite, C., Prado, P.I., Metzger, J.P. (2012). Associations of Forest Cover, Fragment Area, and Connectivity with Neotropical Understory Bird Species Richness and Abundance. *Conservation Biology*.26(6):1100–1111.[Doi:org/10.1111/j.1523-1739.2012.01940.x](https://doi.org/10.1111/j.1523-1739.2012.01940.x)
- Martin, R.O., Cunningham, S.J., Hockey, P.A.R. (2015). Elevated temperatures drive fine-scale patterns of habitat use in a savana bird community. *Ostrich*, 86 (1-2), 127–135. Doi:10.2989/00306525.2015.1029031
- Maseko, M.S.T., Zungu, M.M., Smith, D.A.E., Smith, Y.C.E., Downs, C.T. (2020). Effects of habitat-patch size and patch isolation on the diversity of forest birds in the urban-forest mosaic of Durban, South Africa. *Urban Ecosystems*, ( ) 1-10. [Doi:org/10.1007/s11252-020-00945-z](https://doi.org/10.1007/s11252-020-00945-z)
- Maseko, M.S.T., Zungu, M.M., Smith, D.A.E., Smith, Y.C.E., Downs, C.T. 2019. High microhabitat heterogeneity drives high functional traits in forest birds in five protected forest areas in the urban mosaic of Durban, South Africa. *Global Ecology and Conservation*, e00645. Doi:10.1016/j.gecco.2019.e00645
- Maseko, M.S.T., Ramesh, T., Kalle, R., Downs, C.T. 2017. Response of Crested Guinea-fowl (*Guttera edouardi*), a forest specialist, to spatial variation in land use in iSimangaliso Wetland Park, South Africa. *Journal of Ornithology*, 158(2):469–477. Doi:10.1007/s10336-016-1406-7

- Matsushita, B., Yang, W., Chen, J., Onda, Y., Qiu, G. (2007). Sensitivity of the Enhanced Vegetation Index (EVI) and Normalized Difference Vegetation Index (NDVI) to Topographic Effects: A Case Study in High-Density Cypress Forest. *Sensors*, 2636–2651
- Matsvange, D., Sagonda, R., Kaundikiza, M. (2016). *The role of communities in sustainable land and forest management: The case of Nyanga, Zimba and Guruve districts of Zimbabwe. Jambá: Journal of Disaster Risk Studies*, 8(3), a281. Doi:10.4102/jamba.v8i3.281
- Maxwell, S. L., Fuller, R. A., Brooks, T., & Watson, J. E. M. (2016). Biodiversity: The ravages of guns, nets and bulldozers, (August). [Doi:org/10.1038/536143a](https://doi.org/10.1038/536143a)
- Mayani-Paràs, F., Botello, F., Castaneda, S., Mungula-Carrara, M., Sánchez-Cordero, V. (2020). Cumulative habitat loss increases conservation threats on endemic species of terrestrial vertebrates in Mexico. *Biological Conservation*, (), 108864–. Doi:10.1016/j.biocon.2020.10886
- Mayr, E. (1944). The Birds of Timor and Sumba. *Bulletin Of The American Museum of Natural History*, 123–194.
- Mayr, E. (1963). *Animal species and evolution*. Cambridge, Massachusetts: The Belknap Press of Harvard University Press.
- Mbiba, M., Mazhude, C., Fabricius, C., Fritz, H., Muvengwi, J. (2021). Bird species assemblages differ, while functional richness is maintained across an urban landscape. *Landscape and Urban Planning*, 212: 104094. Doi:10.1016/j.landurbplan.2021.104094
- McComb, B.C. (2007). Habitat preference of coexisting species under selection and adaptive. *Ecology* 79 (2), 656-670. Doi: [10.1890/0012-9658\(1998\)079\[0656:AMPOCS\]2.0.CO;2](https://doi.org/10.1890/0012-9658(1998)079[0656:AMPOCS]2.0.CO;2)
- McCree, C., van Riper, C. (2015). Drought-caused delay in nesting of Sonoran Desert birds and its facilitation of parasite- and predator-mediated variation in reproductive success. *The Auk*, 132(1), 235–247. Doi:10.1642/auk-13-253.1
- McFarland, D. C. (1986). The organization of a honeyeater community in an unpredictable environment. *Australian Journal of Ecology*, 11(2), 107–120. Doi:10.1111/j.1442-9993.1986.tb01382.x
- McGarigal, K. (2014). *Landscape Pattern Metrics*. Encyclopedia of Environmetrics, John Wiley & Sons, Ltd and republished in Wiley StatsRef. Pp.1-13.
- McGarigal, K., Cushman, S.A. and Ene, E. (2012) FRAGSTATS v4: Spatial Pattern Analysis Program for Categorical and Continuous Maps. Computer Software Program Produced by the Authors at the University of Massachusetts, Amherst. <http://www.umass.edu/landeco/research/fragstats/fragstats.html>
- McGarigal, K., Romme, W.H., Crist, M., Roworth, E. (2001). Cumulative Effects of Roads and Logging on Landscape Structure in The San Juan Mountains, Colorado (USA). *Landscape Ecology*, 16(4):327-3349. Doi:10.1023/a:1011185409347

- McGarigal, K., Cushman, S., Stafford, S. (2000). *Multivariate Statistics for Wildlife and Ecology Research*. Springer. New York, Inc: Verlag
- McGarigal, K., Marks, B. J. (1995). FRAGSTATS: Spatial pattern analysis program for quantifying landscape structure. Gen. Tech. Rep. PNW-GTR-351. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 122 pp : Portland OR. Asia between 2000 and 2010. *Global Change Biology*, 17(7), 2261–2270. Doi:10.1111/j.1365-2486.2011.02398.x
- McGrath, L.J., van-Riper, I.I.I., Fontaine, J. (2008). Flower power: tree flowering phenology as a settlement cue for migrating birds. *Journal of Animal Ecology*, 1,1-10. Doi: 10.1111/j.1365-2656.2008.01464.x
- McKechnie, A.E., Hockey, P.A.R., Wolf, B.O. (2012). Feeling the heat: Australian landbirds and climate change. *Emu*, 112 (2), 1–7. Doi: [10.1071/MUv112n2\\_ED](https://doi.org/10.1071/MUv112n2_ED)
- McKechnie, A. E., Wolf, B. O. (2009). Climate change increases the likelihood of catastrophic avian mortality events during extreme heat waves. *Biology Letters*, 6(2), 253–256. Doi:10.1098/rsbl.2009.0702
- Mcfeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI ) in the delineation of open water features. *International Journal of Remote Sensing*, 17(7), 1425–1432. Doi:10.1080/01431169608948714
- McWilliam, A. (2001). Prospects for the sacred grove. *The Asia Pacific Journal of Anthropology*, 2(2), 89–113. Doi:10.1080/14442210110001706125
- Mekasha, S.T., Suryabagavan, K.V., Gebrehiwot, M., (2020). Geo-spatial approach for land-use and land-cover change and deforestation mapping: A case study of Ankasha Guagusa, Northwestern, Ethiopia. *Trop Ecol*, 61, 550-569. Doi: [10.1007/s42965-020-00113-6](https://doi.org/10.1007/s42965-020-00113-6)
- Miettinen J., Shi, C., Liew, S.C. (2011). Deforestation rates in insular Southeast Asia between 2000 and 2010. *Global Change Biology*, 17(7), 2261–2270. Doi:10.1111/j.1365-2486.2011.02398.x
- Milner-Gulland, E.J., Rowcliffe, J.M. (2007). Conservation and Sustainable Use. Sutherland, W.J (Ed). (pp.49-82). New York: Oxford University Press.
- Mineau, P., Whiteside, M. (2013). Pesticide Acute Toxicity Is a Better Correlate of U.S. Grassland Bird Declines than Agricultural Intensification. *PLoS ONE*, 8(2). Doi:org/10.1371/journal.pone.0057457
- Mittelbach, G.G., McGill, B.J. (2019). Community Ecology. (second Edition). Oxford, pp. 430. UK: Oxford University Press.
- Mohsen, T., Mohammad, A. M., Reg, D. (2008). Assessing the Skills of Surgical Residents Using Simulation, 65(2), 0–83. Doi:10.1016/j.jsurg.2007.11.003
- Monk, A.K., Fretes, Y. De, Rekodihardjo-Lilley, G. (2000). Ekologi Nusa Tenggara dan Maluku. (S. N. Kartikasari, Ed.) (V).(pp.1-966). Jakarta: Prenhallindo.
- Montaño-Centellas, Jones, H.H. (2021). Temperature and vegetation complexity structure mixed-species flocks along a gradient of elevation in the tropical Andes. *Ornithology*, 138:1-18. Doi: 10.1093/ornithology/ukab027
- Mora, B. (2019). Sentinel Application Platform (SNAP) - European Space Agency. In MedRIN meeting, Paphos, Cyprus..

- Morandi, D. T., França, L. C. de J., Menezes, E.S., Machado, E.L., M. da Silva, M.D., Mucida, D.P.(2020). Delimitation of ecological corridors between conservation units in the Brazilian Cerrado using a GIS and AHP approach. *Ecological Indicators*, 115(), 106440–. Doi:10.1016/j.ecolind.2020.106440
- Morante-Filho, J. C., Arroyo-Rodríguez, V., Pessoa, M. de S., Cazetta, E., Faria, D. (2018). Direct and cascading effects of landscape structure on tropical forest and non-forest frugivorous birds. *Ecological Applications*. Doi:10.1002/eap.1791
- Morante-Filho, J.C., Faria, D., Mariano-Neto, E., Rhodes, J. (2015). Birds in Anthropogenic Landscapes: The Responses of Ecological Groups to Forest Loss in the Brazilian Atlantic Forest. *PLOS ONE*, 10 (6), e0128923. Doi:10.1371/journal.pone.0128923
- Morley, C.G., Winder, L. (2013). The Effect of the Small Indian Mongoose (*Urva auropunctatus*), Island Quality and Habitat on the Distribution of Native and Endemic Birds on Small Islands within Fiji. *PLoS ONE* 8(1): e53842. Doi:10.1371/journal.pone.0053842
- Morelli, F., Jerzak, L., Pruscini, F., Santolini, R., Benedetti, Y., & Tryjanowski, P. (2015). Testing bird response to roads on a rural environment: A case study from Central Italy. *Acta Oecologica*, 69, 146–152. Doi:10.1016/j.actao.2015.10.006
- Morris, D. W. (1987). Tests of Density-Dependent Habitat Selection in a Patchy Environment. *Ecological Monograph*, 57(4), 269–281. Doi:org/10.2307/2937087
- Morin, P.J. (2011). *Community Ecology*. 2<sup>nd</sup> Edition. pp: 413. West Sussex, UK: Wiley-Blackwell Science, Ink. John Wiley & Sons
- Mulyani, A., Nursyamsi, D., Las, I. (2014). Percepatan pengembangan pertanian lahan kering iklim kering di Nusa Tenggara. *Pengembangan Inovasi Pertanian*, 7 (4), 187–198.
- Muñoz-Villers, L. E., McDonnell, J. J. (2013). Land use change effects on runoff generation in a humid tropical montane cloud forest region. *Hydrology and Earth System Sciences*, 17(9), 3543–3560. Doi:10.5194/hess-17-3543-2013
- Murphy, M. T. (2003). Avian Population Trends within the Evolving Agricultural Landscape of Eastern and Central United States. *The Auk*, 120(1), 20–34. Doi:org/10.2307/4090137
- Naikatini, A.N., Keppel, G., Brodie, G., Kleindorfer, S. (2022). Interspecific competition and vertical niche partitioning in Fiji’s forest birds. *Diversity*, 14,223. <https://doi.org/10.3390/d14030223>
- Naiola, B.P., Nurhidayat, N. (2009). Biologi biji gewang (*Corypha utan* Lamack): Keragaman kandungan embrio, komia dan penanan mikroba dalam proses perkecambahan biji. *Berita Biologi*, 9 (6), 773-781. Doi: 10.14203/beritabiologi.v9i6.855
- Naiola, B.P. (2007). Fisiologi biji dorman gewang (*Corypha utan* Lamarck). *Berita Biologi*, 8 (5), 251-529. Doi: 10.14203/beritabiologi.v8i6.836
- Neate-Clegg, M.H.C., Morshuis, E.C., Banks-Leite, C. (2016). Edge effects in the avifaunal community of riparian rain-forest tracts in Tropical North

- Queensland. *Journal of Tropical Ecology*, 32(4), 280–289. Doi:10.1017/S0266467416000249
- Neteler, M., Bowman, M.H., Landa, M., Metz, M. (2012). GRASS GIS: A multi-purpose open source GIS. *Environmental Modelling & Software*, 31:124–130. Doi:10.1016/j.envsoft.2011.11.014
- Newbold, T., Hudson, L.N., Hill, S.L.L., Contu, S., Lysenko, I., Senior, R.A., Börger, L., Bennett, D.J., Choimes, A., Collen, B., Day, J., De Palma, A., Díaz, S., Echeverria-Londoño, S., Edgar, M.J., Feldman, A., Garon, M., Harrison, M.L.K., Alhousseini, T., Ingram D.J., Itescu, Y., Kattge, J., Kemp V., Kirkpatrick, L., Kleyer, M., Correia, D.L.P., Martin, C.D., Meiri, S., Novosolov, Maria., Pan, Y., Phillips, H.R.P., Purves, D.W., Robinson, A., Simpson, J., Tuck, S.L., Weiher, E., White, H.J., Ewers, R.M., Mace, G.M., Scharlemann, J.P.W., Purvis, A. (2015). Global effects of land use on local terrestrial biodiversity. *Nature*, 520(7545), 45–50. Doi:10.1038/nature14324
- Newbold, T., Scharlemann, J.P.W., Butchart, S.H.M., Şekercioğlu, Ç.H., Joppa, L., Alkemade, R., Purves, D.W. (2014). Functional traits, land-use change and the structure of present and future bird communities in tropical forests. *Global Ecology and Biogeography*, 23(10), 1073–1084. Doi:10.1111/geb.12186
- Newbold, T., Scharlemann, J. P. W., Butchart, S. H. M., Sekercioglu, C. H., Alkemade, R., Booth, H., Purves, D. W. (2013). Ecological traits affect the response of tropical forest bird species to land-use intensity. *Proceedings of the Royal Society B: Biological Sciences*, 280(1750), 20122131–20122131. Doi:10.1098/rspb.2012.2131
- Nghikembua, M.T., Marker, L.L., Brewer, B., Mehtätalo, M., Appiah, M., Pappinen, A. (2020). Response of wildlife to bush thinning on the north central freehold farmlands of Namibia. *Forest Ecology and Management*, 473, 118330. Doi.org/10.1016/j.foreco.2020.118330
- Nicolson, S.W. (2006). Water management in nectar-feeding birds. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 291(3), R828–R829. Doi:10.1152/ajpregu.00288.2006
- Njurumana, G.N., Kaho, N.P.L.B.R., Iswandono, E., Huky, S.S.W., Moy, B.Z., Fatmawati, F., Kian, D.A., Nomeni, Y.F. (2021). The livelihood challenge of forest honeu bee farmers amidst COVID-19 pandemic in Mutis, Indonesia. *Forest and Society*, 5(2), 526-542. Doi:10.24259/fs.v5i2.11556
- Noske, R.A. (2003). The breeding seasons of birds on timor. *Kukila*, 12, 27–38.
- Noske, R.A., (2000). Ekologi Burung di Timor. Didalam: Ekologi Nusa Tenggara dan Maluku. Monk. K.A, Fretes, YD. Ed. Kartikasari, S.N. Jakarta: Prenhallindo.
- Noske, R.A., Saleh, N. (1996). The conservation status of forest in West Timor. Didalam: Kitchener, D.J., Suyanto, A. (eds). Proceedings of the first international conference on Eastern Indonesia-Australian vertebrate fauna, Manado, Indonesia. November, 22-26, (1996).
- Novandra D., Iswandaru D., Harianto S.P., Dewi S.B. (2021). Analisis keberadaan burung dan tingkat kenyamanan berdasarkan persepsi

- masyarakat di ruang terbuka Kota Bandar Lampung. *Indonesia Journal of Conservation*, 10 (1): 21-25. Doi 10.15294/ijc.v10i1.29374
- Novotny, V., Drozd, P., Meller, S.E., Kulfan, M., Janda, M., Basset, Y., Weiblen, G.D. (2006). Why are there so many species of herbivorous insects in tropical rainforests. *Science*, 313 (5790), 1115-1118. Doi: [10.1126/science.1129237](https://doi.org/10.1126/science.1129237)
- Nugraha, B.H., Kusmana, C. (2022). Species composition and vegetation structure of lowland forest in Rambut Island Wildlife Reserve, Kepulauan Seibur, DKI Jakarta. IOP Conf. Series: Earth and Environmental Science, 950, 012021. Doi:10.1088/1755-1315/950/1/012021
- Nurdin, Nasihin I., Guntara AY. (2017). Pemanfaatan keanekaragaman jenis burung berkicau dan upaya konservasi pada kontes burung berkicau di Kabupaten Kuningan, Jawa Barat. *Jurnal Wanaraksa*, 11 (1), 1-5.
- Nurrani, L., Bismark, M., Tabbas, S. (2014). Tipologi penggunaan lahan oleh masyarakat pada zona penyangga Taman Nasional Aketajawe Lolobata di Kabupaten Halmahera Timur. *Jurnal Penelitian dan Ekonomi Kehutanan*, 11 (3), 223-235. Doi: [10.20886/jsek.2014.11.3.223-235](https://doi.org/10.20886/jsek.2014.11.3.223-235)
- Nursal, W. I. (2007). *Stand-Alone Gis Application For Wildlife Distribution And Habitat Suitability (Case Study: Javan Gibbon, Gunung Salak, West Java)*. [Tesis].Bogor.Institut Pertanian Bogor.
- Ochoa-Quintero, J.M., Gardner, T.A., Rosa, I., de Barros-Ferraz, S.F., Sutherland, W.J. (2015). Thresholds of species loss in Amazonian deforestation frontier landscapes. *Conservation Biology*, 29(2), 440–451. <https://doi.org/10.1111/cobi.12446>
- Odum, E. P. (1993). *Dasar-Dasar Ekologi*. Yogyakarta: Gadjah Mada University Press.
- Oppel, S., Dobrev, V., Arkumarev, V., Saravia, V., Bounas, A., Manolopoulos, A., Kret, E., Velevski, M., Popgeorgiev, G.S., Nikolov SC. 2017. Landscape factors affecting territory occupancy and breeding success of Egyptian Vultures on the Balkan Peninsula. *Journal of Ornithology*, 158(2), 443–457. Doi:10.1007/s10336-016-1410-y
- Osborne, P. E., Alonso, J. C., Bryant, R. G. (2001).Modelling landscape scale habitat use using GIS and remote sensing: A case study with great bustards.*Journal of Applied Ecology*, 38, 458–471.
- Ouédraogo, D.Y., Villemey, A., Vanpeene, S., Coulon, A., Azambourg, V., Hulard, M., Guinard, E., Bertheau, Y., Lachapelle, F.F.D., Ruel V., Mitouard, EL., Jeusset, A., Vargac, M., Witté, I., Jactel, H., Touroult, J., Reyjol, Y., Sordello, R. (2020). Can linear transportation infrastructure verges constitute a habitat and/or a corridor for vertebrates in temperate ecosystems? A systematic review. *Environmental Evidence*, 9(1). Doi:10.1186/s13750-020-00196-7
- Ouwehand, J., & Both, C. (2017). African departure rather than migration speed determines variation in spring arrival in pied flycatchers. *Journal of Animal Ecology*, 86(1), 88–97. [Doi:org/10.1111/1365-2656.12599](https://doi.org/10.1111/1365-2656.12599)

- Paga, B. (2012). *Karakteristik habitat Burung Cikukua Timor (Philemon inornatus) di Lanskap Camplong Kabupaten Kupang, Nusa Tenggara Timur*. Tesis. Bogor. Institut Pertanian Bogor.
- Paga, B., Pudyatmoko, S., Faida, L.R.W., Yuda, I.P., Sulaksono, N. (2021). Characteristics of vegetation as determinant of Cikukua Timor (*Philemon inornatus*) distribution in Bipolo Landscape of West Timor Island, Indonesia. *Biodiversitas*, 22(5), 2617-2635. Doi: 10.13057/biodiv/d220521
- Paga, B., Mulyani, Y.A., Prasetyo, L.B. (2015). Karakteristik spasial habitat fisik burung Cikukua Timor (*Philemon inornatus* G.R.Dray, 1846) di Lanskap Camplong. Prosiding Seminar Nasional Biodiversitas Savana Nusa Tenggara. Balai Penelitian dan Pengembangan Lingkungan Hidup dan Kehutanan Kupang 14 November 2015. Indonesian
- Paga, B., Pudyatmoko, S., Wijayanti, L.R.H., Yuda, P., Sulaksono, N. (2022). The habitat suitability of Cikukua Timor (*Philemon inornatus*) in Western Timor, Island, Indonesia. *Biodiversitas*. 23, (2), 702-712. Doi: 10.13057/biodiv/d230215
- Paritsis, J., Aizen, M.A. (2008). Effects of exotic conifer plantations on the biodiversity of understory plants, epigeal beetles and birds in *Nothofagus dombeyi* forests. *For Ecol Manag*, 255 (5-6), 1575-1583. Doi: [10.1016/j.foreco.2007.11.015](https://doi.org/10.1016/j.foreco.2007.11.015)
- Parra-Quijano, M., Iriando, J.M., Torres, E., (2012). Review. Application of ecogeography and geographic information system in conservation and utilization of plant genetic resources. *Spanish Journal of Agricultural Research*, 10(2), 419-429. Doi.org/10.5424/sjar/2012102-303-11
- Partomihardjo, T., Naiola, B.P. (2009). Ekologi dan persebaran gawang (*Corypah. utan* Lamk.) di savana Timor Nusa Tenggara Timur. *Berita Biologi*, 9 (5), 637-647. Doi: [10.14203/beritabiologi.v9i5.2002](https://doi.org/10.14203/beritabiologi.v9i5.2002)
- Peng, J., Zhao, M., Guo, Xiaonan; Pan, Y., Liu, Y., (2017). Spatial-temporal dynamics and associated driving forces of urban ecological land: A case study in Shenzhen City, China. *Habitat International*, 60(), 81-90. Doi:10.1016/j.habitatint.2016.12.005.
- Peng, J., Yang, Y., Liu, Y., Hu, Y., Du, Y., Meersmans, J., Qiu, S. (2018). Linking ecosystem services and circuit theory to identify ecological security patterns. *Science of the Total Environment*, 644, 781-790. Doi:10.1016/j.scitotenv.2018.06.292
- Perktaş, U. (2011). Ecogeographical variation of body size in Chaffinches *Fringilla coelebs*. *Bird Study* 58, 264-277. DOI: 10.1080/00063657.2011.587868
- Permentan (Peraturan Menteri Pertanian). (2006). Peraturan Menteri Pertanian Nomor:47/Permentan/OT.140/10/2006. Tentang Pedoman umum budidaya pertanian pada lahan pegunungan. Jakarta-Indonesia: Kementerian Pertanian RI.
- Pidgeon, A.M., Flather, C.H., Radeloff, V.C., Lepczyk, C.A., Keuler, N.S., Wood, E.M., Stewart, S.I., Hammer, R.B. (2014). Systematic Temporal Patterns in the Relationship Between Housing Development and Forest Bird

- Biodiversity. *Conservation Biology*, 28(5), 1291–1301. [Doi:10.1111/cobi.12291](https://doi.org/10.1111/cobi.12291).
- Pielou, E.C. (1975) *Ecological Diversity*. pp.165. New York: John Wiley & Sons.
- Pimm, S., Raven, P., Peterson, A., Sekercioglu, C. H., Ehrlich, P. R. (2006). Human impacts on the rates of recent, present, and future bird extinctions. *Proceedings of the National Academy of Sciences*, 103(29), 10941–10946. [Doi:org/10.1073/pnas.0604181103](https://doi.org/10.1073/pnas.0604181103)
- Plein, M., Längsfeld, L., Neuschulz, E.L., Schultheiß, C., Ingmann, L., Töpfer, T., Böhning-Gaese, K., Schleuning, M. (2013). Constant properties of plant-frugivore networks despite fluctuations in fruit and bird communities in space and time. *Ecology*, 94 (5), 1296-1306. Doi: [10.1890/12-1213.1](https://doi.org/10.1890/12-1213.1)
- Polak, M. (2014). Relationship between traffic noise levels and song perch height in a common passerine bird. *Transportation Research Part D: Transport and Environment*, 30,72-75. Doi:10.1016/j.trd.2014.05.004
- Polakowska, A.E., Fortin, M.J., Couturier, A. (2012). Quantifying the spatial relationship between bird species' distributions and landscape feature boundaries in southern Ontario, Canada. *Landscape Ecol.*, 27(10), 1481–1493. Doi:10.1007/s10980-012-9804-6
- Portelli, M.S., Conrad, E., Galdies, C. (2020). Developing an Environmental Justice Index for Small Island States: The Case of Malta. *Sustainability*, 12(22), 9519–. Doi:10.3390/su12229519
- Prasetyo, B.L. (2017). Pendekatan ekologi lanskap untuk konservasi biodiversitas. Pp.76. Bogor-Indonesia: Fakultas Kehutanan Institut Pertanian Bogor.
- Prasetyo, L. B., Kartono, A. P., Mardiasuti, A. (2010). Fragmentasi Hutan Alam Lahan Kering Di Provinsi Jawa Tengah. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 7(1), 75–91. [Doi.org/10.20886/jphka.2010.7.1.75-91](https://doi.org/10.20886/jphka.2010.7.1.75-91)
- Prasetyo, B.H. (2009). Tanah merah dari berbagai bahan induk di Indonesia: prospek dan strategi pengelolannya. *Jurnal Sumberdaya lahan*, 3 (1):47-60.
- Prawiradilaga, D.M.(1990). Potensi burung dalam pengendalian populasi serangga hama. *Media Konservasi*, 3 (1), 1-7.
- Prieto-torres, D.A., Nori, J., Rojas-soto, O.R. (2018). Identifying priority conservation areas for birds associated to endangered Neotropical dry forests. *Biological Conservation*, 228, 205–214. Doi:10.1016/j.biocon.2018.10.025
- Prior, LD, Sanders GJ, Bridle KL., Nichols SC, Harris R, Bowman DMJS. 2013. Land clearance not dieback continues to drive tree loss in a Tasmanian rural landscape. *Regional Environmental Change*, 13(5), 955–967. Doi: [org/10.1007/s10113-012-0396-0](https://doi.org/10.1007/s10113-012-0396-0)
- PT.Garam (Persero). (2018). Transformasi untuk keunggulan. Laporan Tahunan 2018. Jakarta. PT Garam Persero.
- Pudyatmoko, S. (2017). Free Range Livestock Influence Species Richness, Occupancy, and Daily Behaviour of Wild Mammalian Species in Baluran National Park, Indonesia. *Mammalian Biology - Zeitschrift Für Säugetierkunde*, 86, 33–41. Doi:10.1016/j.mambio.2017.04.001
- Pujiono, E., Raharjo, S.A., Njurumana, G.N., Prasetyo, B.D., Rianawati, H. (2021). Sustainability status of agroforestry systems in Timor Island,

- Indonesia. *E3S Web of Conferences* 305, 04003. *Rubis.*1-10.  
Doi:10.1051/e3sconf/202130504003
- Pujiono, E., Sadono, R., Hartono, Imron, M.A. (2019). Assessment of cause and future deforestation in the mountainous tropical forest of Timor island, Indonesia. *Journal of Mountain Science*, 16 (10). Doi:10.1007/s11629-019-5480-1
- Pujiono, E., Lee, W.K., Kwak, D.A., Lee, D.Y. (2011). Assessing the extant and rate of deforestation in the mountainous tropical forest. *Korean Journal of Remote Sensing*, 27 (3),315-328. Doi:10.7780/kjrs.2011.27.3.315
- Pullin, A. S. (2002).*Conservation Biology* (First Publ). New York: Cambridge University Press.
- Putri, I. (2015). Pengaruh kekayaan jenis tumbuhan sumber pakan terhadap keanekaragaman burung herbivora di Taman Nasional Bantimurung Bulusaraung/Sulawesi Selatan. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* ,1 (3), 607-614. Doi: [10.13057/psnmbi/m010338](https://doi.org/10.13057/psnmbi/m010338)
- Rachmat, H.H, Subiakto, A, Wijaya, K., Susilowati, A. (2018). Alarming calfrom Mursala Island, North Sumatra: The urgent task of conserving the previously reported extinct of *Dipterocarpus cinereus*. *Biodiversitas*, 19 (2), 399-405. Doi: [10.13057/biodiv/d190206](https://doi.org/10.13057/biodiv/d190206)
- Raharjo, S. A. S., Awang, S. A., Pramusinto, A., Purwanto, R. H. (2013). Sejarah Dominasi Negara Dalam Pengelolaan Cendana Di Nusa Tenggara Timur (History of State Domination on Cendana Management in Nusa Tenggara Timur). *Jurnal Manusia Dan Lingkungan*, 20(1), 1–10. Doi:10.22146/jml.18469
- Rahmat, J. (2005). *Psikologi Komunikasi*. Bandung: Remaja Rosdakarya.
- Ramesh, V., Gopalakrishna, T., Barve, S., Melnick, D. J. (2017).smaller range sizes and higher threath levels for Western Ghats endemic birds. *Biological Conservation*, 210(March), 205–221. Doi:org/10.1016/j.biocon.2017.03.019
- Railsback, S. F., Stauffer, H. B., Harvey, B. C. (2003). What can habitat preference models tell us? Tests using a virtual trout population.*Ecological Applications*, 13(6), 1580–1594. Doi:org/10.1890/02-5051
- Recher, H. F., Davis, W. E., Jr. (2011). Observations on the foraging ecology of honeyeaters (Meliphagidae) at Dryandra Woodland, Western Australia. *Amytornis: Western Australian Journal of Ornithology* 3: 19-29.
- Reutter, B.A., Helfer, V. Hirzel, A.H., Vogel, P. (2003). Modelling habitat-suitability using museum collections: an example with three sympatric Apodemus species from the Alps. *Journal of Biogeography*, 30, 581-590.
- Riddell, E. A., Iknayan, K. J., Wolf, B.O., Sinervo, B. and Beissinger, S. R. (2019). Cooling requirements fueled the collapse of a desert bird community from climate change. *Proceedings of the National Academy of Sciences USA* 116:21609–21615. Doi:10.1073/pnas.1908791116
- Riddell, E. A., Iknayan K. J., Hargrove, L., Tremor, S., Patton, J. L., Ramirez, R., Wolf, B. O., Beissinger, S. R. (2021). Exposure to climate change drives stability or collapse of desert mammal and bird communities. *Science* 371:633–636.
- Riley, J. (2002). Population sizes and the status of endemic and restricted-range

- bird species on Sangihe Island , Indonesia. *Bird Conservation International*, 12:53-78. Doi:[10.1017/S0959270902002046](https://doi.org/10.1017/S0959270902002046)
- Robbins, S. P. (2008). *Perilaku Organisasi* (2nd ed.). Jakarta: Salemba Empat.
- Roberts, S.G., Thoma, D.P., Perkins, D.W., Tymkiw, E.L., Ladin, Z.S., Shriver, W.G. (2021). A habitat-based approach to determining the effects of drought on aridland bird communities. *Ornithology*, 138:1-13. Doi: [10.1093/ornithology/ukab028](https://doi.org/10.1093/ornithology/ukab028).
- Roberts, C.P., Allen, C.R., Angeler, D.G., Twidwell, D. (2019). Shifting avian spatial regimes in a changing climate. *Nature Climate Change*, 9:562–566. Doi:[10.1038/s41558-019-0517-6](https://doi.org/10.1038/s41558-019-0517-6)
- Roberts, H.P., King, D.I. (2017). Area requirements and landscape-level factors influencing shrubland birds. *Journal of Wildlife Management*, 81 (7), 1298–1307. Doi:[10.1002/jwmg.21286](https://doi.org/10.1002/jwmg.21286)
- Robillard, C.M., Cristine, L.E., Soares, R.N., Kerr, J.T. (2015). Facilitating climate-change-induced range shifts across continental land-use barriers. *Conservation Biology*, 29(6),1586–1595. Doi:[10.1111/cobi.12556](https://doi.org/10.1111/cobi.12556)
- Rocha, R., Virtanen, T., Cabeza, M. (2015). Bird Assemblages in a Malagasy Forest-Agricultural Frontier: Effects of Habitat Structure and Forest Cover. *Tropical Conservation Science*, 8(3), 681–710. Doi:[10.1177/194008291500800307](https://doi.org/10.1177/194008291500800307)
- Rochmah, S., Misbach D., Rochayah. (1996). Individu dalam Masyarakat: Buku Teks Mengenai Psikologi Sosial. (pp.1-236). Jakarta: Departemen Pendidikan dan Kebudayaan.
- Rodriguez-Ferraro, A., Gracia-Amado, M.A., Bosque, C. (2007). Diet, food preferences, and digestive efficiency of the grayish saltator, a partly folivorous passerine. *The Condor*, 109, 824-840
- Romero-Bautista, Y. A., Moreno-Calles, A. I., Alvarado-Ramos, F., Reyes Castillo, M., Casas, A. (2020). Environmental interactions between people and birds in semiarid lands of the Zapotitlán Valley, Central Mexico. *Journal of Ethnobiology and Ethnomedicine*, 16(1). Doi:[10.1186/s13002-020-00385-1](https://doi.org/10.1186/s13002-020-00385-1)
- Rosa, I. M. D., Smith, M. J., Wearn, O. R., Purves, D., Ewers, R. M. (2016). The Environmental Legacy of Modern Tropical Deforestation. *Current Biology*, 26(16), 2161–2166. <https://doi.org/10.1016/j.cub.2016.06.013>
- Rosenberg, K.V., Dokter, A.M., Blancher, P.J., Sauer, J.R., Smith, A.C., Smith, P.A., Stanton, J.C., Panjabi, A., Helft, L., Parr, M., Marra, P.P. (2019). Decline of the North American avifauna. *Science* 366(6461),120–124. Doi:[10.1126/science.aaw1313](https://doi.org/10.1126/science.aaw1313)
- Roy, B.A., M.L. Stanton and S.M. Eppley. (1999). Effects of environmental stress on leaf hair density and consequences for selection. *J. Evol. Biol.* 12: 1089–1103.
- Rumblat, W., Mardiasuti, A., Mulyani, Y.A. (2016). Guild pakan komunitas burung di Jakarta. *Media Konservasi*, 21 (1), 58-64. Doi: [10.29244/medkon.21.1.58-64](https://doi.org/10.29244/medkon.21.1.58-64)
- Ryan, C.O., Browning, W.D. Clancy, J.O., Andrews, S.L., Kallianpurkar, N.B. (2014). Biophilic Design Patterns Emerging Nature-Based Parameters For

- Health And Well-Being In The Built Environment . *International Journal of Architectural Research*, 8(2), 62-67.
- Sadono, R., Soeprijadi, D., Susanti, A., Matatula, J., Pujiono, E., Idris, F., Wirabuana, P.Y.A.P. (2020). Local indigenous strategy to rehabilitate and conserve mangrove ecosystem in the southeastern gulf of Kupang, East Nusa Tenggara, Indonesia. *Biodiversitas*, 21 (3):1250-1257. Doi: 10.13057/biodiv/d210353
- Samsuri, Jaya, I.N.S., Kusmana, C., Murtilaksono, K. (2014). Analysis of Tropical Forest Landscape Fragmentation in Batang Toru Watershed, North Sumatra. *Jurnal Manajemen Hutan Tropika*, XX (2):77-85. Doi: 10.7226/jtfm.20.2.77.
- Sadleir, R.M., Linklater, W.L. (2016). Annual and seasonal patterns in wildlife road-kill and their relationship with traffic density. *New Zealand Journal of Zoology*, 43(3), 75–291. Doi:10.1080/03014223.2016.1155465
- Santosa, A. (Ed). (2008). *Konservasi Indonesia Sebuah Potret*. Perpustakaan Nasional Indonesia.
- Santoso, S. (2010). *Statistik Multivariat; Konsep dan Aplikasi dengan SPSS*. Penerbit Pt Elex Media Komputindo, Indonesia: Jakarta
- Saracco, J. F., Fettig, S. M., San Miguel, G. L., Mehlman, D. W., & Albert, S. K. (2018). Avian demographic responses to drought and fire: a community-level perspective. *Ecological Applications* 28(7):1773-1781. Doi:10.1002/eap.1751.
- Sauer, J.R., Pardieck, K.L., Ziolkowski, D.J., Smith, A., Hudson, M.A.R., Rodriguez, V., Berlanga, H., Niven, D.K., Link, W.A. (2017). The first 50 years of the North American Breeding Bird Survey. *The Condor*, 119(3), 576–593. Doi:10.1650/CONDOR-17-83.1
- Sauer, J.R. Link, W.A. (2011). Analysis of the North American breeding bird survey using hierarchical models. *The Auk*, 128 (1):87-98. Doi: 10.1525/auk.2010.09220
- Saunders, A.S.J., Burgin, S., Jones, H. (2003). The importance of eucalypt nectar in the diet of large honeyeaters. *Corella*, 27(1), 1–12.
- Saunders, D. A., Hobbs, R. J., Margules, C. R., Saunders, D. A., Hobbs, R. J. (1991). Biological Consequences of Ecosystem Fragmentation :5(1), 18–32
- Schielein, J., Börner, J. (2018). Recent transformations of land-use and land-cover dynamics across different deforestation frontiers in the Brazilian Amazon. *Land Use Policy*, 76(), 81–94. Doi:10.1016/j.landusepol.2018.04.052
- Schmiegelow, F.K.A., Machtans, C.S., Hannon, S.J. (1997). Are boreal birds resilient to forest fragmentation? An experimental study of short-term community responses. *Ecology* 78 (6), 1914-1932. Doi: 10.1890/0012-9658(1997)078[1914:ABRRTF]2.0.CO;2
- Schubert, C. (2017). Green nudges: Do they work? Are they ethical? *Ecological Economics*, 132: 329–42
- Schulze, C., Riedl, I. (2008). Bird assemblages of forested and human-modified countryside habitats in the Pacific lowlands of southern Costa Rica. *Stapfia*

- 88, zugleich Kataloge der oberösterreichischen. *Landesmuseen Neue Serie*, 80, 395-408
- Schwartz, A.L.W., Shilling, F.M., Perkins, S.E. (2020). The value of monitoring wildlife roadkill. *European Journal of Wildlife Research*, 66(1),1-12. Doi:10.1007/s10344-019-1357-4
- Scoble, J., Clarke, M.F. (2006). Nectar availability and flower choice by eastern spinebills foraging on mountain correa. *Anim Behav*, 72 (6), 1387-1394. DOI: 10.1016/j.anbehav.2006.03.024
- Scolozzi, R., Geneletti, D. (2012).A multi-scale qualitative approach to assess the impact of urbanization on natural habitats and their connectivity.*Environmental Impact Assessment Review*, 36, 9–22. [Doi:org/10.1016/j.eiar.2012.03.001](https://doi.org/10.1016/j.eiar.2012.03.001)
- Sekercioglu, C. H. (2011). Functional Extinctions of Bird Pollinators Cause Plant Declines. *Science*, 331(6020), 1019–1020. Doi:10.1126/science.1202389
- Sekercioglu, C.H. (2012). Bird functional diversity and ecosystem services in tropical forests, agroforests and agricultural areas. *Journal of Ornithology*, 153(S1),153–161. Doi:10.1007/s10336-012-0869-4
- Sementili-Cardoso, G., Vianna, R.M., Ottonicar, R.G.C., Donatelli, R.J. (2020). Differences in the bird community between a regenerating area and a native forest in Southeastern Brazil. *Journal of Natural History* 54(45-46), 2937–2959. Doi:10.1080/00222933.2021.1887385
- Setiadi, D. (2005). Keanekaragaman spesies tingkat pohon di Taman Wisata Alam Ruteng, Nusa Tenggara Timur. *Biodiversitas*, 6 (2):118-122. Doi: 10.13057/biodiv/d060210
- Setiadi, D. (1984). Inventarisasi Vegetasi Tumbuhan Bawah dalam Hubungannya dengan Pendugaan Sifat Habitat Bonita Tanah di Daerah Hutan Jati. KPH Purwakarta. Jawa Barat. Bogor. Bagian Ekologi, Departemen Botani. Bogor-Indonesia: Fakultas Pertanian IPB.
- Seto, K.C., Fragkias, M. (2005). *Quantifying Spatiotemporal Patterns of Urban Land-use Change in Four Cities of China with Time Series Landscape Metrics*. , 20(7), 871–888. Doi:10.1007/s10980-005-5238-8
- Shannon, G., Angeloni, L.M., Wittemyer, G., Fristrup, K.M., Crooks, K.R. (2014). Road traffic noise modifies behaviour of a keystone species. *Animal Behaviour*, 94:135-141. Doi:10.1016/j.anbehav.2014.06.004
- Shannon, G., McKenna, M.F., Angeloni, L.M., Crooks, K.R., Fristrup, K.M., Brown, E., Warner, K.A., Nelson, M.D., White, C., Briggs, J., McFarland, S., Wittemyer, G. (2015). A synthesis of two decades of research documenting the effects of noise on wildlife. *Biological Reviews*, 91(4), 982-1005 Doi:10.1111/brv.12207
- Sharma, S. Kreye, M.M. (2021). Public Attitudes towards Birds and Private Forest Land Conservation. *Forests*, 12, 1525. Doi.org/10.3390/f12111525
- Sharma, K., Robeson, S.M., Thapa, P., Saiikia, A. (2017). Land-Use/Land-Cover Change and Forest Fragmentation in the Jigme Dorji National Park, Bhutan. *Physical Geography*, 38(1):18-35. Doi:10.1080/02723646.2016.1248212
- Sharma, M., Chakraborty, A., Garg, J.K., Joshi, P.K. (2016). Assessing Forest Fragmentation in North-Western Himalaya: A Case Study From Ranikhet

- Forest Range, Uttarakhand, India. *Journal of Forestry Research*. 28(2), 319–327. Doi 10.1007/s11676-016-0311-5.
- Sih, A., Ferrari, M.C.O., Harris, D.J. (2011). Evolution and behavioural responses to human-induced rapid environmental change. *Evolutionary Applications*, 4(2), 367–387. Doi:10.1111/j.1752-4571.2010.00166.x
- Silva, M.S. (2022). Nudging and other behaviourhally based polices as enablers for environmental sustainability. *Laws* 11: 9. Doi.org/10.3390/laws11010009
- Silva, P.A. (2018). Bird-flower interactions in an urban area: *Ceiba pubiflora* provides nectar and promotes biodiversity in the city. *Urban Forestry and Urban Greening*, 36, 42-49. DOI: 10.1016/j.ufug.2018.10.003
- Silviyanti, N., Nurdjali B., Kartiwati, S.M. (2016). Studi etno-ornitologi burung sebagai bentuk kearifan lokal masyarakat di desa pematang gadung Kabupaten Ketapang. *Jurnal Hutan Lestari*, 4(2):176-184.
- Simberloff, D. S., Abele, L. G. (1976). Island biogeography theory and conservation practice. *Science*, 191, 285–286. Doi:10.1126/science.191.4224.28
- Sinclair A.R.E, John M. Fryxell, G. C. (2006). *Wildlife Ecology, Conservation, and Management* (Second Edi). Malden, MA 02148-5020, USA: Blackwell Publishing Ltd.
- Singh, M. (2017). Remote sensing- based landscape indicators for the evaluation of threatened- bird habitats in a tropical forest, (November 2016), 1–16. Doi:org/10.1002/ece3.2970
- Singh, S.K., Pandey, A.C., Singh, D. (2014). Land Use Fragmentation Analysis Using Remote Sensing and Fragstats. *Remote Sensing Applications in Environmental Research*. Doi: 10.1007/978-3-319-05906-8\_9.
- Sirami, C., Brotons, L., Martin, J-L., (2009). Do bird spatial distribution patterns reflect population trends in changing landscapes? *Landscape Ecol.* 24:893-906. DOI 10.1007/s10980-009-9365-5
- Smit, B., McKechnie, A.E. (2015). Water and energy fluxes during summer in an arid-zone passerine bird. *Ibis*, 157(4), 774–786. Doi:10.1111/ibi.12284
- Smit, B., Woodborne, S., Wolf, B.O., McKechnie, A.E. (2019). Differences in the use of surface water resources by desert birds are revealed using isotopic tracers. *The Auk*, 136 (1), 1-13. Doi:10.1093/auk/uky005
- Sobhani, P., Esmaeilzadeh, H., Barghjelveh, S., Sadeghi, S.M.M., Marcu, M.V. (2022). Habitat integrity in Protected Areas Threatened by LULC change and fragmentation: A case studi in Tehran Province, Iran. *Land*, 11,6. <https://Doi.org/10.3390/land11010006>
- Soegianto, A. (1994). *Ekologi Kuantitatif: Metode Analisis Populasi dan Komunitas*. Surabaya-Indonesia: Usaha Nasional.
- Soil Survey Staff. (1999). *Kunci Taxonomi Tanah*. Edisi Kedua. Pusat Penelitian Tanah dan Agroklimat, Badan Penelitian dan Pengembangan Pertanian. Jakarta-Indonesia: Departemen Pertanian.
- Somasundaram, S. Vijayan, L. (2008). Foraging and guild structure of birds in the monane wet temperate forest of the palni hills, South India. *Podoces.*, 3 (1/2), 79-91.

- Southernton, S.G., Birt, P., Porter, J., Ford, H.A. (2004). Review of gene movement by bats and birds and its potential significance for eucalypt plantation forestry. *Australian Forestry*, 67(1), 44–53.
- Sreekar, R., Le, P.N.T., Harrison, R.D. (2010). Vertebrate assemblage at a fruiting fig (*Ficus caulocarpa*) in Maliau Basin, Malaysia. *Journal Conservation Science*, 3 (2), 218-227.
- Stattersfield, A.J., Crosby, M.J., Long, A.J. and Wege, D.C. (1998) *Endemic Bird Areas of the World. Priorities for biodiversity conservation*. BirdLife Conservation Series 7. Cambridge: BirdLife International. <http://datazone.birdlife.org/info/pubEBAs>. Diakses: 04 April 2022
- Steg, L. (2016). Value, Normsn and Intrinsic Motivation to Act Proenvironmentally. *Annu.Rev.Environ. Resour*, 14 (4):1-16.Doi: 10.1146/annurev-environ-110615-085947
- Steiniger, S., Hay, G.J., (2009). *Free and open source geographic information tools for landscape ecology*, 4(4), 183–195. Doi:10.1016/j.ecoinf.2009.07.004
- Stevaux, J.C., Corradini, F.A., Aquino, S. (2013). Connectivity processes and riparian vegetation of the upper Paraná River, Brazil. *Journal of South American Earth Sciences*, 46 (), 113–121. Doi:10.1016/j.jsames.2011.12.007
- Strohbach, M.W., Lerman, S.B., Warren, P.S. (2013). Are small greening areas enhancing bird diversity? Insights from community-driven greening projects in Boston. *Landsc Urban Plann*, 114, 68-79. Doi: 10.1016/j.landurbplan.2013.02.007
- Sodhi, N. S., Sekercioglu, Ç. H., Barlow, J., & Robinson, S. K. (2011). *Conservation of Tropical Birds*. John Wiley & Sons, Ltd. UK. Doi:org/10.1002/9781444342611
- Sugiyono. (1997). *Statistika Untuk Penelitian*. (pp:1-293). Bandung: CV Alfabeta,
- Sugiyono. 2010. *Metode Penelitian Administrasi*. Pp:1-222. Bandung: Alfabeta.
- Sugiyono. (2013). *Metode Penelitian Bisnis*. CV Alfabeta, (pp:1-540). Indonesia: Bandung
- Suhet. (2015). *Sentinel-2 User Handbook (2nd ed)*. ESA European Space Agency 1(2),1-64.
- Sujatnika, J.P., Soehartono, T.R., Crosby, M.J., Mardiasuti, A. (1995). *Melestarikan Keanekaragaman Hayati Indonesia: pendekatan daerah burung endemik*. Bogor: PHPA/BirdLife International Programme
- Sulikowski, D., Burke, D. (2015). Noisy miners plan ahead: cryptic signalling of reward location impairs search for nectar, but not for invertebrates. *Anim Behav*, 102, 149-155. Doi: 10.1016/j.anbehav.2015.01.005
- Sumardi, Hidayatulah, M., Yuniati, D., Victorino, B.A. (2016). Analisis kesesuaian lahan untuk budidaya cendana (*Santalum album* Linn.) di Pulau Timor. *Jurnal Penelitian Kehutanan Wallacea*, 5 (1):61-77.
- Sumargo W, Nainggolan, S. G. N. F. A., dan Apriani, I. (2011). *Potret Keadaan Hutan Indonesia Periode Tahun 2000-2009*.

- Summers, P.D., Cunnington, G.I., Fahrig, L. (2011). Are the negative effects of roads on breeding birds caused by traffic noise?. *Journal of Applied Ecology*. 48 (6), 1527-1534. Doi:10.1111/j.1365-2664.2011.02041.x
- Sundarapandian, S.M. dan Swamy, P.S. (2000). Forest Ecosystem Structure and Composition Along an Altitudinal Gradient in The Western South India. *Journal of Tropical Forest Science*. Vol.12.No 1: 104-123.
- Sunstein, C. R. (2021). Green defaults can combat climate change. *Nature Human Behaviour*, 5(5), 548–549. Doi:10.1038/s41562-021-01071-2
- Sunstein, C. R., Reisch, L.A. (2014). Automatically Green: Behavioural Economics and Environmental Protection. *Harvard Environmental Law Review* 38: 127
- Supranto. (2004). Analisis Multivariat Arti & Interpretasi. pp:1-259. Indonesia-Jakarta: Penerbit Rineka Cipta
- Supriatna, J. (2018). Konservasi Biodiversitas:Teori dan praktek di Indonesia. Pp. 1-493. Jakarta-Indonesia: Yayasan Pustaka Obor Indonesia.
- Suryadi, I. (2012). Petunjuk perhitungan reference emission level untuk sektor berbasis lahan. pp. 1-51. Jakarta: UN-REDD Program Indonesia.
- Susilowati, A., Elfiati, D., Rachmat, H.H., Yulita, K.S., Hadi, A.N., Kusuma, Y.S., Batu, S.A.L. (2020). Vegetation structure and floristic composition of tree species in the habitat of *Scaphium macropodum* in Gunung Leuser National Park, Sumatera, Indonesia. *Biodiversitas*, 21 (7), 3015-3033. Doi: [10.13057/biodiv/d210720](https://doi.org/10.13057/biodiv/d210720)
- Susilowati, A., Rachmat, H.H., Elfiati, D., Hasibuan, M.H. (2019). The composition and diversity of plant species in pasak bumi's (*Eurycoma longifolia*) habitat in Batang Lubu Sutam forest, North Sumatra, Indonesia. *Biodiversitas*, 2 (20), 413-418. Doi: [10.13057/biodiv/d200215](https://doi.org/10.13057/biodiv/d200215)
- Sutherland, W. J., Newton, I., Green, R. E. (2004). *Bird Ecology and Conservation; A handbook of techniques*. Oxford University Press (First Edit). New York: Oxford University Press Inc. Doi:[org/10.1093/acprof:oso/9780198520863.001.0001](https://doi.org/10.1093/acprof:oso/9780198520863.001.0001)
- Sweeney, O.F.M., Wilson, M.W., Irwin, S., Kelly, T.C., Halloran, J.O. (2010). Are bird density, species richness and community structure similar between native woodlands and non-native plantations in an area with a generalist bird fauna. *Biodivers Conserv*, 19 (8), 2329-2342. Doi: 10.1007/s10531-010-9844-7
- Szilassi, P., Bata, T., Szabó, Sz., Czúcz, B., Molnár, Zs., Mezősi, G. (2017). The link between landscape pattern and vegetation naturalness on a regional scale. *Ecological Indicators*, 81(), 252–259. Doi:10.1016/j.ecolind.2017.06.003
- Tabba, S., Nurrani, L. (2016). Avifauna pada Taman Nasional Aketajawe Lolobata berdasarkan tipologi zona dan tutupan lahan. *Jurnal Wasian*, 3 (1), 25-38. Doi: [10.20886/jwas.v3i1.891](https://doi.org/10.20886/jwas.v3i1.891)
- Tamiminia, H., Salehi, B., Mahdianpari, M., Quackenbush, L., Adeli, S., Brisco, B. (2020). Google Earth Engine for geo-big data applications: A meta-analysis and systematic review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 164(), 152–170. Doi:10.1016/j.isprsjprs.2020.04.001

- Taradipha, M.R.R., Rushayati, S.B., Haneda, N.F. (2019). Karakteristik lingkungan terhadap komunitas serangga. *JPSL*, 9 (2), 394-404. Doi: 10.29244/jpsl.9.2.394-404 [Indonesia]
- Tarigan, S. D. (2016). Land cover change and its impact on flooding frequency of Batanghari Watershed , Jambi Province , Indonesia. *Procedia Environmental Science*, 33, 386–392. <https://doi.org/10.1016/j.proenv.2016.03.089>
- Tavares-Damasceno, J. P., de Souza Silveira, J. L. G., Câmara, T., de Castro Stedile, P., Macario, P., Toledo-Lima, G. S., & Pichorim, M. (2017). *Effect of drought on demography of Pileated Finch ( Coryphospingus pileatus : Thraupidae) in northeastern Brazil. Journal of Arid Environments*, 147, 63–70. Doi:10.1016/j.jaridenv.2017.09.006
- Taylor, P. D., Fahrig, L., Henein, K., Merriam, G. (1993). Connectivity is a vital element of landscape structure. *Oikos*, 68(3), 571–573. [Doi:org/10.2307/3544927](https://doi.org/10.2307/3544927).
- Taylor, P. J., (2019). City generics: External urban relations in ancient-Mesopotamian and modern-global city networks. *Urban Geography*, 40(8), 1210–1230. <https://doi.org/10.1080/02723638.2019.1567203>
- Tejeda-Cruz, C., Sutherland, W. J. (2004). *Bird responses to shade coffee production. Animal Conservation*, 7(2), 169–179. Doi:10.1017/s1367943004001258
- Thaler, R, Sunstein, C. (2021). *Nudge: The Final Edition*. pp.1-389. London: Allen Lane, Penguin Press.
- Thoma, D. P., Munson, S.M., Witwicki, D.L (2019). Landscape pivot points and responses to water balance in national parks of the southwest US. *Journal of Applied Ecology*, 56:157–167
- Thomas, J. W. (1979). *Wildlife habitats in managed forests: The Blue Mountains of Oregon a Washington*. U.S.D.A., Forest Service Handbook 553, Washington, D.C.
- Tian, G., Qiao, Z., Gao, X. (2014). Rural settlement land dynamic modes and policy implications in Beijing metropolitan region, China. *Habitat International*, 44, 237–246. Doi:10.1016/j.habitatint.2014.06.010
- Tjitrosoepomo, G. (2003). *Morfologi Tumbuhan*. Gadjah Mada University Press, (pp:)Indonesian: Yogyakarta.
- Tidemann, S., Gosler, A.G. (2010). *Ethno-ornithology : birds, indigenous peoples, culture and society*. Pp.1-377.London, UK: Earthscan Ltd,
- Tole, L. (2002). An estimate of forest cover extant and change in Jamaica using Landsat MSS data. *International Journal of Remote Sensing*. 23(1): 91-106.
- Toledo-Lima, G. S., Pichorim, M. (2020). *Local extinctions exceed colonization rates in a bird community during dry years in the Brazilian Caatinga. Ornithology Research*. Doi:10.1007/s43388-020-00016-z
- Toon, A., Hughes, J. M., Joseph, L. (2010). Multilocus analysis of honeyeaters (Aves: Meliphagidae) highlights spatio-temporal heterogeneity in the influence of biogeographic barriers in the Australian monsoonal zone. *Molecular Ecology*, 19(14), 2980–2994. [Doi:org/10.1111/j.1365-294X.2010.04730.x](https://doi.org/10.1111/j.1365-294X.2010.04730.x)

- Tortora, R.D. (1978). A Note on Sample Size Estimation for Multinomial Populations. *The American Statistician*, 32:3, 100-102, Doi: [10.1080/00031305.1978.10479265](https://doi.org/10.1080/00031305.1978.10479265)
- Townshend, J.R., Masek, J.G., Huang, C., Vermote, E.F., Gao, F., Channan, S., Sexton, J.O., Feng, M., Narasimhan, R., Kim, D., Song, K., Song, D., Song, X.P., Noojipady, P., Tan, B., Hansen, M.C., Li, M., Wolfe, R.E. (2012). Global characterization and monitoring of forest cover using Landsat data: opportunities and challenges. *International Journal of Digital Earth*, 5(5), 373–397. Doi:10.1080/17538947.2012.713190
- Trainor, C.R., Hidayat, O. (2014). Kupang Bay: an internationally significant wetland in West Timor, Indonesia. *Birding ASIA*, 21, 45–50.
- Trainor, C. R. (2010). Timor 's fauna : the influence of scale , history and land-use on faunal patterning, (Thesis). Charles Darwin University. Darwin NT 0909.
- Trainor, C.R. (2002). A Preliminary List of Important Bird Areas in East Timor. (pp:1-26). Indonesia:Bogor: BirdLife International Asia Division & Vogelbesherming Nederland
- Trainor, C.R., Benstead, P.J., Martin, K., Lesmana, D., Agista, D., Benstead, M.C., Drijvers, R., Setiawan, I. (2006). New Bird Records for Nusa Tenggara Islands: Sumbawa, Moyo, Sumba, Flores, Pulau Besar and Timor. *Kukila*. 13, 6-22
- Trainor, C.R, Santana, F., Pinto, P., Xavier, A.F., Safford, R., Gremmett, R. (2008). Birds, birding and conservation in Timor-Leste. *BirdingAsia*, 9, 16-45
- Trisakti, B., Carolita, I., Pradana, F.A. (2009). Digital Elevation Model from PRISM-Alos and Aster Stereoscopic Data. *International Journal of Remote Sensing and Earth Science*. 6: 29-38.
- Tsai, Y., Stow, D., Chen, H., Lewison, R., An, L., Shi, L. (2018). Mapping Vegetation and Land Use Types in Fanjingshan National Nature Reserve Using Google Earth Engine. *Remote Sensing*, 10(6), 927–. Doi:10.3390/rs10060927
- Tscharntke, T., Clough, Y., Bhagwat, S.A., Buchori, D., Faust, H., Hertel, D. Hölscher, D., Jührbandt, J., Kessler, M., Perfecto, I., Scherber, C., Schroth, G., Veldkamp, E., Wanger, T.C. (2011). Multifunctional shade-tree management in tropical agroforestry landscapes – a review. *Journal of Applied Ecology*, 48(3), 619–629. Doi:10.1111/j.1365-2664.2010.01939.x
- Tscharntke, T., Klein, A.M., Kruess, A.,Steffan-Dewenter, I., Thies, C. (2005). Landscape perspectives on agricultural intensification and biodiversity–ecosystem service management. *Ecology Letters* , 8(8), 857–874. Doi:10.1111/j.1461-0248.2005.00782.x
- Tscharntke, T. Hawkins, B.A. (2002) *Multitrophic Level Interactions*. Cambridge:Cambridge University Press,.
- Tsunetsugu, Y., Park, B. J., Miyazaki, Y. (2010). Trends in research related to “Shinrin-yoku” (taking in the forest atmosphere or forest bathing) in Japan. *Environ Health Prev Med*, 15, 27–37. Doi: 10.1007/s12199-009-0091-z
- Tsunetsugu, Y., Lee, J. Y., Park, B. J., Tyrväinen, L., Kagawa, T., Miyazaki, Y. (2013). Physiological and psychological effects of viewing urban forest

- Tsunetsugu landscapes assessed by multiple measurements. *Landscape and Urban Planning*, 113, 90-93. [Doi.org/10.1016/j.landurbplan.2013.01.014](https://doi.org/10.1016/j.landurbplan.2013.01.014)
- Turner, M.G. (1990). Spatial and temporal analysis of landscape patterns. *Landscape Ecol* 4 (1), 21–30. [Doi.org/10.1007/BF02573948](https://doi.org/10.1007/BF02573948)
- Turner, M. G., Gardner, R. H. (2015). *Landscape Ecology in Theory and Practice: pattern and process. The Optician* (Second Edi, Vol. 117). New York: Springer-Verlag New York. [Doi.org/10.1007/978-1-4939-2794-4](https://doi.org/10.1007/978-1-4939-2794-4)
- Usmadi, D., Magandhi, M., Rivai, R.R. (2018). Keanekaragaman tumbuhan dan cadangan karbon Taman Wisata Alam Bipolo, Kabupaten Kupang. *Proceeding of Biology Education*, 2(1),75-83. [Doi.org/10.21009/pbe.2-1.10](https://doi.org/10.21009/pbe.2-1.10)
- Valido, A., Dupont, Y.L., Olesen, J.M. (2004). Bird-flower interceptions in the Macaronesian Island. *J Bioeogr*, 31, 1945-1953. [Doi: 10.1111/j.1365-2699.2004.01116.x](https://doi.org/10.1111/j.1365-2699.2004.01116.x)
- Vergara, Pablo M.; Fierro, A., Alaniz, A.J., Carvajal, M.A., Lizama, M., Llanos, J.L. (2020). Landscape-scale effects of forest degradation on insectivorous birds and invertebrates in austral temperate forests. *Landscape Ecology*, (), – . [Doi:10.1007/s10980-020-01133-2](https://doi.org/10.1007/s10980-020-01133-2)
- Vieira, M. V., Almeida-Gomes, M., Delciellos, A. C., Cerqueira, R., Crouzeilles, R. (2018). Fair tests of the habitat amount hypothesis require appropriate metrics of patch isolation: An example with small mammals in the Brazilian Atlantic Forest. *Biological Conservation*, 226 (), 264–270. [Doi:10.1016/j.biocon.2018.08.008](https://doi.org/10.1016/j.biocon.2018.08.008)
- Viera, A.J., Gurrett J.M. (2005). Understanding Imerobserver Agreement using the Kappa Statistic. *Research Series. Fam Med.*, 37 (5):360-363.
- Vijith, H., Dodge-Wan, D. (2020). Applicability of MODIS land cover and Enhanced Vegetation Index (EVI) for the assessment of spatial and temporal changes in strength of vegetation in tropical rainforest region of Borneo. *Remote Sensing Applications: Society and Environment*, 100311. [Doi:10.1016/j.rsase.2020.100311](https://doi.org/10.1016/j.rsase.2020.100311)
- Visser, M. E., Holleman, L. J. M., Caro, S. P. (2009). Temperature has a causal effect on avian timing of reproduction. *Proceedings of the Royal Society B: Biological Sciences*, 276(1665), 2323–2331. [Doi:10.1098/rspb.2009.0213](https://doi.org/10.1098/rspb.2009.0213)
- Vlek, C., Steg, L. (2007). Human behavior and environmental sustainability: problems, driving forces and research topics. *J. Soc. Issues* 63(1):1–19
- Walgito, B. (2002). *Pengantar Psikologi Umum*. Yogyakarta: Andi Offset.
- Waltert, M., Bobo, K.S., Kaupa, S., Montoya, M.L., Nsanyi, M.S., Fermon, H., Moen, J. (2011). Assessing Conservation Values: Biodiversity and Endemicity in Tropical Land Use Systems. *PLoS ONE*, 6(1), e16238–. [Doi:10.1371/journal.pone.0016238](https://doi.org/10.1371/journal.pone.0016238)
- Waruwa, N.I., Ginting, C.N., Telaumbanua, D., Amazihono, D., Laia, G.P.A. (2019). Pengaruh terapi music suara alam terhadap kualitas tidur pasien kritis di ruang ICU RSUD Royal Prima Medan tahun 2019. *Jurnal Ilmiah Keperawatan IMELDA*, 5 (2):674-679.
- Wauchope-drumm, M., Bentley, J., Beaumont, L.J., Baumgartner, J.B., Nipperess, D.A. (2019). Using a species distribution model to guide NSW surveys of

- the long-footed potoroo (*Potorous longipes*). *Austral Ecology*, 1–12. Doi:10.1111/aec.12804
- Webb, T.J., Woodward, F.I., Hannah, L., Gaston, K.J. (2005). Forest cover-rainfall relationships in biodiversity hotspot: the atlantic forest of Brazil. *Ecological Applications*, 15(6),1968-1983.Doi:10.1890/04-1675
- White, S.R. 1946. Notes on the bird life of Australia's heaviest rainfall region. *Emu-Austral Ornithology*, 46(2):81-122. Doi:10.1071/MU946081.
- White, P.S., Bratton, S.P., (1980). After preservation: Philisophical and practical problems of change. *Biological Conservation*, 18(4), 241–255. Doi:10.1016/0006-3207(80)90001-4
- Whitehouse, A. (2015). Listening to Birds in the Anthropocene: The Anxious Semiotics of Sound in a Human-Dominated World. *Environmental Humanities*, 6(1), 53–71. Doi:10.1215/22011919-3615898
- Widiyono, D. (2019). Pendekatan lanskap ekosistem embung untuk pemanfaatan air irigasi di lahan beriklim kering Nusa Tenggara Timur. pp.1-98. Jakarta, Indonesia: LIPI.
- Widiyono, W. (2008). Konservasi flora, tanah, dan sumberdaya air embung-embung di Timor Barat Provinsi Nusa Tenggara Timur: studi kasus ‘embung’ Oemasi-Kupang dan ‘embung’ Leosama-Belu. *J Tek Lingk*, 9 (2), 197-204. Doi: [10.29122/jtl.v9i2.462](https://doi.org/10.29122/jtl.v9i2.462)
- Wilson, E. O. (1984). *Biophilia*. (pp. 1-168). USA. Cambridge: Harvard University Press.
- Winkler, D.W., Billerman, S.M., Lovette, I.J. (2020). Honeyeaters (*Meliphagidae*), version 1.0. In *Birds of the World* (S. M. Billerman, B. K. Keeney, P. G. Rodewald, and T. S. Schulenberg, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. Doi:[org/10.2173/bow.meliph3.01](https://doi.org/10.2173/bow.meliph3.01). Diakses. 26-02-2022: <https://birdsoftheworld.org/bow/species/meliph3/cur/introduction>
- Winkler, D.W., Shamoun-Baranes, J., Piersma, T., (2016). Avian migration and dispersal. In: Lovette, I.J., Fitzpatrick, J.W. (Eds.), *Handbook of Bird Biology*, third ed. p. 733p Cornell University. USA.New York.
- Wong, M. (1986). Trophic organization of understory birds in a Malaysian dipterocarp forest. *Auk*, 103 (1),100-106. Doi: [10.1093/auk/103.1.100](https://doi.org/10.1093/auk/103.1.100)
- Wuryandari, G. (2014). Pengembangan wilayah Nusa Tenggara Timur dari perspektif sosial; Permasalahan kebijakan. pp. 423. Jakarta: LIPI Press.
- Xue, J., u, B. (2017). Significant Remote Sensing Vegetation Indices : A Review of Developments and Applications. *Journal of Sensors*, 1–17. Doi:10.1155/2017/1353691
- Yabaki, M., Winkworth, R. C., Mclenachan, P. A., Aalbersberg, W., Winder, L., Trewick, S. A., Lockhart, P. J. (2016). Placing the Fijian Honeyeaters within the Meliphagidae radiation: Implications for origins and conservation. *Pacific Conservation Biology*, 22(3), 262–271
- Yanai, A.M., de Alencastro Graça, P.M.L., Ziccardi, L.G., Escada, M.I.S., Fearnside, P.M. (2022). Brazil’s Amazonian deforestation: the role of landholdings in undesignated public lands. *Reg Environ Change* 22, 30. Doi.org/10.1007/s10113-022-01897-0

- Yang R; Brice B; Ryan U. (2014). *Isospora anthochaerae* n. sp. (Apicomplexa: Eimeriidae) from a Red wattlebird (*Anthochaera carunculata*) (Passeriformes: Meliphagidae) in Western Australia. *Experimental Parasitology*, 140(1), 1–7. [Doi.org/10.1016/j.exppara.2014.02.011](https://doi.org/10.1016/j.exppara.2014.02.011)
- Yang, R.F., Luo, Y., Yang, K., Hong, L., Zhou, X. (2019). Analysis of forest deforestation and its driving factors in Myanmar from 1988 to 2017. *Sustainability*, 11, 3047. [Doi:10.3390/su11113047](https://doi.org/10.3390/su11113047)
- Yin, Z., Williams, T. H. L. (1997). Images for a Hydrologic Model. *Photogrammetric Engineering & Remote Sensing*, 63(1), 69–77.
- Yu, M., Huang, Y., Cheng, X., Tian, J. (2019). Ecological Informatics An ArcMap plug-in for calculating landscape metrics of vector data ☆. *Ecological Informatics*, 50(September 2018), 207–219.
- Yu, M., Hu, G., Feeley, K. J., Wu, J., Ding, P. (2012). Richness and composition of plants and birds on land-bridge islands: effects of island attributes and differential responses of species groups. *Journal of Biogeography*, 39(6), 1124–1133. [Doi:10.1111/j.1365-2699.2011.02676.x](https://doi.org/10.1111/j.1365-2699.2011.02676.x)
- Yu-Jun Z., Hai-Feng L., Jin-Yun X. (2014). Ecogeography based optimization: Enhancing Bbiogeography-based optimization with rcogeographic barriers and differentiations, *Computers & Operations Research* 50(), 115–127. , [Doi.org/10.1016/j.cor.2014.04.013](https://doi.org/10.1016/j.cor.2014.04.013)
- Yuan, J., Cohen, M.J., Kaplan, D.A., Acharya, S., Larsen, L.G., Nungesser, M.K. (2015). Linking Metrics of Landscape Pattern to Hydrological Process in A Lotic Wetland. *Landscape Ecology*, 30,1–20. [Doi:10.1007/s10980-015-0219-z](https://doi.org/10.1007/s10980-015-0219-z).
- Zaniewski, A.E., Lehmann, A., Overton, J.M. (2002). Predicting species spatial distribution using presence-only data:a case study of native New Zealand ferns. *Ecological Modeling*, 157 (2-3), 261-280. [Doi:10.1016/S0304-3800\(02\)00199-0](https://doi.org/10.1016/S0304-3800(02)00199-0)
- Zhai, D.L., Cannon, C.H., Dai, Z.C., Zhang, C.P., Xu, J.C. (2015). Deforestation and Fragmentation of Natural Forest in The Upper Changhua Watershed, Hainan, China: Implication for Biodiversity Conservation. *Environ Monit Assess*, 187:4137. [Doi:10.1007/s10661-014-4137-3](https://doi.org/10.1007/s10661-014-4137-3)
- Zhang, L., Sun, X., Su, J., Liu, X., Sun, J. (2020). Discussion on sampling methods in island vegetation survey of species richness and biomass. *IOP Conf Ser Earth Environ Sci*, 450 (012004), 1-10. [Doi: 10.1088/1755-1315/450/1/012004](https://doi.org/10.1088/1755-1315/450/1/012004)
- Zipkin, E.F., Saunders, S.P. (2018). Synthesizing multiple data types for biological conservation using integrated population models. *Biological Conservation*, 217, 240–250. [Doi.org/10.1016/j.biocon.2017.10.017](https://doi.org/10.1016/j.biocon.2017.10.017)
- Zobrist, K.W. (2014). Recognizing Sapsucker Damage to Your Trees. Washington State University esxtension fact sheet Washington State University. USA: Seattle.
- Zurita, G.A., Rey, N., Varela, D.M., Villagra, M., Bellocq, M.I. (2006). Conversion of the Atlantic Forest into native and exotic tree plantations: Effects on bird communities from the local and regional

perspectives. *For Ecol Manag*, 235 (1-3), 164-173. Doi:10.1016/j.foreco.2006.08.009

Zurqani, H.A., Post, C.J., Mikhailova, E.A., Schlautman, M.A., Sharp, J.L. (2018). Geospatial analysis of land use change in the savanah River Basin using Google Earth Engine. *Int J Appl Earth Obs Geoinformation*, 69, 187-185. Doi: [10.1016/j.jag.2017.12.006](https://doi.org/10.1016/j.jag.2017.12.006)