

DAFTAR PUSTAKA

- Acero, L.H. 2014. Dried siam weed (*Chromolaena odorata*) as rice weevils' (*Sitophilus oryzae*) eradicant. *International Journal of Chemical Engineering and Applications* 5(5): 363-366.
- Andika, B., Halimatussakdiah, dan U. Amna. 2020. Analisis kualitatif senyawa metabolit sekunder ekstrak daun gulma siam (*Chromolaena odorata* L.) di Kota Langsa, Aceh. *Quicimia: Jurnal Kimia Sains dan Terapan* 2(2): 1-6.
- Baehaki dan I.M.J. Mejaya. 2014. Wereng coklat sebagai hama global bernilai ekonomi tinggi dan strategi pengendaliannya. *IPTEK Tanaman Pangan* 9(1): 1-12.
- Bottrell, D.G. and K.G. Schoenly. 2012. Resurrecting the ghost of green revolutions past: the brown planthopper as a recurring threat to high-yielding rice production in tropical Asia. *Journal of Asia-Pacific Entomology* 15: 122-140.
- Cabauatan, P.Q., R.C. Cabunagan, I.-R. Choi. 2009. *Rice viruses Transmitted by the Brown Planthopper Nilaparvata lugens Stål*. In: K.L. Heong and B. Hardy (Eds.) *Planthoppers: New Threats to the Sustainability to of Intensive Rice Production Systems in Asia*. International Rice Research Institute, Los Baños, p: 357-368.
- CABI. 2019. *Chromolaena odorata* (Siam Weed). <<https://www.cabi.org/isc/datasheet/23248>>. Diakses pada 16 Oktober 2021.
- CABI. 2021. *Nilaparvata lugens* (Brown Planthopper). <<https://www.cabi.org/isc/datasheet/36301>>. Diakses pada 24 Agustus 2022.
- Callier, V. 2015. Planthopper Wing Shape Controlled by Two Insulin Receptors. <<https://entomologytoday.org/2015/03/18/planthopper-wing-lengths-controlled-by-two-insulin-receptors/>>. Diakses pada 24 Agustus 2022.
- Dalimunthe, C.I. dan A. Rachmawan. 2017. Prospek pemanfaatan metabolit sekunder tumbuhan sebagai pestisida nabati untuk pengendalian patogen pada tanaman karet. *Warta Perkaretan* 36(1): 15-28.
- Damalas, C.A. and S.D. Koutroubas. 2020. *Botanical Pesticides for Eco-Friendly Pest Management: Drawbacks and Limitations*. In: P.K. Srivastava, V.P. Singh, A. Singh, D.K. Tripathi, S. Singh, S.M. Prasad, and D.K. Chauhan (Eds.) *Pesticides in Crop Production: Physiological and Biochemical Action, First Edition*. John Wiley & Sons Ltd., New Jersey, p: 181-194.
- Damayanthi, E. 2016. Keanekaragaman Coccinellidae Predator pada Pertanaman Padi di Dataran Rendah dan Dataran Tinggi di Sumatera Barat. Fakultas Pertanian. Universitas Andalas. Skripsi.
- Devi, B. and N. Bhattacharyya. 2021. *Chromolaena odorata: A Versatile Weed with Manifold Prospective*. In: V. Nand (Ed.) *Research Trends in Crop and Weed, Volume 3*. Akinik Publication, Delhi, p: 71-78.

- Erdiansyah, I. 2014. Studi Ketahanan Varietas Padi (*Oryza sativa* L.) terhadap Hama Wereng Batang Coklat (*Nilaparvata lugens* Stal.). Universitas Jember. Tesis.
- Fauziani, D. 2019. Pengaruh Ekstrak Daun Gulma Siam terhadap Perilaku Makan Wereng Batang Coklat. Universitas Gadjah Mada. Skripsi.
- Fitriana, Y., Purnomo, dan A.M. Hariri. 2012. Uji efikasi ekstrak gulma siam terhadap hama pencucuk buah kakao (*Helopelthis* spp.) di laboratorium. *Jurnal Hama dan Penyakit Tumbuhan Tropika* 12(1): 85-91.
- Gandjar, I.G. dan A. Rohman. 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Gray, M.E., S.T. Ratcliffe, and M.E. Rice. 2009. *The IPM Paradigm: Concepts, Strategies and Tactics*. In: E.B. Radcliffe, W.D. Hutchison, and R.E. Cancelado (Eds.) *Integrated Pest Management: Concepts, Tactics, Strategies and Case Studies*. Cambridge University Press, New York, p: 1-13.
- Habibi, I., Witjaksono, and A. Wijonarko. 2016. Effects of population density and host availability on the migration process of brown planthopper fed using susceptible and resistant rice varieties. *Jurnal Perlindungan Tanaman Indonesia* 20(2): 72-78.
- Habibi, L. 2019. Pengendalian Hama Wereng Batang Coklat (WBC). <<http://cybex.pertanian.go.id/mobile/artikel/83481/PENGENDALIAN-HAMA-WERENG-BATANG-COKLAT-WBC-oleh--Lalu-Habibi-SST/>>. Diakses pada 31 Agustus 2022.
- Haryati, S., Y.A. Trisyono, and Witjaksono. 2016. Parasitism of the rice brown planthopper eggs in various periods of time of the day. *Jurnal Perlindungan Tanaman Indonesia* 20(1): 28-35.
- Herlinda, S. 2021. *Batasan dan Ruang Lingkup Ekologi Serangga*. In: S. Herlinda, Y. Pujiastuti, C. Irsan, Riyanto, Arsi, E. Anggraini, T. Karenina, L. Budiarti, L. Rizkie, dan D.M. Octavia (Eds.) *Pengantar Ekologi Serangga*. Unsri Press, Palembang, p: 1-19.
- IRAC. 2012. IRAC Susceptibility Test Methods Series. <http://www.irac-online.org/content/uploads/Method_005_v4.1.pdf>. Diakses pada 4 September 2022.
- Irawan, H., E.F. Agustina, dan D. Tisnadjaja. 2019. Pengaruh konsentrasi pelarut etanol terhadap profil kromatogram dan kandungan senyawa kimia dalam ekstrak daun papaya (*Carica papaya* L.) dan daun patikan kebo (*Euphorbia hirta* L.). *Prosiding Seminar Nasional Kimia Jurusan Kimia FMIPA UNMUL* 40-45.
- Isichaikul, S. and T. Ichikawa. 1993. Relative humidity as an environmental factor determining the microhabitat of the nymphs of the rice brown planthopper, *Nilaparvata lugens* (Stål) (Homoptera: Delphacidae). *Researches on Population Ecology* 35: 361-373.

- Iswanto, E.H. 2020. Pengaruh Insektisida terhadap Kemampuan Adaptasi Wereng Batang Cokelat (*Nilaparvata lugens* Stal) pada Varietas Padi dengan Tingkat Ketahanan Berbeda. Institut Pertanian Bogor. Tesis.
- Kardinan, A., M. Rizal, dan P. Maris. 2020. Pengaruh insektisida nabati kamandrah dan akar tuba terhadap wereng batang coklat. *Jurnal Ilmu-Ilmu Pertanian Indonesia* 22(2): 93-98.
- Karim, S.M.R., F. Zahan, L. Naher, R. Osama, and M.A. Hakim. 2017. Inhibiting effects of siam weed (*Chromolaena odorata* (L.) King & Robinson) on seed germination and seedling growth on four crops. *Bangladesh Journal of Botany* 46(1): 473-480.
- Krishnaiah, N.V. 2014. A global perspective of rice brown planthopper management I—crop-climatic requirement. *International Journal of Molecular Zoology* 4(2): 9-18.
- Liu, X.-D. and Q.-H. Sun. 2016. Early assessment of the yield loss in rice due to the brown planthopper using a hyperspectral remote sensing method. *International Journal of Pest Management* 62(3): 205-213. Abstract. <<https://www.tandfonline.com/doi/full/10.1080/09670874.2016.1174791?scroll=top&needAccess=true>>. Diakses pada 2 Oktober 2021.
- Liu, K., Z. Chen, Q. Su, L. Yue, W.-W. Chen, and W.-Q. Zhang. 2020. Comparative analysis of the ecological fitness and transcriptome between two genotypes of the brown planthopper *Nilaparvata lugens*. *Journal of Integrative Agriculture* 19(6): 1501-1511.
- Lusweti, A., E. Wabuyele, P. Ssegawa, and J. Mauremootoo. 2011. *Chromolaena odorata* (Chromolaena). <[https://keys.lucidcentral.org/keys/v3/eafrinet/weeds/key/weeds/Media/Html/Chromolaena_odorata_\(Chromolaena\).htm](https://keys.lucidcentral.org/keys/v3/eafrinet/weeds/key/weeds/Media/Html/Chromolaena_odorata_(Chromolaena).htm)>. Diakses pada 6 November 2022.
- Manikandan, N. and J.S. Kennedy. 2013. Influence of temperature on egg hatching and development time of brown plant hopper. *International Journal of Plant Protection* 6(2): 376-378. Abstract. <https://www.researchgate.net/publication/297112935_Influence_of_temperature_on_egg_hatching_and_development_time_of_brown_plant_hopper>. Diakses pada 2 Oktober 2022.
- Manjunath, T.M. 1977. A note on oviposition in the macropterous and brachypterous forms of the rice brown planthopper, *Nilaparvata lugens* Stal (Homoptera, Delphacidae). *Proceedings of the Indian Academy of Sciences* 86B(6): 405-408.
- Mochida, O. and T. Okada. 1979. *Taxonomy and Biology of Nilaparvata lugens* (Hom., Delphacidae). In: *Brown Planthopper: Threat to Rice Production in Asia*. International Rice Research Institute, Los Baños, p: 21-43.
- Muzaiyanah, S. 2020. Potensi gulma siam (*Chromolaena odorata* (L.) R.M. King dan H. Robinson) sebagai bioherbisida. *Prosiding Seminar Nasional Magister Agroteknologi Fakultas Pertanian UPN "Veteran" Jawa Timur* 1-10.

- Muzaiyanah, S. 2021. Potensi Gulma Siam sebagai Bioherbisida. <<https://balitkabi.litbang.pertanian.go.id/infotek/potensi-gulma-siam-sebagai-bioherbisida/>>. Diakses pada 30 Desember 2021.
- Nguyen, V.G.N., H.X. Huynh, T.T. Vo, and A. Drogoul. 2011. On weather affecting to brown plant hopper invasion using an agent-based model. *Proceedings of the International Conference on Management of Emergent Digital EcoSystems* 150-157.
- Nurdaaniyah, A., Dadang, dan I.W. Winasa. 2020. Ketahanan padi (*Oryza sativa* L.) varietas IPB 3S terhadap wereng batang coklat (*Nilaparvata lugens* (Stål)) (Hemiptera: Delphacidae). *Jurnal Entomologi Indonesia* 17(2): 97-103.
- Nuryanti, N.S.P., E. Martono, E.S. Ratna, and Dadang. 2018. The bioactivities of selected Piperaceae and Astraceae plant extracts against brown plant hopper (*Nilaparvata lugens* Stål.). *Journal of International Society for Southeast Asian Agricultural Sciences* 24(2): 70-78.
- Piyaphongkul, J. 2013. Effects of Thermal Stress on the Brown Planthopper *Nilaparvata lugens* (Stål). University of Birmingham. Doctoral of Philosophy Thesis.
- Praditya, N.Y. dan Syafrial. 2017. Analisis faktor-faktor keputusan pembelian petani padi terhadap produk pestisida nabati. *Jurnal Ekonomi Pertanian dan Agribisnis* 1(2): 108-118.
- Prakash, A., J. Rao, and V. Nandagopal. 2008. Future of botanical pesticides in rice, wheat, pulses and vegetables pest management. *Journal of Biopesticides* 1(2): 154-169.
- Rahmini, P. Hidayat, E.S. Ratna, I.W. Winasa, dan S. Manuwoto. 2012. Respon biologi wereng batang coklat terhadap biokimia tanaman padi. *Penelitian Pertanian Tanaman Pangan* 31(2): 117-123.
- Rashid, M.M., M. Jahan, K.S. Islam, and M.A. Latif. 2017. Ecological fitness of brown planthopper, *Nilaparvata lugens* (Stål), to rice nutrient management. *Ecological Process* 6(15): xx-xx.
- Ratna, Y., Y.A. Trisyono, Witjaksono, dan D. Indradewa. 2010. Pengaruh konsentrasi dan frekuensi deltametrin terhadap resurgensi *Nilaparvata lugens*. *Jurnal Perlindungan Tanaman Indonesia* 16(1): 6-14.
- Ratna, E. S., A.S. Firmansyah, dan Rahmini. 2016. Pengaruh dosis subletal imidakloprid terhadap kesintasan populasi wereng coklat pada varietas padi rentan dan tahan. *Jurnal HPT Tropika* 16(1): 51-60.
- Riley, J.R., X.-N. Cheng, X.-X. Zhang, D. Reynolds, G.-M. Xu, A. Smith, J.-Y. Cheng, A.-D. Bao, and B.-P. Zhai. 2008. The long-distance migration of *Nilaparvata lugens* (Stål) (Delphacidae) in China: radar observations of mass return flight in the autumn. *Ecological Entomology* 16(4): 471-489. Abstract. <https://www.researchgate.net/publication/228032571_The_long-

distance_migration_of_Nilaparvata_lugens_Stal_Delphacidae_in_China_radar_observations_of_mass_return_flight_in_the_autumn>. Diakses pada 7 September 2022.

- Rosa, S. dan T. Antonio. 2020. Harga dan lokasi pengaruhnya terhadap minat beli calon konsumen Mr Beras. *PERFORMA: Jurnal Manajemen dan Start-Up Bisnis* 5(5): 421-430.
- Samiksha, S. 2022. Brown Plant Hopper (*Nilaparvata lugens*): Distribution, Life History and Control. <<https://www.yourarticlelibrary.com/zoology/brown-plant-hopper-nilaparvata-lugens-distribution-life-history-and-control/23890>>. Diakses pada 1 September 2022.
- Saparni, S. 2020. Siklus Hama Wereng Coklat pada Tanaman Padi. <<http://cybex.pertanian.go.id/artikel/92870/siklus-hama-wereng-coklat-pada-tanaman-padi/>>. Diakses pada 1 September 2022.
- Schramm, S., N. Köhler, and W. Rozhon. 2019. Pyrrolizidine alkaloids: biosynthesis, biological activities and occurrence in crop plants. *Molecules* 24(3): 498.
- Schultz, J.C. 1989. *Tannin-Insect Interactions*. In: R.W. Hemingway, J.J. Karchesy, and S.J. Branham (Eds.) *Chemistry and Significance of Condensed Tannins*. Springer, Boston, p: 417-433.
- Sembiring, D.S.P.S. dan N.S. Sebayang. 2019. Uji efikasi dua herbisida pada pengendalian gulma di lahan sederhana. *Jurnal Pertanian* 10(2): 61-70.
- Senewe, R.E., S. Permatasari, dan M. Pesireron. 2020. Respon hama wereng coklat *Nilaparvata lugens* Stal. (Hemiptera: Delphacidae) terhadap ketahanan dan kerentanan varietas padi. *Jurnal Budidaya Pertanian* 16(1): 51-55.
- Sianipar, M.S., A. Purnama, E. Santosa, R.C.H. Soesilohadi, W.D. Natawigena, N. Susniahti, dan A. Primasongko. 2017. Populasi hama wereng batang coklat (*Nilaparvata lugens* Stal.), keragaman musuh alami predator serta parasitoidnya pada lahan sawah di dataran rendah Kabupaten Indramayu. *Agrologia* 6(1): 44-53.
- Sianipar, M.S. 2018. Fluktuasi populasi serangga wereng batang coklat (*Nilaparvata lugens*) pada lahan sawah di Kabupaten Kerawang Jawa Barat. *Agrologia* 7(2): 90-98.
- Sirinthipaporn, A. and W. Jiraungkoorskul. 2017. Wound healing property review of siam weed, *Chromolaena odorata*. *Pharmacognosy review* 11(21): 35-38.
- Suharjo, R. dan T.N. Aeny. 2011. Eksplorasi potensi gulma siam (*Chromolaena odorata*) sebagai biofungisida pengendali *Phytophthora palmivora* yang diisolasi dari buah kakao. *Jurnal HPT Tropika* 11(2): 201-209.
- Thamrin, M., S. Asikin, dan M. Willis. 2013. Tumbuhan kirinyu *Chromolaena odorata* (L) (Asteraceae: Asterales) sebagai insektisida nabati untuk mengendalikan ulat grayak *Spodoptera litura*. *Jurnal Litbang Pertanian* 32(3): 112-121.

- Trisyono, Y.A., V.E.F. Aryuwandari, T. Rahayu, and E. Martono. 2017. Effects of etofenprox applied at the sublethal concentration on the fecundity of rice brown planthopper, *Nilaparvata lugens*. *Journal of Asia-Pacific Entomology* 20: 547-551.
- Tsatsia, H. and G. Jackson. 2021. Rice Brown Planthopper (064). <https://apps.lucidcentral.org/pppw_v10/text/web_full/entities/rice_brown_planthopper_064.htm>. Diakses pada 24 Agustus 2022.
- Udebuani, A.C., P.C. Abara, K.O. Obasi, and S.U. Okuh. 2015. Studies on the insecticidal properties of *Chromolaena odorata* (Asteraceae) against adult stage of *Periplaneta americana*. *Journal of Entomology and Zoology Studies* 3(1): 318-321.
- Untung, K. 2006. *Pengantar Pengelolaan Hama Terpadu*. Gadjah Mada University Press, Yogyakarta.
- Untung, K. 2007. *Kebijakan Perlindungan Tanaman*. Gadjah Mada University Press, Yogyakarta.
- Wahyuningsih, D. 2012. Kajian Pengaruh Unsur Iklim terhadap Fekunditas, Fertilitas, dan Luas Serangan Wereng Batang Coklat (*Nilaparvata lugens* Stal.) di Sukoharjo. Universitas Sebelas Maret. Skripsi.
- Xu, H.-X., X.-C. He, X.-S. Zheng, Y.-J. Yang, and Z.-X. Lu. 2014. Influence of rice black streaked dwarf virus on the ecological fitness of non-vector planthopper *Nilaparvata lugens* (Hemiptera: Delphacidae). *Insect Science* 21: 507-514.
- Yulia, E., F. Widiyanti, dan A. Susanto. 2020. Manajemen aplikasi pestisida tepat dan bijaksana pada kelompok tani padi dan sayuran di SPLPP Arjasari. *Kumawula* 3(2): 310-324.
- Zachariades, C., M. Day, R. Muniappan, and G.V.P. Reddy. 2009. *Chromolaena odorata* (L.) King and Robinson (Asteraceae). In: *Biological Control of Tropical Weeds using Arthropods*. Cambridge University Press, Cambridge. p: 130-162.