

REFERENCES

- Abdal-Hay, A., Hamdy Makhoulouf, A.S., and Khalil, K.A., 2015, Novel, facile, single-step technique of polymer/TiO₂ nanofiber composites membrane for photodegradation of methylene blue, *ACS Appl Mater Interfaces*, 7, 13329–13341.
- Alhaddad, M., Ismail, A.A., Alghamdi, Y.G., Al-Khathami, N.D., and Mohamed, R.M., 2022, Co₃O₄ nanoparticles accommodated mesoporous TiO₂ framework as an excellent photocatalyst with enhanced photocatalytic properties, *Opt Mater (Amst)*, 131, 112643.
- Ashkarran, A.A., Fakhari, M., Hamidinezhad, H., Haddadi, H., and Nourani, M.R., 2015, TiO₂ nanoparticles immobilized on carbon nanotubes for enhanced visible-light photo-induced activity, *Journal of Materials Research and Technology*, 4, 126–132.
- Bian, L., Yang, J., and Cheng, Y., 2022, Molecular structure-based study on the elastic properties of carbon nanotubes in a thermal environment, *J Mol Struct*, 1262, 133013.
- Das, R., Abd Hamid, S.B., Ali, M.E., Ismail, A.F., Annuar, M.S.M., and Ramakrishna, S., 2014, Multifunctional carbon nanotubes in water treatment: The present, past and future, *Desalination*, 354, 160–179.
- Das, R., Ali, M.E., Hamid, S.B.A., Ramakrishna, S., and Chowdhury, Z.Z., 2014, Carbon nanotube membranes for water purification: A bright future in water desalination, *Desalination*, 336, 97–109.
- Eldin, M.S.M., El-Sakka, S.A., El-Masry, M.M., Abdel-Gawad, I.I., and Garybe, S.S., 2020, Methylene blue removal by nano-polyacrylonitrile particles: Modelling and formulation studies, *Desalination Water Treat*, 178, 322–336.
- Garcia Maraschin, T., da Silva Correa, R., Frederico Rodrigues, L., Maria Balzaretti, N., Antonio Malmonge, J., Barrera Galland, G., and Regina de Souza Basso, N., 2019, Chitosan nanocomposites with graphene-based filler, *Materials Research*, 22, 20180829.
- Ghasemzadeh, S., Hosseini-Monfared, H., Ghorbanloo, M., Beglau, T.H.Y., Rademacher, L., Spieß, A., Woschko, D., and Janiak, C., 2022, Scalable synthesis of SWCNT via CH₄/N₂ gas: The effects of purification on photocatalytic properties of CNT/TiO₂ nanocomposite, *J Environ Chem Eng*, 10.
- Gupta, S., Pramanik, A.K., Kailath, A., Mishra, T., Guha, A., Nayar, S., and Sinha, A., 2009, Composition dependent structural modulations in transparent poly(vinyl alcohol) hydrogels, *Colloids Surf B Biointerfaces*, 74, 186–190.
- Hanifa, I.I., Sunu, W., and Dwandaru, B., 2021, Sintesis dan karakterisasi graphene oxide berbahan dasar grafit olahan menggunakan metode audiosonikasi, *Jurnal Ilmu Fisika dan Terapannya*, 8.
- Hastuti, L.P., Kusumaatmaja, A., Darmawan, A., and Kartini, I., 2022a, Effect of polymer concentration on the photocatalytic membrane performance of

- PAN/TiO₂/CNT nanofiber for methylene blue removal through cross-flow membrane reactor, *Bulletin of Chemical Reaction Engineering & Catalysis*, 17, 350–362.
- Hastuti, L.P., Kusumaatmaja, A., Darmawan, A., and Kartini, I., 2022b, Photocatalytic membrane of TiO₂/CNT decorated PAN nanofibers with enhanced performance under LED visible-light irradiation, *Energy and Environment*.
- Jagtoyen, M., Pardue, J., Rantell, T., Grulke, E., and Derbyshire, F., 2000, Porosity of carbon nanotubes, *ACS Division of Fuel Chemistry, Preprints*, 45, 908–911.
- Jelovica Badovinac, I., Peter, R., Omerzu, A., Salamon, K., Šarić, I., Samaržija, A., Perčić, M., Kavre Piltaver, I., Ambrožić, G., and Petravić, M., 2020, Grain size effect on photocatalytic activity of TiO₂ thin films grown by atomic layer deposition, *Thin Solid Films*, 709, 138215.
- Jiang, C., Cai, S., Mao, L., and Wang, Z., 2020, Effect of porosity on dynamic mechanical properties and impact response characteristics of high aluminum content ptfе/al energetic materials, *Materials*, 13,
- Joy, J., George, E., Haritha, P., Thomas, S., and Anas, S., 2020, An overview of boron nitride-based polymer nanocomposites, *Journal of Polymer Science*, 58, 3115–3141.
- Katal, R., Masudy-Panah, S., Tanhaei, M., Farahani, M.H.D.A., and Jiangyong, H., 2020, A review on the synthesis of the various types of anatase TiO₂ facets and their applications for photocatalysis, *Chemical Engineering Journal*, 384, 123384.
- Kim, S., Kuk, Y.S., Jin, F.L., and Park, S.J., 2014, Synthesis of polyacrylonitrile as precursor for high-performance ultrafine fibrils, *Bull Korean Chem Soc*, 35, 407–414.
- Lantara, D., Kalla, R., and Asnawi, I., 2009, Proses akrolein dengan proses degradasi menggunakan gelombang suara, *Journal of Chemical Process Engineering*, 4, 97–102.
- Li, W., Yang, Z., Zhang, G., Fan, Z., Meng, Q., Shen, C., and Gao, C., 2014, Stiff metal-organic framework-polyacrylonitrile hollow fiber composite membranes with high gas permeability, *J Mater Chem A Mater*, 2, 2110–2118.
- Li, Y., Du, Q., Liu, T., Peng, X., Wang, J., Sun, J., Wang, Y., Wu, S., Wang, Z., Xia, Y., and Xia, L., 2013, Comparative study of methylene blue dye adsorption onto activated carbon, graphene oxide, and carbon nanotubes, *Chemical Engineering Research and Design*, 91, 361–368.
- Liu, Q., Xu, N., Fan, L., Ding, A., and Dong, Q., 2020, Polyacrylonitrile (PAN)/TiO₂ mixed matrix membrane synthesis by thermally induced self-crosslinking for thermal and organic-solvent resistant filtration, *Chem Eng Sci*, 228.
- Lung, I., Soran, M.L., Stegarescu, A., Opris, O., Gutoiu, S., Leostean, C., Lazar, M.D., Kacso, I., Silipas, T.D., and Porav, A.S., 2021, Evaluation of CNT-

- COOH/MnO₂/Fe₃O₄ nanocomposite for ibuprofen and paracetamol removal from aqueous solutions, *J Hazard Mater*, 403, 123528.
- Madenli, E.C. and Ciftci, Z.I., 2022, Effects of the carbon nanotube and polymer amounts on ultrafiltration membranes, *Environmental Engineering Research*, 27, 1–8.
- Misran, E., Bani, O., Situmeang, E.M., and Purba, A.S., 2018, IOP Conference Series: Earth and Environmental Science Removal efficiency of methylene blue using activated carbon from waste banana stem: Study on pH influence Removal efficiency of methylene blue using activated carbon from waste banana stem: Study on pH influence, *IOP Conf. Series: Earth and Environmental Science*, 122, 12085.
- Mohammad, N. and Atassi, Y., 2020, Adsorption of methylene blue onto electrospun nanofibrous membranes of polylactic acid and polyacrylonitrile coated with chloride doped polyaniline, *Scientific Reports 2020 10:1*, 10, 1–19.
- Mpelane, A., Katwire, D.M., Mungondori, H.H., Nyamukamba, P., and Taziwa, R.T., 2020, application of novel C-TiO₂-CFA/PAN photocatalytic membranes in the removal of textile dyes in wastewater, *Catalysts 2020, Vol. 10, Page 909*, 10, 909.
- Nocuń, M., Kwaśny, S., Kwaśny, M., and Grelowska, I., 2018, Spectroscopy studies of TiO₂/carbon nanotubes nanocomposite layers synthesized by the sol-gel method, *J Mol Struct*, 1167, 194–199.
- Olowoyo, J.O., Kumar, M., Jain, S.L., Babalola, J.O., Vorontsov, A. v., and Kumar, U., 2019, Insights into reinforced photocatalytic activity of the CNT-TiO₂ nanocomposite for CO₂ reduction and water splitting, *Journal of Physical Chemistry C*, 123, 367–378.
- Paik, S., Satpati, S.K., Gupta, S.K., Sahu, M.L., and Singh, D.K., 2021, Study on the effects of sonication on reactive precipitation of ammonium uranyl carbonate from pure uranyl nitrate solution, *Journal of Nuclear Materials*, 557, 153222.
- Panahian, Y. and Arsalani, N., 2017, Synthesis of hedgehoglike F-TiO₂(B)/CNT nanocomposites for sonophotocatalytic and photocatalytic degradation of malachite green (mg) under visible light: kinetic study, *Journal of Physical Chemistry A*, 121, 5614–5624.
- Paunovic, P., Grozdanov, A., Makreski, P., Dimitrievska, I., and Petrovski, A., 2022, Structural changes of TiO₂ as a result of CNTs incorporation, *Material Science & Engineering International Journal*, 31–39.
- Przybysz, P., Dubowik, M., Kucner, M.A., Przybysz, K., and Buzala, K.P., 2016, Contribution of Hydrogen Bonds to Paper Strength Properties, *PLoS One*, 11,
- Rápó, E. and Tonk, S., 2021, Factors affecting synthetic dye adsorption; desorption studies: A review of results from the last five years (2017–2021), *Molecules*, 26,
- Sahay, R., Agarwal, K., Subramani, A., Raghavan, N., Budiman, A.S., and Baji, A., 2020, Helicoidally arranged polyacrylonitrile fiber-reinforced strong and impact-

- resistant thin polyvinyl alcohol film enabled by electrospinning-based additive manufacturing, *Polymers (Basel)*, 12, 1–23.
- Saputra, E., Saputra, R., Nugraha, M.W., Irianty, R.S., and Utama, P.S., 2018, Removal of Methylene Blue from aqueous solution using spent bleaching earth, *IOP Conf Ser Mater Sci Eng*, 345,
- Saud, P.S., Ghouri, Z.K., Pant, B., An, T., Lee, J.H., Park, M., and Kim, H.Y., 2016, Photocatalytic degradation and antibacterial investigation of nano synthesized Ag₃VO₄ particles @PAN nanofibers, *Carbon Letters*, 18, 30–36.
- Shieh, Y.T., Chen, J.Y., Twu, Y.K., and Chen, W.J., 2012, The effect of pH and ionic strength on the dispersion of carbon nanotubes in poly(acrylic acid) solutions, *Polym Int*, 61, 554–559.
- Sianipar, M., Kim, S.H., Khoiruddin, Iskandar, F., and Wenten, I.G., 2017, Functionalized carbon nanotube (CNT) membrane: Progress and challenges, *RSC Adv*, 7, 51175–51198.
- Sousa, H.R., Silva, L.S., Sousa, P.A.A., Sousa, R.R.M., Fonseca, M.G., Osajima, J.A., and Silva-Filho, E.C., 2019, Evaluation of methylene blue removal by plasma activated palygorskites, *Journal of Materials Research and Technology*, 8, 5432–5442.
- Thamaphat, K., Limsuwan, P., and Ngotawornchai, B., 2008, Phase Characterization of TiO₂ Powder by XRD and TEM, *Nat. Sci.*, 42, 357–361.
- Tristiyanti, D., Putri, Y.D., and Utami, R.N., 2019, Pembuatan patch bukal mukoadhesif atenolol dengan variasi konsentrasi polimer Na-CMC dan PVP K-30, *Jurnal Sains Dan Teknologi Farmasi Indonesia*, 7.
- Wang, W., Serp, P., Kalck, P., and Faria, J.L., 2005, Visible light photodegradation of phenol on MWNT-TiO₂ composite catalysts prepared by a modified sol–gel method, *J Mol Catal A Chem*, 235, 194–199.
- Wang, X.S., Zhou, Y., and Jiang, Y., 2008, removal of methylene blue from aqueous solution by non-living biomass of marine algae and freshwater macrophyte, 26, 853–863.
- Woan, K., Pyrgiotakis, G., and Sigmund, W., 2009, Photocatalytic carbon-nanotube-TiO₂ composites, *Advanced Materials*, 21, 2233–2239.
- Wongaree, M., Chiarakorn, S., Chuangchote, S., and Sagawa, T., 2016, Photocatalytic performance of electrospun CNT/TiO₂ nanofibers in a simulated air purifier under visible light irradiation, *Environmental Science and Pollution Research*, 23, 21395–21406.
- Yadav, S., Ibrar, I., Samal, A.K., Altaee, A., Déon, S., Zhou, J., and Ghaffour, N., 2022, Preparation of fouling resistant and highly perm-selective novel PSf/GO-vanillin nanofiltration membrane for efficient water purification, *J Hazard Mater*, 421, 126744.
- Yar, A. and Parlayici, Ş., 2022, Carbon nanotubes/ polyacrylonitrile composite nanofiber mats for highly efficient dye adsorption, *Colloids Surf A Physicochem Eng Asp*, 651, 129703.

- Yushkin, A.A., Efimov, M.N., Vasilev, A.A., Karpacheva, G.P., and Volkov, A. v., 2018, PAN filtration membranes with extended solvent stability, In, *Journal of Physics: Conference Series*. Institute of Physics Publishing.
- Yusuf, L., Symes, M.D., and Prentice, P., 2021, Characterising the cavitation activity generated by an ultrasonic horn at varying tip-vibration amplitudes, *Ultrason Sonochem*, 70, 105273.
- Zhong, Y.J. and Bian, W.F., 2017, Effect of Crystallites Structure of PAN-based Carbon Fibers on Tensile Strength, *Cailiao Gongcheng/Journal of Materials Engineering*, 45, 37–42.
- Zhu, G., Wang, F., Xu, K., Gao, Q., and Liu, Y., 2013, Study on properties of poly(vinyl alcohol)/polyacrylonitrile blend film, *Polimeros*, 23, 146–151.