

## DAFTAR PUSTAKA

- Arda, I.S. and Özyaylali, I., 2001. Testicular tissue bleeding as an indicator of gonadal salvageability in testicular torsion surgery. *BJU international*, 87(1), pp.89-92.
- Angkananard, T., Anothaisintawee, T., McEvoy, M., Attia, J., & Thakkestian, A. (2018). Neutrophil lymphocyte ratio and cardiovascular disease risk: a systematic review and meta-analysis. *BioMed research international*, 2018.
- Balta, S. and Ozturk, C., 2015. The platelet-lymphocyte ratio: a simple, inexpensive and rapid prognostic marker for cardiovascular events. *Platelets*, 26(7), pp.680-681.
- Baker LA, Sigman D, Matthews RI, Benson J, Docimo SG. An analysis of clinical outcomes using color doppler testicular ultrasound for testicular torsion. *Pediatrics* 2000;105(3 Pt 1):604e7.
- Bitkin A, Aydın M, Ozgur BC, *et al.* Can haematologic parameters be used for differential diagnosis of testicular torsion and epididymitis? *Andrologia* 2018; 50: e12819.
- Bozkurt Y, Soylemez H, Sancaktutar AA, *et al.* Relationship between mean platelet volume and varicocele: a preliminary study. *Urology* 2012; 79: 1048–1051.

Boybeyi O, Yazici I, Unlu G, *et al.* Intravital microscopic evaluation of cremasteric microcirculation in testicular torsion evaluation. J Pediatr Urol 2013; 9: 940–944.

Chen, Y., Ren, J., Yang, N., Huang, H., Hu, X., Sun, F., Zeng, T., Zhou, X., Pan, W., Hu, J. and Gao, B., 2021. Eosinophil-to-monocyte ratio is a potential predictor of prognosis in acute ischemic stroke patients after intravenous thrombolysis. Clinical Interventions in Aging, 16, p.853.

Cicek T, Togan T, Akbaba K, *et al.* The value of serum mean platelet volume in testicular torsion. J Int Med Res 2015; 43: 452–459.

Ciftci H, Yeni E, Demir M, *et al.* Can the mean platelet volume be a risk factor for vasculogenic erectile dysfunction? World J Mens Health 2013; 31: 215–219.

Cost NG, Bush NC, Barber TD, Huang R, Baker LA. Pediatric testicular torsion: demographics of national orchiopexy versus orchiectomy rates. J Urol 2011;185(6 Suppl.):2459e63.

Cubillos J, Palmer JS, Friedman SC, Freyle J, Lowe FC, Palmer LS. Familial testicular torsion. J Urol 2011;185(6 Suppl.):2469e72.

Cuckow, P.M. and Frank, J.D., 2000. Torsion of the testis. BJU international, 86(3), pp.349-353.

Dirican, N., Anar, C., Kaya, S., Bircan, H.A., Colar, H.H. and Cakir, M., 2016. The clinical significance of hematologic parameters in patients with sarcoidosis. The clinical respiratory journal, 10(1), pp.32-39.

Favorito LA, Cavalcante AG, Costa WS. Anatomic aspects of epididymis and tunica vaginalis in patients with testicular torsion. *Int Braz J Urol* 2004;30(5):420e4.

Forget, P., Khalifa, C., Defour, J.P., Latinne, D., Van Pel, M.C. and De Kock, M., 2017. What is the normal value of the neutrophil-to-lymphocyte ratio?. *BMC research notes*, 10(1), pp.1-4.

Frohlich, L.C., Paydar-Darian, N., Cilento Jr, B.G. and Lee, L.K., 2017. Prospective validation of clinical score for males presenting with an acute scrotum. *Academic Emergency Medicine*, 24(12), pp.1474-1482.

Gasparyan, A.Y., Sandoo, A., Stavropoulos-Kalinoglou, A. and Kitas, G.D., 2010. Mean platelet volume in patients with rheumatoid arthritis: the effect of anti-TNF-alpha therapy. *Rheumatology international*, 30(8), pp.1125-1129.

Gunes M, Umul M, Altok M, *et al*. Predictive role of hematologic parameters in testicular torsion. *Korean J Urol* 2015; 56: 324–329.

He, M., Zhang, W. and Sun, N., 2019. Can haematologic parameters be used to predict testicular viability in testicular torsion?. *Andrologia*, 51(9), p.e13357.

Ishizuka, M., Shimizu, T. and Kubota, K., 2013. Neutrophil-to-lymphocyte ratio has a close association with gangrenous appendicitis in patients undergoing appendectomy. *International surgery*, 97(4), pp.299-304.

Jang, J.B., Ko, Y.H., Choi, J.Y., Song, P.H., Moon, K.H. and Jung, H.C., 2019. Neutrophil-lymphocyte ratio predicts organ salvage in testicular torsion

with marginal diagnostic delay. *The World Journal of Men's Health*, 37(1), pp.99-104.

Kamath S, Blann AD and Lip GY. Platelet activation: assessment and quantification. *Eur Heart J* 2001; 22: 1561–1571

Kalfa N, Veyrac C, Baud C, Couture A, Averous M, Galifer RB. Ultrasonography of the spermatic cord in children with testicular torsion: impact on the surgical strategy. *J Urol* 2004; 172(4 Pt 2):1692e5 [discussion 1695].

Kalogeris, T., Baines, C.P., Krenz, M. and Korthuis, R.J., 2012. Cell biology of ischemia/reperfusion injury. *International review of cell and molecular biology*, 298, pp.229-317.

Karaguzel, E., Kadihasanoglu, M. and Kutlu, O., 2014. Mechanisms of testicular torsion and potential protective agents. *Nature Reviews Urology*, 11(7), pp.391-399.

Kaye JD, Shapiro EY, Levitt SB, Friedman SC, Gitlin J, Freyle J, Palmer LS. Parenchymal echo texture predicts testicular salvage after torsion: potential impact on the need for emergent exploration. *J Urol* 2008;180(4 Suppl.):1733e6.

Kurtul, A., & Ornek, E. (2019). Platelet to lymphocyte ratio in cardiovascular diseases: a systematic review. *Angiology*, 70(9), 802-818.

Kutikov A, Casale P, White MA, Meyer WA, Chang A, Gosalbez R, Canning DA. Testicular compartment syndrome: a new approach to conceptualizing and managing testicular torsion. *Urology* 2008;72(4):786e9.

Mansbach JM, Forbes P, Peters C. Testicular torsion and risk factors for orchiectomy. Arch Pediatr Adolesc Med 2005; 159(12):1167e71.

Maruti M, Ryantono F, Hafiq HM, Makhmudi A, Gunadi. 2020. Prognostic factors for pediatric testicular torsion outcomes. Malaysian Journal of Medicine and Health Sciences, 16 (Suppl 3), pp. 15-17.

Mehmet, F., Urfalioglu, A., Bakacak, M., Boran, Ö.F. and Bülbüloğlu, E., 2018. Efficacy of the evaluation of inflammatory markers for the reduction of negative appendectomy rates. Indian Journal of Surgery, 80(1), pp.61-67.

Mittnacht AJ. Near infrared spectroscopy in children at high risk of low perfusion. Curr Opin Anaesthesiol 2010;23(3): 342e7.

Molokwu CN, Somani BK, Goodman CM. Outcomes of scrotal exploration for acute scrotal pain suspicious of testicular torsion: a consecutive case series of 173 patients. BJU Int 2011;107(6):990e3.

Narci, H., Turk, E., Karagulle, E., Togan, T. and Karabulut, K., 2013. The role of mean platelet volume in the diagnosis of acute appendicitis: a retrospective case-controlled study. Iranian Red Crescent Medical Journal, 15(12).

Nef S, Parada LF. Cryptorchidism in mice mutant for *Insl3*. Nat Genet 1999;22(3):295e9.

Palmer JS, Cromie WJ, Plzak LF, *et al.* A platelet activating factor antagonist attenuates the effects of testicular ischemia. J Urol 1997; 158: 1186–1190.

- Pinar, U., Duquesne, I., Lannes, F., Bardet, F., Kaulanjan, K., Michiels, C., de Mazancourt, E.S., Dominique, I., Vallee, M., Felber, M. and Freton, L., 2022. The use of Doppler ultrasound for suspected testicular torsion: lessons learned from a 15-year multicentre retrospective study of 2922 patients. *European Urology Focus*, 8(1), pp.105-111.
- Pogorelić, Z., Mrklić, I. and Jurić, I., 2013. Do not forget to include testicular torsion in differential diagnosis of lower acute abdominal pain in young males. *Journal of pediatric urology*, 9(6), pp.1161-1165.
- Rai, A., Singh, R., Mehana, O. and Alam, A., 2022. 164 Testicular Torsion: A Race to Beat the Golden Hours. *British Journal of Surgery*, 109(Supplement\_1), pp.znac039-095.
- Sozubir S, Barber T, Wang Y, Ahn C, Zhang S, Verma S , *et al.* Loss of *Insl3*: a potential predisposing factor for testicular torsion. *J Urol* 2010;183(6):2373e9.
- Wang Y, Fina M, Zhang S, Taussig R, Baker LA. Screening for a genetic basis for testicular torsion: the insulin-3 (*Insl3*) and *Lgr8* genes. *J Urol* 2008;179(4):147
- Watanabe, K., Yasumoto, A., Amano, Y., Kage, H., Goto, Y., Yatomi, Y., Takai, D. and Nagase, T., 2018. Mean platelet volume and lymphocyte-to-monocyte ratio are associated with shorter progression-free survival in

EGFR-mutant lung adenocarcinoma treated by EGFR tyrosine kinase inhibitor. PLoS One, 13(9), p.e0203625.

Weinbauer, G.F., Luetjens, C.M., Simoni, M. and Nieschlag, E., 2010. Physiology of testicular function. In Andrology (pp. 11-59). Springer, Berlin, Heidelberg.

Yang C Jr, Song B, Liu X, *et al.* Acute scrotum in children: an 18-year retrospective study. Pediatr Emerg Care 2011; 27: 270–274.

Yang, Y., Xie, D. and Zhang, Y., 2021. Increased Platelet-to-Lymphocyte Ratio is an Independent Predictor of Hemorrhagic Transformation and In-Hospital Mortality Among Acute Ischemic Stroke with Large-Artery Atherosclerosis Patients. International Journal of General Medicine, 14, p.7545.

Yerkes EB, Robertson FM, Gitlin J, Kaefer M, Cain MP, Rink RC. Management of perinatal torsion: today, tomorrow or never? Urol 2005;174(4 Pt 2):1579e82 [discussion 1582e3].

Yilmaz, M., Sahin, Y., Hacibey, I., Ozkuvanci, U., Suzan, S. and Muslumanoglu, A.Y., 2022. Should haematological inflammatory markers be included as an adjuvant in the differential diagnosis of acute scrotal pathologies?. Andrologia, 54(4), p.e14374.

Yu, S., Luo, Y., Zhang, T., Huang, C., Fu, Y., Zhang, Q., Zeng, F., Huang, H., Zhang, C. and Guo, Z., 2021. Eosinophil-to-monocyte ratio is a potential biomarker in the prediction of functional outcome among patients with acute ischemic stroke. BMC neuroscience, 22(1), pp.1-10.

Yucel, C. and Ozlem Ilbey, Y., 2019. Predictive value of hematological parameters in testicular torsion: retrospective investigation of data from a high-volume tertiary care center. *Journal of International Medical Research*, 47(2), pp.730-737.

Yuri Gasparyan, A., Ayvazyan, L., P Mikhailidis, D., & D Kitas, G. (2011). Mean platelet volume: a link between thrombosis and inflammation?. *Current pharmaceutical design*, 17(1), 47-58.

Zhu, J., Song, Y., Chen, G., Hu, R., Ou, N., Zhang, W., Liang, Z. and Liu, X., 2020. Predictive value of haematologic parameters in diagnosis of testicular torsion: Evidence from a systematic review and meta-analysis. *Andrologia*, 52(2), p.e13490.