

- Ali, S., Abbas, Z., Rizwan, M., Zaheer, I.E., Yavas, I., Ünay, A., Abdel-Daim, M.M., Bin-Jumah, M., Hasanuzzaman, M. and Kalderis, D. (2020) ‘Application of floating aquatic plants in phytoremediation of heavy metals polluted water: A review’, *Sustainability (Switzerland)*, 12(5), pp. 1–33. Available at: <https://doi.org/10.3390/su12051927>.
- Alinnor, I.J. (2007) ‘Adsorption of heavy metal ions from aqueous solution by fly ash’, *Fuel*, 86(5–6), pp. 853–857. Available at: <https://doi.org/10.1016/j.fuel.2006.08.019>.
- Alterary, S.S. and Marei, N.H. (2021) ‘Fly ash properties, characterization, and applications: A review’, *Journal of King Saud University - Science*. Elsevier B.V. Available at: <https://doi.org/10.1016/j.jksus.2021.101536>.
- Ansari, A.A., Naeem, M., Gill, S.S. and AlZuaibr, F.M. (2020) ‘Phytoremediation of contaminated waters: An eco-friendly technology based on aquatic macrophytes application’, *Egyptian Journal of Aquatic Research*, 46(4), pp. 371–376. Available at: <https://doi.org/10.1016/j.ejar.2020.03.002>.
- Arora, R. (2019) ‘Adsorption of heavy metals-a review’, *Materials Today: Proceedings*, 18(1), pp. 4745–4750. Available at: <https://doi.org/10.1016/j.matpr.2019.07.462>.
- Astuti, W., Semarang, U.N., Wahyuni, E.T., Mada, U.G., Prasetya, A., Mada, U.G., Bendiyasa, I.M. and Mada, U.G. (2014) ‘The Character of Dual Site Adsorbent on Coal Fly Ash Toward Benzene Jurnal Teknologi’, (February 2017). Available at: <https://doi.org/10.14207/ejsd.2014.v3n3p227>.
- Banerjee, R., Goswami, P., Lavania, S., Mukherjee, A. and Lavania, U.C. (2019) ‘Vetiver grass is a potential candidate for phytoremediation of iron ore mine spoil dumps’, *Ecological Engineering*, 132, pp. 120–136. Available at: <https://doi.org/10.1016/j.ecoleng.2018.10.012>.
- Banerjee, R., Goswami, P., Pathak, K. and Mukherjee, A. (2016) ‘Vetiver grass: An environment clean-up tool for heavy metal contaminated iron ore mine-soil’, *Ecological Engineering*, 90, pp. 25–34. Available at: <https://doi.org/10.1016/j.ecoleng.2016.01.027>.
- Belova, D.A., Lakshtanov, L.Z., Carneiro, J.F. and Stipp, S.L.S. (2014) ‘Nickel adsorption on chalk and calcite’, *Journal of Contaminant Hydrology*, 170, pp. 1–9. Available at: <https://doi.org/10.1016/j.jconhyd.2014.09.007>.

- Cho, H., Oh, D. and Kim, K. (2005) 'A study on removal characteristics of heavy metals from aqueous solution by fly ash', *Journal of Hazardous Materials*, 127(1–3), pp. 187–195. Available at: <https://doi.org/10.1016/j.jhazmat.2005.07.019>.
- Chua, J., Banua, J.M., Arcilla, I., Orbecido, A., de Castro, M.E., Ledesma, N., Deocaris, C., Madrazo, C. and Belo, L. (2019) 'Phytoremediation potential and copper uptake kinetics of Philippine bamboo species in copper contaminated substrate', *Heliyon*, 5(9), p. e02440. Available at: <https://doi.org/10.1016/j.heliyon.2019.e02440>.
- Danh, L.T., Truong, P., Mammucari, R., Tran, T. and Foster, N. (2009) 'Vetiver grass, *Vetiveria zizanioides*: A choice plant for phytoremediation of heavy metals and organic wastes', *International Journal of Phytoremediation*, 11(8), pp. 664–691. Available at: <https://doi.org/10.1080/15226510902787302>.
- Danh, L.T., Truong, P., Mammucari, R., Tran, T., Foster, N., Danh, L.T., Truong, P., Mammucari, R., Tran, T. and Foster, N. (2009) 'VETIVER GRASS , VETIVERIA ZIZANIOIDES : A CHOICE PLANT FOR PHYTOREMEDIATION OF HEAVY METALS AND ORGANIC WASTES', 6514. Available at: <https://doi.org/10.1080/15226510902787302>.
- Das, P.K. (2018) 'Phytoremediation and Nanoremediation : Emerging Techniques for Treatment of Acid Mine Drainage Water', *Defence Life Science Journal*, 3(2), p. 190. Available at: <https://doi.org/10.14429/dlsj.3.11346>.
- Dunia Energi (2016) 'Limbah Abu Batu Bara pada 2019 Capai 8,31 Juta Ton - Dunia Energi', <https://www.dunia-energi.com/7010-2/> [Preprint].
- Evasari, J. (2012) *Pemanfaatan Lahan Basah Buatan dengan Menggunakan Tanaman *Typha Latifolia* untuk Mengelola Limbah Cair Domestik*.
- Fauzan, A., Aman and Drastinawati (2014) 'Pemanfaatan Fly Ash Batu Bara Sebagai Adsorben Logam Berat Ion Pb²⁺ Yang Terlarut Dalamair', *Jom FTeknik*, 1(2), pp. 1–6.
- Fritioff, A. (2005) *Metal accumulation by plants : evaluation of the use of plants in stormwater treatment*. Department of Botany, Stockholm University.
- Fu, F. and Wang, Q. (2011) 'Removal of heavy metal ions from wastewaters: A review', *Journal of Environmental Management*, 92(3), pp. 407–418. Available at: <https://doi.org/10.1016/j.jenvman.2010.11.011>.
- Gao, P., Sun, X., Xiao, E., Xu, Z., Li, B. and Sun, W. (2019) 'Characterization of iron-metabolizing communities in soils contaminated by acid mine drainage from an

Research, 26(10), pp. 9585–9598. Available at: <https://doi.org/10.1007/s11356-019-04336-6>.

- Ge, J.C., Yoon, S.K. and Choi, N.J. (2018) 'Application of Fly Ash as an adsorbent for removal of air and water pollutants', *Applied Sciences (Switzerland)*, 8(7). Available at: <https://doi.org/10.3390/app8071116>.
- Gurnita, G., Sondari, N. and Budiasih, R. (2017) 'Potensi Rumput Akar Wangi (*Vetiveria zizanioides* L.) Sebagai Akumulator Logam Berat Timbal (Pb) Pada Tailing Tambang Emas Dengan Pengindus Amonium Sulfat', *BIOSFER : Jurnal Biologi dan Pendidikan Biologi*, 2(1), pp. 26–35. Available at: <https://doi.org/10.23969/biosfer.v2i1.373>.
- Gwenzi, W., Mushaike, C.C., Chaukura, N. and Bunhu, T. (2017) 'Entfernung von Spurenmetallen aus saurem Grubenwasser durch sequenzielle Kombination aus Adsorbentien aus Kohleaschen und Pflanzenbehandlung mit Bunch-Gras (*Vetiver [Vetiveria zizanioides L.]*)', *Mine Water and the Environment*, 36(4), pp. 520–531. Available at: <https://doi.org/10.1007/s10230-017-0439-3>.
- Herniwanti, Priatmadi, J.B. and Yanuwadi, B. (2013) 'Water Plants Characteristic for Phytoremediation of Acid Mine Drainage Passive Treatment', *Journal of Basic & Applied Sciences*, 13(6), pp. 1–14.
- Iakovleva, E., Mäkilä, E., Salonen, J., Sitarz, M., Wang, S. and Sillanpää, M. (2015) 'Acid mine drainage (AMD) treatment: Neutralization and toxic elements removal with unmodified and modified limestone', *Ecological Engineering*, 81, pp. 30–40. Available at: <https://doi.org/10.1016/j.ecoleng.2015.04.046>.
- Iti, S. (2020) 'ICP-OES: An Advance Tool in Biological Research', *Open Journal of Environmental Biology*, pp. 027–033. Available at: <https://doi.org/10.17352/ojeb.000018>.
- Jones, S.N. and Cetin, B. (2017) 'Evaluation of waste materials for acid mine drainage remediation', *Fuel*, 188, pp. 294–309. Available at: <https://doi.org/10.1016/j.fuel.2016.10.018>.
- Kefeni, K.K., Msagati, T.A.M. and Mamba, B.B. (2017) 'Acid mine drainage: Prevention, treatment options, and resource recovery: A review', *Journal of Cleaner Production*, 151, pp. 475–493. Available at: <https://doi.org/10.1016/j.jclepro.2017.03.082>.

- Kocak, Y. and Nas, S. (2014) 'The effect of using fly ash on the strength and hydration characteristics of blended cements', *Construction and Building Materials*, 73, pp. 25–32. Available at: <https://doi.org/10.1016/j.conbuildmat.2014.09.048>.
- Koptsik, G.N. (2014) 'Problems and prospects concerning the phytoremediation of heavy metal polluted soils: A review', *Eurasian Soil Science*, 47(9), pp. 923–939. Available at: <https://doi.org/10.1134/S1064229314090075>.
- Kusdarto (2008) 'Potensi Zeolit Di Indonesia', *Jurnal Zeolit Indonesia*, 7(1411–6723), p. 2.
- Lizama-Allende, K., Ayala, J., Jaque, I. and Echeverría, P. (2021) 'The removal of arsenic and metals from highly acidic water in horizontal subsurface flow constructed wetlands with alternative supporting media', *Journal of Hazardous Materials*, 408(November 2020). Available at: <https://doi.org/10.1016/j.jhazmat.2020.124832>.
- Ma, J., Qin, G., Zhang, Y., Sun, J., Wang, S. and Jiang, L. (2018) 'Heavy metal removal from aqueous solutions by calcium silicate powder from waste coal fly-ash', *Journal of Cleaner Production*, 182, pp. 776–782. Available at: <https://doi.org/10.1016/j.jclepro.2018.02.115>.
- Ma, Y., Prasad, M.N.V., Rajkumar, M. and Freitas, H. (2011) 'Plant growth promoting rhizobacteria and endophytes accelerate phytoremediation of metalliferous soils', *Biotechnology Advances*, 29(2), pp. 248–258. Available at: <https://doi.org/10.1016/j.biotechadv.2010.12.001>.
- MacIngova, E. and Luptakova, A. (2012) 'Recovery of metals from acid mine drainage', *Chemical Engineering Transactions*, 28, pp. 109–114. Available at: <https://doi.org/10.3303/CET1228019>.
- Marchildon, J. (2017) 'The UN Has Called This The Second Biggest Environmental Problem Facing Our World', *Global Poverty Project, Inc* [Preprint].
- Masukume, M., Onyango, M.S. and Maree, J.P. (2014) 'Sea shell derived adsorbent and its potential for treating acid mine drainage', *International Journal of Mineral Processing*, 133(December 2018), pp. 52–59. Available at: <https://doi.org/10.1016/j.minpro.2014.09.005>.
- Modabberi, S., Alizadegan, A., Mirnejad, H. and Esmaeilzadeh, E. (2013) 'Prediction of AMD generation potential in mining waste piles, in the sarcheshmeh porphyry copper deposit, Iran', *Environmental Monitoring and Assessment*, 185(11), pp. 9077–9087. Available at: <https://doi.org/10.1007/s10661-013-3237-9>.

- Mohan, S. and Gandhimathi, R. (2009) 'Removal of heavy metal ions from municipal solid waste leachate using coal fly ash as an adsorbent', *Journal of Hazardous Materials*, 169(1–3), pp. 351–359. Available at: <https://doi.org/10.1016/j.jhazmat.2009.03.104>.
- Monteiro, J.M., Vollú, R.E., Reed, M., Coelho, R., Fonseca, A., Costa, S., Neto, G. and Seldin, L. (2011) 'European Journal of Soil Biology Bacterial communities within the rhizosphere and roots of vetiver (*Chrysopogon zizanioides* (L .) Roberty) sampled at different growth stages', *European Journal of Soil Biology*, 47(4), pp. 236–242. Available at: <https://doi.org/10.1016/j.ejsobi.2011.05.006>.
- Mosoarca, G., Vancea, C., Popa, S. and Boran, S. (2018) 'Adsorption, Bioaccumulation and Kinetics Parameters of the Phytoremediation of Cobalt from Wastewater Using *Elodea canadensis*', *Bulletin of Environmental Contamination and Toxicology*, 100(5), pp. 733–739. Available at: <https://doi.org/10.1007/s00128-018-2327-3>.
- Musarrat Naaz, A.D.S.K.S.F. (2013) 'Bioaccumulation, Phytoremediation and Kinetics of Uptake of Heavy Metals (Copper and Zinc) by *Eichhornia crassipes*\n', *Research & Reviews : Journal of Ecology*, 2(1), pp. 1–9.
- Nayak, A.K., Panda, S.S., Basu, A. and Dhal, N.K. (2018) 'Enhancement of toxic Cr (VI), Fe , and other heavy metals phytoremediation by the synergistic combination of native *Bacillus cereus* strain and *Vetiveria zizanioides* L', *International Journal of Phytoremediation*, 20(7), pp. 682–691. Available at: <https://doi.org/10.1080/15226514.2017.1413332>.
- Nguegang, B., Masindi, V., Msagati Makudali, T.A. and Tekere, M. (2022) 'Effective treatment of acid mine drainage using a combination of MgO-nanoparticles and a series of constructed wetlands planted with *Vetiveria zizanioides*: A hybrid and stepwise approach', *Journal of Environmental Management*, 310. Available at: <https://doi.org/10.1016/j.jenvman.2022.114751>.
- Papandreou, A., Stournaras, C.J. and Panias, D. (2007) 'Copper and cadmium adsorption on pellets made from fired coal fly ash', *Journal of Hazardous Materials*, 148(3), pp. 538–547. Available at: <https://doi.org/10.1016/j.jhazmat.2007.03.020>.
- Prasad, B. and Kumar, H. (2016) 'Behandlung von saurem Grubenwasser in Säulen gefüllt mit Zeoliten aus Flugasche', *Mine Water and the Environment*, 35(4), pp. 553–557. Available at: <https://doi.org/10.1007/s10230-015-0373-1>.

- (2020) ‘Characteristic of Hg removal using zeolite adsorption and *Echinodorus palaefolius* phytoremediation in subsurface flow constructed wetland (SSF-CW) model’, *Journal of Environmental Chemical Engineering*, 8(3), p. 103781. Available at: <https://doi.org/10.1016/j.jece.2020.103781>.
- Purwani, J. (2010) ‘Remediasi Tanah dengan Menggunakan Tanaman Akumulator Logam Berat Akar Wangi (*Vetiveria zizanioides* L.)’, *Balai Penelitian Tanah. Bogor*, pp. 287–298.
- Rahman, R.A., Wintoko, J. and Prasetya, A. (2022) ‘Comparison of different phytoremediation strategies for acid mine drainage (AMD)’, in *IOP Conference Series: Earth and Environmental Science*. IOP Publishing Ltd. Available at: <https://doi.org/10.1088/1755-1315/963/1/012040>.
- Rautaray, S.K., Ghosh, B.C. and Mittra, B.N. (2003) ‘Effect of fly ash, organic wastes and chemical fertilizers on yield, nutrient uptake, heavy metal content and residual fertility in a rice-mustard cropping sequence under acid lateritic soils’, *Bioresource Technology*, 90(3), pp. 275–283. Available at: [https://doi.org/10.1016/S0960-8524\(03\)00132-9](https://doi.org/10.1016/S0960-8524(03)00132-9).
- Rawat, K. and Yadav, A.K. (2019) ‘Characterization of coal and fly ash (generated) at coal based thermal power plant’, in *Materials Today: Proceedings*. Elsevier Ltd, pp. 1406–1411. Available at: <https://doi.org/10.1016/j.matpr.2020.02.292>.
- RoyChowdhury, A., Sarkar, D. and Datta, R. (2015) ‘Remediation of Acid Mine Drainage-Impacted Water’, *Current Pollution Reports*, 1(3), pp. 131–141. Available at: <https://doi.org/10.1007/s40726-015-0011-3>.
- RoyChowdhury, A., Sarkar, D. and Datta, R. (2019) ‘A combined chemical and phytoremediation method for reclamation of acid mine drainage–impacted soils’, *Environmental Science and Pollution Research*, pp. 14414–14425. Available at: <https://doi.org/10.1007/s11356-019-04785-z>.
- Saakshy, A., Singh, K., Gupta, A.B. and Sharma, A.K. (2016) ‘Fly ash as low cost adsorbent for treatment of effluent of handmade paper industry-Kinetic and modelling studies for direct black dye’, *Journal of Cleaner Production*, 112, pp. 1227–1240. Available at: <https://doi.org/10.1016/j.jclepro.2015.09.058>.
- Saber, A., Tafazzoli, M., Mortazavian, S. and James, D.E. (2018) ‘Investigation of kinetics and absorption isotherm models for hydroponic phytoremediation of

Shahwan, T. (2014) 'Sorption kinetics: Obtaining a pseudo-second order rate equation based on a mass balance approach', *Journal of Environmental Chemical Engineering*, 2(2), pp. 1001–1006. Available at: <https://doi.org/10.1016/j.jece.2014.03.020>.

Shahwan, T. (2015) 'Lagergren equation: Can maximum loading of sorption replace equilibrium loading?', *Chemical Engineering Research and Design*, 96, pp. 172–176. Available at: <https://doi.org/10.1016/j.cherd.2015.03.001>.

Sharma, S., Singh, B. and Manchanda, V.K. (2015) 'Phytoremediation: role of terrestrial plants and aquatic macrophytes in the remediation of radionuclides and heavy metal contaminated soil and water', *Environmental Science and Pollution Research*, 22(2), pp. 946–962. Available at: <https://doi.org/10.1007/s11356-014-3635-8>.

Sheoran, A.S. and Sheoran, V. (2006) 'Heavy metal removal mechanism of acid mine drainage in wetlands: A critical review', *Minerals Engineering*, 19(2), pp. 105–116. Available at: <https://doi.org/10.1016/j.mineng.2005.08.006>.

Shirin, S., Jamal, A. and Emmanouil, C. (2021) 'applied sciences Assessment of Characteristics of Acid Mine Drainage Treated with Fly Ash'.

Singh, S., Parihar, P., Singh, R., Singh, V.P. and Prasad, S.M. (2016) 'Heavy metal tolerance in plants: Role of transcriptomics, proteomics, metabolomics, and ionomics', *Frontiers in Plant Science*. Frontiers Media S.A. Available at: <https://doi.org/10.3389/fpls.2015.01143>.

Sochacki, A., Yadav, A.K., Srivastava, P., Kumar, N., Fitch, M.W. and Mohanty, A. (2018) *1 Constructed Wetlands for Metals: Removal Mechanism and Analytical Challenges 11.1 Sources of Metal Pollution and Rationale for Using Constructed Wetlands to Treat Metal-Laden Wastewater*.

Soegoto, E.S., Saputra, H., Soegoto, A.S. and Luckyardi, S. (2021) *VETIVER GRASS WASTE FEASIBILITY AS ADDED VALUES IN SUSTAINABLE AGRICULTURE MANAGEMENT*, *Journal of Engineering Science and Technology*.

Stefanakis, A.I. (2018) 'Introduction to Constructed Wetland Technology', *Constructed Wetlands for Industrial Wastewater Treatment*, (July 2018), pp. 1–21. Available at: <https://doi.org/10.1002/9781119268376.ch0>.

Suelee, A.L., Hasan, S.N.M.S., Kusin, F.M., Yusuff, F.M. and Ibrahim, Z.Z. (2017)

‘Phytoremediation Potential of Vetiver Grass (*Vetiveria zizanioides*) for Treatment of Metal-Contaminated Water’, *Water, Air, and Soil Pollution*, 228(4). Available at: <https://doi.org/10.1007/s11270-017-3349-x>.

Sun, S.X., Li, Y.M., Zheng, Y., Hua, Y., Datta, R., Dan, Y.M., Lv, P. and Sarkar, D. (2016) ‘Uptake of 2,4-bis(Isopropylamino)-6-methylthio-s-triazine by Vetiver Grass (*Chrysopogon zizanioides* L.) from Hydroponic Media’, *Bulletin of Environmental Contamination and Toxicology*, 96(4), pp. 550–555. Available at: <https://doi.org/10.1007/s00128-016-1737-3>.

Tang, K.H.D., Awa, S.H. and Hadibarata, T. (2020) ‘Phytoremediation of Copper-Contaminated Water with *Pistia stratiotes* in Surface and Distilled Water’, *Water, Air, and Soil Pollution*, 231(12). Available at: <https://doi.org/10.1007/s11270-020-04937-9>.

Tigue, A.A., Malenab, R.A. and Promentilla, M.A. (2019) ‘A systematic mapping study on the development of permeable reactive barrier for acid mine drainage treatment’, *MATEC Web of Conferences*, 268, p. 06019. Available at: <https://doi.org/10.1051/mateconf/201926806019>.

Vadapalli, V., Felicia Petrik, L. and Gitari, W. (2008) *Neutralization of Acid Mine Drainage using Fly Ash and Strength Development of the Resulting Solid Residues Water Treatment View project Biosensors View project SEE PROFILE*, Article in *South African Journal of Science*. Available at: www.eskom.ac.za/annreport.

Wani, R.A., Ganai, B.A., Shah, M.A. and Uqab, B. (2017) ‘Heavy Metal Uptake Potential of Aquatic Plants through Phytoremediation Technique - A Review’, *Journal of Bioremediation & Biodegradation*, 08(04). Available at: <https://doi.org/10.4172/2155-6199.1000404>.

Warisaura, A.D., Fadlilah, I., Prasetya, A. and Fahrurrozi, Moh. (2019) ‘STUDI STABILITAS SISTEM SUB SURFACE FLOW CONSTRUCTED WETLAND (SSF-CW) MENGGUNAKAN TANAMAN MELATI AIR DAN MEDIA TANAM ZEOLIT DALAM MENURUNKAN LOGAM Hg’, *Jurnal Pengendalian Pencemaran Lingkungan (JPPL)*, 1(01), pp. 17–27. Available at: <https://doi.org/10.35970/jppl.v1i01.41>.

Wijayanti, A., Susatyo, E.B. and Kurniawan, C. (2018) ‘Adsorpsi Logam Cr(VI) Dan Cu(II) Pada Tanah Dan Pengaruh Penambahan Pupuk Organik’, *Indonesian Journal of Chemical Science*, 7(3), pp. 242–248.

- Xie, J., Wang, Z., Wu, D. and Kong, H. (2014) 'Synthesis and properties of zeolite/hydrated iron oxide composite from coal fly ash as efficient adsorbent to simultaneously retain cationic and anionic pollutants from water', *Fuel*, 116, pp. 71–76. Available at: <https://doi.org/10.1016/j.fuel.2013.07.126>.
- Xiyili, H., Çetintaş, S. and Bingöl, D. (2017) 'Removal of some heavy metals onto mechanically activated fly ash: Modeling approach for optimization, isotherms, kinetics and thermodynamics', *Process Safety and Environmental Protection*, 109, pp. 288–300. Available at: <https://doi.org/10.1016/j.psep.2017.04.012>.
- Zhou, Q., Duan, Y., Zhu, C., Zhang, J., She, M., Wei, H. and Hong, Y. (2015) 'Adsorption equilibrium, kinetics and mechanism studies of mercury on coal-fired fly ash', *Korean Journal of Chemical Engineering*, 32(7), pp. 1405–1413. Available at: <https://doi.org/10.1007/s11814-014-0336-4>.
- Zyrkowski, M., Neto, R.C., Santos, L.F. and Witkowski, K. (2016) 'Characterization of fly-ash cenospheres from coal-fired power plant unit', *Fuel*, 174, pp. 49–53. Available at: <https://doi.org/10.1016/j.fuel.2016.01.061>.