

DAFTAR PUSTAKA

- Adawiyah, D. R., Sasaki, T., & Kohyama, K., 2021, Retrogradation Properties of Heat Moisture Treated (Hmt) Sago and Arenga Starches, *Indones. Food Nutr. Prog.*, 17(2), 28.
- Agarwal, S., 2021, Major Factors Affecting The Characteristics of Starch Based Biopolymer Films, *Eur. Polym. J.*, 160, 1-14.
- Ananga, A., Georgiev, V., Ochieng, J., Phills, B., & Tsoleva, V., 2016, Production of Anthocyanins in Grape Cell Cultures: A Potential Source of Raw Material for Pharmaceutical, Food, and Cosmetic Industries, *Intech*, 11, 247-287.
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Caballero, A. H., & Acosta, N., 2021, Chitosan: An Overview of Its Properties and Applications, *Polymers*, 13(19), 1-27.
- Arifin, B., Sugita, P., & Masyudi, D. E., 2016, Chitosan and Lauric Acid Addition to Corn Starch-Film Based Effect: Physical Properties and Antimicrobial Activity Study, *Int. J. Chem. Sci.*, 14(2), 529–544.
- Ashour, H. A., & Mahmoud, A. W. M., 2017, Response of *Jatropha integerrima* Plants Irrigated with Different Levels of Saline Water to Nano Silicon and Gypsum, *J. Agricul. Stud*, 5(4), 136-160.
- Azizati, Z., 2019, Pembuatan Dan Karakterisasi Kitosan Kulit Udang Galah, *Walisongo J. Chem.*, 2(1), 10-16.
- Bajic', M., Novak, U., & Likozar, B., 2019, Development of Bio-Based Chitosan Films with Incorporated Chestnut Extract, *Proceedings of the World Congress on Mechanical, Chemical, and Material Engineering*, 15-17 August 2019, Lisbon.
- Balbinot-Alfaro, E., Craveiro, D. V., Lima, K. O., Costa, H. L. G., Lopes, D. R., & Prentice, C., 2019, Intelligent Packaging with pH Indicator Potential. *Food Eng. Rev.*, 11(4), 235–244.
- Bhuvaneshwari, S., Sruthi, D., Sivasubramanian, V., Kalyani, N., & Sugunabai, J., 2011, Development and Characterization of Chitosan Film. *Int. J. Eng. Res. Appl.*, 1(2), 292–299.
- Chen, P., Xie, F., Tang, F., & McNally, T., 2020, Glycerol Plasticisation of Chitosan/Carboxymethyl Cellulose Composites: Role of Interactions in Determining Structure and Properties. *Int. J. Biol. Macromol.*, 163, 683–693.
- Cheng, J. H., Nicolai, B., & Sun, D. W., 2017, Hyperspectral Imaging with Multivariate Analysis for Technological Parameters Prediction and classification of muscle foods: A review. *Meat Science*, 123, 182–191.

- Choi, I., Lee, J. Y., Lacroix, M., & Han, J., 2017, Intelligent pH Indicator Film Composed of Agar/Potato Starch and Anthocyanin Extracts from Purple Sweet Potato, *Food Chem.*, 218, 122–128.
- Chu, B. S., Wilkin, J., House, M., Roleska, M., & Lemos, M., 2016, Effect of Sucrose on Thermal and pH Stability of *Clitoria ternatea* Extract, *Int. J. Food Process. Technol.*, 3(1), 11–17.
- Croisier, F., & Jérôme, C., 2013, Chitosan-Based Biomaterials for Tissue Engineering, *Eur. Polym. J.*, 49(4), 780–792.
- Dashipour, A., Khaksar, R., Hosseini, H., Shojaee-Aliabadi, S., & Ghanati, K., 2014, Physical, Antioxidant and Antimicrobial Characteristics of Carboxymethyl Cellulose Edible Film Cooperated with Clove Essential Oil, *Zahedan J. Res. Med. Sci. J.*, 16(8), 34–42.
- Drago, E., Campardelli, R., Pettinato, M., & Perego, P., 2020, Innovations in Smart Packaging Concepts for Food: An Extensive Review, *Foods*, 9(11), 1–42.
- El-Hadidy, E. M., & Ramadan, K. M. A., 2015, Color Stability of Anthocyanin-Based Extracts in Non-Traditional Sources: Improvement of Thermal Stability by Tannic Acid, *J. Biol. Chem. Environ. Sci.*, 10(3), 1–19.
- Elieh-Ali-Komi, D., & Hamblin, M. R., 2016, Chitin and Chitosan: Production and Application of Versatile Biomedical Nanomaterials, *Int J Adv Res*, 4(3), 411–427.
- Escribano-Bailon, M. T., & Santos-Buelga, C., 2012, Anthocyanin Copigmentation - Evaluation, Mechanisms and Implications for the Colour of Red Wines, *Curr. Org. Chem.*, 16(6), 715–723.
- Eshilokun, A. O., Kasali, A. A., Ogunwande, I. A., Walker, T. M., & Setzer, W. N., 2007, Chemical Composition and Antimicrobial Studies of the Essential Oils of *Jatropha integerrima* Jacq (Leaf and Seeds), *Nat. Prod. Commun.*, 2(8), 853–855.
- Gasti, T., Dixit, S., D'souza, O. J., Hiremani, V. D., Vootla, S. K., Masti, S. P., Chougale, R. B., & Malabadi, R. B., 2021, Smart Biodegradable Films Based on Chitosan/Methylcellulose Containing *Phyllanthus reticulatus* Anthocyanin for Monitoring The Freshness of Fish Fillet, *Int. J. Biol. Macromol.*, 187, 451–461.
- Hajji, S., Younes, I., Ghorbel-Bellaaj, O., Hajji, R., Rinaudo, M., Nasri, M., & Jellouli, K., 2014, Structural Differences Between Chitin and Chitosan Extracted from Three Different Marine Sources, *Int. J. Biol. Macromol.*, 65, 298–306.
- Hanani, Z. A. N., Yee, F. C., & Nor-Khaizura, M. A. R., 2019, Effect of Pomegranate (*Punica granatum* L.) Peel Powder on The Antioxidant and Antimicrobial Properties of Fish Gelatin Films as Active Packaging, *Food*

Hydrocoll., 89, 253–259.

Harsito, C., Prabowo, A. R., Prasetyo, S. D., & Arifin, Z., 2021, Enhancement Stability and Color Fastness of Natural Dye: A Review. *Open Eng.*, 11(1), 548–555.

Hasan, M., Rusman, R., Khaldun, I., Ardana, L., Mudatsir, M., & Fansuri, H., 2020, Active Edible Sugar Palm Starch-Chitosan Films Carrying Extra Virgin Olive Oil: Barrier, Thermo-Mechanical, Antioxidant, and Antimicrobial Properties, *Int. J. Biol. Macromol.*, 163, 766–775.

Hasby, H., Nurhafidhah, N., & Akbar, S. A., 2019, The UV-Vis Study n Anthocyanin Pigments Activities Extracted from Gayo Arabika Coffee Husks. *Elkawnie*, 5(2), 147.

Ibrahim, U. K., Muhammad, I. I., & Salleh, R. M., 2011, The Effect of pH on Color Behavior of *Brassica oleracea* Anthocyanin, *J. Appl. Sci.*, 11(13), 2406–2410.

Ilyasov, I. R., Beloborodov, V. L., Selivanova, I. A., & Terekhov, R. P., 2020, ABTS/PP Decolorization Assay of Antioxidant Capacity Reaction Pathways, *Int. J. Mol. Sci.*, 21(3), 1–27.

Jiménez-Regalado, E. J., Caicedo, C., Fonseca-García, A., Rivera-Vallejo, C. C., & Aguirre-Loredo, R. Y., 2021, Preparation and Physicochemical Properties of Modified Corn Starch–Chitosan Biodegradable Films, *Polymers*, 13(24).

Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M., 2017, Anthocyanidins and Anthocyanins: Colored Pigments as Food, Pharmaceutical Ingredients, and The Potential Health Benefits, *Food Nutr. Res.*, 61(1), 1–21.

Kuspradini, H., Rosiarto, A., Marsabella, Putri, A. S., & Kusuma, I. W., 2016, Antioxidant and Toxicity Properties of Anthocyanin Extracted from Red Flower of Four Tropical Shrubs, *Nusantara Biosci.*, 8(2), 135–140.

Lam, X. M., Nafchi, A. M., Ghasemipour, F., Easa, A. M., Jafarzadeh, S., & Al-Hassan, A. A., 2020, Characterization of pH Sensitive Sago Starch Films Enriched with Anthocyanin-Rich Torch Ginger Extract, *Int. J. Biol. Macromol.*, 164, 4603–4612.

Li, A. N., Li, S., Li, H. Bin, Xu, D. P., Xu, X. R., & Chen, F., 2014, Total Phenolic Contents and Antioxidant Capacities of 51 Edible and Wild Flowers, *J. Funct. Foods*, 6(1), 319–330.

Majid, I., Ahmad Nayik, G., Mohammad Dar, S., & Nanda, V., 2018, Novel Food Packaging Technologies: Innovations and Future Prospective, *J. Saudi Soc. Agric. Sci.*, 17(4), 454–462.

Mane, K. A., 2016, A Review on Active Packaging: An Innovation in Food Packaging, *Int. J. Env., Agric. Biotechnol.*, 1(3), 544–549.

Martono, Y., Yanuarsih, F. F., Aminu, N. R., & Muningsgar, J., 2019, Fractionation

- and Determination of Phenolic and Flavonoid Compound from *Moringa oleifera* Leaves, *J. Phys. Conf. Ser.*, 1307(1), 1-8.
- Melro, E., Antunes, F. E., da Silva, G. J., Cruz, I., Ramos, P. E., Carvalho, F., & Alves, L., 2021, Chitosan Films in Food Applications. Tuning Film Properties by Changing Acidic Dissolution Conditions, *Polymers*, 23(1), 1–12.
- Muscat, D., Adhikari, B., Adhikari, R., & Chaudhary, D. S., 2012, Comparative Study of Film Forming Behaviour of Low and High Amylose Starches Using Glycerol and Xylitol as Plasticizers, *J. Food Eng.*, 109(2), 189–201.
- Oancea, S., Stoia, M., & Coman, D., 2012, Effects of Extraction Conditions on Bioactive Anthocyanin Content of *Vaccinium corymbosum* in The Perspective of Food Applications, *Procedia Engineering*, 25-29 August 2012, Prague.
- Poeloengasih, C. D., Pranoto, Y., Hayati, S. N., Hernawan, Rosyida, V. T., Prasetyo, D. J., Jatmiko, T. H., Apriyana, W., & Suwanto, A., 2016, A Physicochemical Study of Sugar Palm (*Arenga pinnata*) Starch Films Plasticized by Glycerol and Sorbitol, *AIP Conf. Proc.*, 1711, 1-6.
- Purwaniati, Arif, A. R., & Yuliantini, A., 2020, Analisis Kadar Antosianin Total pada Sediaan Bunga Telang (*Clitoria ternatea*) dengan Metode pH Diferensial Menggunakan Spektrofotometri Visible, *Jurnal Farmagazine*, VII(1), 18–23.
- Qian, B. J., Liu, J. H., Zhao, S. J., Cai, J. X., & Jing, P., 2017, The Effects of Gallic/Ferulic/Caffeic Acids on Colour Intensification and Anthocyanin Stability, *Food Chem.*, 228, 526–532.
- Rahmawati, P., Ni'Maturrohman, D., Sari, P. L., Sari, P. P., Sari, T. N. I., & Suryanti, V., 2016, Preparation and Properties of Arenga Starch-Chitosan Based Edible Film, *IOP Conf. Ser. Mater. Sci. Eng.*, 107(1), 1-6.
- Rampadarath, S., Puchooa, D., & Ranghoo-Sanmukhiya, V. M., 2014, A Comparison of Polyphenolic Content, Antioxidant Activity and Insecticidal Properties of *Jatropha* Species and Wild *Ricinus communis* L. Found in Mauritius, *Asian Pac. J. Trop. Med.*, 7(S1), 384–390.
- Rawdkuen, S., Faseha, A., Benjakul, S., & Kaewprachu, P., 2020, Application of Anthocyanin as A Color Indicator in Gelatin Films, *Food Biosci.*, 36, 1-9.
- Saha, S., Singh, J., Paul, A., Sarkar, R., Khan, Z., & Banerjee, K., 2021, Anthocyanin Profiling Using UV-Vis Spectroscopy and Liquid Chromatography Mass Spectrometry, *J. AOAC Int.*, 103(1), 23–39.
- Sahari, J., Sapuan, S. M., Zainudin, E. S., & Maleque, M. A., 2014, Physico-Chemical and Thermal Properties of Starch Derived from Sugar Palm Tree (*Arenga pinnata*), *Asian J. Chem.*, 26(4), 955–959.
- Sanyang, M. L., Ilyas, R. A., Sapuan, S. M., & Jumaidin, R., 2017, Sugar Palm Starch-Based Composites for Packaging Applications, *Bionanocomposites*

Packag. Appl., 7, 125–147.

- Sari, D. A., & Hadiyanto, H., 2017, Teknologi Metode Penyimpanan Makanan Sebagai Upaya Memperpanjang Shelf Life, *Jurnal Aplikasi Teknologi Pangan*, 2(2), 52–59.
- Sari, P., Wijaya, C. H., Sajuthi, D., & Supratman, U., 2012, Colour Properties, Stability, and Free Radical Scavenging Activity of Jambolan (*Syzygium cumini*) Fruit Anthocyanins in A Beverage Model System: Natural and Copigmented Anthocyanins, *Food Chem.*, 132(4), 1908–1914.
- Schaefer, D., & Cheung, W. M., 2018, Smart Packaging: Opportunities and Challenges, *Procedia CIRP*, 72, 1022–1027.
- Sganzerla, W. G., Pereira Ribeiro, C. P., Uliana, N. R., Cassetari Rodrigues, M. B., da Rosa, C. G., Ferrareze, J. P., Veeck, A. P. de L., & Nunes, M. R., 2021, Bioactive and pH-Sensitive Films Based on Carboxymethyl Cellulose and Blackberry (*Morus nigra* L.) Anthocyanin-Rich Extract: A Perspective Coating Material to Improve The Shelf Life of Cherry Tomato (*Solanum lycopersicum* L. Var. *cerasiforme*), *Biocatal. Agricul. Biotechnol.*, 33, 1-11.
- Sharma, S. K., Ali, M., Singh, H., Sultnaa, S., & Mir, S. R., 2017, Phytochemical Investigation of the Roots of *Jatropha integerrima* Jacq., *J. Prog. Res. Chem.*, 4(3), 194–200.
- Singh, T. P., Chatli, M. K., & Sahoo, J., 2015, Development of Chitosan Based Edible Films: Process Optimization Using Response Surface Methodology, *J. Food Sci. Technol.*, 52(5), 2530–2543.
- Smith, D. R., Escobar, A. P., Andris, M. N., Boardman, B. M., & Peters, G. M., 2021, Understanding the Molecular-Level Interactions of Glucosamine-Glycerol Assemblies: A Model System for Chitosan Plasticization, *ACS Omega*, 6(39), 25227–25234.
- Sohany, M., Tawakkal, I. S. M. A., Ariffin, S. H., Shah, N. N. A. K., & Yusof, Y. A., 2021, Characterization of Anthocyanin Associated Purple Sweet Potato Starch and Peel-Based pH Indicator Films, *Foods*, 10(9), 1-27.
- Sugiharto, K., Rahman, A. N. F., & Zainal., 2020, The Effect of Solvent Type and Extraction Duration on Purple Corn Anthocyanin Compounds (*Zea mays* L.), *IOP Conf. Ser. Earth Env. Sci.*, 486(1), 1-4.
- Sun, X., Zhou, T., Wei, C., Lan, W., Zhao, Y., Pan, Y., & Wu, V. C. H., 2018, Antibacterial Effect and Mechanism of Anthocyanin Rich Chinese Wild Blueberry Extract on Various Foodborne Pathogens, *Food Control*, 94, 155–161.
- Tarique, J., Sapuan, S. M., & Khalina, A., 2021, Effect of Glycerol Plasticizer Loading on The Physical, Mechanical, Thermal, and Barrier Properties of Arrowroot (*Maranta arundinacea*) Starch Biopolymers, *Sci. Rep.*, 11(1), 1–

17.

- Tavares, J., Martins, A., Fidalgo, L. G., Lima, V., Amaral, R. A., Pinto, C. A., Silva, A. M., & Saraiva, J. A., 2021, Fresh Fish Degradation and Advances in Preservation Using Physical Emerging Technologies, *Phys. Technol. Emerg.*, 10(780), 1–20.
- Thao, N. L., Thoa, D. T. K., Thang, L. P., Xi, T. T. U., Mai, D. S., & Tram, N. T. N., 2015, Effect of Ethanol on the Anthocyanin Extraction from the Purple Rice of Vietnam, *J. Food Nutr. Sci.*, 3(1), 45–48.
- Trouillas, P., Sancho-García, J. C., De Freitas, V., Gierschner, J., Otyepka, M., & Dangles, O., 2016, Stabilizing and Modulating Color by Copigmentation: Insights from Theory and Experiment, *Chem. Rev.*, 116(9), 4937–4982.
- Vankar, P. S., & Srivastava, J., 2010, Evaluation of Anthocyanin Content in Red and Blue Flowers, *Int. J. Food Eng.*, 6(4), 1–11.
- Wallace, T. C., & Giusti, M. M., 2019, Anthocyanins—Nature’s Bold, Beautiful, and Health-Promoting Colors, *Foods*, 8(550), 10–13.
- Wang, H., Qian, J., & Ding, F., 2018, Emerging Chitosan-Based Films for Food Packaging Applications, *J. Agricul. Food Chem.*, 66(2), 395–413.
- Wasistha, A. W., Dika, M. R. S., Aulia, A. S., Samudra, N. M., & Putri, D. N., 2021, Physical and Mechanical Characteristics of Edible Film Based on Cassava Peel Starch, *Jurnal Ilmu-Ilmu Pertanian*, 5(2), 149.
- Yeul, P., & Shrivastava, S., 2012, Chitosan : an Overview, *Int. J. Curr. Res.*, 4, 176–182.
- Younes, I., & Rinaudo, M., 2015, Chitin and Chitosan Preparation from Marine Sources. Structure, Properties and Applications, *Mar. Drugs*, 13(3), 1133–1174.
- Yun, D., Cai, H., Liu, Y., Xiao, L., Song, J., & Liu, J., 2019, Development of Active and Intelligent Films Based on Cassava Starch and Chinese Bayberry (: *Myrica rubra* Sieb. et Zucc.) Anthocyanins, *RSC Adv.*, 9(53), 30905–30916.
- Zhang, L., Wang, W., Yue, X., Wu, G. S., Yue, P., & Gao, X., 2020, Gallic Acid as A Copigment Enhance Anthocyanin Stabilities and Color Characteristics in Blueberry Juice, *J. Food Sci. Technol.*, 57(4), 1405–1414.
- Zhang, Q. W., Lin, L. G., & Ye, W. C., 2018, Techniques for Extraction and Isolation of Natural Products: A Comprehensive Review, *Chinese Med. (United Kingdom)*, 13(1), 1–26.
- Zhang, X. K., He, F., Zhang, B., Reeves, M. J., Liu, Y., Zhao, X., & Duan, C. Q., 2018, The Effect of Prefermentative Addition of Gallic Acid and Ellagic Acid on The Red Wine Color, Copigmentation and Phenolic Profiles During Wine Aging, *Food Res. Int.*, 106, 568–579.

Zhu, Y., Chen, H., Lou, L., Chen, Y., Ye, X., & Chen, J., 2020, Copigmentation Effect of Three Phenolic Acids on Color and Thermal Stability of Chinese Bayberry Anthocyanins, *Food Sci. Nutr.*, 8(7), 3234–3242.