



## DAFTAR PUSTAKA

- [1] World Health Organization, “Cancer,” *WHO*, 2022. [https://www.who.int/health-topics/cancer#tab=tab\\_1](https://www.who.int/health-topics/cancer#tab=tab_1) (diakses Jul 05, 2022).
- [2] B. F. Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, “International Agency for Research on Cancer 2020.,” *Global Cancer Observatory: Cancer Today.*, vol. 419, hlm. 1–2, 2020.
- [3] The Global Cancer Observatory, “Cancer Incident in Indonesia,” *International Agency for Research on Cancer*, vol. 858, hlm. 1–2, 2020.
- [4] S. Pangribowo, “Beban Kanker di Indonesia,” *Pusat Data dan Informasi Kementerian Kesehatan RI*, hlm. 1–16, 2019.
- [5] KEMKES RI, “Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/684/2019 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Kanker Nasofaring,” Jakarta, Okt 2019. [Daring]. Available: [https://yankes.kemkes.go.id/unduhan/fileunduhan\\_1610414081\\_863291.pdf](https://yankes.kemkes.go.id/unduhan/fileunduhan_1610414081_863291.pdf)
- [6] National Cancer Institute, “Radiation Therapy for Cancer - NCI,” 2022. <https://www.cancer.gov/about-cancer/treatment/types/radiation-therapy#r1> (diakses Jul 05, 2022).
- [7] G. A. Ezzell *dkk.*, “Guidance document on delivery, treatment planning, and clinical implementation of IMRT: Report of the IMRT subcommittee of the AAPM radiation therapy committee,” *Med Phys*, vol. 30, no. 8, hlm. 2089–2115, 2003, doi: 10.1111/1.1591194.
- [8] T. Wali dan F. Anita, “Verifikasi Distribusi Dosis TPS Dan Pesawat Linac Menggunakan Phantom Octavius 4D Dengan Teknik IMRT Protokol Kanker Lidah,” *Jurnal Ilmiah Giga*, vol. 20, no. 2, hlm. 38, 2017, doi: 10.47313/jig.v20i2.555.
- [9] M. Miften *dkk.*, “Tolerance limits and methodologies for IMRT measurement-based verification QA: Recommendations of AAPM Task Group No. 218,” *Med Phys*, vol. 45, no. 4, hlm. e53–e83, Apr 2018, doi: 10.1002/mp.12810.
- [10] G. A. Ezzell *dkk.*, “IMRT commissioning: Multiple institution planning and dosimetry comparisons, a report from AAPM Task Group 119,” *Med Phys*, vol. 36, no. 11, hlm. 5359–5373, 2009, doi: 10.1111/1.3238104.
- [11] M. Alber *dkk.*, “Guidelines for The Verification Of IMRT,” Brussels, 2008.
- [12] A. Walyatalattov, “Verifikasi Dosis Radiasi Teknik Intensity Modulated Radiotherapy (IMRT) Dengan Menggunakan 2D Array Pada Kasus Kanker Cerebri,” Skripsi, Universitas Gadjah Mada, Yogyakarta, 2018.





- [13] L. Rahayu, “Verifikasi Dosis Radiasi Teknik Intensity Modulated Radiotherapy (IMRT) Dengan Menggunakan 2D Array Pada Kasus Kanker Sinonasal,” Skripsi, Universitas Gadjah Mada, Yogyakarta, 2018.
- [14] R. Errifai, Y. Bouzekraoui, dan F. Bentayeb, “Dosimetric evaluation of IMRT Step and Shoot/ Sliding and Window (SS / SW) and VMAT Treatment Plans for Nasopharyngeal Cancer,” *Iranian Journal of Medical Physics*, vol. 19, no. 1, hlm. 31–42, Jan 2022, doi: 10.22038/IJMP.2021.53524.1879.
- [15] P. Raina, S. Singh, R. Tudu, R. Singh, dan A. Kumar, “Volumetric modulated arc therapy: A dosimetric comparison with dynamic IMRT and step-and-shoot IMRT,” *J Radiother Pract*, vol. 19, no. 4, hlm. 393–398, 2020, doi: 10.1017/S1460396919000815.
- [16] G. Inan, V. Gül, G. Yavaş, Ç. Yavaş, dan R. Oğul, “Comparison of gamma analysis in multiple static segment and sliding window techniques in nasopharyngeal radiotherapy,” *AIP Conf Proc*, vol. 2178, no. November 2019, doi: 10.1063/1.5135454.
- [17] A. F. Alwakeel, M. S. al Musawi, H. H. Alabedi, dan H. J. Mohammed, “Dosimetric assessment of IMRT treatment planning for unilateral breast cancer patient using Octavius phantom detector,” *Applied Nanoscience (Switzerland)*, 2021, doi: 10.1007/s13204-021-01836-1.
- [18] Kemenkes RI, “PPK Nasofaring,” *Pusat Data dan Informasi Kementerian Kesehatan RI*, 2019.
- [19] Cancer Research UK, “Diagram showing stage T3 nasopharyngeal cancer CRUK 264,” *Wikimedia Commons*, 2014. [https://commons.wikimedia.org/wiki/File:Diagram\\_showing\\_stage\\_T3\\_nasopharyngeal\\_cancer\\_CRUK\\_264.svg](https://commons.wikimedia.org/wiki/File:Diagram_showing_stage_T3_nasopharyngeal_cancer_CRUK_264.svg) (diakses Jul 31, 2022).
- [20] Mobius Medical Systems, “Dose Volume Histogram Limits.” Mobius Medical Systems, LP, Houston, 2013.
- [21] J. Sudiono dan I. Hassan, “DNA Epstein-Barr virus (EBV) sebagai biomarker diagnosis karsinoma nasofaring,” *Dental Journal (Majalah Kedokteran Gigi)*, vol. 46, no. 3, hlm. 140, 2013, doi: 10.20473/j.djmkg.v46.i3.p140-147.
- [22] Cancer Treatment Centers of America, “Nasopharyngeal cancer \_ CTCA,” *COH HoldCo Inc.*, 2022. <https://www.cancercenter.com/cancer-types/head-and-neck-cancer/types/nasopharyngeal-cancer> (diakses Jul 31, 2022).
- [23] Center for Disease Control and Prevention, “About Virus Epstein-Barr (EBV),” 2020. <https://www.cdc.gov/epstein-barr/index.html> (diakses Jul 31, 2022).





- [24] American Cancer Society, “Nasopharyngeal Cancer Early Detection, Diagnosis, and Staging,” *American Cancer Society*, 2020. <https://www.cancer.org/content/dam/CRC/PDF/Public/8661.00.pdf> (diakses Jul 31, 2022).
- [25] J. Bernier, “Head and neck cancer: Multimodality management, second edition,” *Head and Neck Cancer: Multimodality Management, Second Edition*, hlm. 1–878, 2016, doi: 10.1007/978-3-319-27601-4.
- [26] National Cancer Institute, “Radiation Therapy for Cancer - NCI,” *Radiation Therapy to Treat Cancer was originally published by the National Cancer Institute*. 2019.
- [27] Cancer Research UK, “Types of external radiotherapy,” *Cancer Research UK*, 2020. <https://www.cancerresearchuk.org/about-cancer/cancer-in-general/treatment/radiotherapy/external/about> (diakses Agu 03, 2022).
- [28] American Cancer Society, “Types of External Beam Radiation Therapy | Cancer Council NSW,” *American Cancer Society*, 2022. <https://www.cancercouncil.com.au/cancer-information/cancer-treatment/radiation-therapy/external-beam-radiation-therapy/techniques-and-types-of-ebrt/> (diakses Agu 02, 2022).
- [29] Stony Brook Cancer Center, “Radiation Therapy Process,” *Stony Brook University*, 2022. <https://cancer.stonybrookmedicine.edu/RadiationTherapyProcess> (diakses Agu 02, 2022).
- [30] IAEA, “Setting Up a Radiotherapy Programme: Clinical, Medical Physics, Radiation Protection and Safety Aspects,” Vienna, 2008.
- [31] IAEA, “Setting Up a Radiotherapy Programme: Clinical, Medical Physics, Radiation Protection and Safety Aspects,” *International Atomic Energy Agency*, 2008.
- [32] H. G. Menzel, “The international commission on radiation units and measurements,” *J ICRU*, vol. 10, no. 1, hlm. 1–106, 2010, doi: 10.1093/jicru/ndq001.
- [33] W. Parker dan H. Patrocinio, Chapter 7 Clinical Treatment Planning in External Photon Beam Radiotherapy, vol. D, no. 50. 2012.
- [34] IAEA, “What is a Linac?” *International Atomic Energy Agency*, 2022. <https://www.iaea.org/newscenter/multimedia/videos/what-is-a-linac> (diakses Sep 01, 2022).





- [35] M. Shimizu *dkk.*, “Calculation of the characteristics of clinical high-energy photon beams with EGS5-MPI,” dalam *Journal of Physics: Conference Series*, 2014, vol. 489, no. 1. doi: 10.1088/1742-6596/489/1/012023.
- [36] E. B. Podgorsak dan International Atomic Energy Agency., Radiation Oncology Physics: A Handbook for Teachers and Students. International Atomic Energy Agency, 2005.
- [37] B. Haris Suharmono, I. Yuni Anggraini, dan S. Dyah Astuti, “Quality Assurance (QA) Dan Quality Control (QC) Pada Instrumen Radioterapi Pesawat LINAC,” 2020.
- [38] Harjono, “Kalkulasi Monte Carlo Distribusi Dosis Dalam Paru Pada Simulasi Perlakuan Radioterapi Pasien Kanker Paru Dengan Sinar-X Megavolt,” Tesis, Universitas Indonesia, Depok, 2012.
- [39] E. Nuryadi, S. Gondhowiardjo, dan M. Adham, “Perbandingan Respon Terapi Radiasi Antara Teknik Konvensional 2D dengan Pengecilan Lapangan Radiasi Teknik 2D, 3DCRT atau Brakiterapi pada Kanker Nasofaring Stadium Dini di Departemen Radioterapi RSUPN Cipto Mangunkusumo,” *Journal of the Indonesian Radiation Oncology Society*, vol. 6, no. 2, hlm. 62–72, 2015, doi: <https://doi.org/10.32532/jori.v6i2.35>.
- [40] M. Hussien, “Evaluation of detector array technology for the verification of advanced intensity-modulated radiotherapy,” 2015.
- [41] B. S. Teh, S. Y. Woo, dan E. B. Butler, “Intensity Modulated Radiation Therapy (IMRT): A New Promising Technology in Radiation Oncology,” *Oncologist*, vol. 4, no. 6, hlm. 433–442, Des 1999, doi: 10.1634/theoncologist.4-6-433.
- [42] H. Kodrat dan R. Novirianthy, “Teknik Radiosurgery,” *Journal of the Indonesian Radiation Oncology Society*, vol. 7, no. 2, hlm. 60–64, 2015, doi: <https://doi.org/10.32532/jori.v7i2.47>.
- [43] C. Elith, S. E. Dempsey, N. Findlay, dan H. M. Warren-Forward, “An introduction to the intensity-modulated radiation therapy (IMRT) techniques, tomotherapy, and VMAT,” *J Med Imaging Radiat Sci*, vol. 42, no. 1, hlm. 37–43, 2011, doi: 10.1016/j.jmir.2010.11.005.
- [44] H. G. Menzel, “The international commission on radiation units and measurements,” *J ICRU*, vol. 10, no. 1, hlm. 1–106, 2010, doi: 10.1093/jicru/ndq001.
- [45] Y. Mustofa, “Verifikasi Penyinaran IMRT Menggunakan 2D Array Matrixx Evolution,” Skripsi, Universitas Indonesia, Depok, 2011.





- [46] J. H. Kim, “LINACbased Highprecision Radiotherapy: Radiosurgery, Imageguided Radiotherapy, and Respiratorygated Radiotherapy,” 2008.
- [47] M. Jeraj dan V. Robar, “Multileaf collimator in radiotherapy,” *Radiol Oncol*, vol. 38, no. 3, hlm. 235-240+248, 2004, Diakses: Sep 04, 2022. [Daring]. Available: <https://www.radioloncol.com/index.php/ro/article/view/1335>
- [48] N. Salem, “Validation of the Octavius 4D measuring system in verifying advanced external beams radiotherapy techniques,” *Egyptian Journal of Biomedical Engineering and Biophysics*, vol. 0, no. 0, hlm. 0–0, Apr 2018, doi: 10.21608/ejbbe.2018.2295.1010.
- [49] T. Depuydt, A. van Esch, dan D. P. Huyskens, “A quantitative evaluation of IMRT dose distributions: refinement and clinical assessment of the gamma evaluation,” Leuven, 2002. [Daring]. Available: [www.elsevier.com/locate/radonline](http://www.elsevier.com/locate/radonline)
- [50] PTW, “OCTAVIUS ® QA Systems System Overview OCTAVIUS ® System I II III 4D,” Freiburg, Germany, 2022. Diakses: Sep 06, 2022. [Daring]. Available: <https://www.ptwdosimetry.com/en/products/octavius-4d/#Key-Features>
- [51] A. Bruschi, M. Esposito, S. Pini, A. Ghirelli, G. Zatelli, dan S. Russo, “How the detector resolution affects the clinical significance of SBRT pre-treatment quality assurance results,” *Physica Medica*, vol. 49, hlm. 129–134, Mei 2018, doi: 10.1016/j.ejmp.2017.11.012.

