



REFERENCES

- Acda, M.N., 2016, *Sustainable Use of Waste Chicken Feather for Durable and Low Cost Building Materials for Tropical Climates*, Nova Science Publisher, Inc. New York.
- Akpor, O. B., Odesola, D.E., Thomas, R.E., and Oluba, O.M., 2018, Chicken feather hydrolysate as alternative peptone source for microbial cultivation, *F1000Research*, 7,1918.
- Albers, C. N., Banta, G. T., Hansen, P. E., and Jacobsen, O. S., 2008, Effect of different humic substances on the fate of diuron and its main metabolite 3,4-dichloroaniline in soil, *Environ. Sci. Technol.*, 42(23), 8687–8691.
- Alfen, N.K.V., 2014, *Encyclopedia of Agriculture and Food System*, Academic Press, Cambridge.
- Ali, A., Chiang, Y. W., and Santos, R. M., 2022, X-Ray Diffraction Techniques for Mineral Characterization: A Review for Engineers of the Fundamentals, Applications, and Research Directions, *Minerals*, 12(2).
- Ayutthaya, S. I.N., and Wootthikanokkhan, J., 2013, Extraction of keratin from chicken feather and electrospinning of the keratin/PLA blends, *Adv. Mat.Res.*, 747, 711–714.
- Bhari, R., Kaur, M., and Sarup Singh, R., 2021, Chicken Feather Waste Hydrolysate as a Superior Biofertilizer in Agroindustry, *Curr. Microbiol.*, 78(6), 2212–2230.
- Dong, R., Pang, Y., Su, Y., and Zhu, X., 2015, Supramolecular hydrogels: synthesis, properties and their biomedical applications, *Biomater. Sci.*, 3(7), 937–954.
- Eriska, H., Dewi, K., Darmawan Pasek, A., and Damanhuri, E., 2016, Hydrothermal Carbonization of Biomass Waste by Using a Stirred Reactor: An Initial Experimental Results, *REAKTOR*, 16(4), 212.
- Eshwar, M., Srilatha, M., Rekha, K. B., and Sharma, S. H. K., 2017, Characterization of Humic Substances by Functional Groups and Spectroscopic Methods, *Int. J. Curr. Microbiol. Appl. Sci.*, 6(10), 1768–1774.
- García, A.C., 2012, Humic acids of vermicompost as an ecological pathway to increase resistance of rice seedlings to water stress, *Afr. J. Biotechnol.*, 11(13), 3125-3134.
- Gautam, R. K., Navaratna, D., Muthukumaran, S., Singh, A., Islamuddin, and Nandkishor., 2021, Humic Substances: Its Toxicology, Chemistry and Biology Associated with Soil, Plants and Environment, *Intechopen*.



- Giri, C., Defourny, P., and Shrestha, S., 2003, Land cover characterization and mapping of continental Southeast Asia using multi-resolution satellite sensor data, *Int. J. Remote Sens.*, 24(21), 4181–4196.
- Grazziotin, A., Pimentel, F. A., de Jong, E. v., and Brandelli, A., 2006, Nutritional improvement of feather protein by treatment with microbial keratinase, *Anim. Feed. Sci. Technol.*, 126(1–2), 135–144.
- Greenwold, M. J., Bao, W., Jarvis, E. D., Hu, H., Li, C., Gilbert, M. T. P., Zhang, G., and Sawyer, R. H., 2014, Dynamic evolution of the alpha (α) and beta (β) keratins has accompanied integument diversification and the adaptation of birds into novel lifestyles, *BMC Evol. Biol.*, 14(1).
- Gupta, N. V., and Shivakumar, H. G., 2012, Investigation of Swelling Behavior and Mechanical Properties of a pH-Sensitive Superporous Hydrogel Composite, *IJPR*., 11(2), 481-493.
- Hepler, P. K., Vidali, L., and Cheung, A. Y., 2001, Polarized Cell Growth In Higher Plats, *Annu. Rev. Cell Dev. Biol.*, 17, 159-187.
- Hiradate, S., 2004, Speciation of aluminum in soil environments: Application of NMR technique, *Soil Sci. Plant Nutr.*, 50(3), 303–314.
- Khan, M. A., Kim, K. W., Mingzhi, W., Lim, B. K., Lee, W. H., and Lee, J. Y., 2008, Nutrient-impregnated charcoal: An environmentally friendly slow-release fertilizer, *Environmentalist*, 28(3), 231–235.
- Knabner, I., 2002, The macromolecular organic composition of plant and microbial residues as inputs to soil organic matter, *Soil Biol. Biochem.*, 34, 139-162.
- Lasekan, A., Abu Bakar, F., and Hashim, D., 2013, Potential of chicken by-products as sources of useful biological resources, *Waste Manage.*, 33(3), 552–565.
- Libohova, Z., Seybold, C., Wysocki, D., Wills, S., Schoeneberger, P., Williams, C., Lindbo, D., Stott, D., and Owens, P. R., 2018, Reevaluating the effects of soil organic matter and other properties on available water-holding capacity using the National Cooperative Soil Survey Characterization Database, *J. Soil. Water. Conserv.*, 73(4), 411–421.
- Madusari, S., 2019, Processing of Fibre and Its Application as Liquid Organic fertilizer in Oil Palm (*Elaeis guineensis* Jacq.) Seedling for Sustainable Agriculture, *JASAT*.
- Makhlof, A.S.H., and Aliofkhazraei, M., 2016, *Handbook of Materials Failure Analysis with Case Studied from the Oil and Gas Industries*, Butterwoth-Heinemann, Oxford.
- Marschner, H., 2012, Mineral Nutrition of Higher Plants, Academic Press, London



- Mirza, M. A., Ahmad, N., Agarwal, S. P., Mahmood, D., Anwer, M. K., and Iqbal, Z., 2011, Comparative evaluation of humic substances in oral drug delivery, *Results. Pharma Sci.*, 1(1), 16–26.
- Nhu, N.T.H., Chuen, N.L., and Riddech, N., 2018, The Effects Bio-fertilizer and Liquid Organic Fertilizer on the Growth of Vegetables in the Pot Experiment, *Chiang Mai J. Sci.*, 45(3), 1257-1273.
- Njoku, C.E., K. Alaneme, K., A. Omotoyinbo, J., and O. Daramola, M., 2019, Natural Fibers as Viable Sources for the Development of Structural, Semi-Structural, and Technological Materials – A Review, *Adv. Mater. Lett.*, 10(10), 682–694.
- Rajakumar, R., and Sankar, J.S., 2016, Hydrogel: Novel Soil Conditioner and Safer Delivery Vehicle for Fertilizers and Agrochemicals-A Review, *IJAPSA*, 2(9), 163-172.
- Rout, G. R., and Sahoo, S., 2015, ROLE OF IRON IN PLANT GROWTH AND METABOLISM, *Rev. Agri. Sci.*, 3(0), 1–24.
- Saravanan, K., and Dhurai, B., 2012, Exploration on Amino Acid Content and Morphological Structure in Chicken Feather Fiber, *JTATM* , 7(3).
- Satterthwaite, D., McGranahan, G., and Tacoli, C., 2010, Urbanization and its implication for food and farming, *Phil. Trans. R. Soc. B*, 365, 2809–2820.
- Thor, K., 2019, Calcium—nutrient and messenger, *Front. Plant. Sci.*, 10.
- TombaÁcz, E., Dobos, A., Szekeres, M., Narres, H.D., Klumpp, E., and Dekany, I., 2000, Effect of pH and ionic strength on the interaction of humic acid with aluminium oxide, *Colloid. Polym. Sci.*, 278 , 337-345.
- Uchida, R., 2000, *Plant Nutrient Management in Hawaii's Soils : Approaches for Tropical and Subtropical Agriculture*, College of Tropical Agriculture and Human Resources, Honolulu.
- UNCCD, 2015, Indonesia-Land Degradation Neutrality National Report
- Waldron, K., 2009, *Handbook of Waste management and co-product recovery in food processing*, Woodhead Publishing, Sawston.
- Wang, J., Hao, S., Luo, T., Cheng, Z., Li, W., Gao, F., Guo, T., Gong, Y., and Wang, B., 2017, Feather keratin hydrogel for wound repair: Preparation, healing effect and biocompatibility evaluation, *Colloids Surf.B.*, 149, 341–350.
- Wang, K., Fu, Q., Chen, X., Gao, Y., and Dong, K., 2012, Preparation and characterization of pH-sensitive hydrogel for drug delivery system, *RSC Adv.*, 2(20), 7772–7780.
- Xu, J., Mohamed, E., Li, Q., Lu, T., Yu, H., and Jiang, W., 2021, Effect of Humic Acid Addition on Buffering Capacity and Nutrient Storage Capacity of Soilless Substrates, *Front. Plant Sci*, 12.



UNIVERSITAS
GADJAH MADA

Synthesis and application of cocamidopropyl betaine (CAPB) modified zeolite to reduce COD level in household wastewater

BUSTANUL RIZKY, Dr. Sutarno, M.Si.; Prof. Dr. Bambang Rusdiarso, DEA

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

--

Zhang, G., Johkan, M., Hohjo, M., Tsukagoshi, S., and Maruo, T., 2017, Plant growth and photosynthesis response to low potassium conditions in three lettuce (*Lactuca sativa*) types, *Hortic.Res.*, 86(2), 229–237.