

DAFTAR PUSTAKA

- Agustika, R., (2021). Penerapan Kombinasi SMOTE dan Tomek Links untuk Klasifikasi Data Tidak Seimbang dengan Metode Random Forest. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Anton, H. dan Rorres, C., (1995). *Aljabar Linear Elementer*. Jakarta: Erlangga.
- Batista, G. E. A. P. A., Prati, R. C., dan Monard, M. C., (2004). A Study of the Behavior of Several Methods for Balancing Machine Learning Training Data. *ACM SIGKDD Explorations Newsletter*. Vol. 6(1). 20-29
- Bernan, I. D. G. N., (2020). Implementasi Synthetic Minority Oversampling Technique (SMOTE) untuk Klasifikasi Data Tidak Seimbang. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Bhalla, D., (2017), K Nearest Neighbor : Step by Step Tutorial, <https://www.listendata.com/2017/12/k-nearest-neighbor-step-by-step-tutorial.html>, diakses 2 September 2022, 14 November 2022.
- Chawla, N. V., Bowyer, K. W., Hall L. O., dan Kegelmeyer, W. P., (2002). SMOTE: Synthetic Minority Over-sampling Technique. *Journal of Artificial Intelligence Research*, 16, 321-357.
- Chawla, N. V., (2005). *Data Mining for Imbalanced Datasets: An Overview*. Boston: Springer.
- Elreedy, D. dan Atiya, A. F., (2019). A Comprehensive Analysis of Synthetic Minority Oversampling Technique (SMOTE) for Handling Class Imbalance. *Information Sciences*, Vol. 505, 32-64.
- Fix, E. dan Hodges Jr., J. L., (1951). *Discriminatory Analysis, Nonparametric Discrimination: Consistency Properties*. Project 21-49-004, Contract AF 41 (128)-31, Report 4. U.S. Air Force School of Aviation Medicine, Randolph Field, Texas,.
- Fukunaga, K. dan Hostetler, L., (1973). Optimization of k-Nearest-Neighbor Density Estimates. *IEEE Transactions on Information Theory*, Vol. 19, 320-326.
- Gao Q., Jin X., Xia E., Wu X., Gu L., Yan H., Xia Y., and Li S., (2020). Identification of Orphan Genes in Unbalanced Datasets Based on Ensemble Learning. *Frontiers in Genetics*, 11. 820. 10.3389/fgene.2020.00820.
- Han, J., Kamber, M., dan Pei, J., (2011). *Data Mining: Concepts and Techniques*. San Francisco: Morgan Kufmann.

- Hastie, T., Tibshirani, R., dan Friedman, J., (2017). *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*. California: Springer.
- Hattori, K. dan Takahashi, M., (2000). A New Edited k -Nearest Neighbor Rule in the Pattern Classification Problem. *Pattern Recognition*, 33(3), 521-528.
- Mahani, A., dan Ali, A. R. B., (2019). *Classification Problem in Imbalanced Datasets*. Sadollah, A., dan Sinha, T. S. (Eds.). *Recent Trends in Computational Intelligence*. London: IntechOpen. 10.5772/intechopen.89603.
- Mohri M., Rostamizadeh, A., dan Talwalkar, A., (2012). *Foundations of Machine Learning*. Cambridge: The MIT Press.
- Purna, W. M. P. A. A., (2021). Aplikasi SMOTE+ENN pada Analisis Klasifikasi dengan Data Tidak Seimbang untuk Pengklasifikasian Kandidat Pulsar. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Prasetya, J., (2021). Perbandingan Analisis Klasifikasi SMOTE Random Forest dan SMOTE K-Nearest Neighbors pada Data Tidak Seimbang. *Tesis*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Rosaen, K., (2016). Karl Rosaen Learning Log: scikit-learn Pipeline gotchas, k-fold cross-validation, hyperparameter tuning and improving my score on Kaggle's Forest Cover Type Competition, <http://karlrosaen.com/ml/learning-log/2016-06-20/>, diakses 12 Januari 2023
- Sá, J. A. S., Almeida, A. C., Rocha, B. R. P., Mota, M. A. S., Souza, J. R. S. dan Dentel, L. M., (2016). Lightning Forecast Using Data Mining Techniques on Hourly Evolution of the Convective Available Potential Energy. *In Proceedings of the Brazilian Congress on Computational Intelligence*, Fortaleza, Brazil, 8-11 November 2011.
- Setyaningsih, D. A., (2019). Penerapan Metode Kombinasi Naïve Bayes dan K Nearest Neighbor (cNK) dalam Analisis Klasifikasi. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta
- Soufan, O., Ba-alawi, W., Afeef, M., Essack, M., Rodionov, V., Kalnis, P., dan Bajic, V. B., (2015). Mining Chemical Activity Status from High-Throughput Screening Assays. *PloS one*. 10(12). e0144426. 10.1371/journal.pone.0144426.
- Subanar, (2013). *Statistika Matematika*. Yogyakarta: Graha Ilmu.

- Subanar, (2013). *Statistika Matematika: Probabilitas, Distribusi, dan Asimtotis dalam Statistika*. Yogyakarta: Graha Ilmu.
- Wilson, D. L., (1972). Asymptotic Properties of Nearest Neighbor Rules Using Edited Data. *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. SMC-2(3), 408-421.
- Wilson, D. R. dan Martinez, T. R., (2000). Reduction Techniques for Instance-Based Learning Algorithms. *Machine Learning*, 38, 257-286.
- Zakka, K., (2016), A Complete Guide to K-Nearest-Neighbors with Applications in Python and R, <https://kevinzakka.github.io/2016/07/13/k-nearest-neighbor/>, diakses 6 September 2022, 14 November 2022