

DAFTAR PUSTAKA

- [1] R. Shukla, N. P. Patel, H. P. Yadav, dan V. Kaushal, "A Monte Carlo simulation study on the effectiveness of electron filters designed for telecobalt radiation therapy treatment," *International Journal of Radiation Research*, vol. 17, no. 2, hlm. 14, 2019.
- [2] T. Marpaung, "KAJIAN PENGELOLAAN LIMBAH RADIOAKTIF SUMBER TERBUNGKUS BERDASARKAN REKOMENDASI BADAN TENAGA ATOM INTERNASIONAL (IAEA)**)," *Prosiding Seminar Nasional Teknologi Pengelolaan Limbah VIII*, hlm. 10, 2017.
- [3] J. C. Benitez-Navarro, M. Salgado, S. Madrazo, L. Jova, dan R. Castillo, "Management of disused teletherapy sources," International Atomic Energy Agency (IAEA), 2001. [Daring]. Tersedia pada: http://inis.iaea.org/search/search.aspx?orig_q=RN:32068260
- [4] A. Muziyawati dan P. Purnama, "EVALUASI HASIL PENERIMAAN SUMBER RADIOAKTIF TERBUNGKUS BEKAS TAHUN 2017 DI PUSAT TEKNOLOGI LIMBAH RADIOAKTIF," hlm. 7, 2017.
- [5] Pusat Teknologi Limbah Radioaktif, "Laporan Triwulan IV Tahun 2017." 2018.
- [6] IAEA, *SEALED RADIOACTIVE SOURCES*. Austria: The International Atomic Energy Agency, 2013. [Daring]. Tersedia pada: <https://www.iaea.org/sites/default/files/sealedradsources1013.pdf>
- [7] IAEA, *Management of spent high activity radioactive sources (SHARS)*. Vienna: The International Atomic Energy Agency, 2002.
- [8] Kepala Badan Pengawas Tenaga Nuklir Republik Indonesia, *Keputusan Kepala Badan Pengawas Tenaga Nuklir Nomor 04/Ka-BAPETEN/V-99 tentang Ketentuan Keselamatan Untuk Pengangkutan Zat Radioaktif*. 1999, hlm. 108.
- [9] K. Dollani, "Decommissioning of an old teletherapy cobalt machine," International Atomic Energy Agency (IAEA), 2006. [Daring]. Tersedia pada: http://inis.iaea.org/search/search.aspx?orig_q=RN:38009314
- [10] Aisyah, "Pengelolaan Sumber Radiasi Bekas Radioterapi," *Prosiding Seminar Nasional Teknologi Pengelolaan Limbah VI*, hlm. 46–61, 2008.
- [11] Suhartono, Suparno, dan Suryantoro, "Pra Rancangan Kontainer Tempat Penyimpanan Limbah Radioaktif Sumber Terbungkus 192Ir," *Prosiding Seminar Nasional Teknologi Pengelolaan Limbah X*, hlm. 65–73, 2012.
- [12] H. S. Wardanni, "Analisis Material Penyusun Kontainer Penyimpanan Limbah Radioaktif cobalt-60 Pesawat Teleterapi dengan Perisai Timbal," Universitas Gadjah Mada, Yogyakarta, 2022. Diakses: 9 Juni 2022. [Daring]. Tersedia pada: <http://etd.repository.ugm.ac.id/penelitian/detail/208292>
- [13] A. D. Oliveira dan C. Oliveira, "Comparison of deterministic and Monte Carlo methods in shielding design," *Radiation Protection Dosimetry*, vol. 115, no. 1–4, hlm. 254–257, Des 2005, doi: 10.1093/rpd/nci187.
- [14] R. Vladimir, N. A. Azarenkov, I. Girka, dan Y. Rudychev, "Efficiency of the dose rate calculation by monte-carlo method and point kernel method



- when handling radioactive waste,” *Problems of Atomic Science and Technology*, vol. 114, hlm. 63–69, Jan 2018.
- [15] N. Tsoulfanidis dan S. Landsberger, *Measurement and Detection of Radiation*, 4 ed. Boca Raton, FL: CRC Press, 2015.
- [16] S. N. Ahmed, *Physics and Engineering of Radiation Detection*. Ontario: Academic Press, 2007.
- [17] K. Abdullah, *Fundamentals in Nuclear Physics*. Iraq: University of Duhok (UOD), 2014.
- [18] K. S. Krane, *Introductory Nuclear Physics*. Canada: John Wiley & Sons, 1988.
- [19] H. Cember dan T. E. Johnson, *Introduction to health physics*, Forth. New York: McGraw-Hill Medical, 2009.
- [20] Y. Harima, “An historical review and current status of buildup factor calculations and applications,” *Radiation Physics and Chemistry*, vol. 41, no. 4, hlm. 631–672, Apr 1993, doi: 10.1016/0969-806X(93)90317-N.
- [21] A. Shimizu, T. Onda, dan Y. Sakamoto, “Calculation of Gamma-Ray Buildup Factors up to Depths of 100 mfp by the Method of Invariant Embedding, (III): Generation of an Improved Data Set,” *Journal of Nuclear Science and Technology*, vol. 41, no. 4, hlm. 413–424, Apr 2004, doi: 10.1080/18811248.2004.9715503.
- [22] D. Salehi, D. Sardari, dan M. Salehi, “Estimation of Exposure Buildup Factor in Iron Using Different Methods: A Comparative Study,” *Journal of Nuclear Energy Science & Power Generation Technology*, vol. 3, Jan 2014, doi: 10.4172/2325-9809.1000122.
- [23] N. A. M. Alsaif, Y. Elmahroug, B. M. Alotaibi, H. A. Alyousef, N. Rekik, A. W. M. A. Hussein, R. Chand, dan U. Farooq, “Calculating photon buildup factors in determining the γ -ray shielding effectiveness of some materials susceptible to be used for the conception of neutrons and γ -ray shielding,” *Journal of Materials Research and Technology*, vol. 11, hlm. 769–784, Mar 2021, doi: 10.1016/j.jmrt.2021.01.052.
- [24] C. Chargari, E. Deutsch, P. Blanchard, S. Gouy, H. Martelli, F. Guérin, I. Dumas, A. Bossi, P. Morice, A. N. Viswanathan, dan C. Haie-Meder, “Brachytherapy: An overview for clinicians,” *CA: A Cancer Journal for Clinicians*, vol. 69, no. 5, hlm. 386–401, 2019, doi: 10.3322/caac.21578.
- [25] S. Ramadhani, D. Milvita, H. Prasetyo, dan M. Mursiyatun, “Estimasi Laju Dosis Radiasi yang Lolos Melalui Dinding Primer dan Sekunder Berdasarkan Beban Kerja Pesawat Teleterapi Co-60 di Instalasi Radioterapi RSUP. Dr. M. Djamil Padang (Studi Kasus Januari - Juni 2019),” *JFU*, vol. 9, no. 3, hlm. 284–291, Agu 2020, doi: 10.25077/jfu.9.3.284-291.2020.
- [26] J. Kutuvan, D. C. Kar, R. Sahu, M. Radke, dan M. Singh, “BARC Develops Cobalt-60 Teletherapy Machine for Cancer Treatment,” *BARC Newsletter February*, Feb 2005.
- [27] H. Kodrat, R. Susworo, T. Amalia, dan R. R. Sabariani, “Radioterapi Konformal Tiga Dimensi dengan Pesawat Cobalt-60,” *Radioter Onkol Indones*, vol. 7, no. 1, Jul 2018, doi: 10.32532/jori.v7i1.43.



- [28] W. B. Santosa, Istofa, B. Santosa, dan B. Rozali, “Desain Dasar Perangkat Radioterapi Eksternal menggunakan Cobalt-60,” *Jurnal Perangkat Nuklir*, vol. 6, no. 2, 2012.
- [29] K. H. Pryor, “Radiation Safety of Sealed Radioactive Sources,” *Health Physics*, vol. 108, no. 2, 2015, [Daring]. Tersedia pada: https://journals.lww.com/health-physics/Fulltext/2015/02000/Radiation_Safety_of_Sealed_Radioactive_Sources.14.aspx
- [30] Oak Ridge Institute of Nuclear Studies, “A Standard Cobalt 60 Teletherapy Source Capsule,” *BJR*, vol. 27, no. 319, hlm. 410–412, Jul 1954, doi: 10.1259/0007-1285-27-319-410.
- [31] M.-R. Ioan, P. Cristian, V. Fugaru, S. Bercea, A. Celarel, dan C. CENUSA, “Computational method for the determination of intense gamma-rays sources activity by using GEANT4,” *Romanian Reports in Physics*, Des 2018.
- [32] Pemerintah Indonesia, *Peraturan Pemerintah Nomor 61 Tahun 2013 tentang Pengelolaan Limbah Radioaktif*. 2013, hlm. 40.
- [33] BAPETEN, “Undang-Undang Republik Indonesia Nomor 10 Tahun 1997 tentang Ketenaganukliran.”
- [34] Kepala Badan Pengawas Tenaga Nuklir Republik Indonesia, *PERATURAN KEPALA BADAN PENGAWAS TENAGA NUKLIR NOMOR 6 TAHUN 2015 TENTANG KEAMANAN SUMBER RADIOAKTIF*.
- [35] Pemerintah Indonesia, “Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 4 Tahun 2013 tentang Proteksi dan Keselamatan Radiasi Dalam Pemanfaatan Tenaga Nuklir - JDIH-BAPETEN,” 2013. <https://jdih.bapeten.go.id/index.php/site/dokview/id/322> (diakses 29 Agustus 2019).
- [36] E. Hiswara, *Buku Pintar Proteksi dan Keselamatan Radiasi di Rumah Sakit*. Jakarta: BATAN Press, 2015.
- [37] J. H. Kim, “Three principles for radiation safety: time, distance, and shielding,” *Korean J Pain*, vol. 31, no. 3, hlm. 145–146, Jul 2018, doi: 10.3344/kjp.2018.31.3.145.
- [38] E. Hiswara, *Proteksi dan Keselamatan Radiasi di Rumah Sakit*. Jakarta: BATAN Press, 2015. Diakses: 18 September 2022. [Daring]. Tersedia pada: https://www.academia.edu/42876208/_PROTEKSI_DAN_KESELAMATAN_KESELAMATAN_RADIASI_DI_RS_1_
- [39] L. B. Shappert, “Cask Designers Guide | A Guide for the Design, Fabrication, and Operation of Shipping Casks for Nuclear Applications,” Oak Ridge National Laboratory, Tennessee, ORNL-NSIC-68, Feb 1970.
- [40] G. F. Knoll, *Radiation detection and measurement*, 4th ed. Hoboken, N.J: John Wiley, 2010.
- [41] BAPETEN, *Peraturan Kepala Badan No 17 Tahun 2012 Tentang Keselamatan Radiasi dalam Kedokteran Nuklir*.
- [42] E. Kunarsih, “Penetapan Pembatas Dosis dan Peranannya dalam Upaya Optimisasi Proteksi Radiasi bagi Pekerja Radiasi di Fasilitas Kedokteran



Nuklir,” dipresentasikan pada Seminar Keselamatan Nuklir 2017, Yogyakarta, 2017.

- [43] A. B. Jr. de Carvalho, M. G. Stabin, J. A. Siegel, dan J. Hunt, “Comparison of Point, Line and Volume Dose Calculations for Exposure to Nuclear Medicine Therapy Patients,” *Health Physics*, vol. 100, no. 2, 2011, [Daring]. Tersedia pada: https://journals.lww.com/health-physics/Fulltext/2011/02000/COMPARISON_OF_POINT,_LINE_AND_VOLUME_DOSE.8.aspx
- [44] Grove Software, “MicroShield® Pro User’s Manual.” Grove Software, 2021.
- [45] M. K. Marincel, R. F. Weiner, dan D. M. Osborn, “Microshield Analysis to Calculate External Radiation Dose Rates for Several Spent Fuel Casks,” dipresentasikan pada WM’07: Waste Management Symposium, United States, 2007.
- [46] D. Bednár, M. Lištjak, A. Slimák, dan V. Nečas, “Comparison of deterministic and stochastic methods for external gamma dose rate calculation in the decommissioning of nuclear power plants,” *Annals of Nuclear Energy*, vol. 134, hlm. 67–76, Des 2019, doi: 10.1016/j.anucene.2019.06.003.
- [47] I. M. Prokhorets, S. I. Prokhorets, M. A. Khazhmuradov, E. V. Rudychev, dan D. V. Fedorchenko, “Point-Kernel Method for Radiation Fields Simulation,” *Problems of Atomic Science and Technology*, hlm. 106–109, 2007.
- [48] S.-H. Kang, S.-G. Lee, C. Jung, C. Lee, dan J. Lee, “Development of point kernel shielding analysis computer program implementing recent nuclear data and graphical user interface,” *Journal of Radiation Protection*, vol. 26, hlm. 215–224, Jan 2001.
- [49] Y. Yuhao, D. Sizhong, dan H. Yichao, “Shielding Calculation Research Based on Point-Kernel Integral Method,” dalam *The ASME 2013 21st International Conference of Nuclear Engineering*, China, 2013, vol. 4.
- [50] Irsyad, S. Purnomo, dan R. H. Oetami, “Design of reflector TRIGA mark II Bandung waste container shielding using micro shield 7.02.,” *J. Phys.: Conf. Ser.*, vol. 1436, no. 1, hlm. 012076, Jan 2020, doi: 10.1088/1742-6596/1436/1/012076.
- [51] MatWeb, “304 Stainless Steel (UNS S30400); Annealed Plate,” *Material Property Data*. <https://www.matweb.com/search/DataSheet.aspx?MatGUID=ec1666b2959f4746906341d6d91cfd29>
- [52] Interlloy, “Stainless Steel Plate 304 3-4L ASTM A240,” *Stainless Products*. <https://www.pennstainless.com/stainless-steel-plate-304-304l-astm-a240/>
- [53] MatWeb, “Lead (Pb),” *Material Property Data*. <https://www.matweb.com/search/DataSheet.aspx?MatGUID=ebd6d2cdfdca4fc285885cc4749c36b1>
- [54] M. Adams dan S. Smalian, “Shielding Calculations on Waste Packages – The Limits and Possibilities of different Calculation Methods by the example of homogeneous and inhomogeneous Waste Packages,” *EPJ Web of*



Conferences, vol. 153, hlm. 05023, Jan 2017, doi:

10.1051/epjconf/201715305023.

- [55] NUCLEAD, "Manufacture of Nuclear Casks for nuclear storage and transportation," *Manufacture of Nuclear Cask*.

<https://www.nuclead.com/nuccasks/>

- [56] R. M. Jr, C. Gesh, R. Pagh, R. Rucker, dan R. W. Iii, "Compendium of Material Composition Data for Radiation Transport Modeling." Pasific Northwest National Laboratory, 2011.

