

REFERENSI

- [1] E. F. Risko, D. Buchanan, S. Medimorec dan A. Kingstone, "Everyday attention: Mind wandering and computer use during lectures," *J. Comp. Edu*, vol. 68, pp. 275-283, 2013.
- [2] R. Szeliski, *Computer Vision: Algorithms and Application*, Seattle: Springer, 2021.
- [3] K. C. Yow and R. Cipolla, "Feature-based human face detection," *Image and Vision Computing*, vol. 15, pp. 713-735, 1997.
- [4] T. F. Cootes, G. J. Edwards dan C. J. Taylor, "Active appearance models," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 23, pp. 681-685, 2001.
- [5] C. F. Cootes, C. J. Taylor, D. H. Cooper and J. Graham, "Active Shape Models-Their Training and Application," *Computer Vision and Image Understanding*, vol. 61, pp. 38-59, 1995.
- [6] M. H. Yang, D. J. Kriegman and N. Ahuja, "Detecting Faces in Images: A Survey," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 24, pp. 34-58, 2002.
- [7] P. Viola dan M. Jones, "Rapid object detection using a boosted cascade of simple features," dalam *Proceedings of the 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. CVPR 2001*, 2001.
- [8] W. Yang dan Z. Jiachun, "Real-time face detection based on YOLO," dalam *1st IEEE International Conference on Knowledge Innovation and Invention*, 2018.
- [9] X. Hu dan B. Huang, "Face Detection Based on SSD and CamShift," dalam *IEEE 9th Joint International Information Technology and Artificial Intelligence Conference (ITAIC)*, 2020.
- [10] K. S. Khabarlak and L. S. Koriashkina, "Fast Facial Landmark Detection and Applications: A Survey," in *Arxiv Preprint*, 2021.
- [11] D. E. King, "Dlib-ml: A Machine Learning Toolkit," *Journal of Machine Learning Research*, vol. 10, pp. 1755-1758, 2009.
- [12] V. Kazemi and J. Sullivan, "One Millisecond Face Allignment with an Ensemble of Regression Trees," in *IEEE Conference on Computer Vision and Pattern Recognition*, 2014.
- [13] C. Sagonas, G. Tzimiropoulos, S. Zafeiriou and M. Pantic, "300 Faces in-the-Wild Challenge: The first facial landmark localization Challenge," in *Proceedings of IEEE Int'l Conf. on Computer Vision (ICCV-W)*, Sydney, 2013.
- [14] S. Yang, P. Luo and C. C. Loy, "WIDER FACE: A Face Detection Benchmark," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- [15] W. Wu, C. Qian, S. Yang and Q. Wang, "Look at Boundary: A Boundary-Aware Face Alignment Algorithm," in *IEEE Conference on Computer Vision and Pattern Recognition*, 2018.
- [16] I. Goodfellow, Y. Bengio and A. Courville, *Deep Learning*, MIT Press, 2016.
- [17] A. Krizhevsky, I. Sutskever and G. E. Hinton, "ImageNet classification with deep convolutional neural networks," in *NIPS'12: Proceedings of the 25th International Conference on Neural Information Processing Systems*, 2012.
- [18] Y. Lecun, L. Bottou, Y. Bengio and P. Haffner, "Gradient-based learning applied to document recognition," *Proceedings of the IEEE*, vol. 86, pp. 2278-2324, 1998.



- [19] J. Redmon, S. Divvala, R. Girshick and A. Farhadi, "You Only Look Once: Unified, Real-Time Object Detection," in *arXiv preprint*, 2016.
- [20] S. Ren, H. He, R. Girshick and J. Sun, "Faster R-CNN: towards real-time object detection with region proposal network," *Proceedings of the 28th International Conference on Neural Information Processing Systems, MIT Press*, vol. 1, pp. 91-99.
- [21] R. Girshick, J. Donahue, T. Darrell and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," in *arXiv preprint*, 2014.
- [22] R. Girshick, "Fast R-CNN," in *arXiv preprint*, 2015.
- [23] W. Liu, D. Anguelov, D. Erhan, C. Szegedy, S. Reed, C.-Y. Fu and A. Berg, "SSD: Single Shot MultiBox Detector," in *Conference: European Conference on Computer Vision*, 2016.
- [24] K. He, X. Zhang, S. Ren and J. Sun, "Deep Residual Learning for Image Recognition," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- [25] N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," *2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05)*, vol. 1, pp. 886-893, 2005.
- [26] G. B. Huang, M. Ramesh, T. Berg and E. Learned-Miller, "Labeled Faces in the Wild: A Database for Studying Face Recognition in Unconstrained Environments," University of Massachusetts, Amherst, 2007.
- [27] H. Garg, "Drowsiness Detection of a Driver using Conventional Computer Vision Application," in *2020 International Conference on Power Electronics & IoT Applications in Renewable Energy and its Control (PARC)*, 2020.
- [28] Q. Massoz, T. Langohr, C. François and J. G. Verly, "The ULg multimodality drowsiness database (called DROZY) and examples of use," in *2016 IEEE Winter Conference on Applications of Computer Vision (WACV)*, Lake Placid, 2016.
- [29] A. Sinha, R. P. Aneesh and S. K. Gopal, "Drowsiness Detection System Using Deep Learning," in *2021 Seventh International conference on Bio Signals, Images, and Instrumentation (ICBSII)*, 2021.
- [30] G. Pangestu, F. Mar'i, F. A. Bachtiar and F. I. Maulana, "The Heron Formula Approach for Head Movements Detection for Student Focus Detection during Pandemic Online Class," in *International Conference on Information Management and Technology (ICIMTech)*, Jakarta, 2021.
- [31] K. Kraflka, A. Khosla, P. Kellnhofer, H. Kannan, S. Bhandarkar, W. Matusik and A. Torralba, "Eye Tracking for Everyone," in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, 2016.
- [32] Q. Huang, A. Veeraraghavan and A. Sabharwal, "TabletGaze: dataset and analysis for unconstrained appearance-based gaze estimation in mobile tablets," in *Machine Vision and Applications*, 2017.
- [33] X. Chang, Y. Sugano, M. Fritz and A. Bulling, "MPIIGaze: Real-World Dataset and Deep Appearance-Based Gaze Estimation," in *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2017.
- [34] T. Hempel, A. A. Abdelrahman and A. Al-Hamadi, "6d Rotation Representation For Unconstrained Head Pose Estimation," in *2022 IEEE International Conference on Image Processing (ICIP)*, 2022.
- [35] X. Ding, X. Zhang, N. Ma, J. Han, G. Ding and J. Sun, "RepVGG: Making VGG-style ConvNets Great Again," in *2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2021.



- [36] R. Ranjan, S. De Mello and J. Kautz, "Light-Weight Head Pose Invariant Gaze Tracking," in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, Salt Lake City, UT, 2018.
- [37] P. Kellnhofer, A. Recasens, S. Stent, W. Matusik and A. Torralba, "Gaze360: Physically Unconstrained Gaze Estimation in the Wild," in *2019 IEEE/CVF International Conference on Computer Vision (ICCV)*, Seoul, 2019.
- [38] C. Sagonas, G. Tzimiropoulos, S. Zafeiriou, M. Pantic and E. Antonakosa, "300 Faces In-The-Wild Challenge: database and results," in *Image and Vision Computing (IMAVIS), Special Issue on Facial Landmark Localisation "In-The-Wild"*, 2016.
- [39] C. Sagonas, G. Tzimiropoulos, S. Zafeiriou and M. Pantic, "A semi-automatic methodology for facial landmark annotation," in *Proceedings of IEEE Int'l Conf. Computer Vision and Pattern Recognition (CVPR-W), 5th Workshop on Analysis and Modeling of Faces and Gestures (AMFG 2013)*, Oregon, 2013.
- [40] G. Fanelli, M. Dantone, J. Gall, A. Fossati and L. Van Gool, "Random Forests for Real Time 3D Face Analysis," *Int. J. Comput. Vision*, vol. 101, no. 3, pp. 437-458, 2013.
- [41] X. Yin, X. Y. a. K. Sohn, X. Liu and M. Chandraker, "Towards Large-Pose Face Frontalization in the Wild," in *In Proceeding of International Conference on Computer Vision*, Venice, 2017.
- [42] X. Zhang, Y. Sugano, M. Fritz and A. Bulling, "MPIIGaze: Real-World Dataset and Deep Appearance-Based Gaze Estimation," *IEEE Transactions on Pattern Analysis and Machine Intelligence (TPAMI)*, vol. 41, no. 1, pp. 162-175, 2019.
- [43] Y. Sugano, Y. Matsushita and Y. Sato, "Learning-by-Synthesis for Appearance-based 3D Gaze Estimation," in *In Proc. IEEE Conference on Computer Vision and Pattern Recognition (CVPR2014)*, 2014.