

DAFTAR PUSTAKA

- Abd, H. A. A. & Alnajjar, H. A. (2015). Maximum Likelihood for Land-Use/Land-Cover Mapping and Change Detection Using Landsat Satellite Images: A Case Study “South of Johor”. *International Journal of Computational Engineering Research*. 3:26-33.
- Abdulkareem, J. H., Pradhan, B., Sulaiman, W. N. A., & Jamil, N. R. (2019). Prediction of spatial soil loss impacted by long-term land-use/land-cover change in a tropical watershed. *Geoscience Frontiers*, 10(2), 389–403. <https://doi.org/10.1016/j.gsf.2017.10.010>
- Alfoldi, T. T. (1982) “Remote Sensing for Water Quality Monitoring”, in Remote Sensing for Resource Management, Edited by C. J. Johannsen and J. L. Sanders (Ankey, Iowa: Soil Conservation Society of America), 317-328.
- Alkaradaghi, K., Ali, S. S., Al-Ansari, N., Laue, J. (2019). Land Use Classification and ChangeDetection Using Multi-temporal Landsat Imagery in Sulaimaniyah Governorate, Iraq: *Advances in Remote Sensing and Geo Informatics Applications*. 117-120. https://doi.org/10.1007/978-3-030-01440-7_28
- Anderson, J. R., Hardy, E. E., Roach, J. T., & Witmer, R. E. (1976). A Land Use and Land Cover Classification System for Use with Remote Sensor Data. *US Geological Survey Professional Paper 964*.
- Aneseye, A. B., Elias, E., Soromessa, T., & Feyisa, G. L. (2020). Land Use/Land Cover Change Effect on Erosion and Sedimentat Delivery in the Winike Watershed, Omo Gibe Basin, Ethiopia. *Science of the Total ENVironment* 728, 1-16.
- Anwar, M., Pawitan, H., Murti laksono, K., Nengah, I., & Jaya, S. (2013). Respons Hidrologi Akibat Deforestasi di DAS Barito Hulu, Kalimantan Tengah H. *Jurnal Manajemen Hutan Tropika*, 17(3), 119–126.
- Badan Standardisasi Nasional. (2019). *Air dan air limbah – Bagian 3: Cara uji padatan tersuspensi total (total suspended solids/TSS) secara gravimetri*.

- Bappeda Provinsi Jawa Barat. (2016, December 5). *Pemprov Jabar Buka Lahan Sawah Baru di Pesisir Cimandiri*. BAPPEDA JABAR.
<http://bappeda.jabarprov.go.id/pemprov-jabar-buka-lahan-sawah-baru-di-pesisir-cimandiri/>
- Bisnis.com. (2018). Rancamaya Golf Estate Diuntungkan Adanya Tol Bocimi.
<https://ekonomi.bisnis.com/read/20181210/48/868153/rancamaya-golf-estate-diuntungkan-adanya-tol-bocimi>
- BPMPT Kabupaten Sukabumi. (2016). *Peluang Investasi Sektor Perkebunan Kab. Sukabumi*. Promosi Peluang Investasi BPMPT Kabupaten Sukabumi.
<https://investasi.sukabumikab.go.id/perkebunan.html>
- Budhiman, S. (2004). *Mapping TSM Conc from Multisensor Satellite Images in Turbid Tropical Coastal Water of Mahakam Delta*.
- Bunyangha, J., Majaliwa, M. J. G., Muthumbi, A. W., Gichuki, N. N., & Egeru, A. (2021). Past and Future Land Use/Land Cover Changes from Multi-Temporal Landsat Imagery in Mpologoma Catchment, Eastern Uganda. *Egyptian Journal of Remote Sensing and Space Science*, 24(3), 675–685. <https://doi.org/10.1016/j.ejrs.2021.02.003>
- Butt, A., Shabbir, R., Ahmad, S. S., Aziz, N. (2015). Land Use Change Mapping and Analysis Using Remote Sensing and GIS: a Case Study of Simly Watershed, Islamabad, Pakistan. *Egyptian Journal of Remote Sensing and Space Science* (18)2, 251-259.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (5th ed.). The Guilford Press. www.GISman.ir
- Charlton, R. (2008). *Fundamentals of Fluvial Geomorphology*. Routledge.
- Chaundry, M. H. (2008). *Open-Channel Flow* (2nd ed.). Springer.
- Cochran, W. G. (1977). *Sampling Techniques*. 3rd edition. John Wiley & Sons.

- Congalton, R. G. & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data*. Routledge.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit Andi.
- El-Hattab, M. M. (2016). Applying post classification change detection technique to monitor an Egyptian coastal zone (Abu Qir Bay). *The Egyptian Journal of Remote Sensing and Space Sciences*. 19:23-26.
- Fiuza Borges, Elane; Souza dos Anjos Camila; Santana Santos, Pablo. 2011. Detection of suspended sediments in Grande River and Ondas River – Bahia/Brazil, Federal University of Bahia, *Institute of ENVironmental Sciences and Sustainable Development, Brazil*
- Fondriest ENVironmental, Inc. (2014). *Sediment Transport and Deposition*. Fundamentals of ENVironmental Measurements. <https://www.fondriest.com/ENVironmental-measurements/parameters/hydrology/sediment-transport-deposition>
- GRIDOTO.COM. (2022). Jalan Tol Bocimi Seksi 2 Ruas Cigombong-Cibadak Ditargetkan Rampung Desember 2022, Progres Sudah 86 Persen. <https://gridoto.gridtechno.com/read/223491576/jalan-tol-bocimi-seksi-2-ruas-cigombong-cibadak-ditargetkan-rampung-desember-2022-progres-sudah-86-persen>
- Hamel, P., Chaplin-Kramer, R., Sim, S., Mueller, C. (2015). A new approach to modeling the sediment retention service (InVEST 3.0): Case study of the Cape Fear catchment, North Carolina, USA. *Science of The Total ENVironment*. 524-525:166-167.
- Hart, H. M. (2006). Effect of Land Use on Total Suspended Solids and Turbidity in the Little River Watershed, Blount County, Tennessee. *Thesis*. University of Tennessee. Knoxville.
- Iswari, M. Y., & Hartono. (2014). Aplikasi Citra Alos Avnir-2 untuk Pemetaan Distribusi Muatan Padatan Tersuspensi (Total Suspended Solids) di Muara Sungai Opak Yogyakarta. *Jurnal Bumi Indonesia*. 3(3).

- Jabar Open Data. (2022). Nama dan Luas Daerah Aliran Sungai (DAS) Berdasarkan Provinsi di Indonesia. <https://opendata.jabarprov.go.id/id/dataset/nama-dan-luas-daerah-aliran-sungai-das-berdasarkan-provinsi-di-indonesia>
- Jaelani, L. M., Limehuwey, R., Kurniadin, N., Pamungkas, A., Koenhardono, E. S., & Sulisetyono, A. (2016). Estimation of Total Suspended Sediment and Chlorophyll-A Concentration from Landsat 8-Oli: The Effect of Atmospher and Retrieval Algorithm. *IPTEK The Journal for Technology and Science*, 27(1). <https://doi.org/10.12962/j20882033.v27i1.1217>
- Kiran, V. S. S. (2013). Change Detection in Landuse/Landcover Using Remote Sensing & G.I.S Techniques: A Case Study of Mahananda Catchment, West Bengal. *International Journal of Research in Management Studies*. 2:68-72.
- Kompas.com. (2018). Rancamaya Buka Distrik Baru Jelang Beroperasinya Tol Bocimi. <https://www.kompas.com/tag/tol-bocimi?page=3>
- Laili, N., Arafah, F., Jaelani, L. M., Subehi, L., Pamungkas, A., Koenhardono, E. S., & Sulisetyono, A. (2015). Development of Water Quality Parameter Retrieval Algorithms for Estimating Total Suspended Solids and Chlorophyll-A Concentration Using Landsat-8 Imagery at Poteran Island Water. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 2(2W2), 55–62. <https://doi.org/10.5194/isprsannals-II-2-W2-55-2015>
- Landis, J. R. & Koch, G. G. (1977). *The Measurement of Observer Agreement for Categorical Data*. International Biometric Society. <https://doi.org/10.2307/2529310>
- Lee, J. H., Bang, K. W., Ketchum Jr, L. H., Choe, J. S., & Yu, M. J. (2002). First Flush Analysis of Urban Storm Runoff. *Science of The Total ENVironment*, 293(1–3), 163–175.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. (2008). *Remote Sensing and Image Interpretation* (6th ed.). John Wiley and Sons.

- Lu, D., Mausel, P., Bronzidio, E. S., Moran, E. (2004). Change Detection Techniques. *International Journal of Remote Sensing*. 25:2365-2407.
- Ly, K., Metternicht, G., & Marshall, L. (2020). Linking Changes in Land Cover and Land Use of the Lower Mekong Basin to Instream Nitrate and Total Suspended Solids Variations. *Sustainability (Switzerland)*, 12(7). <https://doi.org/10.3390/su12072992>
- Matas-Granados, L., Pizarro, M., Cayuela, L., Domingo, D., Gomez, D., Garcia, M. M. (2021). Long-term Monitoring of NDVI Changes by Remote Sensing to Asses the Vulnerability of Threatened Plants. *Biological Conservation* (265).
- Matthews, A. M., Duncan, A. G., & Davison, R. G. (2001). Error assessment of validation techniques for estimating suspended particulate matter concentration from airborne multispectral imagery. *International Journal of Remote Sensing*, 22, 449 – 469
- Media Indonesia. (2017). *Lahan Siap, Tol Bocimi Segera Dibangun*. Media Indonesia. <https://mediaindonesia.com/megapolitan/88611/lahan-siap-tol-bocimi-segera-dibangun.html>
- Montalvo, L. G. (2010). Spectral Analysis of Suspended Material in Coastal Waters: A Comparison Between Band Math Equations. 2010. <https://docplayer.net/39330139-Spectral-analysis-of-suspended-material-in-coastal-waters-a-comparisonbetween-band-math-equations.html>
- Morgan, R. P. C. (2005). *Soil Erosion and Conservation* (3rd ed.). Blackwell Publishing.
- Nigatu, A. (2014). Impact of Land Use Land Cover Change on Soil Erosion Risk: The Case of Denki River Catchment of Ankober Woreda. *Thesis*. Addis Ababa University. Ethiopia.
- Nilda, Adnyana, I. W. S., & Merit, I. N. (2015). Analisis Perubahan Penggunaan Lahan dan Dampaknya terhadap Hasil Air di DAS Cisadane Hulu. *Jurnal Ecotrophic*, 9(1), 35–45.

- Novo, E. M. L. M., Hansom, J. D., & Curran, P. J. (1989) The Effect of Sediment Type on the Relationship between Reflectance and Suspended Sediment Concentration. *International Journal of Remote Sensing*, 10:1283-1289.
- Olsen, C., Cutshall, N., Larsen, I. (1982). Pollutant–Particle Association and Dynamics in Coastal Marine ENVironment: A Review. *Marine Chemistry*, 11(6), 501-533.
- Parwati, E., Trisakti, B., Carolila, I., Kartika, T., Harini, S., & Dewanti, K. (2006). *Analisis Hubungan Penutup/Penggunaan Lahan dengan Total Suspended Matter (TSM) Kawasan Perairan Segara Anakan Menggunakan Data Inderaja*. Laporan Akhir Riset Unggulan Kemandirian Kedirgantaraan LAPAN.
- Patil, M. B., Desai, C. G., Umrikar, B. N. (2012). Image Classification Tool for Land Use / Land Cover Analysis: A Comparative Study of Maximum Likelihood And Minimum Distance Method. *International Journal of Geology, Earth and ENVironmental Sciences*. 2:188-196.
- Pickup, G. (1991). Event Frequency and Landscape Stability on The Floodplain Systems of Arid Central Australia. *Quaternary Science Reviews*, 10(5), 463–473.
- Pontius Jr, R. G., Shusas, E., & McEachern, M. (2004). Detecting Important Categorical Land Changes while Accounting for Persistence. *Agriculture Ecosystems & ENVironment*, 101:251-268.
- Roy, P. S., Dwivedi, R. S., Vijayan, D. (2010). *Remote Sensing Application*. National Remote Sensing Center/Indian Space Research Organisation.
- Rustiadi, E., Saefulhakim, S., & Panuju, D. R. (2009). *Perencanaan dan Pengembangan Wilayah*. Institut Pertanian Bogor.
- Sa’ad, F. N. A., Tahir, M. S., Jemily, N. H. B., Ahmad, A., & Amin, A. R. M. (2021). Monitoring Total Suspended Sediment Concentration in Spatiotemporal Domain over Teluk Lipat Utilizing Landsat 8 (OLI). *Applied Sciences (Switzerland)*, 11(15). <https://doi.org/10.3390/app11157082>

- Setiadi, D & Sarmili, L. (2015). Proses Akresi dan Abrasi Berdasarkan Pemetaan Karakteristik Pantai dan Data Gelombang di Teluk Pelabuhan Ratu dan Ciletuh, Kabupaten Sukabumi, Jawa Barat. *Jurnal Geologi Kelautan*, 13(1), 37-48.
- Stone, K. C., Hunt, P. G., Coffey, S. W., & Matheny, T. A. (1995). Water Quality Status of A USDA Water Quality Demonstration Project in The Eastern Coastal Plain. *Journal of Soil and Water Conservation*, 50(5), 567–571.
- Tadesse, L., Suryabagavan, K. V., Sridhar, G., Legesse, G., (2017). Land use and land cover changes and Soil erosion in Yezat Watershed, North Western Ethiopia. *International Soil and Water Conservation Research*. 5:74-94.
- Tarigan, M. S., & Edward. (2003). Kandungan Total Zat Padat Tersuspensi (Total Suspended Solid) di Perairan Raha, Sulawesi Tenggara. *MAKARA SAINS*, 7(3).
- Tate, K. W., Dahlgren, R. A., Singer, M. J., Allen-Diaz, B., & Atwill, E. R. (1999). Timing, Frequency of Sampling Affect Accuracy of Water-Quality Monitoring. *California Agriculture*, 53(6).
- Taufiq, M., Siswoyo, H., & WWS, A. (2013). Pengaruh Tanaman Kelapa Sawit terhadap Keseimbangan Air Hutan (Studi Kasus Sub Das Landak, Das Kapuas). *Jurnal Teknik Pengairan*, 4(1), 47–52.
- Thakkar, A. M., Desai, V. R., Patel, A., Potdar, M. B. (2017). Post-classification corrections in improving the classification of Land Use/Land Cover of arid region using RS and GIS: The case of Arjuni watershed, Gujarat, India. *The Egyptian Journal of Remote Sensing and Space Sciences*. 20:79-89.
- U. S. EPA. (2006). *Framework for Developing Suspended and Bedded Sediments (SABS) Water Quality Criteria*. U.S. ENVironmental Protection Agency. Washington DC. EPA-822-R-06-001.
- U. S. EPA. (2022). *Sediments*. U.S. ENVironmental Protection Agency. <https://www.epa.gov/caddis-vol2/sediments#tab-6>

- Van der Woerd, H, and R. Pasterkamp. (2002). A rigorous method to retrieve TSM concentrations from multi-temporal spot images in highly – turbid coastal waters. Paper on the 11th Australian Remote Sensing and Photogrammetry Conference (ARSPC), September 2nd to 5th 2002. 11 p
- Walling, D. E., & Moorehead, P. W. (1989). The Particle Size Characteristics of Fluvial Suspended Sediment: an Overview. *Hydrobiologia*, 176, 125–149.
- Wischmeier, W.H. and Smith, D.D. (1978) *Predicting Rainfall Erosion Losses. A Guide to Conservation Planning*. The USDA Agricultural Handbook No. 537, Maryland.
- Wong, K. M., Strecker, E. W., & Stenstorm, M. K. (1997). GIS to Estimate Storm-Water Pollutant Mass Loadings. *Journal of ENVironmental Engineering*, 123(8), 73