UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Affleck, R.R., & R.G. Ryan. (1969). Pitch control in a kraft pulp mill. *Pulp and Paper Magazine of Canada*, 70(12), T563–T567.

Aminah, Tomayahu, N., & Abidin, Z. (2017). Penetapan kadar flavonoid total ekstrak etanol kulit buah alpukat (*Persea americana Mill.*) dengan metode spektrofotometri UV-VIS. *Jurnal Fitofarmaka Indonesia*, 4(2), 226–230.

Amin, Y., Syafii, W., Wistara, N. J., & Prasetya, B. (2014). Peningkatan rendemen gula pereduksi dari kayu jabon dengan perlakuan air kapur ($Ca(OH)_2$). *Ilmu Teknologi Kayu Tropis*, 12(2), 196–206.

Amirta, R., Mukhdlor, A., Mujiasih, D., Septia, E., Supriadi, & Susanto, D. (2016). Suitability and availability analysis of tropical forest wood species for ethanol production: a case study in East Kalimantan. *Biodiversitas*, 17(2), 544–552.

Andrade, M.C.N., Minhoni, M.T.A., Sansigolo, C.A., & Zied, D.C. (2010). Chemical analysis of the wood and bark of different Eucalyptus types before and during the shitake cultivation. *R. Árvore Viçosa-MG*, 34(1), 165-175.

Anisah, Laela N., Syafii, W., Sari, R. K., & Pari, G. (2015). Aktivitas antidiabetes ekstrak etanol jabon (*Neolamarckia cadamba*) (Antidiabetic activity of jabon (*Neolamarckia cadamba*) ethanol extracts). *Jurnal Ilmu Dan Teknologi Kayu Tropis*, 13(2), 111–124.

Anisah, Laela Nur, Syafii, W., Pari, G., & Sari, R. K. (2018). Antidiabetic activities and identification of chemical compound from samama (*Neolamarckia macrophyllus* (Roxb) Havil). *Indonesian Journal of Chemistry*, 18(1), 66–74.

Anonim. (1985). Annual Book of ASTM Standards. *Section Four Construction Volume 04.09 Wood.* Philadelphia.

Aprianis, Y., & Rahmayanri, S. (2009). Dimensi serat dan nilai turunannya dari tujuh jenis kayu asal propinsi Jambi. *Jurnal Penelitian Hasil Hutan*, 27(1), 11–20.

Arisandi, R., Takahashi, K., Ashitani, T., Marsoem, S.N., & Lukmandaru, G. (2019) Lipophilic extractives of the stem wood and bark from *Eucalyptus pellita* F. Muell grown in Merauke, Indonesia. *Journal of Wood Chemistry and Technology*, 40(2), 146–154.

Arisandi, R., Nugroho Marsoem, S., Lukmandaru, G., Ashitani, T., & Takahashi, K. (2019). The contents of phenolics and cell wall component of *Eucalyptus pellita* F. Muell stemwood and bark. *Wood Research*, 64(3), 411–422.

Arisandi, R., Masendra, Brandon, A.V.P, Fatimah, Z.W., Fatra, V.I., Fuad S., & G. Lukmandaru. (2019). Lipophilic extractives of mahogany (*Swietenia macrophylla* King) barks. *9th International Symposium of Indonesian Wood Research Society*, Bali, 26-27 September 2017, 92-102.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Arisandi, R., S.N. Marsoem, G. Lukmandaru, & J.P.G. Sutapa. (2022). Analysis of sugar components related to heartwood formation in young *Swietenia mahagoni* (L.) Jacq trees. *Journal of Wood Chemistry and Technology*, 42 (3), 137-148.

Arsad, E. (2016). Penggunaan kayu jabon (*Anthochepalus chinensis* Lamk) dan balangeran (*Shorea balangeran* Korth) untuk kebutuhan masyarakat dan industri. *Jurnal Riset Hasil Hutan*, 8(1), 33–42.

Baeza, J., & Freer, J. (2001). Chemical characterization of wood and its components. Dalam: Wood and cellulosic chemistry. Hon, D.N.S., & N. Shiraishi (Ed). *Marcel Dekker*, New York.

Benyamin, R., Supriambodo, B., Santoso, I., Siswoyo, H., David, Widyantoro, B., Soewarso, Erwansyah, Siswoko, E., Yasman, I., Rahmin, K., Purwita, T., Sugianto, & Maksum, J. (2019). Road Map Pembangunan Hutan Produksi Tahun 2019-2045. 1–232.

Berrocal, A., Baeza, J., Rodriguez, J., Espinosa, M. & Freer, J. (2004). Effect of tree age on variation of *Pinus radiata* D. Don chemical composition. *Journal of the Chilean Chemical Society*, 49(3), 251–256.

Biswas, D., Misbahuddin, M., Roy, U., Francis, R.C., & Bose, S.K. (2011). Effect of additives on fiber yield improvement for kraft pulping of kadam (*Neolamarckia chinensis*). *Bioresource Technology*, 102(2), 1284–1288.

Brawner, J.T., Japarudin, Y., Lapammu, M., Rauf, R., Boden, D., & Wingfield, M.J. (2015). Evaluating the inheritance of *Ceratocystis acaciivora* symptom expression in a diverse *Acacia mangium* breeding population. *Southern Forest: a Journal of Forest Science*, 77(1), 83−90.

Brighente, I.M.C., Dias, M., Verdi, L.G., & Pizzolatti, M.G. (2007). Antioxidant activity and total phenolic content of some brazilian species. *Pharmaceutical Biology*, 45(2): 156-161.

Brown, H.P., A.J. Panshin, & Forsith. (1952). Text book of wood technology. *McGraw-Hill Book Company, Inc.* New York.

Browning, B.L. (1967). Methode of Wood Chemistry Vol. I. I*nterscience Publisher, A Divisionog John Wiley and Sons, Inc*. New York.

Bruice, P.Y. (2004). Organic chemistry. Dalam: Natural products from plants. Cseke, L.J., Kirakosyan, A., Kaufman, P.B., Warber, S.R., Duke, J.A., & Brielmann, H.L. *CRC Press.* Taylor & Francis Group. London, New York.

Burger, J.A. (2009). Management effects on growth, production and sustainability of managed forest ecosystems: Past trends and future directions. *Forest Ecology and Management*, 258(10), 2335-2346.

Burtin, P., Jay-Allemand, C., Charpentier, J.P., & Janin, G. (2000). Modifications of hybrid walnut (*Juglans nigra x Juglans regia*) wood color and phenolic

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

composition under various steaming conditions. *Holzforschung*, 54, 33-38.

Casey, J. P. (1980). Pulp and paper chemistry and chemical technology. Vol I: Pulp and bleaching. *Wild Interscience Publication*. New York.

Chaerani, N., Sudrajat, D.J., Siregar, I.Z., & Siregar, U.J. (2019). Growth performance and wood quality of white jabon (*Neolamarckia cadamba*) progeny testing at Parung Panjang, Bogor, Indonesia. *Biodiversitas,* 20(8), 2295-2301.

Chandrasekaran, A. (2021). Solvent physical properties. Diambil dari https://people.chem.umass.edu/xray/solvent.html

Chirinos, R., Betalleluz-Pallardel, I., Huaman, A., Arbizu, C., Pedreschi, R., & Campos, D. (2009). HPLC-DAD characterisation of phenolic compounds from Andan oca (*Oxalis tuberosa* Mol.). *Food Chemical*, 113, 1243-1251.

Cseke, L.J., Kirakosyan, A., Kaufman, P.B., Warber, S.R., Duke, J.A., & Brielmann, H.L. (2006). Natural products from plants. *CRC Press*. Taylor & Francis Group. London. New York.

Del Río, J.C., Gutiérrez, A., González-Vila, F. J., & Martín, F. (1999). Application of pyrolysis-gas chromatography-mass spectrometry to the analysis of pitch deposits and synthetic polymers in pulp and pulp mills. *Journal of Analytical and Applied Pyrolysis*, *49*(1), 165–177.

Del Río, J.C., Marques, G., Rodríguez, I. M., & Gutiérrez, A. (2009). Chemical composition of lipophilic extractives from jute (*Corchorus capsularis*) fibers used for manufacturing of high-quality paper pulps. *Industrial Crops and Products*, *30*(2), 241–249.

Del Rio, J.C., Rencoret, J., Martinez, A.T., & Gutierrez, A. (2011). Recent advances in Eucalyptus wood chemistry. *5th International Colloquium on Eucalyptus Pulp,* May 9-12., Porto Seguro, Bahia, Brazil.

Dellus, V., Scalbert, A., & Janin, G. (1997). Polyphenols and color of Douglas-fir heartwood. *Holzforschung*, 51(4): 291-295.

Dietrichs, H.H. (1965). Das Verhalten von Kohlenhydraten bei der Holzverkernung. *Holzforschung*, 18, 14- 24.

Direktorat Jenderal Kehutanan. (1976). Vademecum Kehutanan Indonesia. *Direktorat Jenderal Kehutanan Departemen Pertanian*. Jakarta.

Diouf, P.N., Stevanovic, T., & Cloutier, A. (2009). Antioxidant properties and polyphenol contents of trembling aspen bark extracts. *Wood Science and Technology*, *43*(5–6), 457–470.

Domingues, R.M.A., Sousa, G.D.A., Freire, C.S.R., Silvestre, A.J.D., & Neto, C.P. (2010). *Eucalyptus globulus* biomass residues from pulping industry as a source of high value triterpenic compounds. *Industrial Crops and Products* 31(1), 65–70.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Domingues, R.M.A., Sausa, G.D.A., Silva, C.M., Freire, C.S.R., Silvestre, A.J.D., & Neto, C.P. (2011). High value triterpenic compound from the outer barks of several Eucalyptus species cultived in Brazil and in Portugal. *Industrial Crop and Poroduct*, 33(1), 158-164.

Dubey, A., Nayak, S., & Goupale, D. C. (2011). *Neolamarckia cadamba*: A review. *Pharmacognosy Journal*, *2*(18), 71–76.

Ekman, R., & Holmbom, B. (2000). The chemistry of wood resin. In: Back EL, Allen LH (eds) Pitch Control, Wood Resin and Deresination. *TAPPI Press, Atlanta*, 37–76.

Emil, N. (2014). Analisis komponen kimia dan dimensi serat kayu jabon. *Skripsi Fakultas Kehutanan, Institut Pertanian Bogor*. Bogor.

Fardani, R.A. (2018). Rendemen dan sifat fisik berdasarkan variasi konsentrasi alkali aktif dan sulfiditas. *Skripsi Fakultas Kehutanan, Universitas Gadjah Mada*. Yogyakarta.

Fasciotti, M., Roseana, M.A., Elaine, C.C., Valnei, S.C., Paulo, R.M.S., Romeu, J.D., & Marcos, N.E. (2015). Wood chemotaxonomy via ESI-MS profiles of phytochemical markers: the challenging case of African versus Brazilian mahogany woods. *Analytical Methods*, 7(20), 8576-8583.

Fengel, D., & G. Wegner. (1995). Kayu : Kimia, ultrastruktur, reaksi-Reaksi. Diterjemakan oleh Hardjono Sastrohamidjojo. *Gadjah Mada University Press*. Yogyakarta.

Fernandes, F.H.A., & Salgado, H. (2016). Gallic acid: review of the methods of determination and quantification. *Analytical Chemistry*, 46(3), 257-265.

Fiskari, J. & Kilpelainen, P. (2021). Acid sulfite pulping of *Acacia mangium* and *Eucalyptus pellita* as a pretreatment method for multiproduct biorefineries. *Asia-Pacific Journal of Chemical Engineering Curtin University*, 16(6), 1–8.

Freire, C.S.R., Silvestre, A.J.D., Neto, C.P., & Cavaleiro, J.A.S. (2002). Lipophilic extractives of the inner and outer barks of *Eucalyptus globulus. Holzforschung*, 56, 372-379.

Freire, C.S.R., Pinto, P.C.R., Santiaogo, A.S., Silvestre, A.J.D., Evtuguin, D.M., & Neto, C.P. (2006). Comparative study of lipophilic extractives of hardwood and corresponding ECF bleached craft pulp. *BioResources*, 1(1), 3-17.

Gao, H., Shupe, T. F., Hse, C. Y., & Eberhardt, T. L. (2006). Antioxidant activity of extracts from the bark of *Chamaecyparis lawsoniana* (A. Murray) Parl. *Holzforschung*, 60(4), 459–462.

Gao, H., Shupe, T.F., Eberhardt, T.L., & Hse, C.Y., (2007) Antioxidant activity of extracts from the wood and bark of Port Orford cedar. *Journal of Wood Science*, 53, 147-152.

Gierlinger, N., Jacques, D., Grabner, M., Wimmer, R., Schwaninger, M.,

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Rozenberg, P., & Paques, L.E. (2004). Colour of larch heartwood and relationship to extractives and brown-rot decay resistance. *Trees*, 18, 102-108.

Global Biodiversity Information Facility. (2010). GBIF Backbone Taxonomy: Checklist Dataset. (https://www.gbif.org/species/5335719)

Gominho, J., & Pereira, H. (2000). Variability of heartwood content in plantation-grown *Eucalyptus Globulus* labill. *Wood and Fiber Science*, *32*(2), 189–195.

Gurjar, H., Jain, S.K., Nandanwar, R., & Sahu, V.K. (2010). Phytochemical screening on the stem bark of *Neolamarckia cadamba* (Roxb.) Miq. *International Journal of Phamaceutical Sciences and Research,* 1(7), 108–115.

Gutierrez, A.,del Río, J.C., Gonzalez-Vila, F.J., & Martín, F. (1999). Chemical composition of lipophilic extractives from *Eucalyptus globulus* Labill. wood. *Holzforschung*, 53(5), 481–486.

Gutiérrez, A., del Río, J.C., & Martínez, A.T. (2004). Chemical analysis and biological removal of wood lipids forming pitch deposits in paper pulp manufacturing. In Environmental Microbiology. Methods in Bio-technology. Vol. 16. Walker, J.M.; Spencer, J.F.T. (Eds.). *Ragout de Spencer A.L. Humana Press*: New Jersey, USA.

Gutierrez, A., del Rio, J.C., Rencoret, J., Ibarra, D., & Martinez A.T. (2006). Main lipohilic extractives in different paper pulp types can be remove using the laccase-mediator system. *Applied Microbiology and Biotechnology*, 72(4), 845-851.

Hafizoğlu, H., Holmborn, B., & Reunanen, M. (2002). Chemical composition of lipophilic and phenolic constituents of bark from *Pinus nigra, Abies bornműlleriana*, and *Castanea sativa*. *Holzforschung*, 56, 257-260.

Halawane, J. E., Hidayah, Ha. N., & Kinho, J. (2011). Prospek Pengembangan Jabon Merah (*Neolamarckia macrophyllus* (Roxb.) Havil*), S*olusi Kebutuhan Kayu Masa Depan. *Badan Peneltian dan Pengembangan Kehutanan, Balai Penelitiaan Kehutanan Manado*.

Haneda, N.F., Ichtisinii, A., Siregar, U.J., Istikorini, Y., & Lestari, A. (2020). Chemical componen of sengon tree digested *Xystrocera festiva* (Coleoptera: Cermbycidae) larvae. *Advances in Biological Sciences Research*, 14, 292-295.

Hansen, J.R., Turk, G., Vogg, R., & Heim, E.B. (1997). Conifer carbohydrates physiology: updating classical views. In *Trees* – Contributions to modern tree physiology, Rennenberg, H., Eschrich, W., Ziegler, H., Eds; *Backhuys Publishers Leiden*: The Netherlands, 97–108.

Harborne, J. B. (1984). Phytochemical methods : a guide to modern techniques of plant analysis. second ed., *Chapman and Hall*, New York, USA.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Harun, J., & Labosky, P. (1985). Chemical constituents of five northeastern barks. *Wood and Fiber*, 17(2), 274.

Harwood, C.E., & Nambiar, E.K.S. (2014). Productivity of acacia and eucalypt plantations in Southeast Asia. 2. trends and variations. *International Forestry Review*, 16(2), 249–260.

Harwood, C.E., Hardiyanto, E.B., & Wong, C.Y. (2015). Genetic improvement of tropical acacias: achievements and challenges. *Southern Forests: a Journal of Forest Science*, 77(1), 11–18.

Haygreen, J.G., & J.L. Bowyer. (1988). Hasil hutan dan ilmu kayu.*Gadjah Mada University Press* (terjemahan). Yogyakarta.

Hemingway, R.W. (1981). Bark: Its chemistry and prospects for chemical utilization. In: Goldstein, I.S. (Ed.), *Organic Chemicals and Biomas*s. CRC Press, Boca Raton, FL, 189–248.

Hemingway, R.W., Karchesy, J.J., McGraw, G.W., & Wielesek, R.A. (1983). Heterogeneity of interflavaniod bond located in loblolly pine bark procyanidins. *Phytochemistry*, 22, 275.

Henriksson, G. (2009). Pulp and paper chemistry and technology volume 1. *Walter de Gruyter GmbH & Co. KG*, 10785 Berlin.

Hergert, H.T. (1960). Chemical composition of tannins and polyphenolics from conifer wood and bark. *Forest Products Journal*, 10, 610–617.

Hergert, H.T. (1962). Economic importance of flavonoid compounds: Wood and bark. In: Geissmann, T.A. (Ed.), The Chemistry of Flavonoid Compounds. *MacMillan, New York*, Chapter 17, 553–592.

Heyne, K. (1978). Pertumbuhan berguna Indonesia I-IV. *Badan Peneletian dan Pengembangan Kehutanan. Departemen Kehutanan.* Yayasan Sarana Wana Jaya. Jakarta.

Higuchi, T., Ito, Y., Shimada, M., & Kawamura, I. (1967). Chemical properties of bark lignins. *Cellulose Chemistry and Technology*, 1, 585–595.

Hillis, W.E. (1971). Distribution, properties and formation of some wood extractives. *Wood Science and Technology*, *5*(4), 272–289.

Hillis, W.E. (1987). Heartwood and Tree Exudates. *Springer-Verlag Berlin Heidelberg.* Germany.

Hillis,W.E., & Sumimoto, M. (1989). Effect of extractives on pulping. In: Rowe JW (ed) Natural products of woody plants. II. *Springer. Berlin Heidelberg* New York, 880–920.

Hon, D.N.S., & Minemura, N. (2001). Colour and discoloration. In: wood and cellulosic chemistry. Hon, D.N.S., & Shiraishi, N. (editor). Marcel Dekker, New York.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, D., Ou, B., & Prior, R.L. (2005). The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*, 53, 1841-1856.

Irawan, U.S., & E. Purwanto. (2014). White jabon (*Neolamarckia cadamba*) and red jabon (*Neolamarckia macrophyllus*) for community land rehabilitation: Improving local propagation efforts. *Agricultural Science*, 2(3), 36-45.

Jansson, M.B., & Nilvebrant, N. (2009). Wood extractives. In : Pulp and paper chemistry dan technology Vol. 1, wood chemistry dan biotechnology. *De Gruyer*, Berlin.

Jasni, Gustan, P., & Esti, R.S. (2016). Komposisi kimia dan keawetan alami 20 jenis kayu Indonesia dengan pengujian di bawah naungan. *Jurnal Penelitian Hasil hutan*, 34(4), 323-333.

Jouogo, D.C.N., Jean-De-Dieu, T., Remy, B.T., Germaine, M-T., Laurence, V-N., Leon, A.T., & David, N. (2022). Chemotaxonomy and antibacterial activity of the extracts and chemical constituents of *Psychotia succulenta* Hern. (Rubiaceae). *BioMed Research International*, 2022, 1-10.

Kartikaningtyas, D., & Widigdo. (2014). Identifikasi morfologi jabon putih (*Antochepallus cadamba* Miq.) dan jabon merah (*Antochepallus macrophylla* Roxb.) pada tingkat semai. *Informasi Teknis*, 12(2), 51-59.

Khoddami, A., Wilkes, M.A., & Roberts, T.H. (2013). Techniques for analysis of plant phenolic compounds. *Molecules*, 18(2), 2328-2375.

Kondo, R., & Imamura, H. (1985). The chemistry of the color of wood. I. The phenolic components of Hazenoki (*Rhus succedanea* L.) and their dyeing properties. *Mokuzai Gakkaishi*, 31, 927-934.

Kozłowicz, K., Rozylo, R., Gładyszewska, B., Matwijczuk, A., Gładyszewski, G., Chocyk, D., Samborska, K., Piekut, J., & Smolewska, M. (2020). Identification of sugars and phenolic compounds in honey powders with the use of GC–MS, FTIR spectroscopy, and X-Ray diffraction. *Scientific Reports*, 10(16269), 1–10.

Krisnawati, H., M. Kallio, dan M. Kanninen. (2011). *Neolamarckia cadamba* Miq.: ekologi, silvikultur dan produktivitas. *CIFOR, Bogor,* Indonesia.

Kumar, V. (2017). Medicinal properties of *Neolamarckia Indicus* (kadam): an indigenous medicinal plant. *Era's Journal of Medical Research*, *4*(1), 63–67.

Kurth, E.F., & Smith, J.E. (1954). The chemical nature of the lignin of Douglas-fir bark. *Pulp Paper. Mag. Canada,* 55, 125.

Labosky, P. (1979). Chemical constituents of four southern pine parks. *Wood Science*, 12(2), 80–85.

Laks, P.E. (1991). Chemistry of bark. In: Hon, D.N.-S. and Shiraishi, N. (Eds.) Wood and Cellulosic Chemistry. *Marcel Dekker, New York*, 257–330.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Lal, M., Dutt, D., Tyagi, C. H., Upadhyay, J. S., & Upadhyay, S. (2010). Characterization of *Neolamarckia cadamba* and its delignification by kraft pulping. *Tappi Journal*, *9*(3), 30–37.

Langga, I.F., Restu, M., & Kuswinanti, T. (2012). Optimization of temperature and length of incubation in extracting Bitti Plant (*Vitex cofassus* Reinw.) DNA and genetic variation analysis with RAPD-PCR. *Jurnal Sains Teknologi*, 12 (3), 265-276

Latib, N.A., Tamat, N.S.M., & Kasim, J. 2014. Physical and chemical properties of kelempayan (*Neolamarckia cadamba*) wood. *International Journal of Latest Research in Science and Technology*, 3(6), 215-219.

Lednicer, D. (2011). Steroid chemistry at a Glance.1 Ed. *John Wiley & Sons Ltd*. United Kingdom.

Lempang, M. (2014). Sifat dasar dan potensi kegunaan kayu jabon merah. *Jurnal Penelitian Kehutanan Wallacea*, *5*(1), 163-175.

Le Normand, M., Edlund, U., Holmbom, B., & Ek, M. (2012). Hot-water extraction and characterization of spruce bark non-cellulosic polysaccharides. *Nordic Pulp and Paper Research Journal*, 27(1), 18-23.

Leone, R., & C. Breuil. (1998). Filamentous fungi can degrade aspen steryl esters and waxes. *International Biodeterioration & Biodegradation*, 41, 133–137.

Lourenco, A., Gominho, J., & Pereira, H. (2010). Pulping and delignification of sapwood and heartwood from *Eucalyptus globulu*s. *Journal of Pulp and Paper Science*, 36(6), 85-90.

Lukmandaru, G. (2009). Perubahan warna pada kayu teras jati (*Tectona grandis*) doeng melalui ekstraksi berturutan. *Jurnal Ilmu dan Teknologi Hasil Hutan*, 2(1), 15-20.

Lukmandaru, G. (2009). Pengukuran kadar ekstraktif dan sifat warna pada kayu teras jati doreng (*Tectona grandis*). *Jurnal Ilmu Kehutanan*, 3(2), 67-73.

Lukmandaru, G. (2011). Variability in the natural termite resistance of plantation teak wood and its relations with wood extractive content and color properties. *Journal Forest Research*, 8(1), 17-31.

Lukmandaru G. (2012). Komposisi ekstraktif pada kayu mangium (*Acacia mangium*). J*urnal Ilmu dan Teknologi Kayu Tropis*, 10(2), 150-156.

Lukmandaru, G., Sayudha, I.G.N.D., Gustomo, L.S., & Prasetyo, V.E. (2011). Pengukuran kadar ekstraktif dan sifat warna kayu *Acacia mangium* dari lima provenans. *Prosiding Semnas MAPEKI XII di Bali*, 372-380.

Lukmandaru, G., R.M. Arsy, W. Pito, & E.P. Vendy. (2016). Studi mutu kayu jati di hutan rakyat Gunungkidul. *Jurnal Ilmu Kehutanan*, 10(2), 108-118.

Lukmandaru, G., Zumaini, U.F., Soeprijadi, D., Nugroho, W.D., & Susanto, M.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

(2016). Chemical properties and fiber dimension of *Eucalyptus pellita* from the 2nd generation of progeny test in Pelaihari, South Borneo, Indonesia. *J. Korean Wood Sci. Technol.,* 44(4), 571-558.

Magel, E., Jay-Allemand, C., & Ziegler, H. (1994). Formation of heartwood substances in the stemwood of *Robinia pseudoacacia* L. II. Distribution of non-structural carbohydrates and wood extractives across the Trunk. *Trees*, 8, 165–171.

Mansur, I., & F.D. Tuheteru. (2012). Kayu Jabon. *Penebar Swadaya*. Jakarta.

Marsoem, S.N. (2012). Buku ajar pulp dan kertas. *Laboratorium Kimia dan Serat Kayu Jurusan Teknologi Hasil Hutan*. Fakultas Kehutanan UGM (tidak dipublikasikan). Yogyakarta.

Martawijaya, A., Kartasujana, I., Mandang, Y.I., Prawira, S.A., & Kadir, K. (1989) Atlas kayu Indonesia Jilid II. *Pusat Penelitian dan Pengembangan Hasil Hutan*, Bogor, Indonesia.

Masendra. (2016). Komposisi kimia ekstraktif kulit kayu (*Pinus merkusii*). *Skripsi*. *Fakultas Kehutanan Universitas Gadjah Mada*. Yogyakarta.

Masendra, Tatsuya, A., Koetsu, A., & Ganis, L. (2018). Lipophilic extractives of the inner and outer barks from six different *Pinus* species grown in Indonesia. *Journal of Forestry Research,* 29(5), 1329-1336.

Masriani, R., Teddy, K., Hana, R., & Raeshifa, D.A. (2020). Kajian pengembangan standar metode uji holoselulosa. *Prosiding Pertemuan dan Presentasi Ilmiah Standardisasi 5 November 2020, 285-292.*

McGinnis, G.D., & Parikh, S. The chemical constituents of loblolly pine. *Wood Science*, 7(4), 295–297.

McLean, D.S., Stack, R.S., & Richardson, D.E. (2014). The effect of wood extractives composition, pH and temperature on pitch deposition. *Appita Journal*, 58 (1), 52-76.

Menezes, R.P.B., Zoe, S., Eugene, M., Luciana, S., & Marcus, T.S. (2021). Secondary metabolites extracted from Annonaceae and chemotaxonomy study of terpenoids. *Journal of the Brazilian Chemical Society,* 32(11), 2016-2070.

Mihara, R., Barry, K.M., Mohammed, C.L., & Mitsunaga, T. (2005). Comparison of antifungal and antioxidant of *Acacia mangium* and *A. auriculiformis*. *Journal of Chemical Ecology*, 31(4), 789-804.

Mindawati, N., Bogidarmanti, R., Nuroniah, H.S., Kosasih, A.S., Suhartati, Rahmayanti, S.A., Rachmat, E., & Rochmayanto, Y. (2009). Sintesa hasil penelitian silvikultur jenis alternatif penghasil kayu pulp. *Pusat Penelitian dan Pengembangan Peningkatan Produktivitas Hutan*, Badan Penelitian dan Pengembangan Kehutanan. Bogor.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Miranda, I., & H. Pereira. (2002). Variation of pulpwood quality with provenances and site in *Eucalyptus globulus*. *Annals of Forest Science*, 59(3), 283–291.

Miranda, I., Gominho, J., Mirra, I., & Pereira, H., (2012). Chemical characterizationof barks from *Picea abies* and *Pinus sylvestris* after fractioning into different particle sizes. *Industrial Crops and Products*, 36(1), 395–400.

Miranda, I., Gominho, J., Mirra, I., & Pereira, H. (2013). Fractioning and chemical of barks of *Betula pendula* and *Eucalyptus globulus*. I*ndustrial Crops and Products*, 41, 299–305.

Misbahuddin, M., Biswas, D., & Roy, U. (2019). Suitability of eight years kadam tree (*Neolamarckia cadamba*) in chemical pulping. *Nordic Pulp and Paper Research Journal*, *34*(4), 417–421.

Moldeveanu, S. C., & David, V. (2018). Derivatization Methods in GC and GC/MS.

Molyneux, P. (2003). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Macrophile Associates*. Wiltshire.

Mukhdlor, A., Haqiqi, M. T., Tirkaamiana, M. T., Suwinarti, W., & Amirta, R. (2021). Assessment of wood biomass productivity from Neolamarckia *macrophyllus* forest plantation for energy production. *Proceedings of the Joint Symposium on Tropical Studies (JSTS-19)*, 11, 21–25.

Neiva, D.M., Araujo, S., Laurenco, A., Gominho, J., & Pereira, H. (2015). Kraft pulping and wood chemical composition for 12 Eucalyptus species. *Industrial Crops dan Products*, 66, 89-95.

Niamke, F.B., Amusant, N., Charpentier, J.P., Chaix, G., Baissac, Y., Boutahar, N., Adima, A.A., Kati-Coulibaly, S., & Jay-Allemand, C. (2011). Relationships between biochemical attributes (Non-structural carbohydrates and phenolics) and natural durability against fungi in dry teak wood (T*ectona Grandis* L. f.). *Annals of Forest Science*, 68, 201–211.

Nunes, E., Quilhó, T., & Pereira, H. (1999). Anatomy and chemical composition of Pinus pinea L. bark. *Annals of Forestry Science*, 56, 479-484.

Nurhasybi, & A. Muharam. (2010). Atlas Benih Tanaman Hutan Indonesia. *Balai Penelitian dan Pengembangan Kehutanan Departemen Kehutanan*, Bogor.

Obst, J.R. (1998). Special (secondary) metabolites from wood. In: Alan Bruce and John W. Palfreyman (eds.). Forest products biotechnology. *Taylor & Francis*, London, UK. 151–165.

Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., & Anthony, S. (2009). Agroforestry tree database: a tree reference and selection guide version 4.0. (http://www.worldagroforestry.org/af/treedb/).

Pakpahan, E. (2015). Peningkatan produksi Centellosida pada pegangan (Centella

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

asiatica). Dalam: kumpulan karya tulis ilmiah. 20 Juni 2017. http://tugasakhiramik.blogspot.co.id/2015/10/peningkatan-produksi-centellosida-pada.htmL.

Panche, A.N., Diwan, A.D., & Chandra, S.R. (2016). Flavonoids: An overview. J*ournal of Nutritional Science*, 5.

Pathauer, P.S., Lopez, G.A., & Gelid, P.E. (2004). Genetic parameter for growth, pilodyn penetration, and tree form in Eucalyptus dunnii. In: Borralho, N, *et al*. Eucalyptus in a Changing World. Proc IUFRO Conf., Aveiro 11-15 October 2004.

Pereira, J.T., Hastie, A.Y.L., Sugau, J.B., & Chung, A.Y.C. (2015). The Fast-growing tree jabon merah *Neolamarckia macrophylla* (Roxb.) Bosser (Rubiaceae). *Annual Report Sabah Forestry Departement*.

Pereira, H., Grac, A.J., & Rodrigues, J.C. (2003). Wood chemistry in relation to quality. In: Barnett, J.R., Jeronimidis, G. (eds) Wood quality and its biological basis. *Blackwell, United Kingdom*, 53-86.

Pereira, D. M., Valentao, P., Pereira, J. A., & Andrade, P. B. (2009). Phenolics: from chemistry to biology. *Molecules*, 14, 2202–2211.

Pietarinen, S., Willfor, S. & Holmbom, B. (2004). Wood resin in *Acacia Mangium* and *Acacia Crassicarpa* wood and knots. *Appita Journal*, 57(2), 146–150.

Piispanen, R. & Saranpaa, P. (2001). Variation of non-structural carbohydrates in silver birch (*Betula pendula* Roth) wood. *Trees*, 15, 444–451.

Pontis, J.A., Alves da Costa, L.A.M., Reis da Silva, S.J., & Flach, A. (2014). Color, phenolic and flavonoid content of honey from Roraima, Brazil. *Food Science and Technology*, 34(1), 69-73.

Prananta, Y. E., Rakhman, K. A., & Saleh, J. (2020). Antioxidant activities of red jabon (*Neolamarckia macrophyllus*) ethanol extract. *IOP Conference Series: Earth and Environmental Science*, 415(1), 1-8.

Pratiwi. (2003). Prospek Pohon Jabon Untuk Pengembangan Hutan Tanaman. *Buletin Penelitian dan Pengembangan Kehutanan, Bogor*, 4(1), 62-66.

Prawirohatmodjo, S. (2004). Kimia kayu. *Universitas Gadjah Mada*. Yogyakarta. (Tidak diterbitkan).

Purba, B.A.V., Sunarti, S., & Lukmandaru, G. (2021). Phenolics content and antioxidant activity of wood extractives from three clones of *Acacia* Hybrid (*Acacia mangium x Acacia auriculiformis*. *Maderas Ciencia y tecnologia*, 23(28), 1-12.

Quang, T.H., Kien, N.D., von Arnold, S., Jansson, G., Thinh, H.H., & Clapham, D. (2010). Relationship of wood composition to growth traits of selected open-pollinated families of *Eucalyptus urophylla* from a progeny trial in Vietnam. *New Forest*, 39(3), 301-312.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahayu, S., Lee, S.S., & Shukor, N. A. A. (2010). *Uromycladium tepperianum*, the gall rust fungus from *Falcataria moluccana* in Malaysia and Indonesia. *Mycoscience*, 51(2), 149–153.

Rahman, W.M.N.W.A., Yunus, N.Y.M, Kasim, J., & Tamat, N.S.M. (2018). Effects of tree portion and radial position on physical and chemical properties of kelampayan (*Neolamarckia cadamba*) wood. *BioResources*, 13(2), 4536-4549.

Rencoret, J., Gutierrez, A., & Del Rio, J.C. (2011). Chemical composition of different Eucalyptus wood species used for paper pulp manufacturing. *Instituto de Recursos Naturales Agrobiología de Sevilla, CSIC*.

Rowell, R.M., R. Petersen, & M.A. Tshabalala. (2005). Cell wall chemistry. Dalam: handbook of wood chemistry and wood composites (second edition). CRC Press. Taylor & Francis Group.

Rutiaga Quiñones, J.G., Windeisen, E., & Strobel, C. (1998). Polysaccharide von *Swietenia macrophylla* King. European *Journal of Wood and Wood Product*, 56(4), 234.

Saifudin, A. (2014). Senyawa alam metabolit sekunder: teori, konsep, dan teknik pemurnian. Ed.1. *Deepublish. CV Budi utama*. Yogyakarta.

Sakai, K. (2001). Chemistry of bark. In: Hon, D.N.-S., Shiraishi, N. (Eds.), Wood and Cellulosic Chemistry, 2nd ed. *Marcel Dekker*, New York.

Sandved, K.B., Prance, G.T., & Prance, A.E. (1992). Bark: the formation, characteristics, and uses of bark around the world. *Timber Press,* Portland, OR, United States.

Sari, E.T., & Hamzari. (2021). Analisis Potensi Hutan Tanaman Jabon (*Neolamarckia cadamba Miq*). *Jurnal Warta Rimba*, 9(2), 125-132.

Sarkanen, K.V., & Hergert, H.L. (1971). Classification and distribution, In: Sarkanen, K.V and Ludwig, C.H. (Eds.), Lignins, Occurrence, formation, structure and reactions, *Wiley-Interscience*, New York.

Schofield, P., Mbugua, D., & Pell, A.N. (2001). Analysis of condensed tannins: A review. *Animal Feed Science Technology*, 91(1), 21–40.

Sell, C.S. (2003). A fragrant introduction to terpenoid chemistry. *Published by The Royal Society of Chemistry*, Thomas Graham House, Science park, Milton Road, Cambridge CB4 0WF. UK.

Setyaji, T. (2011). Jabon dan Prospeknya untuk Hutan Rakyat. *Informasi Teknis*, 9(2), 45–54.

Setyaji, T., Nirsatmanto, A., & Sunarti, S. (2013). Genetic variation on early growth of jabon (*Neolamarckia spp*.) observed in first generation seedling seed orchard. *International Conference of Indonesia Forestry Researchers*. Bogor.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Setyaji, T., Nirsatmanto, A., Sunarti S., Surip, Kartiksningtyas, D., Yuliastuti, D.S., & Sumaryana. (2014). Budi daya intensif jabon merah (*Neolamarckia macrophyllus*) "Si jati kebon dari Timur". *IPB Press*. Bogor.

Silverio, F.O., Barbosa, L.C.A., Maltha, C.R.A., Silvestre, A.J.D., Veloso, D.P., & Gomide, J.L. (2007). Characterization of lipophilic wood extractives from clones of *Eucalyptus urograndis* cultivate in Brazil. *BioResources*, 2(2), 157-168.

Sjostrom, E. (1998). Kimia kayu: dasar-dasar penggunaan. *Gadjah Mada University Press* (terjemahan). Yogyakarta.

Stolarski, M.J., Szczukowski, S., Tworkowski, J., Wróblewska, H., & Krzyżaniak, M. (2011). Short rotation willow coppice biomass as an industrial and energy feedstock. *Industrial Crops and Products*, 33, 217–223

Soerianegara I. & Lemmens, R.H.M.J. (1994). Plant resources of South-East Asia 5(1) Timber trees: Major commercial timbers. *Prosea*. Bogor.

Sokanandi, A., Pari, G., Setiawan, D., & Saepuloh. (2012). Komponen kimia sepuluh jenis kayu kurang dikenal: kemungkinan pengguunaan sebagai bahan baku pembuatan bioetanol. *Jurnal Penelitian Hasil Hutan*, 32(2), 209-218.

Soon, L.K., & Chiang, L.K. 2012. Influence of different extraction solvents on lipophilic extractives of Acacia hybrid in different wood portions. *Asian Journal of Applied Sciences*, 5(2), 107-116.

Stackpole, D.J., Vaillancourt, R.E., Alves, A., Rodrigues, J. & Potts, B.M. (2011). Genetic variation in the chemical components of *Eucalyptus globulus* wood. *Genetics*, 1(2), 151-159.

Streit, W., & Fengel, D. (1994). On the changes of the extractive composition during heartwood formation in *Quebracho colorado* (*Schinopsis balansae* Engl.). *Holzforschung*, 48, 15–20.

Sumarni, G. (2004). Keawetan kayu terhadap serangga. Upaya menuji efisiensi penggunaan kayu. *Orasi Pengukuhan Ahli Peneliti Utama, Jakarta.* Balai Penelitian dan Pengembangan Kehutanan.

Sun, J., Wang, X., Zhu, Y., Wang, X., & Gao, Z. (2012). Study on the chemical properties of *Neolamarckia chinensis*. *Advanced Materials Research*, *518–523*, 5366–5370.

Syafii, W., & Siregar, I.Z. (2006). Sifat kimia dan dimensi serat kayu mangium (*Acacia mangium* Wild.) dari tiga provenans. *Journal Tropical Wood Science & Technology*, 4(1), 28-32.

Swan, B. 1967. Extractives of unbleached and bleached prehydrolysis-kraft pulp from *Eucalyptus globulus*. *Svensk Papperstidn*, 70, 616–619.

TAPPI. (2002). Acid-insoluble lignin in wood and pulp. Technical Association of the Pulp and Paper Industry, T 222 om-02. *Technical Association of the Pulp*

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

and Paper Industry, New York.

TAPPI. (2009). Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography. Technical Association of the Pulp and Paper Industry, T 249 om-09. *Technical Association of the Pulp and Paper Industry*, New York.

Tarigan, M., Roux, J., van Wyk, M., Tjahjono B., & Wingfield, M.J. (2011). A new wilt and die-back disease of *Acacia mangium* associated with *Ceratocystis manginecans* and *C. acaciivora* sp nov. in Indonesia. *South African Journal of Botany*, 77(2), 292-304.

Thompson, A., Cooper, J., & Ingram, I. (2006). Distribution of terpenes in heartwood and sapwood of loblolly pine. *Forest Products Journal*, 56(7/8), 46-48.

Umezawa, T. (2001). Chemistry of extractives. Dalam: wood and cellulosic chemistry. Hon, D.N.S., & N. Shiraishi (Ed). *Marcel Dekker*, New York.

Valente, C.A., Sousa, A.P.M., Furtado, F.P., & Carvalho, A.P. (1992). Improvement program for *Eucalyptus globulus* at Portucel: technological component. *Appita*, 45(6), 403-407.

Van Putten, R.-J., Winkelman, J.G.M., Keihan, F., Van der Waal, J.C., De Jong, E., & Heeres, H.J. (2014). Experimental and modelling studies on the solubility of D-arabinose, D-fructose, D-glucose, D-mannose, sucrose and D-cylose in methanol and methanol-water mixtures. *Industrial & Engineering Chemistry Research*, 53(19), 8285–8290.

Vassilev, S.V., Baxter, D., Andersen, L.K., Vassileva, C.G., & Morgan, T.J. (2012). An overview of the organic and inorganic phase composition of biomass. *Fuel*, 94, 1–33.

Venkataraman, K. (1972). Wood phenolics in the chemotaxonomy of the moraceae. *Phytochemistry*, 11(5), 1571-1586.

Vek, V., Oven, P., Ters, T., Poljansek, I., & Hinterstoisser, B. (2014). Extractives of mechanically wounded wood and knots in beech. *Holzforschung*, 68, 529–539.

Villar, E., Klopp, C., Noirot, C., Novaes, E., Kirst, M., Plomion, C., & Jean-Marc, G. (2011). RNA-Seq reveals genotype-specific molecular responses to water deficit in eucalyptus. *BMC Genomics*, 12(538), 1-18.

Wang, F., Zhang, Q., Tian, Y., Yang, S., Wang, H., Wang, L., Li, Y., Zhang, P., & Zhao, X. (2018). Comprehensive assessment of growth traits and wood properties in half-sib *Pinus koraiensis* families. *Euphytica*, 204(202), 1-15.

Wanli, B., Yang, Z., & Wang, S. Studies on chemical composition and paper-making propeties of 6 kinds of poplar. *Liaoning Forestry Science and Technology*, 4, 56-61.

UNIVERSITAS
GADJAH MADA
Analisis Komponen Kimia Batang Pohon Jabon Putih (Neolamarckia cadamba) dan Jabon Merah (Neolamarckia macrophyllus) dari Wonogiri, Jawa Tengah
FATRA VALAHATUL IHDA, Prof. Dr. Ganis Lukmandaru, S.Hut., M.Agr.Sc.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Wilcox, W.W., & Piirto, D.D. (1976). Chemical characterization of wood and its components. Dalam: wood and cellulosic chemistry. Hon, D.N.S., & N. Shiraishi (Ed). *Marcel Dekker*, New York.

Wistara, N. J., Carolina, A., Pulungan, W. S., Emil, N., Lee, S. H., & Kim, N. H. (2015). Effect of tree age and active alkali on kraft pulping of white jabon. *Journal of the Korean Wood Science and Technology*, *43*(5), 566–577.

Wissam, Z., Ghada, B., Wassim, A., & Warid, K. (2012). Effective extraction of polyphenols and proanthocyanidins from pomegranate's peel. I*nternational Journal of Pharmacy and Pharmaceutical Science*, 4(2), 673- 682.

Yudohartono, T.P. (2013). Growth characteristic of jabon from Sumbawa provenance at nursery and after planting. *Jurnal Pemuliaan Tanaman Hutan*, 7(2), 85-96.

Zhao, X., Ouyang, K., Gan, S., Zeng, W., Song, L., Zhao, S., Li, J., Doblin, M.S., Bacic, A., Chen, X., Marchant, A., Deng, X., & Wu, A.M. (2014). Biochemical and molecular changes associated with heteroxylan biosynthesis in *Neolamarckia cadamba* (Rubiaceae) during xylogenesis. *Front Plant Sci*, 5, 602.

Zhao, X., Tong, T., Li, H., Ren, J., Zhang, A., Deng, X., Chen, X., & Wu, A. (2016). Characterization of hemicelluloses from *Neolamarckia cadamba* (Rubiaceae) during xylogenesis. *Carbohydrate Polymers*, 156, 333-339.

Zobel, B.J., & van Buijtenen, J.P. (1989). Wood variations, its causes and control. *Springer-Verlag.* Berlin.