

- Abrahamson, N.A. & Silva, W.J. 1997. Empirical Response Spectral Attenuation Relations for Shallow Crustal Earthquakes. *Seismological Research Letters*, 68(1): 94–127.
- Aki, K. & Richards, P.G. 1980. *Quantitative Seismology, Theory and Methods*. San Fransisco: Freeman.
- Ali, W., Mohammad, N.S. & Tahir, M. 2014. Rock Mass Characterization for Diversion Tunnels at Diamer Basha Dam, Pakistan - a design perspective. *International Journal of Scientific Engineering and Technology*, 3(10): 1292–1296.
- Badan Standarisasi Nasional. 2019. *SNI 1729:2019 tentang tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan nongedung*. Jakarta: Badan Standarisasi Nasional.
- Balai Wilayah Sungai Sumatera I Aceh. 2019. *Detail Engineering Design Bendung Pengarah Bendungan Tiro*. Banda Aceh: Balai Wilayah Sungai Sumatera I Aceh.
- Baroux, Avouac, Bellier & Sébrier. 1998. Slip-partitioning and fore-arc deformation at the Sunda Trench, Indonesia. *Terra Nova*, 10(3): 139–144.
- Bellier, O. & Sébrier, M. 1995. Is the slip rate variation on the Great Sumatran Fault accommodated by fore-arc stretching? *Geophysical Research Letters*, 22(15): 1969–1972.
- Bellier, O., Sébrier, M., Pramumijoyo, S., Beaudouin, T., Harjono, H., Bahar, I. & Forni, O. 1997. Paleoseismicity and seismic hazard along the Great Sumatran Fault (Indonesia). *Journal of Geodynamics*, 24(1–4): 169–183.

D.H., Kartawa, W., Keats, W., Rock, N.M.S., Thomson, S.J. & Whandoyo, R. 1981.

*Peta Geologi Lembar Bandaaceh, Sumatra*. Bandung: Pusat Penelitian dan Pengembangan Geologi.

Bieniawski, Z.T. 1989. *Engineering Rock Mass Classifications*. New York: John Wiley & Sons.

Bobich, J.K. 2005. *Experimental analysis of the extension to shear fracture transition in Berea Sandstone*. Texas.

Boore, D.M., Joyner, W.B. & Fumal, T.E. 1997. Equations for Estimating Horizontal Response Spectra and Peak Acceleration from Western North American Earthquakes: A Summary of Recent Work. *Seismological Research Letters*, 68(1): 128–153.

Boore, D.M., Stewart, J.P., Seyhan, E. & Atkinson, G.M. 2014. NGA-West2 Equations for Predicting PGA, PGV, and 5% Damped PSA for Shallow Crustal Earthquakes. *Earthquake Spectra*, 30(3): 1057–1085.

Campbell, K.W. & Bozorgnia, Y. 2014. NGA-West2 Ground Motion Model for the Average Horizontal Components of PGA, PGV, and 5% Damped Linear Acceleration Response Spectra. *Earthquake Spectra*, 30(3): 1087–1115.

Chiou, B.S.-J. & Youngs, R.R. 2014. Update of the Chiou and Youngs NGA Model for the Average Horizontal Component of Peak Ground Motion and Response Spectra. *Earthquake Spectra*, 30(3): 1117–1153.

Curry, J.R. 2005. Tectonics and history of the Andaman Sea region. *Journal of Asian Earth Sciences*, 25(1): 187–232.

- Kieckhefer, R. 1979. Tectonics of the Andaman Sea and Burma. *American Association of Petroleum Geologists Memoir*, 29: 189–198.
- Das, B.M. 1985. Evaluation of the point load strength for soft rock classification. In *Proceedings of the fourth international conference ground control in mining*. Morgantown: 220–226.
- Dearman, W.R. 1991. *Engineering Geological Mapping*. Oxford: Butterworth-Heinemann.
- Deere, D.U. 1989. *Rock Quality Designation (RQD) After Twenty Years*. U.S. Army Corps of Engineers Contract Report GL-89-1. Vicksburg, USA: Waterways Experiment Station.
- Deere, D.U. & Deere, D.W. 1968. Geological considerations. In K. G. Stagg & O. C. Zienkiewicz, eds. *Rock Mechanics in Engineering Practice*. New York: Wiley: 1–20.
- de Vallejo, L.I.G. & Ferrer, M. 2011. *Geological Engineering*. New York: CRC Press.
- Diament, M., Harjono, H., Karta, K., Deplus, C., Dahrin, D., Zen Jr., M.T., Gérard, M., Lassal, O., Martin, A. & Malod, J. 1992. Mentawai fault zone off Sumatra: A new key to the geodynamics of western Indonesia. *Geology*, 20(3): 259–262.
- Erdik, M. & Durukal, E. 2004. Strong Ground Motion. In A. Ansal, ed. *Recent Advances in Earthquake Geotechnical Engineering and Microzonation*. Dordrecht: Springer Netherlands: 67–100.
- Gattinoni, P., Pizzarotti, E.M. & Scesi, L. 2014. *Engineering Geology for Underground Works*. Dordrecht: Springer.

Gupta, I.D. 2002. The State of the Art in Seismic Hazard Analysis. *ISSET Journal of Earthquake Technology*, 39(4): 311–346.

Haimson, B.C. & Cornet, F.H. 2003. ISRM Suggested Methods for rock stress estimation—Part 3: hydraulic fracturing (HF) and/or hydraulic testing of pre-existing fractures (HTPF). *International Journal of Rock Mechanics and Mining Sciences*, 40(7): 1011–1020.

Hawkins, A.B. 2000. *General report: the nature of hard rocks/soft soils. The Geotechnics of Hard Soils-Soft Rock*. Rotterdam.

Heidbach, O., Rajabi, M., Cui, X., Fuchs, K., Müller, B., Reinecker, J., Reiter, K., Tingay, M., Wenzel, F., Xie, F., Ziegler, M.O., Zoback, Mary lou & Zoback, Mark. 2018. The World Stress Map database release 2016: Crustal stress pattern across scales. *Tectonophysics*, 744: 484–498.

Hoek, E. 2007. *Practical Rock Engineering*. British Columbia: Evert Hoek Consulting Engineer Inc.

Hoek, E. 1994. Strength of rock and rock masses. *ISRM News Journal*, 2(2): 4–16.

Hoek, E. & Brown, E.T. 1997. Practical estimates of rock mass strength. *International Journal of Rock Mechanics and Mineral Science*, 34(8): 1165–1186.

Hoek, E. & Brown, E.T. 2019. The Hoek–Brown failure criterion and GSI – 2018 edition. *Journal of Rock Mechanics and Geotechnical Engineering*, 11(3): 445–463.

Hoek, E. & Brown, E.T. 1980. *Underground excavation in rock*. London: The Institution of Mining and Metallurgy.

Hoek, E., Carranza-Torres, C. & Corkum, B. 2002. Hoek-Brown criterion - 2002 edition. In *Proceedings of NARMS-TAC Conference*. 267–273.

Hoek, E., Carter, T.G. & Diederichs. 2013. Quantification of the Geological Strength

Index Chart. In *47th US Rock Mechanics / Geomechanics Symposium*. 1757–1764.

Hoek, E. & Diederichs, M.S. 2006. Empirical estimation of rock mass modulus.

*International Journal of Rock Mechanics and Mining Sciences*, 43(2): 203–215.

Hoek, E., Kaiser, P.K. & Bawden, W.F. 1995. *Support of underground excavations in hard rock*. Rotterdam: A.A. Balkema.

Hoek, E. & Marinos, P. 2000. GSI: A Geologically Friendly Tool for Rock Mass Strength Estimation. *Proceedings of the GeoEng 2000 at the International Conference on Geotechnical and Geological Engineering, Melbourne*: 1422–1446.

Howard, A.D. 1967. Drainage Analysis in Geologic Interpretation: A Summation. *AAPG Bulletin*, 51: 2246–2259.

Huchon, P. & le Pichon, X. 1984. Sunda Strait and Central Sumatra fault. *Geology*, 12(11): 668–672.

Hudson, J.A. 1989. *Rock mechanics principles in engineering practice*. London: Ciria, Butterworths.

Hurukawa, N., Wulandari, B. & Kasahara, M. 2014. Earthquake History of the Sumatran Fault, Indonesia, since 1892, Derived from Relocation of Large Earthquakes. *Bulletin of the Seismological Society of America*, 104: 1750–1762.

Irvani, Wilopo, W. & Karnawati, D. 2013. Determination of Nuclear Power Plant Site in West Bangka Based on Rock Mass Rating and Geological Strength Index. *J. SE Asian Appl. Geol*, 5(2): 78–86.

ISKRM. 1978. Suggested methods for the quantitative description of discontinuities in rock

masses. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 15(6): 319–368.

Japan Society of Civil Engineers. 2018. *Standard Specifications for Tunneling - 2016: Mountain Tunnels*. Tokyo: Tunnel Engineering Committee, JSCE.

Katili, J.A. & Hehuwat, F. 1967. On the occurrence of large transcurrent faults in Sumatra, Indonesia. *Journal of Geoscience, Osaka City University*, 10: 5–17.

Kikuchi, K., Saito, K. & Kusunoki, K. 1982. Geotechnically integrated evaluation on the stability of dam foundation rocks. In *International Commission on Large Dams (ICOLD)*. Rio de Janeiro, Brazil.

Kramer, S.L. 1996. *Geotechnical Earthquake Engineering*. New Jersey: Prentice-Hall.

Kukarni, R.B., Youngs, R.R. & Coppersmith, K.J. 1984. Assessment of confidence intervals for results of seismic hazard analysis. In *Proceedings of 8th World Conference on Earthquake Engineering*. San Francisco, CA: 263–270.

Lee, V.W. & Trifunac, M.D. 2010. Should average shear-wave velocity in the top 30 m of soil be used to describe seismic amplification? *Soil Dynamics and Earthquake Engineering*, 30(11): 1250–1258.

Lin, J.Z., Liang, G.Z., Zhao, Y. & Xie, M.F. 1980. Local mechanism and tectonic stress field of coastal southeast China. *Acta Seismologica Sinica (in Chinese)*, 2(2): 245–257.

Maidl, B., Thewes, M. & Maidl, U. 2013. *Handbook of Tunnel Engineering Volume I: Structures and Methods*. Berlin: Ernst & Sohn.

Marinos, P. & Hoek, E. 2001. Estimating the geotechnical properties of heterogeneous rock masses such as flysch. *Bulletin of Engineering Geology and the Environment*, 60(2): 85–92.

Marinos, V. 2017. A revised geotechnical classification GSI system for tectonically disturbed rock masses, such as flysch. *Bulletin of Engineering Geology and the Environment*, 19: 1–14.

McCaffrey, R. 1991. Slip vectors and stretching of the Sumatran fore arc. *Geology*, 19(9): 881–884.

McCaffrey, R., Zwick, P.C., Bock, Y., Prawirodirdjo, L., Genrich, J.F., Stevens, C.W., Puntodewo, S.S.O. & Subarya, C. 2000. Strain partitioning during oblique plate convergence in northern Sumatra: Geodetic and seismologic constraints and numerical modeling. *Journal of Geophysical Research: Solid Earth*, 105(B12): 28363–28376.

McCarthy, A.J. & Elders, C.F. 1997. Cenozoic deformation in Sumatra: oblique subduction and the development of the Sumatran Fault System. *Geological Society, London, Special Publications*, 126(1): 355.

Meng, W., Chen, Q., Du, J., Feng, C., Qin, X. & An, Q. 2012. In-Situ Stress Measurements in Singapore. *Chinese Journal of Geophysics*, 55(4): 429–437.

Mogi, K. 1966. Pressure dependence of rock strength and transition from brittle fracture to ductile flow. *Bulletin of the Earthquake Research Institute*, 44: 215–232.

Natawidjaja, D.H. 2018. Updating active fault maps and sliprates along the Sumatran Fault Zone, Indonesia. In *IOP Conference Series: Earth and Environmental Science*. Institute of Physics Publishing.

- Palmström, A. 1982. The volumetric joint count-a useful and simple measure of the degree of rock mass jointing. *In: Proceedings of the 4th Congress of International Association of Engineering Geology*, 2: 221–228.
- Pettifer, G. & Fookes, P.G. 1994. A revision of the graphical method for assessing the excavatability of rock. *Quarterly Journal of Engineering Geology*, 27: 145–164.
- Pettijohn, F.J. 1975. *Sedimentary Rocks*. 3rd edition. New York: Harper and Row.
- PT Waskita Karya (Persero) Tbk. 2022. *Laporan Pengeboran Tahap Pra-Konstruksi Bangunan Pengarah Bendungan Rukoh*. Pidie: PT Waskita Karya (Persero) Tbk.
- Pusat Studi Gempa Nasional. 2017. *Peta Sumber dan Bahaya Gempa Indonesia Tahun 2017*. Bandung: Pusat Penelitian dan Pengembangan Perumahan dan Permukiman.
- Ramsey, J.M. & Chester, F.M. 2004. Hybrid fracture and the transition from extension fracture to shear fracture. *Nature*, 428(6978): 63–66.
- Reiter, L. 1990. *Earthquake Hazard Analysis - Issues and Insights*. New York: Columbia University Press.
- Schwartz, A.E. 1964. Failure of rock in the triaxial shear test. *Proceedings of the 6th US Symposium on Rock Mechanics*: 109–151.
- Sheory, P.R. 1994. A theory for in situ stresses in isotropic and transversely isotropic. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 31(1): 23–34.
- Siddique, T. & Khan, E.A. 2019. Stability appraisal of road cut slopes along a strategic transportation route in the Himalayas, Uttarakhand, India. *SN Applied Sciences*, 1(5): 409.

*of Geophysical Research: Solid Earth*, 105(B12): 28295–28326.

Smith, H.J. 1997. The point load test for weak rock in dredging applications. *International Journal of Rock Mechanics and Mining Sciences*, 34(3): 295.e1-295.e13.  
<https://www.sciencedirect.com/science/article/pii/S1365160997000634>.

Tanaka, H. 1964. *Introduction of geology to civil engineers*. Sankaido, Japan.

Toro, G.R., Abrahamson, N.A. & Schneider, J.F. 1997. Model of Strong Ground Motions from Earthquakes in Central and Eastern North America: Best Estimates and Uncertainties. *Seismological Research Letters*, 68(1): 41–57.

Tsiambaos, G. & Saroglou, H. 2010. Excavatability assessment of rock masses using the Geological Strength Index (GSI). *Bulletin of Engineering Geology and the Environment*, 69(1): 13–27.

Vallejo, L.E., Welsh, R.A. & Robinson, M.K. 1989. Correlation Between Unconfined Compressive And Point Load Strengths For Appalachian Rocks. In *Proceeding of the 30th U.S. Symposium on Rock Mechanics (USRMS)*. Morgantown, West Virginia: 461–468.

van Bemmelen, R.W. 1949. *The Geology of Indonesia, Vol. IA*. The Hauge: Government Printing Office.

van Zuidam, R.A. 1983. *Guide to Geomorphologic: Aerial Photographic Interpretation and Mapping*. Enschede The Netherlands: ITC.

Wentworth, C.K. 1922. A Scale of grade and class terms for clastic sediments. *Journal of Geology*, 30: 377–394.

Zhang, Q., Huang, X., Zhu, H. & Li, J. 2019. Quantitative assessments of the correlations

between rock mass rating (RMR) and geological strength index (GSI). *Tunnelling and Underground Space Technology*, 83: 73–81.

Zhao, J., Hefny, A.M. & Zhou, Y.X. 2005. Hydrofracturing in situ stress measurements in Singapore granite. *International Journal of Rock Mechanics and Mining Sciences*, 42(4): 577–583.

Zhao, X.Y., Su, Y.J. & Fu, H. 2007. Recent tectonic stress field of Eurasian earthquake zone and the characteristics of its subareas. *Journal of Seismological Research (in Chinese)*, 30(2): 146–151.