

## REFERENCES

- Agbemaflle, R., Owusu-Sekyere, J., Bart - Plange, A., & Otchere, J. (2014). Effect of deficit irrigation and storage on the nutritional composition of tomato (*Lycopersicon esculentum* Mill. cv. Pectomech). *Food Science and Quality Management*, 34, 59–65.
- Bangert, F., & Ho, L. C. (1984). Fruit Position and Fruit Set Sequence in a Truss as Factors Determining Final Size of Tomato Fruits. *Annals of Botany*, 53(3), 315–319.
- Bertin, N., Gautier, H., & Roche, C. (2002). Number of cells in tomato fruit depending on fruit position and source-sink balance during plant development. *Plant Growth Regulation*, 36(2), 105–112. <https://doi.org/10.1023/A:1015075821976>
- Branthôme, F. (2020). *Japan: among the world's top three markets*. Tomato News. [https://www.tomatonews.com/en/japan-among-the-worlds-top-three-markets\\_2\\_1188.html](https://www.tomatonews.com/en/japan-among-the-worlds-top-three-markets_2_1188.html)
- Cantwell, M., Nie, X., & Hong, G. (2009). Impact of Storage Conditions on Grape Tomato Quality. *6th ISHS Postharvest Symposium, April 2009*, 3–10.
- Chechanovsky, N., Hovav, R., Frenkel, R., Faigenboim, A., Eselson, Y., Petreikov, M., Moy, M., Shen, S., & Schaffer, A. A. (2019). Low temperature upregulates cwp expression and modifies alternative splicing patterns, increasing the severity of cwp-induced tomato fruit cuticular microfissures. *Horticulture Research*, 6(1). <https://doi.org/10.1038/s41438-019-0204-9>
- Demers, D. A., Dorais, M., & Papadopoulos, A. P. (2007). Yield and russetting of greenhouse tomato as influenced by leaf-to-fruit ratio and relative humidity. *HortScience*, 42(3), 503–507. <https://doi.org/10.21273/hortsci.42.3.503>
- Dorais, M., Papadopoulos, A. P., & Ieperen, W. Van. (2003). Greenhouse Tomato Fruit Cuticle Cracking. *Horticultural Reviews Vol.30*, 30, 163–184.
- Emmons, C. L. W., & Scott, J. W. (1997). Environmental and physiological effects on cuticle cracking in tomato. In *Journal of the American Society for Horticultural Science* (Vol. 122, Issue 6, pp. 797–801). <https://doi.org/10.21273/jashs.122.6.797>
- FAO. (2022). *Crops and livestock products*. <https://www.fao.org/faostat/en/#data/QCL>
- Guichard, S., Bertin, N., Leonardi, C., & Gary, C. (2001). Tomato fruit quality in relation to water and carbon fluxes. *Agronomie*, 21(4), 385–392. <https://doi.org/10.1051/agro:2001131>
- Hahn, F. (2011). Fuzzy controller decreases tomato cracking in greenhouses. *Computers and Electronics in Agriculture*, 77(1), 21–27. <https://doi.org/10.1016/j.compag.2011.03.003>

- Hao, X., & Papadopoulos, A. P. (2004). Effects of calcium and magnesium on plant growth, biomass partitioning, and fruit yield of winter greenhouse tomato. *HortScience*, 39(3), 512–515. <https://doi.org/10.21273/hortsci.39.3.512>
- Higashide, T. (Ed.). (2013). *Tomatoes : cultivation, varieties and nutrition*. Nova Publisher.
- Huang, J. S., & Snapp, S. S. (2004). The effect of boron, calcium, and surface moisture on shoulder check, a quality defect in fresh-market tomato. *Journal of the American Society for Horticultural Science*, 129(4), 599–607. <https://doi.org/10.21273/jashs.129.4.0599>
- Isaacson, T., Kosma, D. K., Matas, A. J., Buda, G. J., He, Y., Yu, B., Pravitasari, A., Batteas, J. D., Stark, R. E., Jenks, M. A., & Rose, J. K. C. (2009). Cutin deficiency in the tomato fruit cuticle consistently affects resistance to microbial infection and biomechanical properties, but not transpirational water loss. *Plant Journal*, 60(2), 363–377. <https://doi.org/10.1111/j.1365-313X.2009.03969.x>
- ITIS. (2022). *Solanum lycopersicum* L. [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=521671#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=521671#null)
- Jiang, F., Lopez, A., Jeon, S., de Freitas, S. T., Yu, Q., Wu, Z., Labavitch, J. M., Tian, S., Powell, A. L. T., & Mitcham, E. (2019). Disassembly of the fruit cell wall by the ripening-associated polygalacturonase and expansin influences tomato cracking. *Horticulture Research*, 6(1). <https://doi.org/10.1038/s41438-018-0105-3>
- Jones, J. B. (2008). *Tomato Plant Culture: In the Field, Greenhouse, and Home Garden* (2nd ed.). CRC Press.
- Khadivi-Khub, A. (2015). Physiological and genetic factors influencing fruit cracking. *Acta Physiologiae Plantarum*, 37(1). <https://doi.org/10.1007/s11738-014-1718-2>
- Khalid, S., Ullah, M., Khalid, M., Shahid, M., & Sultana, S. (2022). Relationship between moisture loss and physicochemical quality attributes of tomato under different storage conditions. *Journal of Postharvest Technology*, 10(1), 71–79.
- Klein, C. (2022). *Tomatoes production volume Japan 2011-2020*. Statista. <https://www.statista.com/statistics/645949/japan-tomato-production-volume/>
- Lara, I., Belge, B., & Goulao, L. F. (2014). The fruit cuticle as a modulator of postharvest quality. *Postharvest Biology and Technology*, 87, 103–112. <https://doi.org/10.1016/j.postharvbio.2013.08.012>
- Lentzou, D., Xanthopoulos, G., Templalexis, C., & Kaltsa, A. (2021). The transpiration and respiration as mechanisms of water loss in cold storage of figs. *Food Research*, 5(6), 109–118. [https://doi.org/10.26656/fr.2017.5\(6\).178](https://doi.org/10.26656/fr.2017.5(6).178)

- Li, D., Li, Z., & Tchuenbou-Magaia, F. (2021). An extended finite element model for fracture mechanical response of tomato fruit. *Postharvest Biology and Technology*, 174(January). <https://doi.org/10.1016/j.postharvbio.2021.111468>
- Lichter, A., Dvir, O., Fallik, E., Cohen, S., Golan, R., Shemer, Z., & Sagi, M. (2002). Cracking of cherry tomatoes in solution. *Postharvest Biology and Technology*, 26(3), 305–312. [https://doi.org/10.1016/S0925-5214\(02\)00061-3](https://doi.org/10.1016/S0925-5214(02)00061-3)
- Lin, S., Zhou, Y., Wu, J., Zhang, Z., & Cheng, D. (2022). Dissipation and residue of fosthiazate in tomato and cherry tomato and a risk assessment of dietary intake. In *Environmental Science and Pollution Research* (Vol. 29, Issue 6, pp. 9248–9256). <https://doi.org/10.1007/s11356-021-16305-z>
- Lufu, R., Ambaw, A., & Opara, U. L. (2021). Functional characterisation of lenticels, micro-cracks, wax patterns, peel tissue fractions and water loss of pomegranate fruit (cv. Wonderful) during storage. *Postharvest Biology and Technology*, 178(April). <https://doi.org/10.1016/j.postharvbio.2021.111539>
- Maguire, K. M., Lang, A., Banks, N. H., Hall, A., Hopcroft, D., & Bennett, R. (1999). Relationship between water vapour permeance of apples and micro-cracking of the cuticle. *Postharvest Biology and Technology*, 17(2), 89–96. [https://doi.org/10.1016/S0925-5214\(99\)00046-0](https://doi.org/10.1016/S0925-5214(99)00046-0)
- Matas, A. J., López-Casado, G., Cuartero, J., & Heredia, A. (2005). Relative humidity and temperature modify the mechanical properties of isolated tomato fruit cuticles. *American Journal of Botany*, 92(3), 462–468. <https://doi.org/10.3732/ajb.92.3.462>
- Oconner, D. (2012). *How to Grow Tomatoes: Your Garden Secrets*. CreateSpace Independent Publishing Platform.
- OECD. (2017). Safety Assessment of Transgenic Organisms in the Environment. In *Harmonisation of Regulatory Oversight in Biotechnology: Vol. 7: OECD Co*. OECD Publishing. <https://doi.org/10.1787/9789264053465-en>
- Ohta, K. (2017). Changes in incidence of fruit cracking, yield, number and characteristics of cherry tomato cultivars developed in Japan during the last 20 years. *Journal of Applied Horticulture*, 19(1), 22–28. <https://doi.org/10.37855/jah.2017.v19i01.04>
- Ohta, Katsumi, Hosoki, T., Matsumoto, K., Ohya, M., Ito, N., & Inaba, K. (1997). Relationships between Fruit Cracking and Changes of Fruit Diameter Associated with Solute Flow to Fruit in Cherry Tomatoes. *J. Japan Soc. Hort. Sci.*, 65(4), 753–759.
- Peet, M. M. (1992). Fruit Cracking in Tomato. *HortTechnology*, 2(2), 216–223.
- Salim, M. M. R., Rashid, M. H., Hossain, M. M., & Zakaria, M. (2020). Morphological characterization of tomato (*Solanum lycopersicum* L.) genotypes. *Journal of the Saudi Society of Agricultural Sciences*, 19(3), 233–240. <https://doi.org/10.1016/j.jssas.2018.11.001>

Tijskens, L. M. M., van Mourik, S., Dieleman, J. A., & Schouten, R. E. (2020). Size development of tomatoes growing in trusses: linking time of fruit set to diameter. *Journal of the Science of Food and Agriculture*, 100(10), 4020–4028. <https://doi.org/10.1002/jsfa.10447>