

## DAFTAR PUSTAKA

- Akar, Z., Küçük, M., & Doğan, H., 2017, A new colorimetric DPPH• scavenging activity method with no need for a spectrophotometer applied on synthetic and natural antioxidants and medicinal herbs. *Journal of enzyme inhibition and medicinal chemistry*, 32(1), 640–647. <https://doi.org/10.1080/14756366.2017.1284068>
- Alam, M. N., Bristi, N. J., & Rafiquzzaman, M., 2013, Review on in vivo and in vitro methods evaluation of antioxidant activity. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*, 21(2), 143–152. <https://doi.org/10.1016/j.jsps.2012.05.002>
- Amin, A., Wunas, J. & Anin, Y. M., 2015, Uji aktivitas antioksidan ekstrak etanol klika faloak (*Sterculia quadrifida* R. Br) dengan metode DPPH (2, 2-diphenyl-1-picrylhydrazyl), *Jurnal Fitofarmaka Indonesia*, 2, 2, 111-114
- Apak, R., Ozyurek, M., Guclu, K. & Capanoglu, E., 2016, Antioxidant activity/capacity measurement. 3. Reactive oxygen and nitrogen species (ROS/RNS) scavenging assays, oxidative stress biomarkers, and chromatographic/chemometric assays, *Journal of agricultural and food chemistry*, 64, 5, 1046-1070.
- Ariyanti, M. & Y. Asbur, 2018, Cendana (*Santalum album* L.) sebagai tanaman penghasil minyak atsiri, *Jurnal Kultivasi*, 17, 1.
- Bassett, J., Denney, R.C., Jeffery, G.H., & Mendham, J., 1991, *Buku Ajar Vogel: Kimia Analisis Kuantitatif Anorganik* terjemahan dari Vogel's Textbook of Quantitative Inorganic Analysis Including Elementary Instrumental Analysis, penerjemah: A. Hadyana P. dan Ir. L. Setiono. Penerbit Buku Kedokteran EGC. ISBN 979-448-228-5.
- Bibi Sadeer, N., Montesano, D., Albrizio, S., Zengin, G. & Mahomoodally, M. F., 2020, The versatility of antioxidant assays in food science and safety—Chemistry, applications, strengths, and limitations, *Antioxidants*, 9, 8, 709.
- BPS Kabupaten TTU, 2021, Kabupaten Timor Tengah Utara dalam Angka Tahun 2021, Badan Pusat Statistik Kabupaten Timor Tengah Utara.
- Brereton, R. G., 2003, *Chemometrics: Data Analysis for The Laboratory and Chemical Plant*, University of Bristol, John Wiley & Sons, Ltd, England.
- Brereton, R. G., 2007, *Applied Chemometrics for Scientists*, University of Bristol, John Wiley & Sons, Ltd, England
- Burak, M. & Imen, Y., 1999, Flavonoids and their antioxidant properties. *Turkiye Klin Tip Bil Derg* 19, 296–304.
- Cheeseman, K.H. & Slater, T.F., 1993, An introduction to free-radical biochemistry. *British Medical Bulletin*, 49, 481-493.
- Darojati, U., Murwanti, R., Hertiani, T., 2022, *Sterculia quadrifida* R.Br: A Comprehensive Review of Ethnobotany, Phytochemistry, Pharmacology

- and Toxicology. JPSCR: Journal of Pharmaceutical Science and Clinical Research, 7(1), p.1.
- Deveoğlu, O & Karadağ R., 2019, A Review on the flavonoids – A dye source. International Journal of Advances in Engineering and Pure Sciences 31: 188–200. doi.org/ 10.7240/jeps.476514.
- Dinas Komunikasi dan Informatika Kabupaten Timor Tengah Selatan, Website Pemerintah Kabupaten Timor Tengah Selatan NTT (Online) <http://ttskab.go.id/> (diakses pada 5 Juli 2021).
- Dirk, S. & Markus, G., 2011, Recent advances on HPLC/MS in medicinal plant analysis. J. Pharmacol., Biomed. Anal., 55: 744-757.
- GBIF, 2019, *Sterculia quadrifida* R.Br. in GBIF Secretariat, Backbone Taxonomy Checklist dataset, Global Biodiversity Information Facility, Accessed <https://www.gbif.org/species/5545458> on 2022-06-09.
- Gong, F., Liang, Y. Z., Fung, Y. S. & Chau, F. T., 2004, Correction of retention time shifts for chromatographic fingerprints of herbal medicines. J. Chromatogr. A. 1029: 173-183.
- Grotewold, E., 2006, The genetics and biochemistry of floral pigments. Annu. Rev. Plant Biol. 57 761–780. 10.1146/annurev.arplant.57.032905.105248.
- Gupta, V. K., 2019, Fundamentals of Natural Dyes and Its Application on Textile Substrates. Chemistry and Technology of Natural and Synthetic Dyes and Pigments. IntechOpen, London.
- Halliwell, B. & Gutteridge, J.M.C., 2015, Free Radicals in Biology and Medicine. 5th Edition, Oxford University Press, New York.
- Harborne, J., 1996, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. Cetakan kedua. Penerjemah: Padmawinata, K. dan I. Soediro. Bandung: Penerbit ITB.
- Hayashi, T., Sawa, K., Kawasaki, M., Arisawa, M., Shimizu, M., & Morita, N., 1988, Inhibition of cow's milk xanthine oxidase by flavonoids. Journal of natural products, 51(2), 345–348. <https://doi.org/10.1021/np50056a030>.
- Héberger, K., 2008, Chemoinformatics—multivariate mathematical—statistical methods for data evaluation. Medical Applications of Mass Spectrometry, pp.141-169.
- Hertiani, T., Permanasari, P., Mashar, H., Siswadi, 2017, Preliminary Study on Faloak Bark Potency for Preventive of Microbial Infection, dalam 2017 Conference on Health Management in Post Disaster Recovery, 1-6, Banda Aceh, Indonesia.
- Hertiani, T., Purwantiningsih, Winanta, A., Sasikirana, W., Munawaroh, R., Setyowati, E. P., Murwanti, R., Siswadi, 2019, *In vitro immunomodulatory and cytotoxic potentials of faloak (Sterculia quadrifida R.Br.) bark*. Online J. Biol. Sci. 19 222-231.
- Heyne, K., 1950, De Nuttige Planten Van Indonesia, diterjemahkan oleh Baan Litbang Kehutanan Jakarta, 1960, cetakan I, Jilid III, Departemen Kehutanan Jakarta.

- Ibraheem, N. A., Hasan, M. M., Khan, R. Z., Mishra P. K., 2012, Understanding Color Models: A Review. ARPN Journal of Science and Technology. ISSN 2225-7217.
- Ika. “Kebudayaan Mempengaruhi Penamaan Warna Kelompok Masyarakat Tertentu” Universitas Gadjah Mada, November 11, 2015, <https://www.ugm.ac.id/id/berita/10669-kebudayaan-mempengaruhi-penamaan-warna-kelompok-masyarakat-tertentu>
- Intara, Y. I., Sapei, A., Sembiring, N., & Djoefrie, M. B., 2011, Pengaruh pemberian bahan organik pada tanah liat dan lempung berliat terhadap kemampuan mengikat air, Jurnal Ilmu Pertanian Indonesia, 16, 2, 130-135.
- Johnson, S., 2006, Stephen Johnson on Digital Photography. O'Reilly. ISBN 0-596-52370-X.
- Jurgen, W. E., 2004, Chemometrics in analytical chemistry. Anal. Bioanal. Chem., 380: 368-369.
- Kumar, S., & Pandey, A.K., 2013, Chemistry and Biological Activities of Flavonoids: An Overview. The Scientific World Journal, 2013, Article ID: 162750. <http://dx.doi.org/10.1155/2013/162750>.
- Kurniawan, A., & Parikesit, P., 2008, Tree species distribution along the environmental gradients in pananjung pangandaran nature reserve, west java. Biodiversitas Journal of Biological Diversity, 9, 4.
- Lee Y, Yuk D, Lee J, *et al.*, 2009, Epigallocatechin-3-gallate prevents lipopolysaccharide-induced elevation of  $\beta$ -amyloid generation and memory deficiency. Brain Res 1250, 164–174.
- Lobo, V., Patil, A., Phatak, A., Chandra, N., 2010, Free radicals, antioxidants and functional foods: Impact on human health. Pharmacognosy reviews, 4(8), 118–126. <https://doi.org/10.4103/0973-7847.70902>
- Lulan T.Y.K., Fatmawati S., Santoso M., Ersam T., 2018, Antioxidant Capacity of Some Selected Medicinal Plants in East Nusa Tenggara, Indonesia: The Potential of *Sterculia quadrifida* R.Br., Free Radicals and Antioxidants, 8, 2, 96-101.
- Malviya N & Mahajan S., 2013, Preliminary phytochemical screening of bark of some important trees of college campus with special reference to tannin, glycoside and their medicinal properties. International Research Journal of Environmental Sciences 2: 13–17.
- McCord, J. M., 2000, The evolution of free radicals and oxidative stress. Am J Med. 108:652–9.
- Meng, J., Fang, Y., Zhang, A., Chen, S., Xu, T., Ren, Z., & Wang, H., 2011, Phenolic content and antioxidant capacity of Chinese raisins produced in Xinjiang Province, Food Research International, 44, 9, 2830-2836.
- Metodiewa, D., Kochman, A., Karolczak, S., 1997, Evidence for antiradical and antioxidant properties of four biologically active N, N, diethylaminoethyl ethers of flavanone oximes: a comparison with natural polyphenolic flavonoid (rutin) action. Biochem Mol Biol Int 41, 1067–1075.

- Moharram, H. A., & Youssef, M. M., 2014, Methods for determining the antioxidant activity: A review Alex. J. Fd. Sci. and Technol. 11 31-42.
- Munawar, A., 2011, Kesuburan Tanah dan Nutrisi Tanaman, IPB Press, Bogor.
- Munawaroh, R., Siswadi, S., Setyowati, E. P., Murwanti, R., and Hertiani, T., 2018, Correlation between total flavonoid contents and macrophage phagocytosis activity of fractions from Faloak (*Sterculia quadrifida* R.Br.) barks ethanolic extract in vitro. Traditional Medicine Magazine, 23(1), 47–55.
- Munawaroh, R., Siswadi, Setyowati, E. P., Murwanti, R., and Hertiani, T., 2020, Investigation of immunomodulatory active compounds from Faloak (*Sterculia quadrifida* R.Br.) bark fractions. International Journal of Pharmaceutical Research, 12(01), 497–504.
- Murray, R. K., Granner, D. K., Roadwell, V. W., 2009, Harper's Illustrated Biochemistry. In: Wulandari, N., Randy, L., Dwijayanti, L., Liena, Dany, F., Rachman, LY, editors. Harper Biochemistry. 27 th ed. Jakarta: EGC.
- Nitbani, H., Maheshwari, H. & Santoso, K., 2019, Uji potensi faloak pada kondisi imunosupresif, Jurnal Veteriner Nusantara, 2, 2, 170-178.
- Ovando C, Hernandez D, Hernandez E, *et al.*, 2009, Chemical studies of anthocyanins: a review. Food Chem 113, 859–871.
- Pamungkas, A. W., 2017, Analisis Pengaruh Ketinggian Tempat Tumbuh Terhadap Aktivitas Antioksidan Ekstrak Etanolik Kulit Batang Faloak (*Sterculia quadrifida*) Menggunakan Metode Pemucatan B-Karoten, Skripsi, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Panche, A. N., Diwan, A. D., & Chandra, S. R., 2016, Flavonoids: an overview. Journal of nutritional science, 5, e47. <https://doi.org/10.1017/jns.2016.41>
- Pękal, A. & Pyrzynska, K., 2014, Evaluation of aluminium complexation reaction for flavonoid content assay, Food Analytical Methods, 7, 9, 1776-1782.
- Pratiwi, A. E., 2017, Pengaruh Ketinggian Tempat Tumbuh dan Diameter Batang Faloak (*Sterculia quadrifida* R.Br.) pada Profil Kandungan Kimia dan Aktivitas Reduksi Kupri-Neokuproin Ekstrak Etanoliknya, Skripsi, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Rani, V., & UCS Yadav., 2015, Free Radicals and Human Health and Disease. Springer.
- Rao, A. L., Bharani, M., Pallavi, V., 2006, Role of antioxidants and free radicals in health and disease. Adv Pharmacol Toxicol. 7:29–38.
- Rasmussen H. M., Muzhingi T., Eggert E. M., Johnson E. J., 2012, Lutein, zeaxanthin, meso-zeaxanthin content in egg yolk and their absence in fish and seafood. J. Food Comp. Anal. 27 139–144. 10.1016/j.jfca.2012.04.009.
- Redha, A., 2010, Flavonoid: Struktur, Sifat Antioksidatif Dan Peranannya Dalam Sistem Biologis, Jurnal Belian, 9, 2, 196-202.
- Rianawati, H., & Siswadi, 2020, Effect of donor plants and rooting medium on the stem cutting propagation of faloak (*Sterculia quadrifida*). Tropical Drylands, 4(2).

- Riswan, & Khairudin, 2019, Statistik Multivariate. Bandar Lampung: CV. Anugrah Utama Raharja, p.68.
- Robbani, I. H., Trisnawati, E., Noviyanti, R., Rivaldi, A., & Utaminigrum, F., 2016, Aplikasi Mobile SCOTECT: Aplikasi Deteksi Warna Tanah dengan teknologi citra digital Pada Android. Jurnal Teknologi Informasi Dan Ilmu Komputer, 3(1), 19. <https://doi.org/10.25126/jtiik.201631162>.
- Rollando, R. & Alfanaar, R., 2017, Isolasi Senyawa Turunan Naptokuinon Dari Kulit Batang Faloak (*Sterculia quadrifida* R. Br) Dan Uji Aktivitas Antikanker Pada Sel Kanker Payudara Jenis T47d. Cakra Kimia (Indonesian E-Journal of Applied Chemistry), 5, 1, 12-17.
- Rollando, R. & Prilianti, K. R., 2017, *Fraksi etil asetat kulit batang faloak (Sterculia quadrifida R. Br) menginduksi apoptosis dan siklus sel pada sel kanker payudara T47D*. J. Pharm. Sci. Community 14 1-14 [in Indonesia]
- Rollando, R., 2018, Penetapan Kandungan Fenolik Total Dan Uji Aktivitas Antioksidan Fraksi Air Ekstrak Metanol Kulit Batang Faloak (*Sterculia quadrifida* R. Br), Scientia: Jurnal Farmasi dan Kesehatan, 8, 1, 30-36.
- Salim, M., Yahya, Y., Sitorus, H., Ni'mah, T., & Marini, M., 2016, Hubungan kandungan hara tanah dengan produksi senyawa metabolit sekunder pada tanaman duku (*Lansium domesticum* Corr var Duku) dan potensinya sebagai larvasida.
- Saragih, G. S., & Siswadi, S., 2019, *Antioxidant activity of plant parts extracts from Sterculia quadrifida R. Br*. Asian J. Pharm. Clin. Res. 12 143-148.
- Shafaa, M. W. I., Diehl H. A., Socaciu C., 2007, The solubilisation pattern of lutein, zeaxanthin, canthaxanthin and  $\beta$ -carotene differ characteristically in liposomes, liver microsomes and retinal epithelial cells. Biophys. Chem. 129 111–119. 10.1016/j.bpc.2007.05.007.
- Shafirany, M., Susilawati, Y., & Musfiroh, I., 2019, Aplikasi Kemometrik dalam Penentuan Mutu Tumbuhan Obat. Pharmauho: Jurnal Farmasi, Sains, Dan Kesehatan, 4(2). <https://doi.org/10.33772/pharmauho.v4i2.6257>.
- Siswadi, Rinawati, H., Saragih, G. S., and Hadi, D. S., 2013, The potency of faloak's (*Sterculia quadrifida*, R.Br.) active compounds as natural remedy. International Seminar Proceedings Forests & Medicinal Plants for Better Human Welfare (73–79). Bogor, Center for Forest Productivity Research and Development.
- Siswadi, Pujiono, E., Rianawati, H., Saragih, G. S., 2016, *NILAI EKONOMI KULIT BATANG POHON FALOAK (Sterculia quadrifida R.Br.)*. Balai Penelitian dan Pengembangan Lingkungan Hidup dan Kehutanan Kupang Jl. Alfons Nisnoni No. 7B. Airnona, Kupang NTT
- Siswadi, S., Rianawati, H., Saragih, G.S. & Hadi, D.S., 2014, The Potency Of Faloak's (*Sterculia quadrifida* R.Br.) Active Compunds As Natural Remedy, Proceedings of the International Seminar Forests Medicinal Plants for Better Human Welfare, Sep. 10-12, 73-79, Center for Forest Productivity Research and Development, Indonesia.



- Siswadi, S., 2015, Rendemen Ekstrak dan Flavonoid Total Kulit Batang Pohon Faloak (*Sterculia quadrifida* R. Br.) pada Beberapa Kelas Diameter dan Strata Ketinggian Tempat Tumbuh. MSc Thesis, Universitas Gadjah Mada, Yogyakarta, Indonesia.
- Siswadi, S., & Saragih, G.S., 2018, Acute toxicity of *Sterculia quadrifida* R. Br bark ethanol extract on sprague-dawley rats, Trad Med J, 2018, 23, 127-34.
- Siswadi, Saragih, G. S., Setyawati, R., & Puspiyatun, R. Y., 2018, Constraints in Stem Cuttings Propagation of Faloak (*Sterculia quadrifida* R.Br.) in High Temperature Region. In A. Rimbawanto, Krisdianto, M. Turjaman, H. L. T, H. Krisnawati, T. Setyawati, ... M. Z. Muttaqi (Eds.). Proceedings of IUFRO - INAFOR Joint International Conference 2017 "Promoting Sustainable Resources from Plantations for Economic Growth and Community Benefits" (pp. 385–390). Bogor: Research, Development, and Innovation Agency.
- Siswadi, S. & Rianawati, H., 2018, Variasi Morfologi Faloak (*Sterculia quadrifida* R.Br.) dari Tiga Populasi Asal Nusa Tenggara Timur, Prosiding Seminar Nasional Silvikultur II: Pembaruan Silvikultur untuk Mendukung Pemulihan Fungsi Hutan menuju Ekonomi Hijau, Agustus 28-29, 369-374, Balai Penelitian Kehutanan Kupang, Yogyakarta, Indonesia.
- Siswadi, S., Rianawati, H., Umroni, A., Hidayatullah, M. & Saragih, G., 2020, Karakteristik Pertumbuhan Tanaman Faloak (*Sterculia quadrifida* R.Br.) Asal Populasi Pulau Rote. Jurnal Penelitian Kehutanan Faloak, 4(2), pp.81-94.
- Siswadi, S., & Saragih, G. S., 2021, *Phytochemical analysis of bioactive compounds in ethanolic extract of Sterculia quadrifida* R. Br. AIP Conference Proceedings vol. 2353 30098
- Siswadi, S., Faridah, E., & Hertiani, T., 2021, TOTAL FLAVONOID CONTENT OF FALOK (STERCULIA QUADRIFIDA) BARK IN VARIETIES OF BARK COLOUR, TREE DIAMETER AND GROWTH ALTITUDE. Journal of Tropical Forest Science, 33(3), 298–307. <https://www.jstor.org/stable/27039919>
- Sutirto, S., & Rante Lembang, Y., 2017, Pemetaan Potensi Air Tanah Menggunakan Penginderaan Jauh Dan Sistem Informasi Geografis di Kota Kupang.
- Swanson, B. G., 2003, TANNINS AND POLYPHENOLS. Encyclopedia of Food Sciences and Nutrition (Second Edition), Academic Press, Pages 5729-5733, ISBN 9780122270550, <https://doi.org/10.1016/B0-12-227055-X/01178-0>.
- Tungmunthum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A., 2018, Flavonoids and other phenolic compounds from medicinal plants for pharmaceutical and medical aspects: An overview, Medicines, 5, 3, 93.

- Walker E, Pacold M, Perisic O, *et al.*, 2000, Structural determinations of phosphoinositide 3-kinase inhibition by wortmannin, LY294002, quercetin, myricetin, and staurosporine. *Mol Cell* 6, 909–919.
- Wang, J., Zeng, L., Zang, Q., Gong, Q., Li, B., Zhang, X., Chu, X., Zhang, P., Zhao, Y. & Xiao, X., 2012, *Colorimetric Grading Scale Can Promote the Standardization of Experiential and Sensory Evaluation in Quality Control of Traditional Chinese Medicines*. PLoS ONE, 7(11), p.e48887.
- Winanta, A., Hertiani, T., Purwantiningsih, Siswadi., 2019, *In vivo immunomodulatory activity of faloak bark extract (Sterculia quadrifida r.br)*. Pakistan J. Biol. Sci. 22 590-596.
- Wong, S. K., Tsui, S. K., Kwan, S. Y., 2006, Analysis of proprietary Chinese medicines for the presence of toxic ingredients by LC/MS/MS. *J. Pharmacol. Biomed. Anal.* 30; 161-170.
- Young, I. S., Woodside, J. V., 2001, Antioxidants in health and disease. *J Clin Pathol.* 54:176–86.
- Yuan J., Chen F., Liu X., Li X., 2002, Carotenoid composition in the green microalga *Chlorococum*. *Food Chem.* 76 319–325. 10.1016/s0308-8146(01)00279-5.
- Zhang, M., Zhang, H., Li, H., Lai, F., Li, X., Tang, Y., Min, T. and Wu, H., 2016, Antioxidant Mechanism of Betaine without Free Radical Scavenging Ability. *Journal of Agricultural and Food Chemistry*, 64(42), pp.7921-7930.
- Zulaikhah, S., 2017, The Role of Antioxidant to Prevent Free Radicals in The Body. *Sains Medika*, 8(1), p.39.