

Kepustakaan

- Allot, K., Steele, P., Boyer, F., Winter, A., Bryce, S., Alvares-Jimenez, M., & Philips, L. (2020). Cognitive strengths-based assessment and intervention in first-episode psychosis: A complementary approach to addressing functional recovery? *Clinical Psychology Review*, 1-10.
- Alvarez-Jimenez, M., Parker, A., Hetrick, S., McGorry, P., & Gleeson, J. (2011). Preventing the second episode: A systematic review and meta-analysis of psychosocial and pharmacological trials in first-episode psychosis. *Schizophrenia Bulletin*, 619-630.
- Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology*, 19-32.
- Armstrong, R., Hall, B. J., Doyle, J., & Waters, E. (2011). Cochrane update. 'Scoping the scope' of a cochrane review. *Journal of Public Health*, 147-150.
- Attard, A., & Larkin, M. (2016). Art therapy for people with psychosis: A narrative review of the literature. *The Lancet Psychiatry*, 1-12.
- Barnes, T., Leeson, V., Mutsatsa, S., Watt, H., Hutton, S., & Joyce, E. (2008). Duration of untreated psychosis and social function: 1 year follow up study of first episode schizophrenia. *The British Journal of Psychiatry*, 203-209.
- Birchwood, M., & Spencer, E. (2001). Early intervention in psychotic relapse. *Clinical Psychology Review*, 1211-1226.
- Birchwood, M., Smith, J., Cockrane, R., Wetton, S., & Copestate, C. (1990). The social functioning scale: The development and validation of a new scale of social adjustment for use in family intervention programmes with schizophrenia patients. *British Journal of Psychiatry*, 853-859.
- Birchwood, M., Spencer, E., & McGovern, D. (2000). Schizophrenia: early warning signs. *Advances in Psychiatric Treatment*, 93-101.
- Bjornestad, J., Hegelstad, W., Joa, I., Davidson, L., Larsen, T., Melle, I., & Bronnick, K. (2017). "With a little help from my friends" social predictors of clinical recovery in first-episode psychosis. *Psychiatry Research*, 209-214.
- Bornheimer, L., Zhang, A., Li, J., Hiller, M., & Tarrier, N. (2020). Effectiveness of suicide-focused psychosocial intervention in psychosis: A systematic review and meta-analysis. *Psychiatric Services*, 829-838.
- Bromley, S., Choi, M., & Faruqui, S. (2015). *First episode psychosis: An information guide, revised edition*. Canada: Centre for Addiction and Mental Health Publications.
- Camacho-Gomez, M., & Castellvi, P. (2020). Effectiveness of family intervention for preventing relapse in first-episode psychosis until 24 months of follow-up: A systematic review with meta-analysis of randomized controlled trials. *Schizophrenia Bulletin*, 98-109.
- Cooper, R., Laxhman, N., Crellin, N., Moncrieff, J., & Priebe, S. (2019). Psychosocial interventions for people with schizophrenia or psychosis on minimal or no antipsychotic medication: A systematic review. *Schizophrenia Research*, 15-30.
- Davey, G. (2008). *Psychopathology: Research, assesment and treatment in clinical psychology*. British Psychological Society and Blackwell Publishing.
- Edge, D., Degnan, A., & Rafiq, S. (2020). *Researching African-Caribbean mental health in the UK: An assets-based approach to developing psychosocial interventions for schizophrenia and related psychosis*. Emerald Publishing Limited.
- Fett, A. K., Viechtbauer, W., Penn, D. L., van Os, J., & Krabbendam, L. (2011). The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: A meta-analysis. *Neuroscience & Biobehavioral*, 573-588.
- Fiszdon, J., Choi, J., Goulet, J., & Bell, M. (2008). Temporal relationship between change in

- cognition and change in functioning in schizophrenia. *Schizophrenia Research*, 105-113.
- Gardner, A., Cotton, S., Allot, K., Filia, K., Hester, R., & Killackey, E. (2017). Social inclusion and its interrelationships with social cognition and social functioning in first-episode psychosis. *Early Intervention in Psychiatry*, 1-11.
- Glenthøj, L. B., Fagerlund, B., Hjorthøj, C., Jepsen, J. R., Bak, N., Kristensen, T. D., & Nordentoft, M. (2016). Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning? *Schizophrenia Research*, 21-27.
- Grano, N., Karjalainen, M., Ranta, K., Lindgren, M., Roine, M., & Therman, S. (2016). Community-oriented family-based intervention superior to standard treatment in improving depression, hopelessness and functioning among adolescents with any psychosis-risk symptoms. *Psychiatry Research*, 9-16.
- Green, M., Kern, R., & Heaton, R. (2004). Longitudinal studies of cognition and functional outcome in schizophrenia: Implications for MATRICS. *Schizophrenia Research*, 41-51.
- Halverson, T. F., Meyer-Kalos, P. S., Perkins, D. O., Gaylord, S. A., Palsson, O. S., Nye, L., . . . Penn, D. L. (2021). Enhancing stress reactivity and wellbeing in early schizophrenia: A randomized controlled trial of Integrated Coping Awareness Therapy (I-CAT). *Schizophrenia Research*, 91-101.
- Hampson, M., Watt, B., & Hicks, R. (2020). Impacts of stigma and discrimination in the workplace on people living with psychosis. *BMC Psychiatry*.
- Huda, A., Januarti, I., & Maesaroh, S. (2019). Intervensi psikososial bagi mahasiswa terminasi PPSK Fakultas Kedokteran Unissula Semarang. *Indonesian Journal of Community Services*, 184-193.
- Idaini, S., Yunita, I. T., Indrawati, L., Darmayanti, I., Kusumawardhani, N., & Mubasyiroh, R. (2019). Prevalensi Psikosis di Indonesia berdasarkan riset kesehatan dasar 2018. *Jurnal Penelitian dan Pengembangan Pelayanan Kesehatan*, 9-16.
- Jakubowska, A., Kaselionyte, J., Priebe, S., & Gianco, D. (2019). Internet use for social interaction by people with psychosis: A systematic review. *Cyberpsychology*, 1-8.
- Jimenez, M., Bendall, S., Koval, P. R., Cagliarini, D., Valentine, L., D'Alfonso, S., & Gleeson, J. (2019). Horyzons trial: Protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first episode psychosis service. *BMJ Open*, 1-14.
- Kumar, D. (2018). Psychosocial interventions in schizophrenia: A survey of clinical training and clinicians opinions in India. *Psychosis*, 1-16.
- Lally, J., Ajnakina, O., Stubbs, B., Cullinane, M., Murphy, K., Gaughran, F., & Murray, R. M. (2017). Remission and recovery from first-episode psychosis in adults: Systematic review and meta-analysis of long-term outcome studies. *The British Journal of Psychiatry*, 350-358.
- Lee, R. S., Redoblado-Hodge, M. A., Naismith, S. L., Hermens, D. F., Porter, M. A., & Hickie, I. B. (2013). Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients. *Psychological Medicine*, 1161-1173.
- Lutgens, D., Garipey, G., & Malla, A. (2017). Psychological and psychosocial interventions for negative symptoms in psychosis: Systematic review and meta-analysis. *The British Journal of Psychiatry*, 324-332.
- Marder, S., & Galderisi, S. (2017). The current conceptualization of negative symptoms in schizophrenia. *World Psychiatry*, 14-24.
- McEnery, C., Lim, M., Knowles, A., Rice, S., Gleeson, J., Howell, S., & Alvares-Jimenez, M. (2009). Social anxiety in young people with first-episode psychosis: Pilot study of the EMBRACE moderated online social intervention. *Early Intervention in Psychosis*,

1-11.

- McFarlane, W. R., Levin, B., Travis, L., Lucas, F. L., Lynch, S., Verdi, M., . . . Melton, R. (2015). Clinical and functional outcomes after 2 years in the early detection and intervention for the prevention of psychosis multisite effectiveness trial. *Schizophrenia Bulletin*, 30-43.
- Medalia, A., & Choi, J. (2009). Cognitive remediation in schizophrenia. *Neuropsychology Review*, 353-364.
- Miklowitz, D. J., O'Brien, M. P., Schlosser, D. A., Addington, J., Candan, K. A., Marshall, C., . . . Cannon, T. D. (2014). Family-focused treatment for adolescents and young adults at high risk for psychosis: Results of a randomized trial. *American Academy of Child & Adolescent Psychiatry*, 848-858.
- Millan, M., Agid, Y., Brune, M., Bullmore, E., Carter, C., Clayton, N., . . . Spedding, M. (2012). Cognitive dysfunction in psychiatric disorders: Characteristics, causes and the quest for improved therapy. *Nature Reviews Drug Discovery*, 141-168.
- Morgan, C., McKenzie, K., & Fearon, P. (2008). *Society and psychosis*. New York: Cambridge University Press.
- Munn, Z., Peters, M. D., Stern, C., Tufanaru, C., McArthur, A., & Aromataris, E. (2018). Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Medical Research Methodology*, 1-7.
- Nuechterlein, K., Subotnik, K., Ventura, J., Turner, L., Gitlin, M., Gretchen-Doorly, D., & Liberman, R. (2020). Enhancing return to work or school after a first episode of schizophrenia: The UCLA RCT of individual placement and support and workplace fundamentals module training. *Psychological Medicine*, 20-28.
- O'Brien, M. P., Gordon, J. L., Bearden, C. E., Lopez, S. R., Kopelowicz, A., & Cannon, T. D. (2006). Positive family environment predicts improvement in symptoms and social functioning among adolescents at imminent risk for onset of psychosis. *Schizophrenia Research*, 269-275.
- Palma, C., Farriols, N., Frias, A., Canete, J., Gomis, O., Fernandez, M., . . . Signo, S. (2019). Randomized controlled trial of cognitive-motivational therapy program (PIPE) for the initial phase of schizophrenia: Maintenance of efficacy at 5-year follow up. *Psychiatry Research*, 586-594.
- Penn, D., Waldheter, E., Perkins, D., Mueser, K., & Lieberman. (2005). Psychosocial treatment for first-episode psychosis: A research update. *American Journal of Psychiatry*, 2220-2232.
- Peters, M., Godfrey, C. M., Mcinerney, P., Soares, C. B., Khalil, H., & Parker, D. (2015). *The Joanna Briggs Institute Reviewers' Manual 2015: Methodology for JBI Scoping Reviews*. Adelaide: The Joanna Briggs Institute.
- Pinkham, A., Penn, D., Perkins, D., & Lieberman, J. (2003). Implications for the neural basis of social cognition for the study of schizophrenia. *American Journal of Psychiatry*, 815-824.
- Piskulic, D., Barbato, M., Liu, L., & Addington, J. (2014). Pilot study of cognitive remediation therapy on cognition in young people at clinical high risk of psychosis. *Psychiatry Research*, 1-6.
- Reed, S. I. (2008). First-episode psychosis: A literature review. *International Journal of Mental Health Nursing*, 85-91.
- Ruggeri, M., Bonetto, C., Lasalvia, A., Fioritti, A., Girolamo, G. d., Santonastaso, P., . . . Torresani, S. (2015). Feasibility and effectiveness of a multi-element psychosocial intervention for first episode psychosis: Results from the cluster-randomized controlled GET UP PIANO trial in a catchment area of 10 million inhabitants.

Schizophrenia Bulletin, 1-12.

- Salokangas, R., & McGlashan, T. (2008). Early detection and intervention of psychosis: A review. *Nord Journal Psychiatry*, 62-92.
- Santrock, J. W. (2018). *Life-Span Development (Seventeenth ed.)*. New York: McGraw-Hill Education.
- Schneiderman, N., Antoni, M., Penedo, F., & Ironson, G. (2010). Psychosocial-behavioral interventions and chronic disease. Dalam N. Schneiderman, M. Antoni, F. Penedo, & G. Ironson, *Handbook of Behavioral Medicine* (hal. 989-1007). New York: Springer Science Business Media.
- Spencer, E., Birchwood, M., & McGovern, D. (2001). Management of first episode psychosis. *Advances in Psychiatry Treatment*, 133-142.
- Stramecki, F., Kotowicz, K., Piotrowski, P., Beszlej, J. A., Rymaszewska, J., Samochowiec, J., & Misiak, B. (2019). Coping styles and symptomatic manifestation of first-episode psychosis: Focus on cognitive performance. *Psychiatry Research*, 246-251.
- Subandi. (2007). Kaget, bingung, dan teror: Dimensi psikokultural dalam pengalaman psikotik. *Jurnal Psikologi*, 40-54.
- Thompson, E., Millman, Z., Okuzawa, N. V., Devylder, J., Skadberg, T., & Schiffman, J. (2015). Evidence-based early interventions for individuals at clinical high risk for psychosis. *The Journal of Nervous and Mental Disorder*.
- Turner, D., McGlanaghy, E., Cuijipers, P., Gaag, M., Karyotaki, E., & Macbeth, A. (2018). A meta-analysis of social skills training and related interventions for psychosis. *Schizophrenia Bulletin*, 475-491.
- Ventura, J., Subotnik, K. L., Gretchen-Doorly, D., Casaus, L., Boucher, M., Helleman, G. S., & Nuechterlein, K. H. (2017). Cognitive remediation can improve negative symptoms and social functioning in first-episode schizophrenia: A randomized controlled trial. *Schizophrenia Research*, 1-8.
- Vidarsdottir, O. G., Roberts, D. L., Twamley, E. W., Gudmundsdottir, B., Sigurdsson, E., & Magnusdottir, B. B. (2019). Integrative cognitive remediation for early psychosis: Results from a randomized controlled trial. *Psychiatry research*, 690-698.
- Weissman, M. (1975). The assessment of social functioning: A review of techniques. *Arch Gen Psychiatry*, 357-365.
- Wykes, T., Newton, E., Landau, S., Rice, C., Thompson, N., & Frangou, S. (2007). Cognitive remediation therapy (CRT) for young early onset patients with schizophrenia: An exploratory randomized controlled trial. *Schizophrenia Research*, 221-230.
- Yee, C. I., Gupta, T., Mittal, V. A., & Haase, C. M. (2020). Coping with family stress in individuals at clinical high-risk for psychosis. *Schizophrenia research*, 222-228.