

DAFTAR PUSTAKA

- Adhianto, K., and D. A. Syukur. 2014. Performans sapi Bali pada periode awal pertumbuhan di Kabupaten Lampung Tengah. In: Prosiding Seminar Nasional Pengembangan Teknologi Pertanian. p. 611–617.
- Al-sharif, M. M., H. A. Radwan, B. M. Hendam, and A. I. Ateya. 2022. Exploring single nucleotide polymorphisms in GH, IGF-I, MC4R and DGAT1 genes as predictors for growth performance in dromedary camel using multiple linear regression analysis. *Small Rumin. Res.* 207:1–9. doi:10.1016/j.smallrumres.2022.106619.
- Albakri, M. W., and T. Hartatik. 2021. Restriction Mapping of Melanocortin 4 Receptor in *Bos taurus* and *Bos indicus* Based on GenBank Data. 16:107–112.
- Alemneh, T., and M. Getabalew. 2019. Factors influencing the growth and development of meat animals. *Int. J. Anim. Sci.* 3:1048–1052.
- Ardıçlı, S., H. Ustüner, Ö. Arslan, and O. Kandazoğlu. 2019. Variability of CAPN1 g.5709C>G and MYF5 g.1911A>G polymorphisms in beef cattle imported from Brazil to Turkey. *Lalahan Hay. Araşt. Enst. Derg.* 59:72–78.
- Astiti, N. M. A. G. R. 2018. Sapi Bali dan Pemasarannya. Pertama. (R. L. Balia, editor.). Warmadewa University Press, Denpasar.
- Bayou, E., A. Haile, S. Gizaw, and Y. Mekasha. 2015. Evaluation of non-genetic factors affecting calf growth, reproductive performance and milk yield of traditionally managed Sheko cattle in southwest Ethiopia. Springerplus. 568:1–12. doi:10.1186/s40064-015-1340-9.
- Bhuiyan, M. S. A., N. K. Kim, Y. M. Cho, D. Yoon, K. S. Kim, J. T. Jeon, and J. H. Lee. 2009. Identification of SNPs in MYOD gene family and their associations with carcass traits in cattle. *Livest. Sci.* 126:292–297. doi:10.1016/j.livsci.2009.05.019.
- Botstein, D., R. L. White, M. Skolnick, and R. W. Davis. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Am. J. Hum. Genet.* 32:314–331. doi:PMC1686077.
- Burton, J. L., B. W. McBride, E. Block, D. R. Glimm, and J. J. Kennelly. 1994. A review of bovine growth hormone. *J. Anim. Sci.* 74:167–201.
- Cai, X., T. D. Mipam, F. F. Zhao, and L. Sun. 2015. SNPs detected in the yak MC4R gene and their association with growth traits. *Animal.* 9:1097–1103. doi:10.1017/S1751731115000397.
- Choudhary, V., P. Kumar, T. K. Bhattacharya, B. Bhushan, A. Sharma, and A. Shukla. 2007. DNA polymorphism of insulin-like growth factor-binding protein-3 gene and its association with birth weight and body weight in cattle. *J. Anim. Breed. Genet.* 124:29–34. doi:10.1111/j.1439-0388.2007.00626.x.

- Chung, E. R., and W. T. Kim. 2005. Association of SNP marker in IGF-I and MYF5 candidate genes with growth traits in Korean cattle. *Asian-Australasian J. Anim. Sci.* 18:1061–1065. doi:10.5713/ajas.2005.1061.
- Corebima, A. D., and M. Rengkuan. 2012. The detection of superior PO cattle (Ongole cattle descendant) based on the growth hormone gene sequence. *APCBEE Procedia.* 1:363–368. doi:10.1016/j.apcbee.2012.03.060.
- Demeke, S., F. W. C. Nesar, and S. J. Schoeman. 2003. Early growth performance of *Bos taurus* x *Bos indicus* cattle crosses in Ethiopia: Evaluation of different crossbreeding models. *J. Anim. Breed. Genet.* 120:39–50.
- Deng, T. X., C. Y. Pang, X. R. Lu, P. Zhu, A. Q. Duan, and X. W. Liang. 2016. Associations between polymorphisms of the STAT1 gene and milk production traits in water buffaloes. *J. Anim. Sci.* 94:927–935. doi:10.2527/jas2015-0139.
- Du, X., C. Chen, Z. Yuan, L. Zhang, X. Chen, Y. Wang, X. Gao, L. Zhang, H. Gao, J. Li, and S. Xu. 2013. Genetic polymorphisms of MC4R and IGF2 gene association with feed conversion efficiency traits in beef cattle. *Pak. Vet. J.* 33:418–422.
- Ellegren, H., and N. Galtier. 2016. Determinants of genetic diversity. *Nat. Rev. Genet.* 17:422–433. doi:10.1038/nrg.2016.58.
- Eveline, M., Ibeagha-awemu, K. Patrick, A. E. Ibeagha, and X. Zhao. 2008. A critical analysis of disease-associated DNA polymorphisms in the genes of cattle, goat, sheep, and pig. *Mamm. Genome.* 19:226–245. doi:10.1007/s00335-008-9101-5.
- Fadhil, M., and U. Zülkadir. 2020. Association between polymorphisms of Myf5, MSTN and CAST genes and fattening performance in Brown Swiss and Holstein cattle breeds. *Anim. Biotechnol.* doi:10.1080/10495398.2020.1781148.
- FAO. 2015. *The Second Report on the State of the World's Animal Genetic Resources for Food and Agriculture*. 2nd ed. (B. D. Scherf and D. Pilling, editors.). FAO.
- Fathoni, A., S. Sumadi, I. G. S. Budisatria, A. P. Z. N. L. Sari, and D. Maharani. 2020. Association between the melanocortin-4 receptor (MC4R) gene polymorphisms and growth trait in Sumba Ongole cattle. *Iran. J. Appl. Anim. Sci.* 10:603–609.
- Galetti, P. M. 2018. Conservation Genetics. In: *Reference Module in Biomedical Sciences*. Elsevier Inc. p. 1–4.
- Gardner, P., S. Hedges, S. Pudyatmoko, T. N. E. Gray, and R. J. Timmins. 2016. *Bos javanicus*. IUCN Red List Threat. Species. doi:10.2305/IUCN.UK.2016-2.RLTS.T2888A46362970.en.
- Gautron, L., J. K. Elmquist, and K. W. Williams. 2015. Review neural control of

- energy balance: Translating circuits to therapies. *Cell*. 161:133–145. doi:10.1016/j.cell.2015.02.023.
- Ge, W., M. E. Davis, H. C. Hines, K. M. Irvin, and R. C. M. Simmen. 2003. Association of single nucleotide polymorphisms in the growth hormone and growth hormone receptor genes with blood serum insulin-like growth factor I concentration and growth traits in Angus cattle. *J. Anim. Sci.* 81:641–648. doi:10.2527/2003.813641x.
- Ghoreishifar, S. M., S. Eriksson, A. M. Johansson, M. Khansefid, S. Moghaddaszadeh-Ahrabi, N. Parna, P. Davoudi, and A. Javanmard. 2020. Signatures of selection reveal candidate genes involved in economic traits and cold acclimation in five Swedish cattle breeds. *Genet. Sel. Evol.* 52:1–15. doi:10.1186/s12711-020-00571-5.
- Graffelman, J., D. Jain, and B. Weir. 2017. A genome-wide study of Hardy–Weinberg equilibrium with next generation sequence data. *Hum. Genet.* 136:727–741. doi:10.1007/s00439-017-1786-7.
- Greenwood, T. A., and J. R. Kelsoe. 2003. Promoter and intronic variants affect the transcriptional regulation of the human dopamine transporter gene. *Genomics*. 82:511–520. doi:10.1016/S0888-7543(03)00142-3.
- Grisart, B., W. Coppieters, F. Farnir, L. Karim, C. Ford, P. Berzi, N. Cambisano, M. Mni, S. Reid, P. Simon, R. Spelman, M. Georges, and R. Snell. 2002. Positional candidate cloning of a QTL in dairy cattle: Identification of a missense mutation in the bovine DGAT1 gene with major effect on milk yield and composition. *Genet. Sel. Evol.* 12:222–231. doi:10.1101/gr.224202.
- Hadrawi, J., A. Gunawan, N. Ulupi, S. Darwati, and C. Sumantri. 2016. Association analysis of NRAMP1 gene related to resistance against Salmonella pullorum infection in kampung chicken. In: *Proceeding of the 1st International Conference Technology on Biosciences and Social Sciences*. p. 27–31.
- Hafid, H., Hasnudi, H. A. Bain, F. Naisu, Inderawati, P. Patriani, and S. H. Ananda. 2019. Effect of fasting time before slaughtering on body weight loss and carcass percentage of Bali cattle. In: *International Conference on Agricultural, Environmental, and Food Security (AEFS) 2018*. IOP Publishing, Medan. p. 1–7.
- Hakim, L., Suyadi, V. M. A. Nurgartiningih, Nuryadi, and T. Susilawati. 2007. Model rekording dan pengolahan data untuk program seleksi sapi Bali. *Sains Peternak*. 5:39–46.
- Hartatik, T., B. D. P. Soewandi, S. D. Volkandari, A. C. Tabun, Sumadi, and Widodo. 2016. Short Communication: Genetic identification of local pigs, and imported pigs (Landrace and Duroc) based on cytochrome b sequence analysis. *Biodiversitas*. 17:270–274. doi:10.13057/biodiv/d170138.
- Hill, W. G., and A. Robertson. 1968. Linkage disequilibrium in finite populations. *Theor. Appl. Genet.* 38:226–231. doi:10.1080/03071848408522227.

- Hirsch, N., and R. Y. Birnbaum. 2015. Dual function of DNA sequences: Protein-coding sequences function as transcriptional enhancers. *Perspect. Biol. Med.* 58:182–195. doi:10.1353/pbm.2015.0026.
- Houston, R. D., N. D. Cameron, and K. A. Rance. 2004. A melanocortin-4 receptor (MC4R) polymorphism is associated with performance traits in divergently selected large white pig populations. *Anim. Genet.* 35:386–390. doi:10.1111/j.1365-2052.2004.01182.x.
- Huang, M., X. Gao, J. Y. Li, H. Y. Ren, J. B. Chen, and S. Z. Xu. 2010. Polymorphisms in MC4R gene and correlations with economic traits in cattle. *37:3941–3944.* doi:10.1007/s11033-010-0051-0.
- Hunde, D., and Y. Tadese. 2020. Genetic distance and differentiation among cattle breeds in Ethiopia: A review. *Eth. J. Anim. Prod.* 20:80–88.
- Hutu, I., K. Oldenbroek, and L. van der Waaij. 2020. Livestock Growth and Development. In: *Animal Breeding and Husbandry*. Agroprint, Timisoara. p. 98–113.
- Jiang, J., L. Ma, D. Prakapenka, P. M. VanRaden, J. B. Cole, and Y. Da. 2019. A large-scale genome-wide association study in U.S. Holstein cattle. *Front. Genet.* 10:1–12. doi:10.3389/fgene.2019.00412.
- Ju, S. H., G. Cho, and J. Sohn. 2018. Understanding melanocortin-4 receptor control of neuronal circuits : Toward novel therapeutics for obesity syndrome. *Pharmacol. Res.* 129:10–19. doi:10.1016/j.phrs.2018.01.004.
- Kaswati, Sumadi, and N. Ngadiyono. 2013. Estimasi nilai heritabilitas berat lahir, sapih, dan umur satu tahun pada sapi Bali di Balai Pembibitan Ternak Unggul sapi Bali. *Bul. Peternak.* 37:74–78.
- Khatkar, M. S., F. W. Nicholas, A. R. Collins, K. R. Zenger, J. A. L. Cavanagh, W. Barris, R. D. Schnabel, J. F. Taylor, and H. W. Raadsma. 2008. Extent of genome-wide linkage disequilibrium in Australian Holstein-Friesian cattle based on a high-density SNP panel. *BMC Genomics.* 187:1–18. doi:10.1186/1471-2164-9-187.
- King, F. J. M., C. B. Banga, and C. Visser. 2021. Genetic diversity and population structure of three native cattle populations in Mozambique. *Trop. Anim. Heal. Prod.* 53:1–7. doi:10.1007/s11250-021-02562-0.
- Kühnen, P., H. Krude, and H. Biebermann. 2018. Melanocortin-4 receptor signalling : importance for weight regulation and obesity treatment. *Trends Mol. Med.* 25:136–148. doi:10.1016/j.molmed.2018.12.002.
- Langelan, M. L. P., K. J. M. Boonen, R. B. Polak, P. T. Frank, M. J. Post, and D. W. J. Van Der Schaft. 2010. Meet the new meat : tissue engineered skeletal muscle. *Trends Food Sci. Technol.* 21:59–66. doi:10.1016/j.tifs.2009.11.001.
- Latifah, D. Maharani, A. Kustantinah, and T. Hartatik. 2018. Association of

- melanocortin 4 receptor gene polymorphism with growth traits in Bligon goat. *J. Indones. Trop. Anim. Agric.* 43:343–351. doi:10.14710/jitaa.43.4.343-351.
- Lee, Y., S. Park, H. Kim, S. K. Lee, J. W. Kim, H. K. Lee, D. K. Jeong, and S. J. Lee. 2013. A C1069G SNP of the MC4R gene and its association with economic traits in Korean native cattle (brown, brindle, and black). *Electron. J. Biotechnol.* 16:1–5. doi:10.2225/vol16-issue5-fulltext-5.
- Liu, G. Y., S. H. A. Raza, L. Zhou, A. H. A. El-Aziz, A. Sabek, H. Shoorei, M. Amjadi, and L. sheng Gui. 2020. The genetic polymorphisms of melanocortin-4 receptor gene are associated with carcass quality traits in a Chinese indigenous beef cattle breed. *Res. Vet. Sci.* 132:202–206. doi:10.1016/j.rvsc.2020.06.011.
- Liu, H., W. Tian, L. Zan, H. Wang, and H. Cui. 2010. Mutations of MC4R gene and its association with economic traits in Qinchuan cattle. *Mol. Biol. Rep.* 37:535–540. doi:10.1007/s11033-009-9706-0.
- Liu, M., J. Peng, D. Xu, R. Zheng, F. Li, J. Li, B. Zuo, M. Lei, Y. Xiong, C. Deng, and S. Jiang. 2007. Associations of MYF5 gene polymorphisms with meat quality traits in different domestic pig (*Sus scrofa*) populations. 30:370–374.
- Liu, X., S. Zeng, S. Liu, G. Wang, H. Lai, X. Zhao, S. Bi, D. Guo, X. Chen, H. Yi, Y. Su, Y. Zhang, and G. Li. 2020. Identifying the related genes of muscle growth and exploring the functions by compensatory growth in Mandarin fish (*Siniperca chuatsi*). *Front. Physiol.* 11:1–14. doi:10.3389/fphys.2020.553563.
- Maharani, D., A. Fathoni, Sumadi, T. Hartatik, and M. Khusnudin. 2018. Identification of MC4R gene and its association with body weight and body size in Kebumen Ongole Grade cattle. 43:87–93. doi:10.14710/jitaa.43.2.87-93.
- Makanjuola, B. O., F. Miglior, E. A. Abdalla, C. Maltecca, F. S. Schenkel, and C. F. Baes. 2020. Effect of genomic selection on rate of inbreeding and coancestry and effective population size of Holstein and Jersey cattle populations. *J. Dairy Sci.* 103:5183–5199. doi:10.3168/jds.2019-18013.
- Margawati, E. T., S. D. Volkandari, I. Indriawati, and M. Ridwan. 2018. Genetic diversity and relationship among Bali cattle from several locations in Indonesia based on ETH10 microsatellite marker. *J. Ilmu Ternak dan Vet.* 23:168–173. doi:10.14334/jitv.v23i4.1915.
- Martojo, H. 2012. Indigenous Bali cattle is most suitable for sustainable small farming in Indonesia. *Reprod. Domest. Anim.* 47:10–14. doi:10.1111/j.1439-0531.2011.01958.x.
- Mayberry, D., F. Cowley, R. Cramb, D. Poppi, S. Quigley, K. McCosker, and A. Priyanti. 2016. Improving the reproductive performance of cows and performance of fattening cattle in low input systems of Indonesia and northern Australia. Canberra.

- Mohamad, K., M. Olsson, G. Andersson, B. Purwantara, H. T. A. Van Tol, and B. Colenbrander. 2012. The origin of Indonesian cattle and conservation genetics of the Bali cattle breed. *Reprod. Domest. Anim.* 47:18–20. doi:10.1111/j.1439-0531.2011.01960.x.
- Mukhopadhyay, T., and S. Bhattacharjee. 2016. Genetic Diversity: Its Importance and Measurements. In: A. H. Mir and N. A. Bhat, editors. *Conserving Biological Diversity: A Multiscaled Approach*. Research India Publications, New Delhi. p. 251–295.
- Nasr, S. M., A. I. Ateya, K. M. Sadek, and H. A. Radwan. 2016. TaqI polymorphism in MYF5 gene and its association with body weight in Friesian bull calves. *Asian J. Anim. Vet. Adv.* 11:429–433. doi:10.3923/ajava.2016.429.433.
- Nath, N. K. D., M. A. Baset, N. Z. Shoshe, S. A. Belal, M. Aktaruzzaman, and M. N. Uddin. 2016. Growth performance and feed conversion efficiency of crossbred heifers. *Iran. J. Appl. Anim. Sci.* 6:511–516.
- Ni'am, H. U. M., A. Purnomoadi, and S. Dartosukarno. 2012. Hubungan antara ukuran-ukuran tubuh dengan bobot badan sapi Bali betina pada berbagai kelompok umur. *Anim. Agric. J.* 1:541–556.
- Parker, M. H., P. Seale, and M. A. Rudnicki. 2003. Looking back to the embryo: Defining transcriptional networks in adult myogenesis. *Nature.* 4:495–505. doi:10.1038/nrg1109.
- Perdana, Y. C., and T. Hartatik. 2022. Restriction mapping of MC4R gene on Bali cattle (*Bos sondaicus*) as genetic marker for breeding program in compared to *Bos taurus* and *Bos indicus*. *J. Trop. Biodivers. Biotechnol.* 07:1–8. doi:10.22146/jtbb.67636.
- Pownall, M. E., M. K. Gustafsson, and C. P. Emerson. 2002. Myogenic regulatory factors and the specification of muscle progenitors in vertebrate embryos. *Annu. Rev. Cell Dev. Biol.* 18:747–783. doi:10.1146/annurev.cellbio.18.012502.105758.
- Prihandini, P. W., and D. Maharani. 2019. Melanocortin-4 Receptor (MC4R) sebagai gen utama untuk seleksi pertumbuhan cepat pada sapi potong. *Wartazoa.* 29:85–96. doi:10.14334/wartazoa.v29i2.1955.
- Priyono, D. S., D. D. Solihin, A. Farajallah, and B. Purwantara. 2022. Genetic diversity of the endangered endemic Anoa (*Bubalus spp*): Implication for conservation. *HAYATI J. Biosci.* 29:586–596. doi:10.4308/hjb.29.5.586-596.
- Putra, D. E., S. Sarbaini, T. Afriani, H. Suhada, and F. Arlina. 2017. Heritability of growth traits of Simmental cattle in Balai Pembibitan Ternak Unggul-Hijauan Pakan Ternak (BPTU-HPT), Padang Mengatas, West Sumatra, Indonesia. *J. Peternak. Indones.* 19:174–181. doi:10.25077/jpi.19.3.170-177.2017.
- Putra, I. G. R., D. A. Sari, S. M. Rachmawati, R. Oktaviani, R. R. Noor, and J. Jakaria. 2021. Identification of single nucleotide polymorphism c.957A>C of

- PLAG1 gene and its association with growth traits in Bali cattle. *J. Indones. Trop. Anim. Agric.* 46:199–208. doi:10.14710/jitaa.46.3.199-208.
- Putra, W. P. B., Sumadi, T. Hartatik, and H. Saumar. 2015. Relationship between body weight and body measurements of Aceh cattle. *Malaysian Soc. Anim. Prod.* 18:35–43.
- Qu, J., S. D. Kachman, D. Garrick, R. L. Fernando, and H. Cheng. 2020. Exact distribution of linkage disequilibrium in the presence of mutation, selection, or minor allele frequency filtering. *Front. Genet.* 11:1–10. doi:10.3389/fgene.2020.00362.
- Quigley, S., D. Poppi, M. Rusman, T. Saili, E. Budisantoso, Dahlanuddin, and Marsetyo. 2009. Opportunities to use cocoa pods and forages to address feed gaps during the dry season in Southeast Sulawesi. Canberra.
- Rehfeldt, C., I. Fiedler, G. Dietl, and K. Ender. 2000. Myogenesis and postnatal skeletal muscle cell growth as influenced by selection. *Livest. Prod. Sci.* 66:177–188.
- Robakowska-Hyzorek, D., J. Oprzadek, B. Zelazowska, R. Olbromski, and L. Zwierzchowski. 2010. Effect of the g.723G>T polymorphism in the bovine myogenic factor 5 (Myf5) gene promoter region on gene transcript level in the longissimus dorsi muscle and on meat traits of Polish Holstein-Friesian cattle. *Biochem. Genet.* 48:450–464. doi:10.1007/s10528-009-9328-1.
- Said, S., W. P. B. Putra, M. Muzawar, and S. A. Kantong. 2020. Selection of Bali cattle based on birth weight and calving interval records at West Nusa Tenggara Province of Indonesia. *J. Indones. Trop. Anim. Agric.* 45:15–27. doi:10.14710/jitaa.45.1.15-27.
- Saini, B. L., G. K. Gaur, N. R. Sahoo, S. K. Mendiratta, A. Kumar, B. C. Naha, A. Baranwal, V. Yadav, and R. K. Jaiswal. 2018. Polymorphism distribution of RYR1, PRKAG3, HFABP, MYF-5 and MC4R genes in crossbred pigs. *Mol. Biol. Rep.* 45:1575–1585. doi:10.1007/s11033-018-4263-z.
- Salem, K. F. M., and A. Sallam. 2016. Analysis of population structure and genetic diversity of Egyptian and exotic rice (*Oryza sativa* L.) genotypes. *C. R. Biol.* 339:1–9. doi:10.1016/j.crv.2015.11.003.
- Salem, M. M. I., G. Thompson, S. Chen, A. Beja-Pereira, and J. Carvalheira. 2018. Linkage disequilibrium and haplotype block structure in Portuguese Holstein cattle. *Czech J. Anim. Sci.* 63:61–69. doi:10.17221/56/2017-CJAS.
- Saputra, E. A., M. F. Ulum, and Jakaria. 2020. Association of SNP g.643G>A of MYF5 gene polymorphism with body weight and body measurements in Bali cattle. 45:1–6. doi:10.14710/jitaa.45.1.1-6.
- Saravanan, K. A., M. Panigrahi, H. Kumar, S. Parida, B. Bhushan, G. K. Gaur, P. Kumar, T. Dutt, B. P. Mishra, and R. K. Singh. 2022. Genome-wide assessment of genetic diversity, linkage disequilibrium and haplotype block

- structure in Tharparkar cattle breed of India. *Anim. Biotechnol.* 33:297–311. doi:10.1080/10495398.2020.1796696.
- Seong, J., D. J. Oh, C. Cheong, K. W. Lee, K. H. Lee, S. D. Suh, G. J. Jeon, K. Do Park, and H. S. Kong. 2011. Association between polymorphisms of *Myf5* and *POU1F1* genes with growth and carcass traits in Hanwoo (Korean cattle). *Genes and Genomics.* 33:425–430. doi:10.1007/s13258-011-0006-4.
- Seong, J., D. S. Suh, K. Do Park, H. K. Lee, and H. S. Kong. 2012. Identification and analysis of *MC4R* polymorphisms and their association with economic traits of Korean cattle (Hanwoo). 3597–3601. doi:10.1007/s11033-011-1133-3.
- Setiyabudi, R., Muladno, and R. Priyanto. 2016. Pendugaan parameter genetik sifat pertumbuhan sapi Bali di BPTU HPT Denpasar. *J. Ilmu Produksi dan Teknol. Has. Peternak.* 4:327–333.
- Shan, H., X. Song, Y. Cao, P. Xiong, J. Wu, J. Jiang, and Y. Jiang. 2020. Association of the melanocortin 4 receptor (*MC4R*) gene polymorphism with growth traits of Hu sheep. *Small Rumin. Res.* 192:1–7. doi:10.1016/j.smallrumres.2020.106206.
- Shishay, G., G. Liu, X. Jiang, Y. Yu, W. Teketay, D. Du, H. Jing, and C. Liu. 2019. Variation in the promoter region of the *MC4R* gene elucidates the association of body measurement traits in Hu sheep. *Internaotioanl J. Mol. Sci.* 20:1–18. doi:10.3390/ijms20020240.
- Singh, A., A. Kumar, A. Mehrotra, A. Karthikeyan, A. K. Pandey, B. P. Mishra, and T. Dutt. 2021. Estimation of linkage disequilibrium levels and allele frequency distribution in crossbred Vrindavani cattle using 50K SNP data. *PLoS One.* 16:1–10. doi:10.1371/journal.pone.0259572.
- Singh, N., D. R. Choudhury, A. K. Singh, S. Kumar, K. Srinivasan, R. K. Tyagi, N. K. Singh, and R. Singh. 2013. Comparison of SSR and SNP markers in estimation of genetic diversity and population structure of Indian rice varieties. *PLoS One.* 8:1–14. doi:10.1371/journal.pone.0084136.
- Stephens, N., L. Di Silvio, I. Dunsford, M. Ellis, A. Glencross, and A. Sexton. 2018. Bringing cultured meat to market: Technical, socio-political, and regulatory challenges in cellular agriculture. *Trends Food Sci. Technol.* 78:155–166. doi:10.1016/j.tifs.2018.04.010.
- Sudrajad, P., S. P. Volkandari, D. Prasetyo, M. Cahyadi, J. Pujiyanto, and Subiharta. 2019. Estimasi ukuran populasi efektif sapi Bali berdasarkan data genom. *Pros. Semin. Nas. Teknol. Peternak. dan Vet.* 43–47.
- Sulistiyoningtiyas, I., V. M. A. Nurgartiningasih, and G. Ciptadi. 2017. Evaluasi performa bobot badan dan statistik vital sapi Madura berdasarkan tahun kelahiran. *J. Ilm. Peternak. Terpadu.* 5:40–43. doi:10.23960/jipt.v5i2.p40-43.
- Sun, P., R. Zhang, Y. Jiang, X. Wang, J. Li, H. Lv, G. Tang, X. Guo, X. Meng, H.

- Zhang, and R. Zhang. 2011. Assessing the patterns of linkage disequilibrium in genic regions of the human genome. *FEBS J.* 278:3748–3755. doi:10.1111/j.1742-4658.2011.08293.x.
- Suwiti, N. K., I. W. M. Tenaya, and I. N. K. Besung. 2017. Kadar hormon pertumbuhan sapi Bali lebih rendah di Nusa Penida daripada daerah Bali lainnya. *J. Vet.* 18:226–231. doi:10.19087/jveteriner.2017.18.2.226.
- Syawal, S., B. P. Purwanto, and I. G. Permana. 2013. Studi hubungan respon ukuran tubuh dan pemberian pakan terhadap pertumbuhan sapi pedet dan dara pada lokasi yang berbeda. *J. Ilmu dan Teknol. Peternak.* 2:175–188.
- Tahuk, P. K., S. P. S. Budhi, Panjono, and E. Baliarti. 2018. Carcass and meat characteristics of male Bali cattle in Indonesian smallholder farms fed ration with different protein levels. *Trop. Anim. Sci. J.* 41:215–223.
- Takdir, S. 2020. Production and reproduction performances of Bali cattle in Southeast Sulawesi-Indonesia. In: *IOP Conference Series: Earth and Environmental Science.* IOP Publishing. p. 1–7.
- Talib, C., K. Entwistle, A. Siregar, S. Budiarti-Turner, and D. Lindsay. 2003. Survey of population and production dynamics of Bali cattle and existing breeding programs in Indonesia. In: In “Strategies to improve Bali cattle in Eastern Indonesia”, ed. by K. Entwistle and D.R. Lindsay. Vol. 110. *ACIAR Proceedings No. 110.* Australian Centre for International Agricultural Research. p. 3–9.
- Tamarin, R. H. 2002. *Principles of Genetics.* 7th ed. (B. S. Loehr, editor.). McGraw-Hill, New York.
- Toghiani, S. 2012. Quantitative Genetic Application in the Selection Process for Livestock Production. In: K. Javed, editor. *Livestock Production.* IntechOpen, London. p. 3–32.
- Uitterlinden, A. G., Y. Fang, J. B. J. van Meurs, and H. A. P. Pols. 2005. Genetic Vitamin D Receptor Polymorphisms and Risk of Disease. In: *Vitamin D.* Vol. 2. p. 1121–1157.
- Ujan, J. A., L. S. Zan, S. A. Ujan, C. Adoligbe, and H. B. Wang. 2011. Back fat thickness and meat tenderness are associated with a 526 T>A mutation in the exon 1 promoter region of the MyF-5 gene in Chinese *Bos taurus*. *Genet. Mol. Res.* 10:3070–3079. doi:10.4238/2011.December.12.6.
- Umar, H. A., A. Shuaibu, H. U. Tijjani, B. S. Ma’ruf, and M. M. Umar. 2020. Some factors affecting birth weight of Brownsindhi cattle (Brown Swiss x Red Sindhi cross). *Niger. J. Anim. Sci. Technol.* 3:66–74.
- Utomo, B., Rimayanti, I. N. Triana, and A. Fadholly. 2021. Melanocortin-4 receptor and leptin as genes for the selection of superior Madrasin cattle. *Vet. World.* 14:3224–3228. doi:10.1088/1755-1315/803/1/012004.

- Utsunomiya, Y. T., M. Milanesi, M. R. S. Fortes, L. R. Porto-Neto, A. T. H. Utsunomiya, M. V. G. B. Silva, J. F. Garcia, and P. Ajmone-Marsan. 2019. Genomic clues of the evolutionary history of *Bos indicus* cattle. *Anim. Genet.* 50:557–568. doi:10.1111/age.12836.
- Verma, S., S. Gupta, N. Bandhiwal, T. Kumar, C. Bharadwaj, and S. Bhatia. 2015. High-density linkage map construction and mapping of seed trait QTLs in chickpea (*Cicer arietinum* L.) using Genotyping-by-Sequencing (GBS). *Sci. Rep.* 5:1–14. doi:10.1038/srep17512.
- Volkandari, S. D., T. Hartatik, and Sumadi. 2013. Polimorfisme Gen Growth Hormone (GH) pada Sapi Limura. *Bul. Peternak.* 37:67–73. Available from: <https://doi.org/10.21059/buletinpeternak.v37i2.2423>
- Wei, Y., G. X. Zhang, T. Zhang, J. Y. Wang, Q. C. Fan, Y. Tang, F. X. Ding, and L. Zhang. 2016. Myf5 and MyoG gene SNPs associated with Bian chicken growth trait. *Genet. Mol. Res.* 15:1–9. doi:10.4238/gmr.15037043.
- Werner, H., M. Adamo, C. T. Roberts, and D. LEROITH. 1994. Molecular and cellular aspects of insulin-like growth factor action. *Vitam. Horm.* 48:1–58. doi:10.1016/S0083-6729(08)60495-1.
- Williams, K. L. 2019. Gene Mapping. In: S. Ranganathan, M. Gribskov, K. Nakai, and C. Schönbach, editors. *Encyclopedia of Bioinformatics and Computational Biology*. Vol. 2. Academic Press. p. 242–250.
- Xu, L. L., B. Zhu, Z. Wang, L. Xu, Y. Liu, Y. Chen, L. Zhang, X. Gao, H. Gao, S. Zhang, L. Xu, and J. Li. 2019. Evaluation of linkage disequilibrium, effective population size and haplotype block structure in Chinese cattle. *Animals.* 83:1–14. doi:10.3390/ani9030083.
- Zalewska, M., K. Puppel, and T. Sakowski. 2021. Associations between gene polymorphisms and selected meat traits in cattle - A review. *Anim. Biosci.* 34:1425–1438. doi:10.5713/ab.20.0672.
- Zhang, C. L., Y. H. Wang, H. Chen, X. Y. Lan, C. Z. Lei, and X. T. Fang. 2009. Association between variants in the 5'-untranslated region of the bovine MC4R gene and two growth traits in Nanyang cattle. *Mol. Biol. Rep.* 36:1839–1843. doi:10.1007/s11033-008-9388-z.
- Zhang, K., J. A. Lenstra, S. Zhang, W. Liu, and J. Liu. 2020. Evolution and domestication of the Bovini species. *Anim. Genet.* 51:637–657. doi:10.1111/age.12974.
- Zhang, R. F., H. Chen, C. Z. Lei, C. L. Zhang, X. Y. Lan, Y. D. Zhang, H. J. Zhang, B. Bao, H. Niu, and X. Z. Wang. 2007. Association between polymorphisms of MSTN and MYF5 genes and growth traits in three Chinese cattle breeds. *Asian-Australasian J. Anim. Sci.* 20:1798–1804. doi:10.5713/ajas.2007.1798.
- Zhang, X., C. Qiao, S. Fu, Y. Jiao, and Y. Liu. 2022. DNA-based qualitative and quantitative identification of bovine whey powder in goat dairy products. *J.*

Dairy Sci. 105. doi:10.3168/jds.2021-21618.

Zhang, Z., C. Liu, W. Hao, W. Yin, S. Ai, Y. Zhao, and Z. Duan. 2022. Novel single nucleotide polymorphisms and haplotype of myf5 gene are associated with body measurements and ultrasound traits in grassland short-tailed sheep. *Genes (Basel)*. 13:1–13. doi:10.3390/genes13030483.

Zhao, C., S. H. A. Raza, R. Khan, A. Sabek, S. Khan, I. Ullah, S. Memon, A. H. A. El-Aziz, M. A. Shah, L. Shijun, L. Wang, X. Liu, Y. Zhang, L. Gui, and L. Zan. 2020. Genetic variants in MYF5 affected growth traits and beef quality traits in Chinese Qinchuan cattle. *Genomics*. 112:2804–2812. doi:10.1016/j.ygeno.2020.03.018.