

## DAFTAR PUSTAKA

- Adkhayati, M. 2017. *Pengaruh Konsentrasi Ekstrak Kecambah, Ekstrak Tomat, dan Air Kelapa dalam Media Halal Terhadap Pertumbuhan *Lactobacillus plantarum* Dad-13*. Yogyakarta: Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Agung, A.S. 2015. *Pengaruh Ekstrak Albumin Ikan Gabus (*Channa striata*) Terhadap Berat Badan Pasien Tuberkulosis Paru Pengobatan Fase Intensif*. Jember: Universitas Jember.
- Altaf, M., Naveena, B.J. & Reddy, G. 2007. Use of inexpensive nitrogen sources and starch for L(+) lactic acid production in anaerobic submerged fermentation. *Bioresource Technology*, 98: 498–503.
- Altemimi, A.B. 2018. Extraction and optimization of potato starch and its application as a stabilizer in yogurt manufacturing. *Foods*, 7(2).
- AOAC 1996. *Official Methods of Analysis of The Association of Official Analytical Chemists*. 19th edn. Washington DC: AOAC International.
- Ariyani, F., Saleh, M., Tazwir & Hak, N. 2003. Optimasi Proses Produksi Hidrolisat Protein Ikan (HPI) dari Mujair (*Oreochromis mossambicus*), 9(5): 11–21.
- Asfar, M., Tawali, A.B., Abdullah, N. & Mahendradatta, M. 2014. Extraction Of Albumin Of Snakehead Fish ( *Channa Striatus* ) In Producing The Fish Protein Concentrate ( FPC ). *International Journal of Scientific & Technology Research*, 3(4): 85–88.
- Asfar, M., Tawali, A.B., Pirman, P. & Mahendradatta, M. 2019. Ekstraksi Albumin Ikan Gabus (*Channa striata*) pada Titik Isoelektriknya. *Jurnal Agercolere*, 1(1): 6–12.
- Aspmo, S.I., Horn, S.J. & Eijsink, V.G.H. 2005. Hydrolysates from Atlantic cod (*Gadus morhua* L.) viscera as components of microbial growth media. *Process Biochemistry*, 40(12): 3714–3722.
- Ayivi, R.D., Ibrahim, S.A., Krastanov, A., Somani, A. & Siddiqui, S.A. 2022. The impact of alternative nitrogen sources on the growth and viability of *Lactobacillus delbrueckii* ssp. *bulgaricus*. *Journal of Dairy Science*, 105(10): 7986–7997.
- Bahrami, M., Ahmadi, D., Alizadeh, M. & Hosseini, F. 2013. Physicochemical and sensorial properties of probiotic yogurt as affected by additions of different types of hydrocolloid. *Korean Journal for Food Science of Animal Resources*, 33(3): 363–368.
- Basrin, F., Berlian, M., Indriasari, Y. & Chaniago, R. 2021. Analisis kelayakan kimiawi dan organoleptik produk tortilla ubi jalar ungu (*Ipomoea batatas* L.). *Agroland: Jurnal ilmu-ilmu pertanian*, 28(2): 133–145.
- Beheshtipour, H., Mortazavian, A.M., Mohammadi, R., Sohrabvandi, S. & Khosravi-Darani, K. 2013. Supplementation of spirulina platensis and chlorella vulgaris algae into probiotic fermented milks. *Comprehensive Reviews in Food Science and Food Safety*, 12(2): 144–154.
- Bintsis, T. 2018. Lactic acid bacteria as starter cultures: An update in their metabolism and genetics. *AIMS Microbiology*, 4(4): 665–684.

- BSN 2009. *SNI 2981:2009 Yogurt*. Jakarta: Badan Standardisasi Nasional.
- BSN (Badan Standardisasi Nasional) 2006. Standar Nasional Indonesia. Petunjuk Pengujian Organoleptik dan atau Sensori. *BSN (Badan Standardisasi Nasional)* [Preprint].
- Chasanah, E., Nurilmala, M., Purnamasari, A.R. & Fithriani, D. 2015. Komposisi Kimia, Kadar Albumin Dan Bioaktivitas Ekstrak Protein Ikan Gabus (*Channa Striata*) Alam Dan Hasil Budidaya. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 10(2): 123.
- Coelho, L.F., De Lima, C.J.B., Bernardo, M.P. & Contiero, J. 2011. D(-)-lactic acid production by *Leuconostoc mesenteroides* B512 using different carbon and nitrogen sources. *Applied Biochemistry and Biotechnology*, 164(7): 1160–1171.
- Dagher, S. & Ali, A. 1985. Effect of Pasteurization, Centrifugation and Additives on Quality of Concentrated Yogurt (Labneh). *Journal of Food Protection*, 48(4): 300–302.
- Daneshi, M., Ehsani, M.R., Razavi, S.H., Labbafi, M. & Rezaee, M.S. 2012. Effect of Cold Storage on Viability of Probiotic Bacteria in Carrot Fortified Milk. *Journal of Nutrition & Food Sciences*, 02(09).
- Darmastuti, A., Hasan, P.N., Wikandari, R., Utami, T., Rahayu, E.S. & Suroto, D.A. 2021. Adhesion properties of *Lactobacillus plantarum* dad-13 and *Lactobacillus plantarum* mut-7 on sprague dawley rat intestine. *Microorganisms*, 9(11).
- De-Ancos, B., Pilar Cano, M. & Gómez, R. 2000. Characteristics of stirred low-fat yoghurt as affected by high pressure. *International Dairy Journal*, 10(1–2): 105–111.
- Deshwal, G.K., Tiwari, S., Kumar, A., Raman, R.K. & Kadyan, S. 2021. Review on factors affecting and control of post-acidification in yoghurt and related products. *Trends in Food Science and Technology*, 109(December 2020): 499–512.
- FAO/WHO 2003. *Codex Standard for Fermented Milks: Codex STAN 243*. Washington DC: FAO/WHO Food Standards.
- Ferdaus, F., Wijayanti, M.O., Retnonigtyas, E.S. & Irawati, W. 2008. Pengaruh pH, Konsentrasi Substrat, Penambahan Kalsium Karbonat, dan Waktu Fermentasi Terhadap Perolehan Asam Laktat dari Kulit Pisang. *Widya Teknik*, 7(1): 1–14.
- Fitriani, A., Hekmah, N., Fathullah, D.M. & Suryani, N. 2022. Differences in Protein Content, Zinc, and Acceptance of (*Channa Striata*) Fishballs As A Snack for Toddlers, 14(2): 330–343.
- Fitriya, W. & Alfionita, K. 2019. The Capability of Cinnamon as an Off-Flavor Masking Agent for *Spirulina platensis* enriched Food Product. *Jurnal Perikanan Universitas Gadjah Mada*, 20(2): 95.
- Ford, R.A. 2017. Deciding Which Test to Use in Discrimination Testing. In Rogers, L. (ed.) *Discrimination Testing in Sensory Science: A Practical Handbook*. Cambridge: Elsevier.
- Fuquay, J.W., Fox, P.F. & McSweeney, P.L.H. 2011. *Encyclopedia of Dairy Sciences*. Oxford: Elsevier Ltd.

- Gibson, G.R. *et al.* 2017. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature Reviews Gastroenterology and Hepatology*, 14(8): 491–502.
- Gueimonde, M., Alonso, L., Delgado, T., Bada-Gancedo, J.C. & De los Reyes-Gavilán, C.G. 2003. Quality of plain yoghurt made from refrigerated and CO<sub>2</sub>-treated milk. *Food Research International*, 36(1): 43–48.
- Hernández-Rosas, F., Castilla-Marroquín, J.D., Loeza-Corte, J.M., Lizardi-Jiménez, M.A. & Hernández-Martínez, R. 2021. The importance of carbon and nitrogen sources on exopolysaccharide synthesis by lactic acid bacteria and their industrial importance. *Revista Mexicana de Ingeniería Química*, 20(3): 1–21.
- Horn, S.J., Aspino, S.I. & Eijsink, V.G.H. 2005. Growth of *Lactobacillus plantarum* in media containing hydrolysates of fish viscera. *Journal of Applied Microbiology*, 99(5): 1082–1089.
- Jannah, A.M., Legowo, A.M., Pramono, Y.B. & Al-baarri, A.N. 2014. Total Bakteri Asam Laktat, pH, Keasaman, Citarasa dan Kesukaan Yogurt Drink dengan Penambahan Ekstrak Buah Belimbing, 3(2).
- Kailasapathy, K., Harmstorf, I. & Phillips, M. 2008. Survival of *Lactobacillus acidophilus* and *Bifidobacterium animalis* ssp. *lactis* in stirred fruit yogurts. *Lwt*, 41(7): 1317–1322.
- Karagül-Yüceer, Y. & Drake, M. 2007. Sensory Analysis of Yogurt. *Manufacturing Yogurt and Fermented Milks*, (October 2017): 265–278.
- Karahalil, E. 2020. Principles of halal-compliant fermentations: Microbial alternatives for the halal food industry. *Trends in Food Science and Technology*, 98(January): 1–9.
- Kaur, R. & Riar, C. 2019. Sensory, rheological and chemical characteristics during storage of set type full fat yoghurt fortified with barley  $\beta$ -glucan. *Journal of Food Science and Technology* [Preprint].
- Kinteki, G.A., Rizqiyati, H. & Hintono, A. 2018. Pengaruh Lama Fermentasi Kefir Susu Kambing Terhadap Mutu Hedonik, Total Bakteri Asam Laktat (BAL), Total Khamir, dan pH. *Jurnal Teknologi pangan*, 3(1): 42–50.
- Kusumaningati, M.A., Nurhatika, S. & Muhibuddin, A. 2013. Pengaruh Konsentrasi Inokulum Bakteri *Zymomonas mobilis* dan Lama Fermentasi Pada Produksi Etanol dari Sampah Sayur dan Buah Pasar Wonokromo Surabaya. *Jurnal Sains dan Seni ITS*, 2(2): E218–E223.
- Lee, W.J. & Lucey, J.A. 2010. Rheological Characteristics and Microstructure of Milk Yogurt as Influenced by Quinoa Flour Addition. *Journal of Food Quality*, 39(5): 559–566.
- Li, J., Zhao, W., Pan, X., Lao, F., Liao, X., Shi, Y. & Wu, J. 2022. Improvement of antioxidant properties of jujube puree by biotransformation of polyphenols via *Streptococcus thermophilus* fermentation. *Food Chemistry: X*, 13(December 2021): 100214.
- Luwidharto, J.C.N., Rahayu, E.S., Suroto, D.A., Wikandari, R., Ulfah, A. & Utami, T. 2022. Effects of *Spirulina platensis* Addition on Growth of *Lactobacillus plantarum* Dad 13 and *Streptococcus thermophilus* Dad 11 in Fermented

- Milk and Physicochemical Characteristics of the Product. *Applied Food Biotechnology*, 9(3): 205–216.
- Manab, A. 2008. Kajian Sifat Fisik Yogurt Selama Penyimpanan pada Suhu 4°C. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 3(1): 52–58.
- Meilgaard, M.C., Civille, G.V. & Carr, B.T. 2007. *Sensory Evaluation Techniques*. Fourth. Boca Raton: CRC Press.
- Merenstein, D. *et al.* 2010. Use of a fermented dairy probiotic drink containing *Lactobacillus casei* (DN-114 001) to decrease the rate of illness in kids: The DRINK study A patient-oriented, double-blind, cluster-randomized, placebo-controlled, clinical trial. *European Journal of Clinical Nutrition*, 64(7): 669–677.
- Meybodi, N.M., Mortazavian, A.M., Arab, M. & Nematollahi, A. 2020. Probiotic viability in yoghurt: A review of influential factors. *International Dairy Journal*, 109: 104793.
- Miwada, I.N.S., Lindawati, S.A. & Tatang, W. 2006. Tingkat efektivitas ‘starter’ bakteri asam laktat pada proses fermentasi laktosa susu. *Journal of the Indonesian Tropical Animal Agriculture*, (March 2006): 1–4.
- Mohammadi, H., Ghavami, A., Faghihmani, Z., Sharifi, S., Nattagh-Eshstivani, E., Ziaei, R. & Miraghajani, M. 2021. Effects of probiotics fermented milk products on obesity measure among adults: A systematic review and meta-analysis of clinical trials. *Journal of Functional Foods*, 82: 104494.
- Mulyani, S., Legowo, A. & Mahanani, A. 2008. Viability of Lactic Acid Bacteria, Acidity and Melting Time of Pro-biotic Ice Cream using starter *Lactobacillus casei* and *Bifidobacterium bifidum*. *Journal of the Indonesian Tropical Animal Agriculture*, 33(2): 120–125.
- Mustafa, A., Sujuti, H., Permatasari, N. & Widodo, M.A. 2013. Determination of nutrient contents and amino acid composition of pasuruan *Channa striata* extract. *IEESE International Journal of Science and Technology (IJSTE)*, 2(4): 1–11.
- Nielsen, S. 2014. *Food Analysis*. 4th edn. New York: Springer.
- Niga, M.I.B., Suptijah, P. & Trilaksana, W. 2022. Isolation and Characterization Extract and Powder from Snakehead Fish (*Channa striata*) and Its Potency as Immunomodulator Stocks. *IPB University*, 25: 52–66.
- Nugroho, D.F. & Wijayanti, D.A. 2021. Pengaruh Penambahan Sari Wortel Pada Yoghurt Ditinjau Dari Aw, Kadar Air, Viskositas, Total Asam Tertitiasi Dan Kadar Protein. *AGRISAINTEFIKA: Jurnal Ilmu-Ilmu Pertanian*, 5(1): 18.
- Nugroho, M. 2013. Pengaruh Suhu dan Lama Ekstraksi Secara Pengukusan Terhadap Rendemen dan Kadar Albumin Ikan Gabus (*Ophiocephalus striatus*). *Jurnal Saintek Perikanan*, 8(2): 38–43.
- Nurfaidah, Metusalach, Mahendradatta, M. & Sukarno 2020. Analysis of molecular weight albumin concentrate on various types of freshwater fish using SDS-page electrophoresis method. *IOP Conference Series: Earth and Environmental Science*, 564: 1–7.
- Nurilmala, M., Safithri, M., Pradita, F.T. & Pertiwi, R.M. 2020. Profil Protein Ikan Gabus (*Channa striata*), Toman (*Channa micropeltes*), dan Betutu

- (*Oxyeleotris marmorata*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3): 548–557.
- Ovissipour, M., Safari, R., Motamedzadegan, A., Rasco, B., Pourgholam, R., Mohagheghi, E. & Molla, A.E. 2009. Use of hydrolysates from yellowfin tuna *Thunnus albacares* fisheries by-product as a nitrogen source for bacteria growth media. *International Aquatic Research*, 1: 73–77.
- Pamungkaningtyas, F.H. *et al.* 2018. Sensory Evaluation of Yogurt-like Set and Yogurt-like Drink Produced by Indigenous Probiotic Strains for Market Test. *Indonesian Food and Nutrition Progress*, 15(1): 1.
- Pantaya, D., Pamungkas, D., Du, M.M., Wulandari, S. & Febri, A. 2016. Optimasi Produksi Pepton dari Bungkil Kedelai Untuk Media Produksi Yeast. *Prosiding*, 85–88.
- Pato, U. 2003. Potensi Bakteri Asam Laktat yang Diisolasi dari Dadih untuk Menurunkan Risiko Penyakit Kanker. *Jurnal Natur Indonesia*, 5(2): 162–166.
- Prastari, C., Yasni, S. & Nurilmala, M. 2017. Karakteristik protein ikan gabus yang berpotensi sebagai antihiperlipidemia. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(2): 413.
- Pratomo, M.D., Wardanidan, D.W., Revonagara, N.A. & Ersyah, D. 2020. Karakteristik Pepton dari Limbah Ikan Kurisi (*Nemipterus sp.*) sebagai Media Pertumbuhan Bakteri yang Terjamin Halal Characteristics of Peptone from Threadfin Bream (*Nemipterus sp.*) Waste as a Halal Bacterial Growth Medium, 9(June): 104–113.
- Pritchard, G.G. & Coolbear, T. 1993. The physiology and biochemistry of the proteolytic system in lactic acid bacteria. *FEMS Microbiology Reviews*, 12(1–3): 179–206.
- Rahayu, E.S. *et al.* 2016. Effects of Consumption of Fermented Milk Containing Indigenous Probiotic *Lactobacillus plantarum* Dad-13 on The Fecal Microbiota of Healthy Indonesian Volunteers, 11(2): 91–98.
- Rahayu, E.S. & Utami, T. 2019. *Probiotik dan Gut Microbiota serta Manfaatnya pada Kesehatan*. Yogyakarta: PT Kanisius.
- Rahayu, E.S., Yogeswara, A., Mariyatun, Widiarti, L., Utami, T. & Watanabe, K. 2015. Molecular Characteristics of Indigenous Probiotic Strains from Indonesia. *International Journal of Probiotics and Prebiotics*, 10(4): 109–116.
- Rahayu, T.I., Ariyana, M.D., Amaro, M., Handayani, B.R., Nazaruddin & Widyastuti, S. 2022. Evaluasi sensoris yoghurt nanas madu dengan perlakuan kombinasi starter kultur bakteri asam laktat. *Pro Food*, 8(1): 25–33.
- Ranadheera, C.S., Naumovski, N. & Ajlouni, S. 2018. Non-bovine milk products as emerging probiotic carriers: recent developments and innovations. *Current Opinion in Food Science*, 22: 109–114.
- Ray, B. & Bhunia, A. 2014. *Fundamental Food Microbiology*. 5th edn. Boca Raton: CRC Press.
- Renitha, T.S., Sridevi, J., Gowthaman, M.K., Kamini, N.R., Ramanaiah, B. & Saravanan, P. 2015. Wealth from waste - Beef extract for microbiological

- media from tannery solid waste. *RSC Advances*, 5(13): 9891–9897.
- Rodriguez, J.M.O. 2021. *Comparison of Different Sensory Discrimination Testing Methods Used in Food Industry: An application of triangle, tetrad, and duo-trio tests using various food samples*. Finland: Hame University of Applied Science.
- Safari, R., Motamedzadegan, A., Ovissipour, M., Regenstein, J.M., Gildberg, A. & Rasco, B. 2012. Use of Hydrolysates from Yellowfin Tuna (*Thunnus albacares*) Heads as a Complex Nitrogen Source for Lactic Acid Bacteria. *Food and Bioprocess Technology*, 5(1): 73–79.
- Safitri, A., Setyawardani, T. & Sumarmono, J. 2020. Pengaruh Lama Penyimpanan Berbeda Pada Suhu Dingin (4-8°C) Terhadap Nilai pH, Viskositas dan Warna Kefir Susu- Kolostrum Sapi, 2(2): 167–176.
- Safitri, M.F. & Swarastuti, A. 2013. Kualitas kefir berdasarkan konsentrasi kefir grain. *Jurnal Aplikasi Teknologi Pangan*, 2(2): 87–92.
- Sah, B.N.P., Vasiljevic, T., Mckechnie, S. & Donkor, O.N. 2016. LWT - Food Science and Technology Physicochemical, textural and rheological properties of probiotic yogurt forti fi ed with fi bre-rich pineapple peel powder during refrigerated storage. *LWT - Food Science and Technology*, 65: 978–986.
- Sari, D., Purwadi & Thohari, I. 2019. Upaya peningkatan kualitas yoghurt set dengan penambahan pati kimpul (*Xanthosoma sagittifolium*). *Jurnal Ilmu-Ilmu Peternakan*, 29(2): 131–142.
- Sari, K., Santoso, L., Efendi, E. & Harpeni, E. 2017. Potensi Penggunaan Media Teknis sebagai Pengganti Media Sea Water Complete (SWC) untuk Mendukung Pertumbuhan Bakteri *Bacillus* sp. D2. 2, 1: 95–103.
- Sawano, S. *et al.* 2020. Beef extract supplementation promotes myoblast proliferation and myotube growth in C2C12 cells. *European Journal of Nutrition*, 59(8): 3735–3743.
- Seesuriyachan, P., Kuntiya, A., Hanmoungjai, P. & Techapun, C. 2011. Exopolysaccharide production by *Lactobacillus confusus* TISTR 1498 using coconut water as an alternative carbon source: The effect of peptone, yeast extract and beef extract. *Songklanakarin Journal of Science and Technology*, 33(4): 379–387.
- Setiarto, R.H.B., Widhyastuti, N. & Fairuz, I. 2017. Pengaruh starter bakteri asam laktat dan penambahan tepung talas termodifikasi terhadap kualitas yogurt sinbiotik effect of lactic acid bacteria starter and the fortification of modified taro flour on the quality of synbiotic yogurt. *Jurnal Riset Teknologi Industri*, 18–30.
- Setyawardani, E., Rahardjo, A.H.D. & Setyawardani, T. 2021. Pengaruh Jenis Susu Terhadap Sineresis, Water Holding Capacity, dan Viskositas Yogurt. *Journal of Animal Science and Technology*, 3(3): 242–251.
- Setyawardani, T., Sulistyowati, M., Widayaka, K. & Sumarmono, J. 2018. Sifat Sensoris Yogurt dengan Perbedaan Tingkat Kemanisan. *Prosiding Seminar Teknologi dan Agribisnis Peternakan VI*, 297–301.
- Shiphrah, V.H., Sahu, S., Thakur, A.R. & Chaudhuri, S.R. 2013. Screening of bacteria for lactic acid production from whey water. *American Journal of*

- Biochemistry and Biotechnology*, 9(2): 118–123.
- Shori, A.B. 2015. The potential applications of probiotics on dairy and non-dairy foods focusing on viability during storage. *Biocatalysis and Agricultural Biotechnology*, 4(4): 423–431.
- Shori, A.B., Aljohani, G.S., Al-zahrani, A.J., Al-sulbi, O.S. & Baba, A.S. 2022. Viability of probiotics and antioxidant activity of cashew milk-based yogurt fermented with selected strains of probiotic *Lactobacillus* spp. *Lwt*, 153: 1–8.
- Sinkinson, C. 2017. Triangle Test. in Rogers, L. (ed.) *Discrimination Testing in Sensory Science: A Practical Handbook*. Cambridge: Elsevier.
- Soukoulis, C., Panagiotidis, P., Koureli, R. & Tzia, C. 2007. Industrial yogurt manufacture: Monitoring of fermentation process and improvement of final product quality. *Journal of Dairy Science*, 90(6): 2641–2654.
- Srikandace, Y., Priatni, S., Pudjiraharti, S., Kosasih, W. & Endah, E.S. 2018. The production of Kerong fish (*Terapon jarbua*) peptone using enzymatic hydrolysis. *IOP Conference Series: Earth and Environmental Science*, 160(1).
- Suhan, M.R. 2014. *PENGARUH LAMA PENGGORENGAN TERHADAP UJI ORGANOLEPTIK DAN KANDUNGAN ALBUMIN ABON IKAN GABUS (*Ophiocephalus striatus*)*. Makassar: Fakultas Ilmu Kesehatan.
- Suhandana, M. *et al.* 2018. Komposisi Kimia Hidrolisat Protein Jeroan Ikan dengan Konsep Autolisis Menggunakan Enzim Internal pada Ikan, 7(2): 124–130.
- Sumanti, D.M., Lanti, I., Hanidah, I.-I., Sukarminah, E. & Giovanni, A. 2016. Pengaruh Konsentrasi Susu Skim dan Maltodekstrin Sebagai Penyalut Terhadap Viabilitas dan Karakteristik Mikroenkapsulasi Suspensi Bakteri *Lactobacillus plantarum* Menggunakan Metode Freeze Drying. *Jurnal Penelitian Pangan (Indonesian Journal of Food Research)*, 1(1): 1–13.
- Susiwi, S. 2009. *Penilaian Organoleptik*. Bandung: Universitas Pendidikan Indonesia.
- Suwandi, R., Nurjanah & M, W. 2014. Proporsi bagian tubuh dan kadar proksimat ikan gabus pada berbagai ukuran. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17: 22–28.
- Syafitri, Y., Nasution, S. & Fithriyani, D. 2022. Analisis Nilai pH dan Sensori Yoghurt dan Soyghurt dengan Proses Fermentasi yang Berbeda. *Communication in Food Science and Technology*, 1(1): 18–24.
- Syainah, E., Novita, S. & Yanti, R. 2014. Kajian pembuatan yoghurt dari berbagai jenis susu dan inkubasi yang berbeda terhadap mutu dan daya terima, 5(1).
- Tamime, A. (ed.) 2005. *Probiotic Dairy Products. Fermented Milk and Dairy Products*. Oxford: Blackwell Publishing Ltd.
- Tamime, A.Y. & Robinson, R.K. 2007. *Tamime and Robinson's Yoghurt: Science and Technology: Third Edition. Tamime and Robinson's Yoghurt: Science and Technology: Third Edition*.
- Tarwendah, I.P. 2017. Studi komparasi atribut sensoris dan kesadaran merek produk pangan. *Jurnal Pangan dan Agroindustri*, 5(2): 66–73.
- USDA 2001. USDA specifications for yogurt, nonfat yogurt and lowfat yogurt.
- Utami, T., Cindarbhumii, A., Khuangga, M.C., Rahayu, E.S., Cahyanto, M.N.,

- Nurfiyani, S. & Zulaichah, E. 2020. Preparation of Indigenous Lactic Acid Bacteria Starter Cultures for Large Scale Production of Fermented Milk. *Digital Press Life Sciences*, 2: 00010.
- Utami, T., Kusuma, E.N., Satiti, R., Rahayu, E.S. & Cahyanto, M.N. 2019. Hydrolyses of meat and soybean proteins using crude bromelain to produce halal peptone as a complex nitrogen source for the growth of lactic acid bacteria. *International Food Research Journal*, 26(1): 117–122.
- Utami, T., Wardani, S.K., Cahyanto, M.N. & Rahayu, E.S. 2017. The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 24(June): 921–926.
- Vecht-Lifshitz, S.E., Almas, K.A. & Zomer, E. 1990. Microbial growth on peptones from fish industrial wastes. *Letters in Applied Microbiology*, 10(4): 183–186.
- Viljoen, B.C. 2001. The interaction between yeasts and bacteria in dairy environments. *International Journal of Food Microbiology*, 69(1–2): 37–44.
- Widyastuti, Y., Rohamtussolihat & Febrisiantosa, A. 2014. The Role of Lactic Acid Bacteria in Milk Fermentation, 2014(5): 435–442.
- Wood, B.J.B. & Holzappel, W.H. 1995. *The Genera of Lactic Acid Bacteria*. 1st edn. *The Genera of Lactic Acid Bacteria*. 1st edn. Glasgow: Blackie Academic and Professional.
- Yanti, D.I.W. & Dali, F.A. 2013. Characteristics of Lactic Acid Bacteria Isolated during Bakasang Fermentation Process, 16(2): 133–141.
- Zhang, H., Huang, X., Zhang, Y., Zou, X., Tian, L., Hong, H., Luo, Y. & Tan, Y. 2022. Silver carp (*Hypophthalmichthys molitrix*) by-product hydrolysates: A new nitrogen source for *Bifidobacterium animalis* ssp. *lactis* BB-12. *Food Chemistry*, 404(PB): 134630.