

DAFTAR PUSTAKA

- Abdi, H. (2010). Partial least squares regression and projection on latent structure regression (PLS Regression). *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(1), 97–106. <https://doi.org/10.1002/wics.51>
- Akbar, Y. M., Masithoh, D. R. E., & Khuriyati, N. (2017). Aplikasi Analisis Multivariat Berdasarkan Warna untuk Memprediksi Brix dan pH pada Pisang. *Agritech*, 37(1), 109. <https://doi.org/10.22146/agritech.17022>
- Al-Mhanna, N. M., Huebner, H., & Buchholz, R. (2018). Analysis of the sugar content in food products by using gas chromatography mass spectrometry and enzymatic methods. *Foods*, 7(11). <https://doi.org/10.3390/foods7110185>
- Ali, M. M., & Janius, R. B. (2018). Prediction Of Total Soluble Solids And pH In Banana Using Near Infrared Spectroscopy. In *Journal of Engineering Science and Technology* (Vol. 13, Issue 1).
- Amarullah, M. R., Sudarsono, ., & Amarillis, S. (2019). Produksi dan Budidaya Umbi Bibit Kentang (*Solanum tuberosum* L.) di Pangalengan, Bandung, Jawa Barat. *Buletin Agrohorti*, 7(1), 93–99. <https://doi.org/10.29244/agrob.v7i1.24753>
- Asgar, A. (2013). Kualitas Umbi Beberapa Klon Kentang (*Solanum Tuberosum* L.) Dataran Medium Untuk Keripik. *Berita Biologi*, 12(1), 29–37.
- Ayyoubzadeh, S. M., Ayyoubzadeh, S. M., Zahedi, H., Ahmadi, M., & Niakan Kalhori, S. R. (2020). Predicting COVID-19 incidence through analysis of Google trends data in Iran: Data mining and deep learning pilot study. *JMIR Public Health and Surveillance*, 6(2). <https://doi.org/10.2196/18828>
- Badan Pusat Statistik. (2018). Statistik Perdagangan Luar Negeri Indonesia Ekspor, 2018, Jilid I. *BPS RI*.
- Beć, K. B., & Huck, C. W. (2019). Breakthrough potential in near-infrared spectroscopy: Spectra simulation. A review of recent developments. *Frontiers in Chemistry*, 7(FEB), 1–22. <https://doi.org/10.3389/fchem.2019.00048>
- Bojanowski, A., Avis, T. J., Pelletier, S., & Tweddell, R. J. (2013). Management of potato dry rot. In *Postharvest Biology and Technology* (Vol. 84, pp. 99–109). <https://doi.org/10.1016/j.postharvbio.2013.04.008>
- Bouhlel, M. A., Bartoli, N., Otsmane, A., & Morlier, J. (2016). Improving kriging surrogates of high-dimensional design models by Partial Least Squares dimension reduction. *Structural and Multidisciplinary Optimization*, 53(5), 935–952. <https://doi.org/10.1007/s00158-015-1395-9>
- Cen, H., & He, Y. (2007). Theory and application of near infrared reflectance spectroscopy in determination of food quality. *Trends in Food Science and Technology*, 18(2), 72–83. <https://doi.org/10.1016/j.tifs.2006.09.003>
- Chandrasekaran, I., Panigrahi, S. S., Ravikanth, L., & Singh, C. B. (2019). Potential of Near-Infrared (NIR) Spectroscopy and Hyperspectral Imaging for Quality and Safety Assessment of Fruits: an Overview. In *Food Analytical Methods* (Vol. 12, Issue 11, pp. 2438–2458). Springer New York LLC. <https://doi.org/10.1007/s12161-019-01609-1>
- Chia, K. S., Abdul Rahim, H., & Abdul Rahim, R. (2013). Evaluation of common pre-processing approaches for visible (VIS) and shortwave near infrared

- (SWNIR) spectroscopy in soluble solids content (SSC) assessment. *Biosystems Engineering*, 115(1), 82–88. <https://doi.org/10.1016/j.biosystemseng.2013.02.008>
- Clasen, B. M., Stoddard, T. J., Luo, S., Demorest, Z. L., Li, J., Cedrone, F., Tibebu, R., Davison, S., Ray, E. E., Daulhac, A., Coffman, A., Yabandith, A., Retterath, A., Haun, W., Baltes, N. J., Mathis, L., Voytas, D. F., & Zhang, F. (2016). Improving cold storage and processing traits in potato through targeted gene knockout. *Plant Biotechnology Journal*, 14(1), 169–176. <https://doi.org/10.1111/pbi.12370>
- Cortés, V., Ortiz, C., Aleixos, N., Blasco, J., Cubero, S., & Talens, P. (2016). A new internal quality index for mango and its prediction by external visible and near-infrared reflection spectroscopy. *Postharvest Biology and Technology*, 118, 148–158. <https://doi.org/10.1016/j.postharvbio.2016.04.011>
- da Costa Corrêa Oliveira, L., Borchardt, S., Heuwieser, W., Rauch, E., Erhard, M., & Sutter, F. (2019). Evaluation of a filter system to harvest plasma for identification of failure of passive transfer in newborn calves. *Journal of Dairy Science*, 102(1), 557–566. <https://doi.org/10.3168/jds.2018-15006>
- Drewnowski, A., & Rehm, C. D. (2013). *Vegetable Cost Metrics Show That Potatoes and Beans Provide Most Nutrients Per Penny*. 8(5). <https://doi.org/10.1371/journal.pone.0063277>
- Fan, J., Sun, Q., Zhou, W.-X., & Zhu, Z. (2018). *Principal component analysis for big data*. <http://arxiv.org/abs/1801.01602>
- Farhadi, R., Afkari-Sayyah, A. H., Jamshidi, B., & Mousapour Gorji, A. (2020). Prediction of internal compositions change in potato during storage using visible/near-infrared (Vis/NIR) spectroscopy. *International Journal of Food Engineering*, 16(4). <https://doi.org/10.1515/ijfe-2019-0110>
- Fernández-Novales, J., Garde-Cerdán, T., Tardáguila, J., Gutiérrez-Gamboa, G., Pérez-Álvarez, E. P., & Diago, M. P. (2019). Assessment of amino acids and total soluble solids in intact grape berries using contactless Vis and NIR spectroscopy during ripening. *Talanta*, 199, 244–253. <https://doi.org/10.1016/j.talanta.2019.02.037>
- Fiers, M., Edel-Hermann, V., Chatot, C., Le Hingrat, Y., Alabouvette, C., & Steinberg, C. (2012). Potato soil-borne diseases. A review. In *Agronomy for Sustainable Development* (Vol. 32, Issue 1). <https://doi.org/10.1007/s13593-011-0035-z>
- Filip, M., Vlassa, M., Coman, V., & Halmagyi, A. (2016). Simultaneous determination of glucose, fructose, sucrose and sorbitol in the leaf and fruit peel of different apple cultivars by the HPLC-RI optimized method. *Food Chemistry*, 199, 653–659. <https://doi.org/10.1016/j.foodchem.2015.12.060>
- Galvao, A. C., Nicoletto, C., Zanin, G., Vargas, P. F., & Sambo, P. (2021). Nutraceutical content and daily value contribution of sweet potato accessions for the European market. *Horticulturae*, 7(2), 1–14. <https://doi.org/10.3390/horticulturae7020023>
- Gitelson, A. A., Gritz, Y., & Merzlyak, M. N. (2003). Relationships between leaf chlorophyll content and spectral reflectance and algorithms for non-destructive chlorophyll assessment in higher plant leaves. *Journal of Plant*

- Physiology*, 160(3), 271–282. <https://doi.org/10.1078/0176-1617-00887>
- Gonzalez, J. T., Fuchs, C. J., Betts, J. A., & van Loon, L. J. C. (2017). Glucose plus fructose ingestion for post-exercise recovery—greater than the sum of its parts? In *Nutrients* (Vol. 9, Issue 4). MDPI AG. <https://doi.org/10.3390/nu9040344>
- Grasel, F. D. S., Ferrão, M. F., & Wolf, C. R. (2016). Development of methodology for identification the nature of the polyphenolic extracts by FTIR associated with multivariate analysis. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 153, 94–101. <https://doi.org/10.1016/j.saa.2015.08.020>
- Grudzińska, M., Boguszevska-Mańkowska, D., & Zarzyńska, K. (2022). Drought stress during the growing season: Changes in reducing sugars, starch content and respiration rate during storage of two potato cultivars differing in drought sensitivity. *Journal of Agronomy and Crop Science*, 208(5), 609–620. <https://doi.org/10.1111/jac.12498>
- Habibullah, M. (2020). *A Cost-Effective Multispectral Sensor System for Leaf-Level Physiological Traits* (Issue April). <https://harvest.usask.ca/handle/10388/12845>
- Habibullah, M., Mohebian, M. R., Soolanayakanahally, R., Bahar, A. N., Vail, S., Wahid, K. A., & Dinh, A. (2020). Low-Cost Multispectral Sensor Array for Determining Leaf Nitrogen Status. *Nitrogen*, 1(1), 67–80. <https://doi.org/10.3390/nitrogen1010007>
- Han, G., Chen, S., Wang, X., Wang, J., Wang, H., & Zhao, Z. (2021). Noninvasive blood glucose sensing by near-infrared spectroscopy based on PLSR combines SAE deep neural network approach. *Infrared Physics and Technology*, 113(November 2020), 103620. <https://doi.org/10.1016/j.infrared.2020.103620>
- Hao, Q., Zhou, J., Zhou, L., Kang, L., Nan, T., Yu, Y., & Guo, L. (2020). Prediction the contents of fructose, glucose, sucrose, fructo-oligosaccharides and iridoid glycosides in *Morinda officinalis* radix using near-infrared spectroscopy. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 234. <https://doi.org/10.1016/j.saa.2020.118275>
- Heltoft, P., Wold, A. B., & Molteberg, E. L. (2017). Maturity indicators for prediction of potato (*Solanum tuberosum* L.) quality during storage. *Postharvest Biology and Technology*, 129, 97–106. <https://doi.org/10.1016/j.postharvbio.2017.03.011>
- Hertog, M. L. A. T. M., Tijskens, L. M. M., & Hak, P. S. (1997). The effects of temperature and senescence on the accumulation of reducing sugars during storage of potato (*Solanum tuberosum* L.) tubers: A mathematical model. *Postharvest Biology and Technology*, 10(1), 67–79. [https://doi.org/10.1016/S0925-5214\(97\)87276-6](https://doi.org/10.1016/S0925-5214(97)87276-6)
- Huang, Y., Lu, R., & Chen, K. (2018). Assessment of tomato soluble solids content and pH by spatially-resolved and conventional Vis/NIR spectroscopy. *Journal of Food Engineering*, 236, 19–28. <https://doi.org/10.1016/j.jfoodeng.2018.05.008>
- Irfandi, F., Hermiyanto, B., Raden Soedradjad, dan, Studi Agroteknologi, P.,

- Pertanian, F., Jember Jln Kalimantan, U., & Tegal Boto, K. (2017). Inokulasi Cendawan *Fusarium* sp. dari Berbagai Tanaman Inang dan Diameter Batang terhadap Pembentukan Kemedangan Gaharu Jenis *Gyrinophs versteegii*. *Inoculation of Fusarium sp. from Various Host Plants and Stems Diameter to Forming Kemedangan Agarwood Type G. Agrovigor*, 10(1), 13–20.
- Irungu, F. G., Tanga, C. M., Ndiritu, F. G., Mathenge, S. G., Kiruki, F. G., & Mahungu, S. M. (2022). Enhancement of potato (*Solanum tuberosum* L) postharvest quality by use of magnetic fields – A case of shangi potato variety. *Applied Food Research*, 2(2), 100191. <https://doi.org/10.1016/j.afres.2022.100191>
- Izmirliglu, G., & Demirci, A. (2015). Enhanced bio-ethanol production from industrial potato waste by statistical medium optimization. *International Journal of Molecular Sciences*, 16(10), 24490–24505. <https://doi.org/10.3390/ijms161024490>
- Jamshidi, B., Minaei, S., Mohajerani, E., & Ghassemian, H. (2012). Reflectance Vis/NIR spectroscopy for nondestructive taste characterization of Valencia oranges. *Computers and Electronics in Agriculture*, 85, 64–69. <https://doi.org/10.1016/j.compag.2012.03.008>
- Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. In *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* (Vol. 374, Issue 2065). Royal Society of London. <https://doi.org/10.1098/rsta.2015.0202>
- K. Ratnayani, N. M. A., S, D. A., & Gitadewi, I. G. A. M. A. S. (2008). Penentuan Kadar Glukosa dan Fruktosa pada Madu Randu dan Madu Kelengkeng dengan METODE Kromatografi Cair Kinerja Tinggi. *FMIPA Universitas Udayana, Bukit Jimbaran*, 10, 77–86.
- Kawano, S., Watanabe, H., & Iwamoto, M. (1992). Determination of Sugar Content in Intact Peaches by Near Infrared Spectroscopy with Fiber Optics in Interactance Mode. *Engei Gakkai Zasshi*, 61(2), 445–451. <https://doi.org/10.2503/jjshs.61.445>
- Khedher, S. Ben, Mejdoub-Trabelsi, B., & Tounsi, S. (2021). Biological potential of *Bacillus subtilis* V26 for the control of *Fusarium* wilt and tuber dry rot on potato caused by *Fusarium* species and the promotion of plant growth. *Biological Control*, 152(August 2020), 104444. <https://doi.org/10.1016/j.biocontrol.2020.104444>
- Khowala, S., Verma, D., & Banik, S. P. (2008). *Biomolecules : (Introduction , Structure & Function)*. May 2014.
- Kirana, R., Kusmana, Karjadi, A. K., Gunadi, N., Reflinur, & Hermanto, C. (2021). Genetic purity and population structure of potato variety Granola L. *IOP Conference Series: Earth and Environmental Science*, 762(1). <https://doi.org/10.1088/1755-1315/762/1/012018>
- Laborde, A., Puig-Castellví, F., Jouan-Rimbaud Bouveresse, D., Eveleigh, L., Cordella, C., & Jaillais, B. (2021). Detection of chocolate powder adulteration with peanut using near-infrared hyperspectral imaging and Multivariate Curve Resolution. *Food Control*, 119(July 2020), 107454. <https://doi.org/10.1016/j.foodcont.2020.107454>

- Levate Macedo, L., da Silva Araújo, C., Costa Vimercati, W., Gherardi Hein, P. R., Pimenta, C. J., & Henriques Saraiva, S. (2021). Evaluation of chemical properties of intact green coffee beans using near-infrared spectroscopy. *Journal of the Science of Food and Agriculture*, 101(8), 3500–3507. <https://doi.org/10.1002/jsfa.10981>
- Li, M., Han, D., & Liu, W. (2019). Non-destructive measurement of soluble solids content of three melon cultivars using portable visible/near infrared spectroscopy. *Biosystems Engineering*, 188, 31–39. <https://doi.org/10.1016/j.biosystemseng.2019.10.003>
- Li, M., Lv, W., Zhao, R., Guo, H., Liu, J., & Han, D. (2017). Non-destructive assessment of quality parameters in ‘Friar’ plums during low temperature storage using visible/near infrared spectroscopy. *Food Control*, 73, 1334–1341. <https://doi.org/10.1016/j.foodcont.2016.10.054>
- Li, X., He, Y., Wu, C., & Sun, D. W. (2007). Nondestructive measurement and fingerprint analysis of soluble solid content of tea soft drink based on Vis/NIR spectroscopy. *Journal of Food Engineering*, 82(3), 316–323. <https://doi.org/10.1016/j.jfoodeng.2007.02.042>
- Lichtenthaler, H. K., & Buschmann, C. (2001). Chlorophylls and Carotenoids: Measurement and Characterization by UV-VIS Spectroscopy. *Current Protocols in Food Analytical Chemistry*, 1, F4.3.1-F4.3.8. <https://doi.org/https://doi.org/10.1002/0471142913.faf0403s01>
- Liu, Q., Zhang, R., Xue, H., Bi, Y., Li, L., Zhang, Q., Kouasseu, C. J., Nan, M., & Prusky, D. (2022). Ozone controls potato dry rot development and diacetoxyscirpenol accumulation by targeting the cell membrane and affecting the growth of *Fusarium sulphureus*. *Physiological and Molecular Plant Pathology*, 118(December 2021), 101785. <https://doi.org/10.1016/j.pmpp.2021.101785>
- López-Maestresalas, A., Keresztes, J. C., Goodarzi, M., Arazuri, S., Jarén, C., & Saeys, W. (2016). Non-destructive detection of blackspot in potatoes by Vis-NIR and SWIR hyperspectral imaging. *Food Control*, 70, 229–241. <https://doi.org/10.1016/j.foodcont.2016.06.001>
- Lowette, K., Roosen, L., Tack, J., & Vanden Berghe, P. (2015). Effects of High-Fructose Diets on Central Appetite Signaling and Cognitive Function. In *Frontiers in Nutrition* (Vol. 2). Frontiers Media S.A. <https://doi.org/10.3389/fnut.2015.00005>
- Lutfi, & Hafriana, D. U. (2020). Analisis kadar glukosa pada kentang rebus (*solanum tuberosum*) sebagai pengganti nasi bagi penderita diabetes melitus dengan menggunakan spektrofotometri. *Jurnal Media Laboran*, 10(1), 26–32.
- Ma, C., Sun, Z., Chen, C., Zhang, L., & Zhu, S. (2014). Simultaneous separation and determination of fructose, sorbitol, glucose and sucrose in fruits by HPLC-ELSD. *Food Chemistry*, 145, 784–788. <https://doi.org/10.1016/j.foodchem.2013.08.135>
- Masithoh, R. E., Rahardjo, B., Sutiarsa, L., & Hardjoko, A. (2012). Pendekatan multivariat untuk pengukuran kualitas tomat (*Lycopersicon esculentum*) BERDASARKAN PARAMETER WARNA. *Agritech*, 32(1), 79–86. <https://jurnal.ugm.ac.id/agritech/article/view/9660>

- Nabubuya, A., Namutebi, A., Byaruhanga, Y., Narvhus, J., & Wicklund, T. (2012). Potential Use of Selected Sweetpotato (&i>Ipomea batatas&i> Lam) Varieties as Defined by Chemical and Flour Pasting Characteristics. *Food and Nutrition Sciences*, 03(07), 889–896. <https://doi.org/10.4236/fns.2012.37118>
- Naumann, M., Koch, M., Thiel, H., Gransee, A., & Pawelzik, E. (2020). The Importance of Nutrient Management for Potato Production Part II: Plant Nutrition and Tuber Quality. *Potato Research*, 63(1), 121–137. <https://doi.org/10.1007/s11540-019-09430-3>
- Neuman, R. C. (2013). Organic Chemistry. *Organic Chemistry*, 0–33. <http://web.chem.ucsb.edu/~neuman/orgchembyneuman/BookContents.html>
- Nguyen, C., & Phan, Q. (2020). *Precise Sweetness Grading of Mangoes (Mangifera indica L.) Based on Random Forest Technique With Low-Cost Multispectral Sensors*. 212371–212382. <https://doi.org/10.1109/ACCESS.2020.3040062>
- Nicolaï, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., & Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. In *Postharvest Biology and Technology* (Vol. 46, Issue 2, pp. 99–118). <https://doi.org/10.1016/j.postharvbio.2007.06.024>
- Nielsen, S. S. (2017). *Food Analysis* (Fourth Edi). Springer. https://doi.org/10.1007/978-1-4419-1478-1_6
- Nurbaya, Kuswinanti, T., Baharuddin, Rosmana, A., & Millang, S. (2014). Uji kecepatan pertumbuhan *Fusarium* spp. pada media organik dan media sintesis. *Jurnal Bionature*, 15(1), 45–53.
- Olarewaju, O. O., Magwaza, L. S., Nieuwoudt, H., Poblete-Echeverría, C., Fawole, O. A., Tesfay, S. Z., & Opara, U. L. (2019). Model development for non-destructive determination of rind biochemical properties of ‘Marsh’ grapefruit using visible to near-infrared spectroscopy and chemometrics. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 209, 62–69. <https://doi.org/10.1016/j.saa.2018.10.027>
- Pahlawan, M. F. R., Wati, R. K., & Masithoh, R. E. (2021a). Development of a low-cost modular VIS/NIR spectroscopy for predicting soluble solid content of banana. *IOP Conference Series: Earth and Environmental Science*, 644(1). <https://doi.org/10.1088/1755-1315/644/1/012047>
- Pahlawan, M. F. R., Wati, R. K., & Masithoh, R. E. (2021b). Development of a low-cost modular VIS/NIR spectroscopy for predicting soluble solid content of banana. *IOP Conference Series: Earth and Environmental Science*, 644(1). <https://doi.org/10.1088/1755-1315/644/1/012047>
- Paliy, O., & Shankar, V. (2016). Application of multivariate statistical techniques in microbial ecology. In *Molecular Ecology* (Vol. 25, Issue 5, pp. 1032–1057). Blackwell Publishing Ltd. <https://doi.org/10.1111/mec.13536>
- Perdan, C. G., Amaludin, F. N., & Wijana, S. (2019). Formulation of Potato Crackers Granola (*Solanum tuberosum* L.) as a Typical Tengger Culinary Food in East Java. *Jurnal Pangan Dan Agroindustri*, 7(3), 37–48.
- Putri, V. R., Verawati, B., Mufti, L., & Isnaeni, A. (2022). Pembuatan Cookies

- Tepung Kentang (*Solanum tuberosum* L .) Dengan Sustitusi Tepung Jintan Hitam (*Nigella sativa* L .) Sebagai Cemilan Sehat Penderita Hipertensi. *Jurnal Kesehatan Tembusai*, 3(1), 7–13.
- Qin, J., & Lu, R. (2008). Measurement of the optical properties of fruits and vegetables using spatially resolved hyperspectral diffuse reflectance imaging technique. *Postharvest Biology and Technology*, 49(3), 355–365. <https://doi.org/10.1016/j.postharvbio.2008.03.010>
- R, A. S., S, S., N, R., TS, G., Karthikeyan, M., Gnanasekaran, A., GK, C., & Basalingappa, K. M. (2018). *Solanum tuberosum* L: Botanical, Phytochemical, Pharmacological and Nutritional Significance. *International Journal of Phytomedicine*, 10(3), 115. <https://doi.org/10.5138/09750185.2256>
- Rachma, R. N., Hidayati, N., Rahayu, P., & Anggraini, H. (2021). Pengaruh Penambahan Zat Pemlastik Gliserol Terhadap Sifat Mekanik pada Pembuatan Bioplastik dari Kitosan - Umbi Porang (*Amorphophallus Muelleri* Blume). *Jurnal Teknologi*, 9(1), 13–22. <https://doi.org/10.31479/jtek.v9i1.109>
- Rady, A., Guyer, D., & Lu, R. (2015). Evaluation of sugar content of potatoes using hyperspectral Imaging. *Food and Bioprocess Technology*, 8(5), 995–1010. <https://doi.org/10.1007/s11947-014-1461-0>
- Rady, A. M., & Guyer, D. E. (2015). Evaluation of sugar content in potatoes using NIR reflectance and wavelength selection techniques. *Postharvest Biology and Technology*, 103, 17–26. <https://doi.org/10.1016/j.postharvbio.2015.02.012>
- Rahayu, S., Nadifah, F., & Prasetyaningsih, Y. (2015). Jamur Kontaminan Pada Umbi Kentang. *Biogenesis: Jurnal Ilmiah Biologi*, 3(1), 28–32. <https://doi.org/10.24252/bio.v3i1.563>
- Rai, M., Jogee, P. S., & Ingle, A. P. (2015). Emerging nanotechnology for detection of mycotoxins in food and feed. *International Journal of Food Sciences and Nutrition*, 66(4), 363–370. <https://doi.org/10.3109/09637486.2015.1034251>
- Raigond, P., Singh, B., & Kaundal, B. (2015). Changes in the starch and fiber fractions of French fries: Response of freezing. *Potato Journal*, 42(1), 8–17.
- Ravikanth, L., Jayas, D. S., White, N. D. G., Fields, P. G., & Sun, D. W. (2017). Extraction of Spectral Information from Hyperspectral Data and Application of Hyperspectral Imaging for Food and Agricultural Products. In *Food and Bioprocess Technology* (Vol. 10, Issue 1). Springer New York LLC. <https://doi.org/10.1007/s11947-016-1817-8>
- Ren, J., Tong, J., Li, P., Huang, X., Dong, P., & Ren, M. (2021). Chitosan is an effective inhibitor against potato dry rot caused by *Fusarium oxysporum*. *Physiological and Molecular Plant Pathology*, 113. <https://doi.org/10.1016/j.pmpp.2021.101601>
- Ridhani, M. A., Vidyaningrum, I. P., Akmala, N. N., Fatihatunisa, R., Azzahro, S., Aini, N., Studi Teknologi Pangan, P., Pertanian, J., & Jenderal Soedirman Jalan Soeparno, U. (2021). Potensi Penambahan Berbagai Jenis Gula Terhadap Sifat Sensori Dan Fisikokimia Roti Manis: Review. In *Pasundan Food Technology Journal (PFTJ)* (Vol. 8, Issue 3).
- Roring, M. A. ., Pioh, D. D., & Najooan, J. (2020). Identification of Soil Chemical Properties of Potatoes (*Solanum. Cocos*, 6(6), 5–6. <https://ejournal.unsrat.ac.id/index.php/cocos/article/view/30879>

- Sakinah, A. R., & Kurniawansyah, I. S. (2013). Isolasi, Karakterisasi Sifat Fisikokimia, dan Aplikasi Pati Jagung dalam Bidang Farmasetik. *Farmaka*, 16(2), 431.
- Sakuta, M. (2014). Diversity in plant red pigments: Anthocyanins and betacyanins. *Plant Biotechnology Reports*, 8(1), 37–48. <https://doi.org/10.1007/s11816-013-0294-z>
- Sánchez, F. D., Maria, E., López, S., Kerstupp, S. F., Ibarra, R. V., & Scheinvar, L. (2006). Issn : 1579-4377 Colorant Extraction From Red Prickly Pear (*Opuntia Lasiantha*) for Food Application. *Electronic Journal of Environmental, Agricultural and Food Chemistry*, 5(2), 1330–1337.
- Saranwong, S., Sornsrivichai, J., & Kawano, S. (2001). Improvement of PLS calibration for Brix value and dry matter of mango using information from MLR calibration. *Journal of Near Infrared Spectroscopy*, 9(4), 287–295. <https://doi.org/10.1255/jnirs.314>
- Sari, W., Wiyono, S., Nurmansyah, A., Munif, A., & Poerwanto, R. (2018). Keanekaragaman dan Patogenisitas *Fusarium* spp. Asal Beberapa Kultivar Pisang. *Jurnal Fitopatologi Indonesia*, 13(6), 216. <https://doi.org/10.14692/jfi.13.6.216>
- Sattari, M. T., Rezazadeh-Joudi, A., & Kusiak, A. (2017). Assessment of different methods for estimation of missing data in precipitation studies. *Hydrology Research*, 48(4), 1032–1044. <https://doi.org/10.2166/nh.2016.364>
- Shokrehkhodaei, M. (2021). *Non-Invasive In-Vitro Glucose Monitoring Using Optical Sensor And Machine Learning Techniques For Diabetes Applications*.
- Shokrehkhodaei, M., Cistola, D. P., Roberts, R. C., & Quinones, S. (2021). Non-Invasive Glucose Monitoring Using Optical Sensor and Machine Learning Techniques for Diabetes Applications. *IEEE Access*, 9, 73029–73045. <https://doi.org/10.1109/ACCESS.2021.3079182>
- Sholihah, R. I., Sritamin, M., & Wijaya, I. N. (2019). Identifikasi Jamur *Fusarium solani* yang Berasosiasi dengan Penyakit Busuk Batang pada Tanaman Buah Naga (*Hylocereus* sp.) Di Kecamatan Bangorejo, Kabupaten Banyuwangi. *E-Jurnal Agroekoteknologi Tropika*, 8(1), 91–102. <https://ojs.unud.ac.id/index.php/JAT91>
- Singh, R. S., Chauhan, K., Pandey, A., & Larroche, C. (2018). Biocatalytic strategies for the production of high fructose syrup from inulin. In *Bioresource Technology* (Vol. 260, pp. 395–403). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2018.03.127>
- Sowmya, N., & Ponnusamy, V. (2021). Development of Spectroscopic Sensor System for an IoT Application of Adulteration Identification on Milk Using Machine Learning. *IEEE Access*, 9, 53979–53995. <https://doi.org/10.1109/ACCESS.2021.3070558>
- Su, W. H., & Sun, D. W. (2019). Advanced Analysis of Roots and Tubers by Hyperspectral Techniques. In *Advances in Food and Nutrition Research* (Vol. 87, pp. 255–303). Academic Press Inc. <https://doi.org/10.1016/bs.afnr.2018.07.003>
- Sugiyama, J. (1999). Visualization of sugar content in the flesh of a melon by near-infrared imaging. *Journal of Agricultural and Food Chemistry*, 47(7), 2715–

2718. <https://doi.org/10.1021/jf981079i>
- Sulistiyono, S., & Sulistiyowati, W. (2017). Peramalan Produksi dengan Metode Regresi Linier Berganda. *PROZIMA (Productivity, Optimization and Manufacturing System Engineering)*, 1(2), 82–89. <https://doi.org/10.21070/prozima.v1i2.1350>
- Supriyadi, E., Mariani, S., & Juli, D. (2017). *Perbandingan Metode Partial Least Square (Pls) Dan Principal Component Regression (Pcr) Untuk Mengatasi Multikolinearitas Pada Model Regresi Linear Berganda*. <http://journal.unnes.ac.id/sju/index.php/ujm>
- Tian, X. Y., Aheto, J. H., Bai, J. W., Dai, C., Ren, Y., & Chang, X. (2021). Quantitative analysis and visualization of moisture and anthocyanins content in purple sweet potato by Vis–NIR hyperspectral imaging. *Journal of Food Processing and Preservation*, 45(2), 1–16. <https://doi.org/10.1111/jfpp.15128>
- Tian, Y., Deng, Y., Zhang, W., & Mu, W. (2019). Sucrose isomers as alternative sweeteners: properties, production, and applications. In *Applied Microbiology and Biotechnology* (Vol. 103, Issues 21–22, pp. 8677–8687). Springer Verlag. <https://doi.org/10.1007/s00253-019-10132-6>
- Tiwari, R. K., Bashyal, B. M., Shanmugam, V., Lal, M. K., Kumar, R., Sharma, S., Vinod, Gaikwad, K., Singh, B., & Aggarwal, R. (2021). Impact of *Fusarium* dry rot on physicochemical attributes of potato tubers during postharvest storage. *Postharvest Biology and Technology*, 181. <https://doi.org/10.1016/j.postharvbio.2021.111638>
- Tiwari, R. K., Kumar, R., Sharma, S., Naga, K. C., Subhash, S., & Sagar, V. (2020). Continuous and emerging challenges of silver scurf disease in potato. In *International Journal of Pest Management* (pp. 1–13). Taylor and Francis Ltd. <https://doi.org/10.1080/09670874.2020.1795302>
- Tran, N. T., & Fukuzawa, M. (2020). A portable spectrometric system for quantitative prediction of the soluble solids content of apples with a pre-calibrated multispectral sensor chipset. *Sensors (Switzerland)*, 20(20), 1–11. <https://doi.org/10.3390/s20205883>
- Türker-Kaya, S., & Huck, C. W. (2017). A review of mid-infrared and near-infrared imaging: Principles, concepts and applications in plant tissue analysis. *Molecules*, 22(1). <https://doi.org/10.3390/molecules22010168>
- Ulan, D. N., Arfarita, N., & Nurhidyati. (2019). *Jurnal agronisma*. 1(1), 46–58.
- Vatankhah, M., Riseh, R. S., Eskandari, M. M., Sedaghati, E., Alaei, H., & Afzali, H. (2019). Biological control of *Fusarium* dry rot of potato using some probiotic bacteria. *Journal of Agricultural Science and Technology*, 21(5), 1301–1312.
- Wang, H., Peng, J., Xie, C., Bao, Y., & He, Y. (2015). Fruit quality evaluation using spectroscopy technology: A review. *Sensors (Switzerland)*, 15(5), 11889–11927. <https://doi.org/10.3390/s150511889>
- Wasilewska-Nascimento, B., Boguszevska-Mańkowska, D., & Zarzyńska, K. (2020). Challenges in the production of high-quality seed potatoes (*Solanum tuberosum* L.) in the tropics and subtropics. *Agronomy*, 10(2). <https://doi.org/10.3390/agronomy10020260>
- Wati, R. K., Pahlawan, M. F. R., & Masithoh, R. E. (2021a). Development of

- calibration model for pH content of intact tomatoes using a low-cost Vis/NIR spectroscopy. *IOP Conference Series: Earth and Environmental Science*, 686(1). <https://doi.org/10.1088/1755-1315/686/1/012049>
- Wati, R. K., Pahlawan, M. F. R., & Masithoh, R. E. (2021b). Development of calibration model for pH content of intact tomatoes using a low-cost Vis/NIR spectroscopy. *IOP Conference Series: Earth and Environmental Science*, 686(1), 012049. <https://doi.org/10.1088/1755-1315/686/1/012049>
- Webb, K. M., Brenner, T., & Jacobsen, B. J. (2015). Temperature effects on the interactions of sugar beet with *Fusarium* yellows caused by *Fusarium oxysporum* f. sp. *betae*. *Canadian Journal of Plant Pathology*, 37(3), 353–362. <https://doi.org/10.1080/07060661.2015.1071283>
- Wharton, P., Hammerschmidt, R., & Kirk, W. (2007). *Fusarium dry rot. Michigan Potato Diseases, May*.
- Widiatmoko, F. R. (2019). *Jurnal Iptek Media Komunikasi Teknologi Pendekatan Analisa Geokimia dengan Multivariate Analysis untuk Mengetahui Tipe Mata Air Panas: Studi Kasus Lapangan Panas Bumi Mapos, Nusa Tenggara Timur*. <https://doi.org/10.31284/j.iptek.2019.v23i2>
- Widyaningrum, Purwanto, Y. A., Widodo, S., Supijatno, & Iriani, E. S. (2022). Portable/Handheld NIR as a Non-Destructive Technology for Quality Evaluation of Agricultural Materials. *Jurnal Keteknik Pertanian*, 10, 59–68.
- Williams, P., & Norris, K. (2001). Near-infrared technology in the agricultural and food industries. *American Association of Cereal Chemist*.
- Xie, L., Ying, Y., & Ying, T. (2009). Classification of tomatoes with different genotypes by visible and short-wave near-infrared spectroscopy with least-squares support vector machines and other chemometrics. *Journal of Food Engineering*, 94(1), 34–39. <https://doi.org/10.1016/j.jfoodeng.2009.02.023>
- Yang, L., Xue, H., Liu, Z., Liu, Q., Zhang, Q., & Nan, M. (2022). The effects of different ambient pH on the pathogenicity of *Fusarium sulphureum* and reactive oxygen species metabolism in *F. sulphureum* inoculation muskmelon fruits. *Physiological and Molecular Plant Pathology*, 122(August), 101893. <https://doi.org/10.1016/j.pmpp.2022.101893>
- Yang, Q., Yang, X., Zhang, Q., Wang, Y., Song, H., & Huang, F. (2020). Quantifying soluble sugar in super sweet corn using near-infrared spectroscopy combined with chemometrics. *Optik*, 220. <https://doi.org/10.1016/j.ijleo.2020.165128>
- Yaningsih, H., H. B. A., & Mulyani, S. (2013). *Studi Karakteristik Gizi Ubi Jalar Ungu (Ipomoea batatas var Gunung Kawi) Pada Beberapa Umur Panen*. 1(1), 21–30.
- Yeater, K. M., Duke, S. E., & Riedell, W. E. (2015). Multivariate analysis: Greater insights into complex systems. *Agronomy Journal*, 107(2), 799–810. <https://doi.org/10.2134/agronj14.0017>
- Zhang, Z., & Castelló, A. (2017). Principal components analysis in clinical studies. *Annals of Translational Medicine*, 5(17). <https://doi.org/10.21037/atm.2017.07.12>