



DAFTAR PUSTAKA

- Anwar, H, S., Dewi, C, Y., dan Safriani, N. 2021. Karakterisasi sifat fisiko kimia pati ganyong (*Canna edulis Kerr.*) dan pati bengkuang (*Pachirrhizus erosus*) modifikasi. *Jurnal teknologi & Industri Hasil Pertanian* 26(1) : 25-36.
- Apriyantono, A., D. Fardiaz, N. L. Puspitasari, Sedarnawati, & S. Budiyanto. (1998). *Analisis Pangan*. IPB Press. Jakarta.
- Astuti, W. (2018). *Adsorpsi Menggunakan Material Berbasis Lignoselulosa*. Unnes Press. Semarang.
- Badan Standardisasi Nasional. (2011). Tapioka. *SNI 3451:2011*, 1–34. <http://sispk.bsn.go.id/>. Diakses tanggal 13 Desember 2022.
- Bahanawan, A., Kusumah, S. S., Darmawan, T., Ismadi, Masruchin, N., Sudarmanto, Jayadi, Pramasari, D. A., Triwibowo, D., Kusumaningrum, W. B., Wibowo, E. S., Syamani, F. A., Krishanti, N. P. R. A., Lestari, E., Amin, Y., Sufiandi, S., Syahrir, A., dan Dwianto, W. 2019. Moisture content, color quantification and starch content of oil palm trunk (*Elaeis guineensis* Jacq.). *IOP Conference Series: Earth and Environmental Science* 374(1). <https://doi.org/10.1088/1755-1315/374/1/012041> . Diakses tanggal 13 Desember 2022.
- Bednarska, K. A. (2015). Kinetic modeling of enzymatic starch hydrolysis. *Disertation*. Food Processing Engineering Wageningen University & Research. Netherlands. <https://library.wur.nl/WebQuery/wurpubs/488445>. Diakses tanggal 25 November 2022.
- Benavent-Gil, Y., & Rosell, C. M. (2017). Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers* 157: 533–540. <https://doi.org/10.1016/j.carbpol.2016.10.047> . Diakses tanggal 10 Desember 2022.



- Benavent-Gil, Y., & Rosell, C. M. (2017). Morphological and physicochemical characterization of porous starches obtained from different botanical sources and amylolytic enzymes. *International Journal of Biological Macromolecules* 103: 587–595. <https://doi.org/10.1016/j.ijbiomac.2017.05.089>. Diakses tanggal 12 Desember 2022.
- Carolina, A., & Ilmi, F. N. (2016). Production of Indonesian *Canna edulis* type IV resistant starch through acetylation modification. *International Food Research Journal* 23(2): 491–497.
- Chen, G., & Zhang, B. (2012). Hydrolysis of granular corn starch with controlled pore size. *Journal of Cereal Science* 56(2): 316–320. <https://doi.org/10.1016/j.jcs.2012.01.011>. Diakses tanggal 12 Desember 2022.
- Chen, J., Wang, Y., Liu, J., & Xu, X. (2020). Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules* 148: 1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>. Diakses tanggal 1 Oktober 2022.
- Chung, H. J., Liu, Q., Wang, R., Yin, Y., & Li, A. (2010). Physicochemical properties and in vitro starch digestibility of cooked rice from commercially available cultivars in Canada. *Cereal Chemistry* 87(4): 297–304. <https://doi.org/10.1094/CCHEM-87-4-0297>. Diakses tanggal 14 Desember 2022.
- Cornejo-Ramírez, Y. I., Martínez-Cruz, O., Del Toro-Sánchez, C. L., Wong-Corral, F. J., Borboa-Flores, J., & Cinco-Moroyoqui, F. J. (2018). The structural characteristics of starches and their functional properties. *CYTA - Journal of Food* 16(1): 1003–1017. <https://doi.org/10.1080/19476337.2018.1518343>. Diakses tanggal 17 November 2022.
- Dayu Putri, V., & Dyna, F. (2019). Standarisasi ganyong (*Canna edulis* Kerr.) sebagai pangan alternatif pasien diabetes mellitus. *Jurnal Katalisator* 4(2): 111. <https://doi.org/10.22216/jk.v4i2.4567>. Diakses tanggal 25 November 2022.



- Dayang, D. N., Samsudin, H., Utra, U., & Alias, A. K. (2020). Modification methods toward the production of porous starch: a review. *Critical Reviews in Food Science and Nutrition:* 1–22. <https://doi.org/10.1080/10408398.2020.1789064>. Diakses tanggal 12 Desember 2022.
- Dividich, L. J. 1977. Feeding value of *Canna edulis* roots for pigs. *Journal Agriculture of University of Puerto Rico* 61(3): 267-274.
- Dura, A., Błaszczyk, W., & Rosell, C. M. (2014). Functionality of porous starch obtained by amylase or amyloglucosidase treatments. *Carbohydrate Polymers* 101(1): 837–845. <https://doi.org/10.1016/j.carbpol.2013.10.013>. Diakses tanggal 10 November 2022.
- Dura, A., & Rosell, C. M. (2016). Physico-chemical properties of corn starch modified with cyclodextrin glycosyltransferase. *International Journal of Biological Macromolecules* 87: 466–472. <https://doi.org/10.1016/j.ijbiomac.2016.03.012>. Diakses tanggal 14 Desember 2022.
- Egharevba, H. O. (2019). *Chemical properties of starch and its application in the food industry*. Intech Open. UK. <http://dx.doi.org/10.5772/intechopen.87777>. [Diakses tanggal 1 Desember 2022](#).
- Erezka, V. C., Muflihati, I., Nurlaili, E. P., & Ferdiansyah, M. K. (2018). Karakteristik pati ganyong termodifikasi melalui iradiasi uv-c (ultraviolet c) dan hidrolisis asam laktat. *Jurnal Teknologi Pertanian Andalas* 22(2): 139. <https://doi.org/10.25077/jtpa.22.2.139-149.2>. Diakses tanggal 9 November 2022.
- Estiasih, T., Harijono, Waziiroh, E., dan Fibrianto, K. 2016. *Kimia dan Fisik Pangan*. Bumi Aksara. Jakarta.
- Fatkhiyah, N., Kurniasari, L., dan Riwayati, I. (2020). Modifikasi pati umbi ganyong (*Canna edulis* Kerr.) secara ikatan silang menggunakan sodium tripoliphosphat (STPP). *Inovasi teknik Kimia* 5(2): 81-86.



- Figueroa-Flórez, J. A., Cadena-Chamorro, E. M., Rodríguez-Sandoval, E., Salcedo-Mendoza, J., & Ciro-Velásquez, H. J. (2019). Cassava starches modified by enzymatic biocatalysis: Effect of reaction time and drying method. *DYNA (Colombia)* 86(208): 162–170. <https://doi.org/10.15446/dyna.v86n208.72976>. Diakses tanggal 9 November 2022.
- Gabriel, A. A., Solikhah, A. F., Rahmawati, A. Y., Taradipa, Y. S., & Maulida, E. T. (2021). Potentials of edible canna (*Canna edulis Kerr.*) starch for bioplastic: a review. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri* 10(2): 182–191. <https://doi.org/10.21776/ub.industria.2021.010.02.9>. Diakses tanggal 15 Desember 2022.
- Gao, F., Li, D., Bi, C. hao, Mao, Z. huai, & Adhikari, B. (2013). Application of various drying methods to produce enzymatically hydrolyzed porous starch granules. *Drying Technology* 31(13–14): 1627–1634. <https://doi.org/10.1080/07373937.2013.771651>. Diakses tanggal 1 Oktober 2022.
- Guo, L., Li, J., Gui, Y., Zhu, Y., Yu, B., Tan, C., Fang, Y., & Cui, B. (2020). Porous starches modified with double enzymes: structure and adsorption properties. *International Journal of Biological Macromolecules* 164: 1758–1765. <https://doi.org/10.1016/j.ijbiomac.2020.07.323>. Diakses tanggal 8 Desember 2022.
- Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., & Cui, B. (2021). Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules* 174: 110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>. Diakses tanggal 9 November 2022.
- Han, K. T., Kim, H. R., Moon, T. W., & Choi, S. J. (2021). Isothermal and temperature-cycling retrogradation of high-amylose corn starch: Impact of sonication on its structural and retrogradation properties. *Ultrasonics Sonochemistry* 76. <https://doi.org/10.1016/j.ulstsonch.2021.105650>. Diakses tanggal 7 Desember 2022.



- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., & Xie, J. (2021). Effects of α -amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids* 116. <https://doi.org/10.1016/j.foodhyd.2021.106661>. Diakses tanggal 1 September 2022.
- Hardiyatul Maulida, R., & Rani, E. (2021). Analisis karakteristik pengaruh suhu dan kontaminan terhadap viskositas oli menggunakan *rotary viscometer*. *Jurnal* 3(1): 18–31.
- Haryani, K., Retnowati, D. S., Handayani, N. A., Dewi, W. M., & Pamularsih, S. A. (2022). Modifikasi pati sorgum menjadi maltodekstrin secara enzimatik dengan menggunakan enzim alfa amilase dan glukoamilase. *Jurnal Teknologi Pangan* 6(1): 8–12.
- Harmayani, E., Murdiati, A., Teknologi, J., Pertanian, H., Pertanian, F. T., Mada, U. G., & Flora, J. (2011). Karakterisasi pati ganyong (*Canna edulis*) dan pemanfaatannya sebagai bahan pembuatan cookies dan cendol. *AgriTECH* 31(4): 297–304.
- Hasanah, F., & Hasrini, R. F. (2018). Pemanfaatan ganyong (*Canna edulis* Kerr.) sebagai bahan baku sohun dan analisis kualitasnya. *Warta Industri Hasil Pertanian* 35(2): 99. <https://doi.org/10.32765/wartaihp.v35i2.4268>. Diakses tanggal 12 November 2022.
- Indrianti, N., Afifah, N., & Sholichah, E. (2019). Pembuatan tepung komposit dari pati ganyong / garut dan tepung labu kuning sebagai bahan baku *flat noodle*. *Jurnal Biopropal Industri* 10(1): 49–63.
- Irhami, Anwar, C., & Kemalawaty, M. (2019). Physicochemical properties of sweet potato starches by studying their varieties and drying temperatures. *Jurnal Teknologi Pertanian* 20(1): 33–44.
- Jung, Y. S., Lee, B. H., & Yoo, S. H. (2017). Physical structure and absorption properties of tailor-made porous starch granules produced by selected amylolytic enzymes. *PLoS ONE* 12(7): 1–14. <https://doi.org/10.1371/journal.pone.0181372>. Diakses tanggal 12 Desember 2022.



Kaemba, A., Suryanto, E., & Mamuaja, C. F. (2017). Karakteristik fisiko-kimia dan aktivitas antioksidan beras analog dari sagu baruk (*Arenga microcarpa*) dan ubi jalar ungu (*Ipomea batatas L. Poiret*). *Jurnal Ilmu Dan Teknologi Pangan* 5(1): 1–8.

<https://ejournal.unsrat.ac.id/index.php/itp/article/download/18561/18087>.

Diakses tanggal 18 Desember 2022.

Kasemwong, K., Piyachomkwan, K., Wansuksri, R., & Sriroth, K. (2008). Granule sizes of canna (*Canna edulis*) starches and their reactivity toward hydration, enzyme hydrolysis and chemical substitution. *Starch/Staerke* 60(11): 624–633.

<https://doi.org/10.1002/star.200800229>. Diakses tanggal 4 Oktober 2022.

Keeratiburana, T., Hansen, A. R., Soontaranon, S., Blennow, A., & Tongta, S. (2020). Porous high amylose rice starch modified by amyloglucosidase and maltogenic α -amylase. *Carbohydrate Polymers* 230. <https://doi.org/10.1016/j.carbpol.2019.115611>. Diakses tanggal 6 November 2022.

Kuswandari, M. Y., Anastria, O., & Wardhani, D. H. (2013). Karakterisasi termodifikasi. *Jurnal Teknologi Kimia Dan Industri* 2(4): 132–136. <http://ejournal-s1.undip.ac.id/index.php/jtki>. Diakses tanggal 4 Oktober 2022.

Lacerda, L. D., Leite, D. C., & da Silveira, N. P. (2019). Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *Journal of Cereal Science* 89. <https://doi.org/10.1016/j.jcs.2019.102819>. Diakses tanggal 15 November 2022.

Lacerda, L. D., Leite, D. C., Soares, R. M. D., & da Silveira, N. P. (2018). Effects of α -amylase, amyloglucosidase, and their mixture on hierarchical porosity of rice starch. *Starch/Staerke* 70(11–12): 1–23. <https://doi.org/10.1002/star.201800008>. Diakses tanggal 25 Agustus 2022.



- Liu, L., Shen, W., Zhang, W., Li, F., & Zhu, Z. (2018). Porous starch and its applications. *Functional Starch and Applications in Food:* 91–117. <https://doi.org/10.1007/978-981-13-1077-5>. Diakses tanggal 23 Oktober 2022.
- Longaz, F. F., & Diaz, A. P. (2020). Accumulation dynamics and physicochemical variability of starch in cultivars of *canna edulis* Kerr. *Pesquisa Agropecuaria Tropical* 50: 1–10.
- Martens, B. M. J., Gerrits, W. J. J., Bruininx, E. M. A. M., & Schols, H. A. (2018). Amylopectin structure and crystallinity explains variation in digestion kinetics of starches across botanic sources in an in vitro pig model. *Journal of Animal Science and Biotechnology* 9(1): 1–13. <https://doi.org/10.1186/s40104-018-0303-8>. Diakses tanggal 11 Desember 2022.
- Muchsiri, M., Sylviana., dan Martensyah, R. (2021). Pemanfaatan pati ganyong sebagai substitusi tepung tapioka pada pembuatan pempek ikan gabus (*Channa striata*). *Jurnal Penelitian Ilmu-Ilmu Teknologi Pangan* 10(1): 17-19.
- Murdianto, W., & Pranoto, Y. (2018). Karakteristik fisik pati ganyong (*Canna edulis* Kerr.) hasil modifikasi menggunakan ozon. *Seminar Nasional Inovasi Produk Pangan Lokal Untuk Mendukung Ketahanan Pangan*. Universitas Mercu Buana Yogyakarta: 228–231. <https://foodtech.binus.ac.id/2015/10/12/pati->. Diakses tanggal 4 Oktober 2022.
- Ntau, L., Sumual, M. F., & Assa, J. R. (2017). Pengaruh fermentasi *Lactobacillus casei* terhadap sifat fisik tepung jagung manis (*Zea mays saccharata* Sturt). *Jurnal Ilmu Dan Teknologi Pangan* 5(2): 11–19.
- Nugroho, N. D. (2018). Pembuatan mie pati berbasis sagu (*Metroxylon sagu*), pati ganyong (*Canna edulis*) dan tepung porang (kajian proporsi sagu : pati ganyong dan tepung porang). *Skripsi*. Fakultas Teknologi Pertanian Universitas Brawijaya. Malang.
- Nurmiati., Raharja, S., Suryadarma, P. 2020. Peningkatan sifat fungsional pati sagu (*Metroxylon* sp.) melalui penambahan isolat protein kedelai dan transglutaminasi. *Jurnal Teknologi Industri Pertanian* 30(2): 190-197.



- Oftadehgan, S., A. P. Marjani, J. Khalafy, & A. Zamani. (2020). Templated crosslinked nanoporous starch. *South African Journal of Chemistry* 73: 131-136. <http://dx.doi.org/10.17159/0379-4350/2020/v73a19>. Diakses tanggal 23 Oktober 2022.
- Parwiyanti, P., Pratama, F., Wijaya, A., Malahayati, N., & Lidiasari, E. (2016). Physical characteristics of modified *canna edulis* Kerr. starch and gum xanthan for bakeries). *Jurnal Agritech* 36(3): 335. <https://doi.org/10.22146/agritech.16606>. Diakses tanggal 4 Oktober 2022.
- Patel, A. R., & Dewettinck, K. (2016). Edible oil structuring: an overview and recent updates. *Food and Function* 7(1): 20–29. <https://doi.org/10.1039/c5fo01006c>. Diakses tanggal 8 Desember 2022.
- Pfister, B., & Zeeman, S. C. (2016). Formation of starch in plant cells. *Cellular and Molecular Life Sciences* 73(14): 2781–2807. <https://doi.org/10.1007/s00018-016-2250-x>. Diakses tanggal 9 November 2022.
- Pramasari, A, D., Sondari, D., Adi, S, D., Widyaningrum, A, B., Fajar, A., Putri, R., Restu, K, W., Putri, H, E. (2020). Karakteristik pati berpori mikro dari tapioka hasil perlakuan amilase sebagai agen penyerapan minyak. *Jurnal Teknologi & Industri Hasil Pertanian* 25(2): 71-80.
- Pratiwi, R. 2016. Pencoklatan non-enzimatis maillard terinduks (*induced maillard reaction*) sebagai upaya peningkatan kualitas citarasa dan aroma kakao rakyat. *Skripsi*. Fakultas Teknologi Pertanian Universitas Jember. Jawa Timur.
- Purwitasari, A., Hendrawan, Y., & Yulianingsih, R. (2014). Pengaruh suhu dan waktu ekstraksi terhadap sifat fisik kimia dalam pembuatan konsentrasi protein kacang komak (*Lablab purpureus* (L.) sweet) influence of temperature and extraction time to the physical chemistry characteristic in preparation protein con. *Bioproses Komoditas Tropis* 2(1): 42–53. <http://www.jbkt.ub.ac.id/index.php/jbkt/article/view/135/126>. Diakses tanggal 13 Desember 2022.



Purwitasari, L. (2022). Karakterisasi pati berpori dari ganyong (*Canna edulis Kerr.*) yang dihasilkan dengan hidrolisis enzim alfa amilase termostabil. *Tesis. Program Magister Ilmu dan Teknologi Pangan Universitas Gadjah Mada. Yogyakarta.*

Purwitasari, L., Purnami, M., Pranoto, Y., & Dhiantika, L. (2023). Characterization of porous starch from edible canna (*Canna edulis Kerr.*) produced by enzymatic hydrolysis using thermostable α -amylase. *Food Chemistry Advances*, 2. <https://doi.org/10.1016/j.focha.2022.100152>. Diakses tanggal 10 Desember 2022.

Putri, J. C. S., Haryanti, S., & Izzati, M. (2017). Pengaruh lama penyimpanan terhadap perubahan morfologi dan kandungan gizi pada umbi talas bogor (*Colocasia esculenta (L.) Schott*). *Jurnal Akademika Biologi* 6(1): 49–58. <https://ejournal3.undip.ac.id/index.php/biologi/article/view/19522>. Diakses tanggal 13 Desember 2022.

Rahmawati, A. Y., & Sutrisno, A. (2015). Hidrolisis tepung ubi jalar ungu (*Ipomea batatas* L.) secara enzimatis menjadi sirup glukosa fungsional: kajian pustaka. *Pangan Dan Agroindustri* 3(3): 1152–1159.

Retnaningtyas, A, D., & Putri, R, D, W. (2014). Karakterisasi sifat fisikokimia pati ubi jalar oranye hasil modifikasi perlakuan STPP (lama perendaman dan konsentrasi). *Jurnal Pangan dan Agroindustri* 2(4): 68-77.

Risnayatiningsih, S. (2011). Hydrolysis of starch saccharides from sweet potatoes using enzyme. *Jurnal Teknik Kimia* 5(2): 417–424.

Salsabilla, A. L., & Fahrurroji, I. (2021). Hidrolisis pada sintesis gula berbasis pati jagung. *EDUFORTECH* 6(1). <http://ejournal.upi.edu/index.php/edufortech>. Diakses tanggal 20 Desember 2022.

Siegrist, J. 2022. Enzymatic Food Analysis. AnalytiX 9(2). <https://www.sigmaaldrich.com/ID/en/technical-documents/protocol/food-and-beverage-testing-and-manufacturing/chemical-analysis-for-food-and-beverage/enzymatic-food-analysis>. Diakses tanggal 15 Januari 2023.



- Soest, J. J. G. V., H. Tournois, D.D. Wit & J. F. G. Vlighenthart. (1995). Short-range structure in (partially) crystalline potato starch determined with attenuated total reflectance fourier-transform ir spectroscopy. *Carbohydrate Research* 279: 201-214. [https://doi.org/10.1016/0008-6215\(95\)00270-7](https://doi.org/10.1016/0008-6215(95)00270-7). Diakses tanggal 14 Desember 2022/
- Suarsa, I. W. (2016). Analisis gugus fungsi pada bensin dengan spektrofotometri infra merah. *Skripsi*, Fakultas Matematika dan Ilmi Pengetahuan Alam Universitas Udayana. Bali.
- Subroto, E., Sitha, N., Filiany, F., Indiarto, R., & Sukri, N. (2022). Freeze moisture treatment and ozonation of adlay starch (*Coix lacryma-jobi*): effect on functional, pasting, and physicochemical properties. *Polymers* 14(18). <https://doi.org/10.3390/polym14183854>. Diakses tanggal 16 Desember 2022.
- Tarwendah, I. P. (2017). Studi komparasi atribut sensori dan kesadaran merek produk pangan. *Jurnal Pangan Dan Agroindustri* 5(2): 66–73.
- Wang, S., Li, C., Copeland, L., Niu, Q., & Wang, S. (2015). Starch retrogradation: a comprehensive review. *Comprehensive Reviews in Food Science and Food Safety* 14(5): 568–585. <https://doi.org/10.1111/1541-4337.12143>. Diakses tanggal 14 Desember 2022.
- Wang, H., Lv, J., Jiang, S., Niu, B., Pang, M., & Jiang, S. (2016). Preparation and characterization of porous corn starch and its adsorption toward grape seed proanthocyanidins. *Starch/Staerke* 68(11–12): 1254–1263. <https://doi.org/10.1002/star.201600009>. Diakses tanggal 13 Desember 2022.
- Xie, Y., Li, M. N., Chen, H. Q., & Zhang, B. (2019). Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food Chemistry* 274: 351–359. <https://doi.org/10.1016/j.foodchem.2018.09.034>. Diakses tanggal 7 Desember 2022.
- Xing, Y., Xu, Q., Ma, Y., Che, Z., Cai, Y., Jiang, L. (2014). Effect of porous starch concentrations on the microbiological characteristics of microencapsulated *Lactobacillus acidophilus*. *Food Funct* 5: 264-272. <https://doi.org/10.1039/C3FO60438A>



Xiong, Q., Qiao, D., Niu, M., Xu, Y., Jia, C., Zhao, S., Li, N., & Zhang, B. (2022).

Microwave cooking enriches the nanoscale and short/long-range orders of the resulting indica rice starch undergoing storage. *Foods* 11(4). <https://doi.org/10.3390/foods11040501>. Diakses tanggal 14 Desember 2022.

Yaruro Cáceres, N. C., Suarez Mahecha, H., de Francisco, A., Vásquez Mejia, S. M., & Diaz Moreno, C. (2021). Physicochemical, thermal, microstructural and paste properties comparison of four achira (*Canna edulis* sp.) starch ecotypes. *International Journal of Gastronomy and Food Science* 25: 1-10. <https://doi.org/10.1016/j.ijgfs.2021.100380>. Diakses tanggal 9 November 2022.

Yunianta, Sulistyo, T., Estiasih, T., & Wulan, N. (2015). Hidrolisis secara sinergis pati garut (*Marantha arundinaceae* L.) oleh enzim amylase, glukoamilase dan pullulanase untuk produksi sirup glukosa. *Jurnal Teknologi Pertanian* 11: 78–86.

Zavarez, E.D.R. & Dias, A.R.G. 2011. Impact of heat-moisture treatment and annealing in starches: a review. *Carbohydrate Polymers* 83(2): 317–328. <https://doi.org/10.1016/j.carbpol.2010.08.064>. Diakses tanggal 24 Desember 2022.

Zhang, B., Cui, D., Liu, M., Gong, H., Huang, Y., & Han, F. (2012). Corn porous starch: preparation, characterization and adsorption property. *International Journal of Biological Macromolecules* 50(1): 250–256. <https://doi.org/10.1016/j.ijbiomac.2011.11.002>. Diakses tanggal 10 November 2022.