

DAFTAR PUSTAKA

- Adel, M., Ahmed, M.A., and Mohamed, A.A., 2020, Effective Removal of Cationic Dyes from Aqueous Solutions Using Reduced Graphene Oxide Functionalized with Manganese Ferrite Nanoparticles, *Compos. Commun.*, 22, 100450.
- Abd El-Rehim, H.A., Hegazy, E.A., and Ali, A.E.-H., 2000, Selective Removal of Some Heavy Metal Ions from Aqueous Solution using Treated polyethylene-g-styrene/maleic anhydride Membranes, *React. Funct. Polym.*, 43, 105–116.
- Afridi, H.I., Kazi, T.G., Kazi, G.H., Jamali, M.K., and Shar, G.Q., 2006, Essential Trace and Toxic Element Distribution in the Scalp Hair of Pakistani Myocardial Infarction Patients and Controls, *Biol. Trace Elem. Res.*, 113(1), 19–34.
- Ahsan, M.A., Jabbari, V., Islam, M.T., Kim, H., Hernandez-Viezcas, J.A., Lin, Y., Díaz-Moreno, C.A., Lopez, J., Gardea-Torresdey, J., and Noveron, J.C., 2018, Green Synthesis of a Highly Efficient Biosorbent for Organic, Pharmaceutical, and Heavy Metal Pollutants Removal: Engineering Surface Chemistry of Polymeric Biomass of Spent Coffee Waste, *J. Water Process. Eng.*, 25, 309–319.
- Ajitha, P., Vijayalakshmi, K., Saranya, M., Gomathi, T., Rani, K., Sudha, P.N., and Sukumaran, A., 2017, Removal of toxic heavy metal lead (II) using chitosan oligosaccharide-graft-maleic anhydride/polyvinyl alcohol/silk fibroin composite, *Int J Biol Macromol*, 104, 1469–1482.
- Akmaz, S., Dilaver Adıgüzel, E., Yasar, M., and Erguven, O., 2013, The Effect of Ag Content of the Chitosan-Silver Nanoparticle Composite Material on the Structure and Antibacterial Activity, *Adv. Mater. Sci. Eng.*, 2013(3), 1–6.
- Alguacil, F.J., Alcaraz, L., García-Díaz, I., and López, F.A., 2018, Removal of Pb²⁺ in Wastewater Via Adsorption onto an Activated Carbon Produced from Winemaking Waste, *Metals.*, 8(9), 697.
- Al-Zaben, M.I. and Mekhamer, W.K., 2017, Removal of 4-chloro-2-methyl Phenoxy Acetic Acid Pesticide using Coffee Wastes from Aqueous Solution, *Arab. J. Chem.*, 10, S1523–S1529.
- Ambaye, T.G., Vaccari, M., Prasad, S., van Hullebusch, E.D., and Rtimi, S., 2022, Preparation and Applications of Chitosan and Cellulose Composite Materials, *J. Environ. Manage.*, 301, 1–18.
- Anami, W.R., Maslahat, M., and Arrisujaya, D., 2020, Presipitasi Logam Berat Limbah Cair Laboratorium Menggunakan Natrium Sulfida dari Belerang Alam, *J. Sains Natural.*, 10(2), 61–70.

- Anang, M.A., Zugle, R., and Ntiri, B.S., 2020, Comparing the Efficiencies of the Removal of Cadmium from Industrial Wastewater Using Zeolites, *Int. Res. J. Pure Appl. Chem.*, 21, 6–18.
- Anonim., 2002, National Primary Drinking Water Regulations: Long Term 1 Enhanced Surface Water Treatment Rule. Final Rule, *Fed. Regist.*, 67(9), 1811–1844.
- Anonim, 2017, *Guidelines for Drinking-Water Quality: first addendum to the fourth edition*, World Health Organization, Geneva.
- Assi, M.A., Hezmee, M.N.M., Haron, A.W., Sabri, M.Y.M., and Rajion, M.A., 2016, The Detrimental Effects of Lead on Human and Animal Health, *Vet. World.*, 9(6), 660–671.
- Atkins, P. and de Paula, J., 2006, *Physical Chemistry*, 8th Ed., Oxford University Press, New York.
- Atkins, P.W., 1999, *Kimia Fisika Jilid 2*, Edisi 4, Erlangga, Jakarta.
- Attia, A.A., Shouman, M.A., Khedr, S.A., and Fagal, G.A., 2020, Removal of Chromium (VI) from Wastewater Via Polyvinyl Alcohol and Polyvinyl Alcohol/Chitosan Encapsulated onto Jojoba Leaves: Fixed-Bed Column Studies, *Desalination Water Treat.*, 190, 203–214.
- Awual, M.R., 2019, Innovative Composite Material for Efficient and Highly Selective Pb(II) Ion Capturing from Wastewater, *J. Mol. Liq.*, 284, 502–510.
- Ayawei, N., Ebelegi, A.N., and Wankasi, D., 2017, Modelling and Interpretation of Adsorption Isotherms, *J. Chem.*, 2017, 1–11.
- Aydin, Y.A., 2021, Fabrication of Chitosan/Polyvinyl Alcohol/Amine Modified Carbon Nanotube Composite Films for Rapid Chromate Removal, *J. Appl. Polym. Sci.*, 138(18), 50339.
- Ayunda, L., Nurmala, N., Ramadhana, A.D., and Satriananda, S., 2019, Adsorpsi Logam Cd²⁺ menggunakan Biosorben Berbasis Komposit Film Kitosan-Limbah Cangkang Kopi, *J. Sains Tekno. Reaksi.*, 17(2), 1–8.
- Azouaou, N., Sadaoui, Z., Djaafri, A., and Mokaddem, H., 2010, Adsorption of Cadmium from Aqueous Solution onto Untreated Coffee Grounds: Equilibrium, Kinetics and Thermodynamics, *J. Hazard. Mater.*, 184, 126–134.
- Bahmani, E., Koushkbaghi, S., Darabi, M., ZabihiSahebi, A., Askari, A., and Irani, M., 2019, Fabrication of Novel Chitosan-g-PNVCL/ZIF-8 Composite Nanofibers for Adsorption of Cr (VI), As (V) and Phenol in A Single and Ternary Systems, *Carbohydr. Polym.*, 224, 115148.
- Ballesteros, L.F., Ramirez, M.J., Orrego, C.E., Teixeira, J.A., and Mussatto, S.I., 2017, Optimization of Autohydrolysis Conditions to Extract Antioxidant Phenolic Compounds from Spent Coffee Grounds, *J. Food Eng.*, 199, 1–8.

- Ballesteros, L.F., Teixeira, J.A., and Mussatto, S.I., 2014, Chemical, Functional, and Structural Properties of Spent Coffee Grounds and Coffee Silverskin, *Food Bioproc. Tech.*, 7(12), 3493–3503.
- Barbosa, P.F.P., Cumba, L.R., Andrade, R.D.A., and do Carmo, D.R., 2019, Chemical Modifications of Cyclodextrin and Chitosan for Biological and Environmental Applications: Metals and Organic Pollutants Adsorption and Removal, *J. Polym. Environ.*, 27(6), 1352–1366.
- Di Bello, M.P., Lazzoi, M.R., Mele, G., Scorrano, S., Mergola, L., and del Sole, R., 2017, A New Ion-Imprinted Chitosan-Based Membrane with an Azo-Derivative Ligand for The Efficient Removal of Pd (II), *Materials*, 10(10), 1133.
- Berihun, D., 2017, Removal of Chromium from Industrial Wastewater by Adsorption Using Coffee Husk, *J. Mater. Sci. Eng.*, 06, 6–11.
- Bhattacharya, A., Rawlins, J.W., and Ray, P., 2009, *Polymer Grafting and Crosslinking*, John Wiley & Sons, Inc., Hoboken, New Jersey.
- Bunker, B.C. and Casey, W.H., 2016, *The Aqueous Chemistry of Oxides*, 1st Ed., Oxford University Press, New York.
- Chen, W., Tang, Q., Liu, Z., Luo, F., Liao, Y., Zhao, S., Zhang, K., Cheng, L., and Ma, D., 2020, Fabricating a Novel Chitosan-Based Adsorbent with Multifunctional Synergistic Effect for Cu (II) Removal: Maleic Anhydride as a Connecting Bridge, *Chem. Eng. Res. Des.*, 163, 21–35.
- Córdova, B.M., Jacinto, C.R., Alarcón, H., Mejía, I.M., López, R.C., de Oliveira Silva, D., Cavalheiro, E.T.G., Venâncio, T., Dávalos, J.Z., and Valderrama, A.C., 2018, Chemical Modification of Sodium Alginate with Thiosemicarbazide for the Removal of Pb (II) and Cd (II) from Aqueous Solutions, *Int. J. Biol. Macromol.*, 120, 2259–2270.
- Costa-Júnior, E.S., Barbosa-Stancioli, E.F., Mansur, A.A.P., Vasconcelos, W.L., and Mansur, H.S., 2009, Preparation and Characterization of Chitosan/Poly (Vinyl Alcohol) Chemically Crosslinked Blends for Biomedical Applications, *Carbohydr. Polym.*, 76(3), 472–481.
- Deepika, R., Venkateshprabhu, M., and Pandimdevi, M., 2013, Studies on The Behaviour of Reactive Dyes onto The Cross-Linked Chitosan Using Adsorption Isoterm, *Int. J. Environ. Sci.*, 4(3), 323.
- Demir Delil, A., Gülçiçek, O., and Gören, N., 2019, Optimization of Adsorption for the Removal of Cadmium from Aqueous Solution using Turkish Coffee Grounds, *Int. J. Environ. Res.*, 13(5), 861–878.
- Dharmarajan, N., Datta, S., ver Strate, G., and Ban, L., 1995, Compatibilized Polymer Blends of Isotactic Polypropylene and Styrene—Maleic Anhydride Copolymer, *Polymer.*, 36, 3849–3861.

- Du, X., Zhang, Z., Liu, W., and Deng, Y., 2017, Nanocellulose-Based Conductive Materials and Their Emerging Applications in Energy Devices-A Review, *Nano Energy.*, 35, 299–320.
- El-saied, H.A., Aidy and Motawea, E.A.T., 2020, Optimization and Adsorption Behavior of Nanostructured NiFe₂O₄/Poly AMPS Grafted Biopolymer, *J. Polym. Environ.*, 28(9), 2335–2351.
- El-Tahlawy, K.F., El-Rafie, S.M., and Aly, A.S., 2006, Preparation and Application of Chitosan/Poly (Methacrylic Acid) Graft Copolymer, *Carbohydr. Polym.*, 66(2), 176–183.
- Emsley, J., 2011, *Nature's Building Blocks: an AZ Guide to the Elements*, 2nd Ed., Oxford University Press, New York.
- Essel, T.Y.A., Koomson, A., Seniagya, M.-P.O., Cobbold, G.P., Kwofie, S.K., Asimeng, B.O., Arthur, P.K., Awandare, G., and Tiburu, E.K., 2018, Chitosan Composites Synthesized Using Acetic Acid and Tetraethylorthosilicate Respond Differently to Methylene Blue Adsorption, *Polymers*, 10(5), 466.
- Gapusan, R.B. and Balela, M.D.L., 2020, Adsorption of Anionic Methyl Orange Dye and Lead (II) Heavy Metal Ion by Polyaniline-Kapok Fiber Nanocomposite, *Mater. Chem. Phys.*, 243, 122682.
- Gemmeke, N., Feldmann, M., and Heim, H.P., 2019, Processing and Characterization of Engineering Biocomposites Based on Polybutylenterephthalat (PBT) and Polytrimethylenterephthalat (PTT) with Regenerated Cellulose Fibers Modified with Maleic Anhydride Grafted Polyethylene as a Processing Agent, *Compos. Part A. Appl. Sci. Manuf.*, 118, 327–335.
- Gopal Reddi, M.R., Gomathi, T., Saranya, M., and Sudha, P.N., 2017, Adsorption and Kinetic Studies on the Removal of Chromium and Copper onto Chitosan-g-maleic anhydride-g-ethylene dimethacrylate, *Int. J. Biol. Macromol.*, 104, 1578–1585.
- Grivé, M., Domènech, C., Montoya, V., García, D., and Amphos, L.D., 2010, Svensk Kärnbränslehantering AB Determination and Assessment of the Concentration Limits to be Used in SR-Can Supplement to TR-06-32, No. SKB-R-10-50. Swedish Nuclear Fuel and Waste Management Co., 2010.
- Gupta, K.C. and Jabrail, F.H., 2006, Glutaraldehyde and Glyoxal Cross-linked Chitosan Microspheres for Controlled Delivery of Centchroman, *Carbohydr. Res.*, 341, 744–756.
- Gupta, K. and Khatri, O.P., 2019, Fast and Efficient Adsorptive Removal of Organic Dyes and Active Pharmaceutical Ingredient by Microporous Carbon: Effect of Molecular Size and Charge, *J. Chem. Eng.*, 378, 122218.
- Heinze, T., Liebert, T., and Koschella, A., 2006, *Esterification of Polysaccharides*, 1st Ed., Springer, Berlin.

- Ho, Y.S. and McKay, G., 1999, Pseudo-Second Order Model for Sorption Processes, *Process Biochem.*, 34, 251–465.
- Huang, Z., Liang, X., Hu, H., Gao, L., Chen, Y., and Tong, Z., 2009, Influence of Mechanical Activation on the Graft Copolymerization of Sugarcane Bagasse and Acrylic Acid, *Polym. Degrad. Stab.*, 94(10), 1737–1745.
- Ignatova, M., Petkova, Z., Manolova, N., Markova, N., and Rashkov, I., 2012, Non-Woven Fibrous Materials with Antibacterial Properties Prepared by Tailored Attachment of Quaternized Chitosan to Electrospun Mats from Maleic Anhydride Copolymer, *Macromol Biosci.*, 12, 104–115.
- Ilyaraja, M., Sharmilaparveen, S., and Sayeekannan, R., 2014, Synthesis and Adsorption Properties of Chitosan Cross Linked with Phenol–Formaldehyde Resin for The Removal of Heavy Metals and Dyes from Water, *Appl. Chem.*, 7, 16–26.
- Jamali, M. and Akbari, A., 2021, Facile Fabrication of Magnetic Chitosan Hydrogel Beads and Modified by Interfacial Polymerization Method and Study of Adsorption of Cationic/Anionic Dyes from Aqueous Solution, *J. Environ. Chem. Eng.*, 9(3), 105175.
- Javadian, H., Ghorbani, F., Tayebi, H. allah, and Asl, S.M.H., 2015, Study of the adsorption of Cd (II) from aqueous solution using zeolite-based geopolymer, synthesized from coal fly ash; kinetic, isotherm and thermodynamic studies, *Arabian Journal of Chemistry*, 8, 837–849.
- Jiang, X., Pan, W., Xiong, Z., Zhang, Y., and Zhao, L., 2021, Facile Synthesis of Layer-by-Layer Decorated Graphene Oxide Based Magnetic Nanocomposites for β -Agonists/Dyes Adsorption Removal and Bacterial Inactivation in Wastewater, *J. Alloys. Compd.*, 870, 159414.
- Kamel, S., Hassan, E.M., and El-Sakhawy, M., 2006, Preparation and Application of Acrylonitrile-Grafted Cyanoethyl Cellulose for the Removal of Copper (II) Ions, *J. Appl. Polym. Sci.*, 100(1), 329–334.
- Karakus, G., Yaugliouglu, A. sah. I., Zeng.In, H., and KarakuS, N., 2015, Synthesis, Characterization and Antiproliferative Activities of Novel Modified Poly (maleic anhydride-co-vinyl acetate)/cytosine β -D-arabinofuranoside Hydrochloride Conjugate, *Marmara. Pharm. J.*, 19, 73–81.
- Kaur, R., Goyal, D., and Agnihotri, S., 2021, Chitosan/PVA Silver Nanocomposite for Butachlor Removal: Fabrication, Characterization, Adsorption Mechanism and Isotherms, *Carbohydr. Polym.*, 262, 117906.
- Kaushal, A. and Singh, S.K., 2017, Adsorption Phenomenon and its Application in Removal of Lead from Wastewater: A Review, *Int. J. Hydrol.*, 1(2), 38–47.

- Kazi, T.G., Jalbani, N., Kazi, N., Jamali, M.K., Arain, M.B., Afridi, H.I., Kandhro, A., and Pirzado, Z., 2008, Evaluation of Toxic Metals in Blood and Urine Samples of Chronic Renal Failure Patients, Before and After Dialysis, *Ren. Fail.*, 30(7), 737–745.
- Klemm, D., Heublein, B., Fink, H.P., and Bohn, A., 2005, Cellulose: Fascinating biopolymer and sustainable raw material, *Angew. Chem. In. Ed.*, 44(22), 3358–3393.
- Koning, C., Ikker, A., Borggreve, R., Leemans, L., and Möller, M., 1993, Reactive Blending of Poly (styrene-co-maleic anhydride) with Poly (phenylene oxide) by Addition of α -amino-polystyrene, *Polymer.*, 34, 4410–4416.
- Krumm, C., Pfaendtner, J., and Dauenhauer, P.J., 2016, Millisecond Pulsed Films Unify the Mechanisms of Cellulose Fragmentation, *Chem. Mater.*, 28(9), 3108–3114.
- Kumar, V. and Dwivedi, S.K., 2021, Toxicity Potential of Electroplating Wastewater and its Bioremediation Approaches: a review, *Environ. Technol. Rev.*, 10(1), 238–254.
- Kundari, N.A. and Wiyuniati, S., 2008, Tinjauan Keseimbangan Adsorpsi Tembaga dalam Limbah Pencuci PCB dengan Zeolit, *Seminar Nasional IV SDM Teknologi Nuklir*, 25–26 Agustus 2008, Yogyakarta.
- Kurniasih, M., Riyani, K., Setyaningtyas, T., and Sufyana, I., 2018, Studi Adsorpsi Ion Ni (II) Menggunakan Crosslink Kitosan Tripolifosfat, *J. Rekayasa Kim. Lingkung.*, 13(2), 174–181.
- Kusumastuti, Y., Istiani, A., Purnomo, C.W., and others, 2019, Chitosan-Based Polyion Multilayer Coating on NPK Fertilizer as Controlled Released Fertilizer, *Adv. Mater. Sci. Eng.*, 2019(11), 1–8.
- Kyzas, G.Z., 2012, Commercial Coffee Wastes as Materials for Adsorption of Heavy Metals from Aqueous Solutions, *Materials.*, 5(10), 1826–1840.
- Kyzas, G.Z. and Bikiaris, D.N., 2015, Recent Modifications of Chitosan for Adsorption Applications: A Critical and Systematic Review, *Mar. Drugs*, 13(1), 312–337.
- Kyzas, G.Z., Lazaridis, N.K., and Mitropoulos, A.C., 2012, Removal of Dyes from Aqueous Solutions with Untreated Coffee Residues as Potential Low-Cost Adsorbents: Equilibrium, Reuse and Thermodynamic Approach, *Chem. Eng. J.*, 189–190, 148–159.
- Lagergren, S.K., 1898, About the Theory of So-Called Adsorption of Soluble Substances, *Sven. Vetenskapsakad. Handlingar.*, 24, 1–39.
- Langmuir, I., 1916, The Constitution and Fundamental Properties of Solids and Liquids. Part I. Solids, *J. Am. Chem. Soc.*, 38(11), 2221–2295.

- Lavanya, R., Gomathi, T., Vijayalakshmi, K., Saranya, M., Sudha, P.N., and Anil, S., 2017, Adsorptive Removal of Copper (II) and Lead (II) using Chitosan-g-maleic anhydride-g-methacrylic acid Copolymer, *Int. J. Biol. Macromol.*, 104, 1495–1508.
- Lavecchia, R., Medici, F., Patterer, M.S., and Zuorro, A., 2016, Lead Removal from Water by Adsorption on Spent Coffee Grounds, *Chem. Eng. Trans.*, 47, 295–300.
- Lessa, E.F., Nunes, M.L., and Fajardo, A.R., 2018, Chitosan/Waste Coffee-Grounds Composite: An Efficient and Eco-Friendly Adsorbent for Removal of Pharmaceutical Contaminants from Water, *Carbohydr. Polym.*, 189, 257–266.
- Li, X., Zheng, H., Wang, Y., Sun, Y., Xu, B., and Zhao, C., 2017, Fabricating an Enhanced Sterilization Chitosan-Based Flocculants: Synthesis, Characterization, Evaluation of Sterilization and Flocculation, *Chem. Eng. J.*, 319, 119–130.
- Liu, X., Zhang, Y., Ju, H., Yang, F., Luo, X., and Zhang, L., 2021, Uptake of Methylene Blue on Divinylbenzene Cross-Linked Chitosan/Maleic Anhydride Polymer by Adsorption Process, *Colloids Surf. A: Physicochem. Eng. Asp.*, 629, 1–9.
- Lynd, L.R., Weimer, P.J., van Zyl, W.H., and Pretorius, I.S., 2002, Microbial Cellulose Utilization: Fundamentals and Biotechnology, *Microbiol. Mol. Biol. Rev.*, 66(3), 506–577.
- Mahatmanti, F.W. and Sumarni, W., 2003, Kajian Termodinamika Penyerapan Zat Warna Indikator Metil Oranye (MO) dalam Larutan Air oleh Adsorben Kitosan, *J. Kim. Sains Apl.*, 6(2), 13–18.
- Mahvi, A.H., balarak, davoud, and Bazrafshan, E., 2021, Remarkable Reusability of Magnetic Fe₃O₄-Graphene Oxide Composite: a Highly Effective Adsorbent for Cr (VI) Ions, *Int. J. Environ. Anal. Chem.*, 00, 1–21.
- Manohar, D.M., Noeline, B.F., and Anirudhan, T.S., 2006, Adsorption Performance of Al-Pillared Bentonite Clay for the Removal of Cobalt (II) from Aqueous Phase, *Appl. Clay Sci.*, 31, 194–206.
- Martell, A.E. and Hancock, R.D., 2013, *Metal Complexes in Aqueous Solutions*, 1st Ed., Springer, New York.
- Matondang, T.D.S., Wirjosentono, B., and Yunus, D., 2013, Pembuatan Plastik Kemasan Terbiodegradasikan Dari Polipropylene Tergrafting Anhidrid Maleat dengan Bahan Pengisi Pati Sagu Kelapa Sawit, *J. Kim. Valensi.*, 3(2), 110–116.
- de Melo, J.C.P., da Silva Filho, E.C., Santana, S.A.A., and Airoidi, C., 2009, Maleic Anhydride Incorporated onto Cellulose and Thermodynamics of Cation-Exchange Process at the Solid/Liquid Interface, *Colloids Surf. A: Physicochem. Eng. Asp.*, 346, 138–145.

- Mongkhlorattanasit, R., Nakpathom, M., and Vuthiganond, N., 2021, Eco-Dyeing with Biocolorant from Spent Coffee Ground on Low Molecular Weight Chitosan Crosslinked Cotton, *Sustain. Chem. Pharm.*, 20, 1–9.
- Mu, B. and Wang, A., 2016, Adsorption of Dyes onto Palygorskite and its Composites: A Review, *J. Environ. Chem. Eng.*, 4(1), 1274–1294.
- Mudasir, M., Karelius, K., Aprilita, N.H., and Wahyuni, E.T., 2016, Adsorption of Mercury (II) on Dithizone-Immobilized Natural Zeolite, *J. Environ. Chem. Eng.*, 4(2), 1839–1849.
- Mussatto, S.I., Machado, E.M.S., Carneiro, L.M., and Teixeira, J.A., 2012, Sugars Metabolism and Ethanol Production by Different Yeast Strains from Coffee Industry Wastes Hydrolysates, *Appl. Energy*, 92, 763–768.
- Nagireddi, S., Katiyar, V., and Uppaluri, R., 2017, Pd(II) Adsorption Characteristics of Glutaraldehyde Cross-Linked Chitosan Copolymer Resin, *Int. J. Biol. Macromol.*, 94, 72–84.
- Ngah, W.S.W., Teong, L.C., and Hanafiah, M.A.K.M., 2011, Adsorption of Dyes and Heavy Metal Ions by Chitosan Composites: A Review, *Carbohydr. Polym.*, 83(4), 1446–1456.
- Nguyen, D.M., Nhung, V.T., le Do, T.C., Ha-Thuc, C.N., and Perre, P., 2022, Effective Synergistic Effect of Treatment and Modification on Spent Coffee Grounds for Sustainable Biobased Composites, *Waste Biomass Valorization*, 13(2), 1339–1348.
- Nguyen, H.T. and Bui, H.M., 2021, Adsorption of Nitrate and Phosphate in An Aqueous Solution on Composites of PVA and Chitosan Prepared from A Somanniathelphusa Sinensis Shell, *Water Supply*, 21(2), 765–779.
- Nguyen, T.A.H., Ngo, H.H., Guo, W.S., Zhang, J., Liang, S., Yue, Q.Y., Li, Q., and Nguyen, T. v., 2013, Applicability of Agricultural Waste and by-Products for Adsorptive Removal of Heavy Metals from Wastewater, *Bioresour. Technol.*, 148, 574–585.
- Nwachukwu, O. I., Odoemelam, L.E., and Muoneke, C.O., 2015, Contaminants in Selected Industrial Effluents and Their Effect on Groundwater Quality Near Factories in Two Cities of SouthEast Nigeria, *Int. J. Adv. Res.*, 3(9), 326–333.
- O’Connell, D.W., Birkinshaw, C., and O’Dwyer, T.F., 2008, Heavy Metal Adsorbents Prepared from the Modification of Cellulose: A Review, *Bioresour. Technol.*, 99(15), 6709–6724.
- Oliveira, L.S., Franca, A.S., Camargos, R.R.S., and Ferraz, V.P., 2008, Coffee Oil as a Potential Feedstock for Biodiesel Production, *Bioresour. Technol.*, 99(8), 3244–3250.
- Park, S.Y., Lee, B.I., Jung, S.T., and Park, H.J., 2001, Biopolymer Composite Films based on-Carrageenan and Chitosan, *Mater. Res. Bull.*, 36, 511–519.

- Ponte, S., 2002, The “Latte Revolution”? Regulation, Markets and Consumption in the Global Coffee Chain, *World Dev.*, 30(7), 1099–1122.
- Purwaningsih, D., 2009, Adsorpsi Multi Logam Ag (I), Pb (II), Cr (III), Cu (II) dan Ni (II) pada Hibrida Etilendiamino-silika dari Abu Sekam Padi, *J. Penelit. Saintek.*, 14(1), 59–76.
- Puspitasari, T., Kadja, G.T.M., Radiman, C.L., Darwis, D., and Mukti, R.R., 2018, Two-step Preparation of Amidoxime-Functionalized Natural Zeolites Hybrids for the Removal of Pb²⁺ Ions in Aqueous Environment, *Mater. Chem. Phys.*, 216, 197–205.
- Rahayu, L.H. and Purnavita, S., 2017, Optimasi Pembuatan Kitosan Dari Kitin Limbah Cangkang Rajungan (*Portunus pelagicus*) untuk Adsorben Ion Logam Merkuri, *Reaktor*, 11(1), 1-45.
- Rattanapan, S., Srikrum, J., and Kongsune, P., 2017, Adsorption of Methyl Orange on Coffee Grounds Activated Carbon, *Energy Procedia*, 138, 949–954.
- Rowland, S.P., 1978, Hydroxyl Reactivity and Availability in Cellulose, In, *Modified. cellulotics.*, pp. 147–167.
- Rzayev, Z.M.O., 2011, Graft Copolymers of Maleic Anhydride and Its Isostructural Analogues: High Performance Engineering Materials, *Int. rev. chem. eng.*, 3(2), 153–215.
- Safrianti, I., Wahyuni, N., and Zaharah, T.A., 2012, Adsorpsi Timbal (II) oleh Selulosa Limbah Jerami Padi Teraktivasi Asam Nitrat: Pengaruh pH dan Waktu Kontak, *J. Kim. Khatulistiwa*, 1(1), 1–7.
- Saleh, T.A., 2020, Nanomaterials: Classification, Properties, and Environmental Toxicities, *Environ. Technol. Innov.*, 20(11), 1–16.
- Saleh, T.A., 2021, Protocols for Synthesis of Nanomaterials, Polymers, and Green Materials as Adsorbents for Water Treatment Technologies, *Environ. Technol. Innov.*, 24(9), 1–18.
- Santosa, S.J., Siswanta, D., Sudiono, S., and Sehol, M., 2007, Synthesis and Utilization of Chitin-Humic Acid Hybrid as Sorbent for Cr(III), *Surf. Sci.*, 601(22), 5148–5154.
- Sari, P.D., Puri, W.A., Hanum, D., and ST, S., 2019, *Delignifikasi Bahan Lignoselulosa: Pemanfaatan Limbah Pertanian*, CV. Penerbit Qiara Media, Pasuruan.
- Shahabi-Ghahfarokhi, S., Rahmati-Abkenar, M., Matson, J.G., Karimi, H., Yu, C., Hogland, W., Klavinš, M., and Ketzer, M., 2022, Removal and Potential Recovery of Dissolved Metals from Acid Sulfate Soil Drainage by Spent Coffee-Grounds and Dissolved Organic Carbon, *Environ. Adv.*, 8, 1–10.

- Sharma, G. and Naushad, M., 2020, Adsorptive Removal of Noxious Cadmium Ions from Aqueous Medium using Activated Carbon/Zirconium Oxide Composite: Isoterm and Kinetic Modelling, *J. Mol. Liq.*, 310, 1–7.
- Sillanpää, M., Ncibi, M.C., Matilainen, A., and Vepsäläinen, M., 2018, Removal of Natural Organic Matter in Drinking Water Treatment by Coagulation: A Comprehensive Review, *Chemosphere.*, 190, 54–71.
- Simatupang, M., Asri, L., and Purwasasmita, B.S., 2015, Pengaruh Penambahan Kitosan dan Asam Sitrat terhadap Pembentukan LiMn_2O_4 Spinel menggunakan Metode Sol-Gel, *Jurnal Teknologi Bahan dan Barang Teknik.*, 5(2), 61–66.
- Sastrohamidjojo, H. dan Prawirohatmodjo, S., 1998, Kimia Kayu: Dasar-Dasar Penggunaan (diterjemahkan dari Sjöström, E., 1993, Wood Chemistry: Fundamental and Applications, 2nd Ed., Academic Press, Inc., San Diego, California), *Gadjah Mada University Press*, Yogyakarta.
- Soares, K.S.R., Fonseca, J.L.C., Bitencourt, M.A.O., Santos, K.S.C.R., Silva-Júnior, A.A., and Fernandes-Pedrosa, M.F., 2012, Serum Production Against Tityus Serrulatus Scorpion Venom Using Cross-Linked Chitosan Nanoparticles as Immunoadjuvant, *Toxicon*, 60, 1349–1354.
- Sousa, J.M., Vieira, A.C.C., Costa, M.P., Rizzo, M.S., Chaves, L.L., Braz, E.M.A., Bezerra, R.D.S., Leal, R.C., Barreto, H.M., Osajima, J.A., and Silva-Filho, E.C., 2022, Chitosan Grafted with Maleic Anhydride and Ethylenediamine: Preparation, Characterization, Computational, Study Antibacterial and Cytotoxic Properties, *Mater. Chem. Phys.*, 287, 1–9.
- Stephen, A.M., Phillips, G.O., and Williams, P.A., 2016, *Food Polysaccharides and Their Applications*, 2nd Ed., CRC Press, Florida.
- Sulistiyawati, E., Nandari, W.W., Nurchasanah, A.R., and Dewi, K.K., 2020, Kinetika Adsorpsi Mikrokapsul Kitosan Taut Silang Kalium Persulfat terhadap Zat Warna Methyl Orange, *J. Rek. Pros.*, 14(1), 47–59.
- Sumada, K., Kimia, J.T., and Industri, F.T., 2006, Kajian Instalasi pengolahan Air Limbah Industri Elektroplating yang Efisien, *J. Tek. Kim.*, 1(1), 26–35.
- Sun, S., Wang, L., and Wang, A., 2006, Adsorption Properties of Crosslinked Carboxymethyl-Chitosan Resin with Pb(II) as Template Ions, *J. Hazard. Mater.*, 136, 930–937.
- Sun, Y., Chen, A., Pan, S.Y., Sun, W., Zhu, C., Shah, K.J., and Zheng, H., 2019, Novel Chitosan-based Flocculants for Chromium and Nickle Removal in Wastewater Via Integrated Chelation and Flocculation, *J. Environ. Manage.*, 248, 1–14.
- Tahira, I., Aslam, Z., Abbas, A., Monim-ul-Mehboob, M., Ali, S., and Asghar, A., 2019, Adsorptive Removal of Acidic Dye onto Grafted Chitosan: A Plausible Grafting and Adsorption Mechanism, *Int. J. Biol. Macromol.*, 136, 1209–1218.

- Tan, L. and Tan, B., 2017, Hypercrosslinked Porous Polymer Materials: Design, Synthesis, and Applications, *Chem. Soc. Rev.*, 46(11), 3322–3356.
- Teguh, D.O., 2003, Pembuatan dan Analisis Film Bioplastik dari Kitosan Hasil Iradiasi Kitin yang Berasal dari Kulit Kepiting Bakau (*Scylla serrata*), *Fakultas Farmasi Universitas Pancasila*, Jakarta.
- Thornton, I., Rautiu, R., and Brush, S.M., 2001, Lead: The Facts, *International Lead Association.*, 1–6.
- Tighadouini, S., Radi, S., Elidrissi, A., Haboubi, K., Bacquet, M., Degoutin, S., Zaghrioui, M., and Garcia, Y., 2019, Removal of Toxic Heavy Metals from River Water Samples using a Porous Silica Surface Modified with a New β -Ketoenolic Host, *Beilstein J. Nanotechnol.*, 10(1), 262–273.
- Vadakkakara, G.J., Thomas, S., and Nair, C.P.R., 2019, Maleic Acid Modified Cellulose for Scavenging Lead from Water, *Int. J. Biol. Macromol.*, 129, 293–304.
- Vakili, M., Deng, S., Cagnetta, G., Wang, W., Meng, P., Liu, D., and Yu, G., 2019, Regeneration of Chitosan-Based Adsorbents Used in Heavy Metal Adsorption: A Review, *Sep. Purif. Technol.*, 224, 373–387.
- Vakili, M., Mojiri, A., Zwain, H.M., Yuan, J., Giwa, A.S., Wang, W., Gholami, F., Guo, X., Cagnetta, G., and Yu, G., 2019, Effect of Beading Parameters on Cross-Linked Chitosan Adsorptive Properties, *React. Funct. Polym.*, 144, 104354.
- Wang, J. and Zhuang, S., 2017, Removal of Various Pollutants from Water and Wastewater by Modified Chitosan Adsorbents, *Crit. Rev. Environ. Sci. Technol.*, 47, 2331–2386.
- Wijayanti, I.E. and Kurniawati, E.A., 2019, Studi Kinetika Adsorpsi Isoterm Persamaan Langmuir dan Freundlich pada Abu Gosok sebagai Adsorben, *EduChemia (Jurnal Kimia dan Pendidikan).*, 4(2), 175–184.
- Xiyili, H., Çetintaş, S., and Bingöl, D., 2017, Removal of Some Heavy Metals onto Mechanically Activated Fly Ash: Modeling Approach for Optimization, Isoterm, Kinetics and Thermodynamics, *Process Saf. Environ. Prot.*, 109, 288–300.
- Xu, X., Ouyang, X. kun, and Yang, L.Y., 2021, Adsorption of Pb (II) from Aqueous Solutions using Crosslinked Carboxylated Chitosan/Carboxylated Nanocellulose Hydrogel Beads, *J. Mol. Liq.*, 322, 1–10.
- Yi, H., Wu, L.Q., Bentley, W.E., Ghodssi, R., Rubloff, G.W., Culver, J.N., and Payne, G.F., 2005, Biofabrication with Chitosan, *Biomacromolecules.*, 6(6), 2881–2894.
- Yu, C., Kecen, X., and Xiaosai, Q., 2018, Grafting Modification of Chitosan, *Biopolymer Grafting*, 295–364.

- Zhang, M., Wang, X., Yang, L., and Chu, Y., 2019, Research on Progress in Combined Remediation Technologies of Heavy Metal Polluted Sediment, *Int. J. Environ. Res. Public Health.*, 16(24), 1–12.
- Zhang, N., Zang, G.L., Shi, C., Yu, H.Q., and Sheng, G.P., 2016, A Novel Adsorbent TEMPO-Mediated Oxidized Cellulose Nanofibrils Modified with PEI: Preparation, Characterization, and Application for Cu (II) Removal, *J. Hazard. Mater.*, 316, 11–18.
- Zhang, W., Li, G., Fang, Y., and Wang, X., 2007, Maleic Anhydride Surface-Modification of Crosslinked Chitosan Membrane and its Pervaporation Performance, *J. Memb. Sci.*, 295, 130–138.
- Zhao, F., Repo, E., Sillanpää, M., Meng, Y., Yin, D., and Tang, W.Z., 2015, Green Synthesis of Magnetic EDTA- And/or DTPA-Cross-Linked Chitosan Adsorbents for Highly Efficient Removal of Metals, *Ind. Eng. Chem. Res.*, 54(4), 1271–1281.
- Zheng, Y., Yang, W., Wang, C., Hu, J., Fu, S., Dong, L., Wu, L., and Shen, X., 2007, Nanoparticles Based on The Complex of Chitosan and Polyaspartic Acid Sodium Salt: Preparation, Characterization and The Use for 5-Fluorouracil Delivery, *Eur. J. Pharm. Biopharmaceutics*, 67, 621–631.
- Zhou, L., He, H., Li, M. chun, Huang, S., Mei, C., and Wu, Q., 2018, Enhancing Mechanical Properties of Poly (Lactic Acid) Through its In-Situ Crosslinking with Maleic Anhydride-Modified Cellulose Nanocrystals from Cottonseed Hulls, *Ind. Crops. Prod.*, 112, 449–459.