

DAFTAR PUSTAKA

- Abdullah, A. H. D., Chalimah, S., Primadona, I., dan Hanantyo, M. H. G., 2018. Physical and chemical properties of corn, cassava, and potato starches. *IOP Conference Series: Earth and Environmental Science* 160(1):1-6. <https://doi.org/10.1088/1755-1315/160/1/012003>.
- Apriyantono, A., 1998. *Analisis pangan*. Institut Pertanian Bogor (IPB Press). <https://books.google.co.id/books?id=TY4unQAACAAJ>.
- Avaro, M. R. A., Pan, Z., Yoshida, T., dan Wada, Y., 2011. Two Alternative Methods to Predict Amylose Content of Rice Grain by Using Tristimulus CIE Lab Values and Developing a Specific Color Board of Starch-iodine Complex Solution. *Plant Production Science* 14(2):164–168.
- Ayuningtyas, L. P., Benita, A. M., dan Triastuti, D., 2022. Crystalline and Digestive Characteristics of Heat Moisture Treated and Annealed Lesser Yam (*Dioscorea esculenta*) Starch. *Jurnal Pangan Dan Agroindustri* 10(1):1–8. <https://doi.org/10.21776/ub.jp.a.2022.010.01.1>.
- Barroso, A. G., Garcia, R. H., dan Del Mastro, N. L., 2019. X-ray diffraction pattern and relative crystallinity of irradiated arrowroot starch. *Brazilian Journal of Radiation Sciences* 7(2A):1-7. <https://doi.org/10.15392/bjrs.v7i2a.645>.
- Bednarska, K. A., 2015. *Kinetic modelling of enzymatic starch hydrolysis* [Wageningen University]. <https://library.wur.nl/WebQuery/wurpubs/488445>.
- Benavent-Gil, Y., dan Rosell, C. M., 2017a. Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers* 157: 533–540. <https://doi.org/10.1016/j.carbpol.2016.10.047>.
- Benavent-Gil, Y., dan Rosell, C. M., 2017b. Morphological and physicochemical characterization of porous starches obtained from different botanical sources and amyolytic enzymes. *Int J Biol Macromol* 103:587-595. doi: 10.1016/j.ijbiomac.2017.05.089.
- Buléon, A., Colonna, P., Planchot, V., dan Ball, S., 1998. Starch granules: Structure and biosynthesis. *International Journal of Biological Macromolecules* 23(2):85–112. [https://doi.org/10.1016/S0141-8130\(98\)00040-3](https://doi.org/10.1016/S0141-8130(98)00040-3).
- [BSN] Standar Nasional Indonesia. 1999. SNI 01-6057-1999. *Tepung Garut*. Jakarta: Badan Standarisasi Nasional.
- Capron, I., Robert, P., Colonna, P., Brogly, M., dan Planchot, V., 2007. Starch in rubbery and glassy states by FTIR spectroscopy. *Carbohydrate Polymers* 68(2):249–259. <https://doi.org/10.1016/j.carbpol.2006.12.015>.
- Cheetham, N. W. H., dan Tao, L., 1998. Variation in crystalline type with amylose content in maize starch granules: an X-ray powder diffraction study. *Carbohydrate Polymers* 36(4):277–284.

[https://doi.org/https://doi.org/10.1016/S0144-8617\(98\)00007-1](https://doi.org/https://doi.org/10.1016/S0144-8617(98)00007-1).

- Chen, J., Wang, Y., Liu, J., dan Xu, X., 2020. Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules* 148:1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>.
- Chen, Y., Huang, S., Tang, Z., Chen, X., & Zhang, Z., 2011. Structural changes of cassava starch granules hydrolyzed by a mixture of α -amylase and glucoamylase. *Carbohydrate Polymers* 85(1):272–275. <https://doi.org/10.1016/j.carbpol.2011.01.047>.
- Cornejo-Ramírez, Y. I., Martínez-Cruz, O., Del Toro-Sánchez, C. L., Wong-Corral, F. J., Borboa-Flores, J., dan Cinco-Moroyoqui, F. J., 2018. The structural characteristics of starches and their functional properties. *CYTA - Journal of Food* 16(1):1003–1017. <https://doi.org/10.1080/19476337.2018.1518343>.
- Damat, Y. ., 2016. Karakteristik Fisiko-Kimia Pati Garut (*Marantha Arundinaceae*) Termodifikasi Secara Fisik Melalui Proses Gelatinisasi- Retrogradasi Berulang. *Seminar Nasional Hasil Penelitian* 160–166. [https://semnas.unikama.ac.id/lppm/prosiding/2016/PENELITIAN/PANGAN DAN TERNAKI/Damat-UNMUH.pdf](https://semnas.unikama.ac.id/lppm/prosiding/2016/PENELITIAN/PANGAN%20DAN%20TERNAKI/Damat-UNMUH.pdf).
- De Souza, P. M., dan Magalhaes, P. de O. e., 2010. Application of Microbial-Amylase in Industry-A Review. *Brazilian Journal of Microbiology* 41:850–861.
- Digaitis, R., Falkman, P., Oltner, V., Briggner, L. E., dan Kocherbitov, V., 2022. Hydration and dehydration induced changes in porosity of starch microspheres. *Carbohydrate Polymers* 291(April):1–10. <https://doi.org/10.1016/j.carbpol.2022.119542>.
- Dome, K., Podgorbunskikh, E., Bychkov, A., dan Lomovsky, O., 2020. Changes in the crystallinity degree of starch having different types of crystal structure after mechanical pretreatment. *Polymers* 12(3):1–12. <https://doi.org/10.3390/polym12030641>.
- Dura, A., Błaszczak, W., dan Rosell, C. M., 2014. Functionality of porous starch obtained by amylase or amyloglucosidase treatments. *Carbohydrate Polymers* 101(1):837–845. <https://doi.org/10.1016/j.carbpol.2013.10.013>.
- Dura, Angela, dan Rosell, C., 2016. Physico-chemical properties of corn starch modified with cyclodextrin glycosyltransferase. *International Journal of Biological Macromolecules* 87. <https://doi.org/10.1016/j.ijbiomac.2016.03.012>.
- Egas, M. C. V., Da Costa, M. S., Cowan, D. A., dan Pires, E. M. V., 1998. Extracellular α -amylase from *Thermus filiformis* Ork A2: Purification and biochemical characterization. *Extremophiles* 2(1):23–32. <https://doi.org/10.1007/s007920050039>.

- Faridah, Didah Nur, Fardiaz, Dedi, Andarwulan, Nuri, dan Sunarti, Titi Candra, 2014. Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinacea*). *Agritech* 34(1):14–21.
- Fatimah, S., Ragadhita, R., Fitria, D., Husaeni, A., Bayu, A., dan Nandiyanto, D., 2022. ASEAN Journal of Science and Engineering How to Calculate Crystallite Size from X-Ray Diffraction (XRD) using Scherrer Method. *Science and Engineering* 2(1):65–76.
- Gonzalez, A., dan Wang, Y.-J., 2020. Enhancing the Formation of Porous Potato Starch by Combining α -Amylase or Glucoamylase Digestion with Acid Hydrolysis. *Starch - Stärke* 72(7–8) 1900269. <https://doi.org/https://doi.org/10.1002/star.201900269>.
- Guo, L., Li, J., Gui, Y., Zhu, Y., Yu, B., Tan, C., Fang, Y., & Cui, B., 2020. Porous starches modified with double enzymes: Structure and adsorption properties. *International Journal of Biological Macromolecules* 164:1758–1765. <https://doi.org/10.1016/j.ijbiomac.2020.07.323>.
- Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., dan Cui, B., 2021. Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules* 174:110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>.
- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., dan Xie, J., 2021. Effects of α -amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids* 116(December 2020). <https://doi.org/10.1016/j.foodhyd.2021.106661>.
- Huang, C., Wang, S., dan Yang, H., 2020. Evaluation of thermal effects on the bioactivity of curcumin microencapsulated with porous starch-based wall material using spray drying. *Processes* 8(2). <https://doi.org/10.3390/pr8020172>.
- Ilmannafian, A. G., Lestari, E., dan Halimah, H., 2018. Pemanfaatan Tepung Garut Sebagai Substitusi Tepung Terigu Dalam Pembuatan Kue Bingka. *Jurnal Teknologi Agro-Industri* 5(2):141–151. <https://doi.org/10.34128/jtai.v5i2.80>.
- Insani, K. V., & Herdyastuti, N., 2013. Pengaruh Konsentrasi Enzim Optimum Pada Pembentukan N-Asetilglukosamin Effect of Optimum Enzyme Concentration in the Establishment of N-Acetylglucosamine. *UNESA Journal of Chemistry* 60–63.
- Jennylynd, A. J., dan Byong, H. L., 1997. Glucoamylases: Microbial Sources, Industrial Applications, and Molecular Biology - A Review. *Food Biochemistry* 21:1–52.
- Jung, Y., Lee, B.-H., dan Yoo, S.-H., 2017. Physical structure and absorption properties of tailor-made porous starch granules produced by selected

amylolytic enzymes. *PLOS ONE* 12(7) e0181372.
<https://doi.org/10.1371/journal.pone.0181372>.

Karossi, A. T., dan Udin, L. Z., 2009. Production, Isolation, Immobilization and Application of Glucoamylase From *Rhizopus Oryzae*. *Indonesian Journal of Applied Chemistry* 11(1). <https://doi.org/10.14203/jkti.v11i1.170>.

Keeratiburana, T., Hansen, A. R., Soontaranon, S., Blennow, A., dan Tongta, S., 2020. Porous high amylose rice starch modified by amyloglucosidase and maltogenic α -amylase. *Carbohydrate Polymers* 230(August 2019) 115611. <https://doi.org/10.1016/j.carbpol.2019.115611>.

Lacerda, 2018. Research Article Effects of α -amylase, amyloglucosidase, and their mixture on hierarchical porosity of rice starch. *Research Article*. 1–23. Chemistry Institute, Universidade Federal do Rio Grande do Sul, Brazil.

Lehmann, C., 2016. *Hydrolytic Enzymes : Amylases , Proteases , Lipases* (Issue III). Institute of Plant Biology.

Li, H., Budarin, V. L., Clark, J. H., North, M., dan Wu, X., 2022. Rapid and efficient adsorption of methylene blue dye from aqueous solution by hierarchically porous, activated starbons®: Mechanism and porosity dependence. *Journal of Hazardous Materials* 436(May). <https://doi.org/10.1016/j.jhazmat.2022.129174>.

Lincoln, L., More, V. S., & More, S. S., 2019. Isolation, screening and optimization of extracellular glucoamylase from *Paenibacillus amylolyticus* strain NEO03. *Biocatalysis and Agricultural Biotechnology* 18(January), 101054. <https://doi.org/10.1016/j.bcab.2019.101054>

Maulani, R. R., Budiasih, R., dan Immaningsih, N., 2012. Karakterisasi Fisik dan Kimia Rimpang dan Pati Garut (*Marantha arundinacea* L.) Pada Berbagai Umur Panen. *Seminar Nasional : Kedaulatan Pangan Dan Energi* 326-338.

Maulani, R. R., Fardiaz, D., Kusnandar, F., dan Candra Sunarti, T., 2013. Functional Properties of Hydroxypropylated and Crosslinked Arrowroot Starch. *Jurnal Teknologi Dan Industri Pangan* 24(1):60–67. <https://doi.org/10.6066/jtip.2013.24.1.60>.

Maulani, R. R., dan Hidayat, T., 2016. Pengembangan Pati Garut (*Maranta arundinacea* L.) Sebagai Pati Resisten Tipe IV. *Prosiding Seminar Nasional Hasil-Hasil PPM IPB* 326–338. <https://lppm.ipb.ac.id/wp-content/uploads/2017/06/B604.pdf>.

Mikawlawng, K., 2016. *Chapter 18 - Aspergillus in Biomedical Research* (V. K. B. T.-N. and F. D. in M. B. and B. Gupta (ed.); pp. 229–242). <https://doi.org/10.1016/B978-0-444-63505-1.00019-1>.

Muhmed, S. A., 2016. Methylene blue adsorption onto crosslinked sago starch siti aishah muhmed universiti teknologi malaysia. *Tesis*. Faculty of Chemical and Energy Engineering, Universiti Teknologi Malaysia.

- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R., 2019. How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology* 4(1):97–118. <https://doi.org/10.17509/ijost.v4i1.15806>.
- Osholana, T. S., Dlodlu, M. K., Oboirien, B., dan Sadiku, R., 2020. Enhanced reactivity of geopolymers produced from fluidized bed combustion bottom ash. *South African Journal of Chemical Engineering* 34(June):72–77. <https://doi.org/10.1016/j.sajce.2020.06.006>.
- Pozo, C., Rodríguez-Llamazares, S., Bouza, R., Barral, L., Castaño, J., Müller, N., dan Restrepo, I., 2018. Study of the structural order of native starch granules using combined FTIR and XRD analysis. *Journal of Polymer Research* 25(12). <https://doi.org/10.1007/s10965-018-1651-y>.
- Pramasari, D. A., Sondari, D., Adi, D. S., Widyanigrum, B. A., Fajar, A., Putri, R., Restu, W. K., dan Putri, E. H., 2020. Karakteristik Pati Berpori Mikro dari Tapioka Hasil Perlakuan Amilase Sebagai Agen Penjerapan Minyak. *Pati Berpori Agen Penjerapan Minyak*, 25(2).
- Purwitasari, L., 2022. Karakterisasi Pati Berpori dari Ganyong (*Canna edulis* Kerr.) yang Dihasilkan dengan Hidrolisis Enzim Alfa Amilase Termotabil. *Tesis. Ilmu dan Teknologi Pangan*, Universitas Gadjah Mada.
- Ratnaningsih, N., Nugraheni, M., Handayani, T. H. W., dan Chayati, I., 2014. Teknologi Pengolahan Pati Garut Dan Diversifikasi Produk Olahannya Dalam Rangka Peningkatan Ketahanan Pangan. *Inotek* 14(2):192–207.
- Riana, R. L. M., Aini, N., dan Dwiyananti, H., 2015. Formulasi dan optimasi flakes kaya serat berbasis pati garut resisten tipe III menggunakan Response Surface Methodology. *Jurnal Litbang Provinsi Jawa Tengah* 13(2):193–202.
- Rukmana, R., 2000. *Garut: Budidaya dan Pasca Panen*. Kanisius.
- Sarifudin, A., Keeratiburana, T., Soontaranon, S., Tangsatitkulchai, C., dan Tongta, S., 2020. Pore characteristics and structural properties of ethanol-treated starch in relation to water absorption capacity. *Lwt* 129(November 2019) 109555. <https://doi.org/10.1016/j.lwt.2020.109555>.
- Sathyan, S., dan Nisha, P., 2022. Optimization and Characterization of Porous Starch from Corn Starch and Application Studies in Emulsion Stabilization. *Food and Bioprocess Technology* 15(9):2084–2099. <https://doi.org/10.1007/s11947-022-02843-y>.
- Schönhals, A., dan Kremer, F., 2012. 1.08 - Amorphous Polymers. In K. Matyjaszewski & M. Möller (Eds.), *Polymer Science: A Comprehensive Reference* (pp. 201–226). [https://doi.org/https://doi.org/10.1016/B978-0-444-53349-4.00010-8](https://doi.org/10.1016/B978-0-444-53349-4.00010-8).
- Setianingsih, T., Kartini, I., dan Arryanto, Y., 2014. The effect of caramelization and carbonization temperatures toward structural properties of mesoporous carbon from fructose with zinc borosilicate activator. *Indonesian Journal of*

Chemistry 14(3):253–261. <https://doi.org/10.22146/ijc.21236>.

- Shi, S., Pan, K., Yu, M., Li, L., Tang, J., Cheng, B., Liu, J., Cao, C., dan Jiang, Y., 2022. Differences in starch multi-layer structure, pasting, and rice eating quality between fresh rice and 7 years stored rice. *Current Research in Food Science* 5(August):1379–1385. <https://doi.org/10.1016/j.crfs.2022.08.013>.
- Singhania, R. R., Patel, A. K., Thomas, L., Goswami, M., Giri, B. S., dan Pandey, A., 2015. *Chapter 13 - Industrial Enzymes* (A. Pandey, R. Höfer, M. Taherzadeh, K. M. Nampoothiri, & C. B. T.-I. B. & W. B. Larroche (eds.); pp. 473–497). <https://doi.org/https://doi.org/10.1016/B978-0-444-63453-5.00015-X>.
- Sivaramakrishnan, S., Gangadharan, D., Nampoothiri, K. M., Soccol, C. R., dan Pandey, A., 2006. α -Amylases from microbial sources - An overview on recent developments. *Food Technology and Biotechnology* 44(2):173–184.
- Smith, M. E., & Morton, D. G., 2010. 8 - DIGESTION AND ABSORPTION. In M. E. Smith & D. G. Morton (Eds.), *The Digestive System (Second Edition)* (Second Edi, pp. 129–152). Churchill Livingstone. <https://doi.org/https://doi.org/10.1016/B978-0-7020-3367-4.00008-6>.
- Soccol, C. R., Rojan, P. J., Patel, A. K., Woiciechowski, A. L., Vandenberghe, L. P. S., dan Pandey, A., 2006. *Glucoamylase BT - Enzyme Technology* (A. Pandey, C. Webb, C. R. Soccol, & C. Larroche (eds.); pp. 221–237). Springer New York. https://doi.org/10.1007/978-0-387-35141-4_11.
- Song, Z., Zhong, Y., Tian, W., Zhang, C., Hansen, A. R., Blennow, A., Liang, W., dan Guo, D., 2020. Structural and functional characterizations of α -amylase-treated porous popcorn starch. *Food Hydrocolloids* 108(October 2019) 105606. <https://doi.org/10.1016/j.foodhyd.2019.105606>.
- Stephenson, F. H., 2016. Chapter 12 - Centrifugation. In F. H. Stephenson (Ed.), *Calculations for Molecular Biology and Biotechnology (Third Edition)* (Third Edit, pp. 431–438). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-802211-5.00012-6>.
- Subando, R. T., 2022. Optimasi Produksi dan Karakterisasi Pati Garut (*Maranta Arundinacea*) Berpori Menggunakan Enzim α -Amylase dan Glukoamilase Termostabil dengan Metodologi *Response Surface Technology*. Tesis. Ilmu dan Teknologi Pangan, Universitas Gadjah Mada.
- Subroto, E., Indiarso, R., Wulandari, E., dan Astari, A. P., 2021. Modifikasi Pati Hanjeli (*Coix lacryma-jobi* L.) Berpori Melalui Ultrasonikasi dan Ozonasi. *Jurnal Teknologi Hasil Pertanian* 14(2):117. <https://doi.org/10.20961/jthp.v14i2.54338>.
- Suhartini, T., dan Hadiatmi., 2011. Keragaman Karakter Morfologis Garut (*Marantha arundinaceae* L.). *Buletin Plasma Nutfah* 17(1).
- Sundarram, A., dan Murthy, T. P. K., 2014. α -Amylase Production and

- Applications : A Review. *Journal of Applied & Environmental Microbiology* 2(4):166–175. <https://doi.org/10.12691/jaem-2-4-10>.
- Suryaningtyas, P., 2013. Pemanfaatan Pati Garut Dan Tepung Waluh Sebagai Bahan Dasar Biskuit Untuk Penderita Diabetes. *Naskah Publikasi*. Fakultas Keguruan dan Ilmu Pendidikan, Universitas Muhammadiyah Surakarta.
- Tarique, J., Sapuan, S. M., Khalina, A., Sherwani, S. F. K., Yusuf, J., dan Ilyas, R. A., 2021. Recent developments in sustainable arrowroot (*Maranta arundinacea* Linn) starch biopolymers, fibres, biopolymer composites and their potential industrial applications: A review. *Journal of Materials Research and Technology* 13:1191–1219. <https://doi.org/10.1016/j.jmrt.2021.05.047>.
- Van Der Maarel, M. J. E. C., Van Der Veen, B., Uitdehaag, J. C. M., Leemhuis, H., dan Dijkhuizen, L., 2002. Properties and applications of starch-converting enzymes of the α -amylase family. *Journal of Biotechnology* 94(2):137–155. [https://doi.org/10.1016/S0168-1656\(01\)00407-2](https://doi.org/10.1016/S0168-1656(01)00407-2).
- Wang, S., Zhang, X., Wang, S., dan Copeland, L., 2016. Changes of multi-scale structure during mimicked DSC heating reveal the nature of starch gelatinization. *Scientific Reports* 6(March):1–9. <https://doi.org/10.1038/srep28271>.
- Wani, I., Sogi, D., Hamdani, A., Gani, A., Bhat, N., dan Shah, A., 2016. Isolation, Composition and Physicochemical Properties of Starch from Legumes: A review. *Starch - Starke* 68. <https://doi.org/10.1002/star.201600007>.
- Wawo, A. H., dan Sukanto, L. A., 2011. Kajian Cara Perbanyak dan Pertumbuhan Garut (*Maranta arundinacea* L) pada Kondisi Ketersediaan Cahaya yang Berbeda. *Jurnal Rekayasa Lingkungan* 7(2):115–204.
- Windarsih, A., Irnawati, dan Rohman, A., 2020. Application of ftir-atr spectroscopy and chemometrics for the detection and quantification of lard oil in bovine milk fat. *Food Research* 4(5):1732–1738. [https://doi.org/10.26656/fr.2017.4\(5\).087](https://doi.org/10.26656/fr.2017.4(5).087).
- Xie, Y., Li, M. N., Chen, H. Q., dan Zhang, B., 2019. Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food Chemistry* 274:351–359. <https://doi.org/10.1016/j.foodchem.2018.09.034>.
- Zhang, B., Cui, D., Liu, M., Gong, H., Huang, Y., dan Han, F., 2012. Corn porous starch: Preparation, characterization and adsorption property. *International Journal of Biological Macromolecules* 50(1):250–256. <https://doi.org/10.1016/j.ijbiomac.2011.11.002>.
- Żymańczyk-duda, E., Brzezińska-rodak, M., & Klimek-ochab, M., 2016. *Biochemistry - Knowledge to Practical Applications - Examples*. In Austin Publishing Group (Issue December 2017).



UNIVERSITAS
GADJAH MADA

Karakterisasi Pati Berpori dari Garut (*Maranta arundinacea* L.) Hasil Hidrolisis Enzim Alfa Amilase dan Glukoamilase

SARAH NISRINA, Dr.rer.nat. Lucia Dhiantika Witasari, S. Farm., Apt., M.Biotech.; Prof. Dr. Yūdi Pranoto, S.T.P., M.P.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

www.austinpublishinggroup.com/ebooks.