



DAFTAR PUSTAKA

- Ahmad, A. A., Al-Raggad, M., & Shareef, N. (2021). Production of activated carbon derived from agricultural by-products via microwave-induced chemical activation: a review. *Carbon Letters*, 31(5), 957–971. <https://doi.org/10.1007/s42823-020-00208-z>
- Alimah, D. (2017). Sifat Dan Mutu Arang Aktif Dari Tempurung Biji Mete. *JURNAL Penelitian Hasil Hutan*, Vol. 35, pp.123-133.
- Andriyanti, I. (2018). *REMEDIASI LOGAM TIMBAL (Pb) DAN TEMBAGA (Cu) MENGGUNAKAN METODE EAPR-AERASI (Electro Assisted Phytoremediation-Aeration) DENGAN* <https://dspace.uii.ac.id/handle/123456789/6275>
- Atmayudha, A. (2007). Pembuatan Karbon Aktif Berbahan Dasar Tempurung Kelapa Dengan Perlakuan Aktivasi Terkontrol Serta Uji Kinerjanya. *Fakultas Teknik Universitas Indonesia*, 28–66.
- Bhomick, P. C., Supong, A., Karmaker, R., Baruah, M., Pongener, C., & Sinha, D. (2019). Activated carbon synthesized from biomass material using single-step KOH activation for adsorption of fluoride: Experimental and theoretical investigation. *Korean Journal of Chemical Engineering*, 36(4), 551–562. <https://doi.org/10.1007/s11814-019-0234-x>
- Cao, F., Lian, C., Yu, J., Yang, H., & Lin, S. (2019). Study on the adsorption performance and competitive mechanism for heavy metal contaminants removal using novel multi-pore activated carbons derived from recyclable long-root *Eichhornia crassipes*. *Bioresource Technology*, 276(December 2018), 211–218. <https://doi.org/10.1016/j.biortech.2019.01.007>
- Cheng, S., Zhang, L., Xia, H., Peng, J., Zhang, S., & Wang, S. (2015). Preparation of high specific surface area activated carbon from walnut shells by microwave-induced KOH activation. *Journal of Porous Materials*, 22(6), 1527–1537. <https://doi.org/10.1007/s10934-015-0035-5>
- Cosgrove, S., Jefferson, B., & Jarvis, P. (2022). Application of activated carbon fabric for the removal of a recalcitrant pesticide from agricultural run-off. *Science of the Total Environment*, 815, 152626. <https://doi.org/10.1016/j.scitotenv.2021.152626>
- Cundari, L., Suhendra, A. A., Indahsari, S. R., Asnari, M., Afrah, B. D., Gunawan, A., Ma, M., & Alfatih, A. (2022). *Efektivitas Karbon Aktif Eceng Gondok (Eichornia crassipes) Pada Pengolahan Limbah Cair Tempe*. 11(2), 403–410.
- Deng, H., Li, G., Yang, H., Tang, J., & Tang, J. (2010). Preparation of activated carbons from cotton stalk by microwave assisted KOH and K₂CO₃ activation. *Chemical Engineering Journal*, 163(3), 373–381. <https://doi.org/10.1016/j.cej.2010.08.019>
- Efiyanti, L., Wati, S. A., & Maslahat, M. (2020). Pembuatan dan Analisis Karbon Aktif dari Cangkang Buah Karet dengan Proses Kimia dan Fisika. *Jurnal Ilmu Kehutanan*, 14(1), 94. <https://doi.org/10.22146/jik.57479>
- Foo, K. Y., & Hameed, B. H. (2012a). Coconut husk derived activated carbon via microwave induced activation: Effects of activation agents, preparation parameters and adsorption performance. *Chemical Engineering Journal*, 184, 57–65. <https://doi.org/10.1016/j.cej.2011.12.084>



- Foo, K. Y., & Hameed, B. H. (2012b). Factors affecting the carbon yield and adsorption capability of the mangosteen peel activated carbon prepared by microwave assisted K_2CO_3 activation. *Chemical Engineering Journal*, 180, 66–74. <https://doi.org/10.1016/j.cej.2011.11.002>
- Gaurav, G. K., Mehmood, T., Cheng, L., Klemeš, J. J., & Shrivastava, D. K. (2020). Water hyacinth as a biomass: A review. *Journal of Cleaner Production*, 277. <https://doi.org/10.1016/j.jclepro.2020.122214>
- Giri, A. K., Patel, R., & Mandal, S. (2012). Removal of Cr (VI) from aqueous solution by *Eichhornia crassipes* root biomass-derived activated carbon. *Chemical Engineering Journal*, 185–186, 71–81. <https://doi.org/10.1016/j.cej.2012.01.025>
- González-García, P. (2018). Activated carbon from lignocellulosics precursors: A review of the synthesis methods, characterization techniques and applications. *Renewable and Sustainable Energy Reviews*, 82(August 2017), 1393–1414. <https://doi.org/10.1016/j.rser.2017.04.117>
- Hendrawan, Y., Sutan, S. M., & Kreative, R. Y. R. (2017). Pengaruh Variasi Suhu Karbonisasi dan Konsentrasi Aktivator terhadap Karakteristik Karbon Aktif dari Ampas Tebu (Bagasse) Menggunakan Activating Agent NaCl. *Jurnal Keteknikan Pertanian Tropis Dan Biosistem*, 5(3), 200–207. <https://jkptb.ub.ac.id/index.php/jkptb/article/view/420>
- Hernandez-maglinao, J., & Capareda, S. C. (2019). Improving the Surface Areas and Pore Volumes of Bio-char Produced from Pyrolysis of Cotton Gin Trash via Steam Activation Process. 3(6), 15–18.
- Idrus, R., Lapanporo, B. P., & Putra, Y. S. (2013). Pengaruh Suhu Aktivasi Terhadap Kualitas Karbon Aktif Berbahan Dasar Tempurung Kelapa. *Prisma Fisika*, 1(1), 50–55.
- Kubota, M., Hata, A., & Matsuda, H. (2009). Preparation of activated carbon from phenolic resin by KOH chemical activation under microwave heating. *Carbon*, 47(12), 2805–2811. <https://doi.org/10.1016/j.carbon.2009.06.024>
- Laos, L. E., & Selan, A. (2016). Pemanfaatan Kulit Singkong sebagai Bahan Baku Karbon Aktif. *Jurnal Ilmu Pendidikan Fisika*, 1(1), 32–36.
- Lempang, M. (2014). Pembuatan dan Kegunaan Karbon Aktif. *Info Teknis EBONI*, 11(2), 65–80. <http://ejournal.forda-mof.org/ejournal-litbang/index.php/buleboni/article/view/5041/4463arang>
- Lestari, K. D. L. F. R. D. R. S. N. K. (2017). Pengaruh Waktu Dan Suhu Pembuatan Karbon Aktif Dari Tempurung Kelapa Sebagai Upaya Pemanfaatan Limbah Dengan Suhu Tinggi Secara Pirolisis. *Inovasi Teknik Kimia*, 2(1), 32–38.
- Liao, X., Peng, J., Zhang, S., Xia, H., Zhang, L., Chen, G., & Hu, T. (2016). Utilization of pine nut shell for preparation of high surface area activated carbon by microwave heating and koh activation. *TMS Annual Meeting*, 0(CONFCODENUMBER), 51–58. https://doi.org/10.1007/978-3-319-48093-0_7
- Maulina, S., & Iriansyah, M. (2018). Characteristics of activated carbon resulted from pyrolysis of the oil palm fronds powder. *IOP Conference Series: Materials Science and Engineering*, 309(1). <https://doi.org/10.1088/1757-899X/309/1/012072>
- Meisrilestari, Y., Khomaini, R., & Wijayanti, H. (2013). Pembuatan Arang Aktif Dari



- Cangkang Kelapa Sawit Dengan. *Konversi*, 2(1), 46–51.
- Mohamad Nor, N., Lau, L. C., Lee, K. T., & Mohamed, A. R. (2013). Synthesis of activated carbon from lignocellulosic biomass and its applications in air pollution control - A review. *Journal of Environmental Chemical Engineering*, 1(4), 658–666. <https://doi.org/10.1016/j.jece.2013.09.017>
- Oko, S., Mustafa, M., Kurniawan, A., & Norfitria, L. (2021). Pembuatan Karbon Aktif dari Limbah Plastik PET (Polyethylene terephthalate) Menggunakan Aktivator KOH. *Metana*, 17(2), 61–68. <https://doi.org/10.14710/metana.v17i2.40204>
- Pal, D. B., Tiwari, A. K., Srivastava, N., Ahmad, I., Abohashrh, M., & Gupta, V. K. (2022). Biomass valorization of *Eichhornia crassipes* root using thermogravimetric analysis. *Environmental Research*, 214(P4), 114046. <https://doi.org/10.1016/j.envres.2022.114046>
- Pari, G., Santoso, A., Hendra Buchari, D., & Maddu, A. (2016). *POTENSI STRUKTUR NANO KARBON DARI BAHAN LIGNOSELULOSA KAYU JATI DAN BAMBU (The Potency of Nano Carbon Structure Made from Bamboo and Teak Wood Lignocellulose)*. 34(4), 309–322. <https://doi.org/10.20886/jphh.2016.34.4.309-322>
- Patel, S. (2012). Threats, management and envisaged utilizations of aquatic weed *Eichhornia crassipes*: An overview. *Reviews in Environmental Science and Biotechnology*, 11(3), 249–259. <https://doi.org/10.1007/s11157-012-9289-4>
- Putera, R. D. H. (2012). *Ekstraksi Serat Selulosa Dari Tanaman Eceng Gondok (Eichornia Crassipes) Dengan Variasi Pelarut Skripsi Rizky Dirga Harya Putera 0806456801 Fakultas Teknik Program Studi Teknik Kimia Depok Juli 2012*. 45.
- Rahmadani, N., & Kurniawati, P. (2017). Sintesis dan Karakterisasi Karbon Teraktivasi Asam dan Basa Berbasis Mahkota Nanas. *Prosiding Seminar Nasional Kimia Dan Pembelajarannya 2017, November*, 154–161.
- Ruan, T., Zeng, R., Yin, X.-Y., Zhang, S.-X., & Yang, Z.-H. (2016). Water Hyacinth (*Eichhornia crassipes*) Biomass as a Biofuel Feedstock by Enzymatic Hydrolysis. *BioResources*, 11(1), 2372–2380. <https://doi.org/10.15376/BIORES.11.1.2372-2380>
- Salas, L. M., Salazar, M. R., & Escobar, B. (2022). Doped biochar from an invasive plant “*Eichhornia crassipes*” for the oxygen reduction reaction. *International Journal of Hydrogen Energy*, 47(70), 30140–30146. <https://doi.org/10.1016/j.ijhydene.2022.06.223>
- Shang, Z., Yang, Z., & Ma, Y. (2021). Theoretical study of activated carbon production via a two-step carbonization-activation process based on Aspen Plus calculation. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-021-01687-4>
- Song, B., Almatrafi, E., Tan, X., Luo, S., Xiong, W., Zhou, C., Qin, M., Liu, Y., Cheng, M., Zeng, G., & Gong, J. (2022). Biochar-based agricultural soil management: An application-dependent strategy for contributing to carbon neutrality. *Renewable and Sustainable Energy Reviews*, 164(October 2021), 112529. <https://doi.org/10.1016/j.rser.2022.112529>
- Tampubolon, D. D. (2022). Analisis MUTU KARBON AKTIF DARI LIMBAH CANGKANG TAMANU (*Calophyllum Inophyllum*) YANG DIPRODUKSI



MENGGUNAKAN METODE AKTIVASI HYBRID BERBASIS MICROWAVE HEATING. *Universitas Gadjah Mada*, 8.5.2017.

- Tay, T., Ucar, S., & Karagöz, S. (2009). Preparation and characterization of activated carbon from waste biomass. *Journal of Hazardous Materials*, 165(1–3), 481–485. <https://doi.org/10.1016/j.jhazmat.2008.10.011>
- Udyani, K., Yanuarita Purwaningsih, D., Setiawan, D. R., Yahya, K., Kimia-Institut, T., Adhi, T., & Surabaya, T. (2019). JURNAL IPTEK MEDIA KOMUNIKASI TEKNOLOGI Pembuatan Karbon Aktif Dari Arang Bakau Menggunakan Gabungan Aktivasi Kimia dan Fisika Dengan Microwave. *Jurnal IPTEK*, 23(1), 39–46. <https://doi.org/10.31284/j.iptek.2019.v23i1>
- Wang, S. Y., Tsai, M. H., Lo, S. F., & Tsai, M. J. (2008). Effects of manufacturing conditions on the adsorption capacity of heavy metal ions by Makino bamboo charcoal. *Bioresource Technology*, 99(15), 7027–7033. <https://doi.org/10.1016/j.biortech.2008.01.014>
- Yuningsih, L. M., Mulyadi, D., & Kurnia, A. J. (2016). Pengaruh Aktivasi Arang Aktif dari Tongkol Jagung dan Tempurung Kelapa Terhadap Luas Permukaan dan Daya Jerap Iodin. *Jurnal Kimia VALENSI*, 2(1), 30–34. <https://doi.org/10.15408/jkv.v2i1.3091>
- Zondlo, J. W., & Velez, M. R. (2007). Development of surface area and pore structure for activation of anthracite coal. *Fuel Processing Technology*, 88(4), 369–374. <https://doi.org/10.1016/j.fuproc.2006.10.014>