

DAFTAR PUSTAKA

- Abdelraheem, E.M.M., Shaabani, S., and Dömling, A., 2018, Macrocycles: MCR synthesis and applications in drug discovery, *Drug Discov. Today Technol.*, 29, 11–17.
- Abushaheen, M.A., Muzaheed, Fatani, A.J., Alosaimi, M., Mansy, W., George, M., Acharya, S., Rathod, S., Divakar, D.D., Jhugroo, C., Vellappally, S., Khan, A.A., Shaik, J., and Jhugroo, P., 2020, Antimicrobial resistance, mechanisms and its clinical significance, *Disease-a-Month*, 66, 1–21.
- Akceylan, E. and Yilmaz, M., 2011, Synthesis of calix[4]arene alkylamine derivatives as new phase-transfer catalysts for esterification reaction, *Tetrahedron*, 67, 6240–6245.
- Al-Mamary, M.A. and Moussa, Z., 2021, Antioxidant activity-the presence and impact of hydroxyl groups in small molecules of natural and synthetic origin 13th chapter, *IntechOpen*, Sri Lanka.
- Ali, Y., Bunnori, N.M., Susanti, D., Alhassan, A.M., and Hamid, S.A., 2018, Synthesis, in vitro and in silico studies of azo-based calix[4]arenes as antibacterial agent and neuraminidase inhibitor: A new look into an old scaffold, *Front. Chem.*, 6, 1–10.
- Antony, H.A. and Parija, S.C., 2016, Antimalarial drug resistance: An overview, *Trop. Parasitol.*, 6, 30–41.
- Aziz, M.A., Shehab, W.S., Al-Karmalawy, A.A., El-Farargy, A.F., and Abdellattif, M.H., 2021, Design, synthesis, biological evaluation, 2D-QSAR modeling, and molecular docking studies of novel 1h-3-indolyl derivatives as significant antioxidants, *Int. J. Mol. Sci.*, 22, 1–23.
- Baliyan, S., Mukherjee, R., Priyadarshini, A., Vibhuti, A., Gupta, A., Pandey, R.P., and Chang, C.M., 2022, Determination of antioxidants by DPPH radical scavenging activity and quantitative phytochemical analysis of *Ficus religiosa*, *Molecules*, 27, 1–19.
- Bardaweel, S.K., Gul, M., Alzweiri, M., Ishaqat, A., Alsalamat, H.A., and Bashatwah, R.M., 2018, Reactive oxygen species: The dual role in physiological and pathological conditions of the human body, *Eurasian J. Med.*, 50, 193–201.
- Basco, L.K., Mitaku, S., Skaltsounis, A.L., Ravelomanantsoa, N., Tillequin, F., Koch, M., and Le Bras, J., 1994, *In vitro* activities of furoquinoline and acridone alkaloids against *Plasmodium falciparum*, *Antimicrob. Agents Chemother.*, 38,

1169–1171.

- Basílio, N., Garcia-Rio, L., and Martín-Pastor, M., 2011, Calixarene-based surfactants: Evidence of structural reorganization upon micellization, *Langmuir*, 28, 2402–2414.
- Batista, R., De Jesus Silva Júnior, A., and De Oliveira, A.B., 2009, Plant-derived antimalarial agents: new leads and efficient phytomedicines. Part II. Non-alkaloidal natural products, *Molecules*, 14, 3037–3072.
- Belluti, F., Perozzo, R., Lauciello, L., Colizzi, F., Kostrewa, D., Bisi, A., Gobbi, S., Rampa, A., Bolognesi, M.L., Recanatini, M., Brun, R., Scapozza, L., and Cavalli, A., 2013, Design, synthesis, and biological and crystallographic evaluation of novel inhibitors of *Plasmodium falciparum* enoyl-ACP-reductase (PfFABl), *J. Med. Chem.*, 56, 7516–7526.
- Beni Seta, Febe F. Gaspersz, Andi Puspa S. Idris, Samsul Rahman, and Meigy Nelce Mailoa, 2013, Potential Of *Seaweed padina* Sp. as a source of antioxidant, *Int. J. Sci. Technol. Res.*, 2, 221–224.
- Bernardino, R.J. and Costa Cabral, B.J., 1999, Structure, conformational equilibrium, and proton affinity of calix[4]arene by density functional theory, *J. Phys. Chem. A*, 103, 9080–9085.
- Bourzikat, O., Abbouchi, A.E., Ghammaz, H., Brahmi, N., Fahime, E., Paris, A., Daniellou, R., Suzenet, F., Guillaumet, G., and Kazzouli, S., 2022, Synthesis, Anticancer Activities and Molecular Docking Studies of a Novel Class of 2-Phenyl-5,6,7,8-tetrahydroimidazo[1,2-b]pyridazine Derivatives Bearing Sulfonamides, *Molecules*, 27, 1–11.
- Bowley, N., 2008, Synthetic and structural studies of calix[4]pyrogallolarenes towards biological applications, *Dissertation*, Nottingham Trent University, Inggris.
- Cameron, A., Read, J., Tranter, R., Winter, V.J., Sessions, R.B., Brady, L.L., Vivas, L., Easton, A., Kendrick, H., Croft, S.L., Barros, D., Lavandera, J.L., Martin, J.J., Risco, F., García-Ochoa, S., Gamo, F.J., Sanz, L., Leon, L., and Ruiz, J.R., 2004, Identification and activity of a series of azole-based compounds with lactate dehydrogenase-directed antimalarial activity, *J. Biol. Chem.*, 279, 31429–31439.
- Chaniad, P., Mungthin, M., Payaka, A., Viriyavejakul, P., and Punsawad, C., 2021, Antimalarial properties and molecular docking analysis of compounds from *Dioscorea bulbifera* L. as new antimalarial agent candidates, *BMC Complement. Med. Ther.*, 21, 1–10.

- Chinappi, M., Via, A., Marcatili, P., and Tramontano, A., 2010, On the mechanism of chloroquine resistance in *Plasmodium falciparum*, *PLoS One*, 5, 1–12.
- Congpuong, K., Sirtichaisinthop, J., Tippawangkosol, P., Suprakrob, K., Na-Bangchang, K., Tan-Ariya, P., and Karbwang, J., 1998, Incidence of antimalarial pretreatment and drug sensitivity *in vitro* in multidrug-resistant *Plasmodium falciparum* infection in Thailand, *Trans. R. Soc. Trop. Med. Hyg.*, 92, 84–86.
- Cowman, A.F., Healer, J., Marapana, D., and Marsh, K., 2016, Malaria: Biology and disease, *Cell*, 167, 610–624.
- Cui, L., Mharakurwa, S., Ndiaye, D., Rathod, P.K., and Rosenthal, P.J., 2015, Antimalarial Drug Resistance: Literature review and activities and findings of the ICEMR Network, *Am. J. Trop. Med. Hyg.*, 93, 57–68.
- Dar, A.M. and Mir, S., 2017, Molecular docking: Approaches, types, applications and basic challenges, *J. Anal. Bioanal. Tech.*, 08, 8–10.
- Dings, R.P.M., Levine, J.I., Brown, S.G., Astorgues-Xerri, L., MacDonald, J.R., Hoye, T.R., Raymond, E., and Mayo, K.H., 2013, Polycationic calixarene PTX013, a potent cytotoxic agent against tumors and drug resistant cancer, *Invest. New Drugs*, 31, 1142–1150.
- Dinsmore, C.J., 2001, Conformational restriction of flexible ligands guided by the transferred NOE experiment: Potent macrocyclic inhibitors of farnesyltransferase christopher, *J. Am. Chem. Soc.*, 123, 2107–2108.
- Driggers, E.M., Hale, S.P., Lee, J., and Terrett, N.K., 2008, The exploration of macrocycles for drug discovery - An underexploited structural class, *Nat. Rev. Drug Discov.*, 7, 608–624.
- Elidrissi, I., Bhatt, P. V, Govender, T., Kruger, H.G., and Maguire, G.E.M., 2014, Synthesis and NMR elucidation of novel octa-amino acid resorcin[4]arenes derivatives, *S. Afr. J. Chem.*, 68, 27–38.
- Fairhurst, R.M. and Dondorp, A.M., 2016, Artemisinin-resistant *Plasmodium falciparum* malaria, *Microbiol. Spectr.*, 4, 1–16.
- Frengki, Saura, E.R., and Rinidar, 2013, Studi interaksi kurkumin-artemisin dan turunannya terhadap reseptor sarcoendoplasma reticulum Ca^{2+} secara *in silico*, *J. Med. Vet.*, 7, 138–141.
- Freundlich, J.S., Anderson, J.W., Sarantakis, D., Shieh, H.M., Yu, M., Valderramos, J.C., Lucumi, E., Kuo, M., Jacobs, W.R., Fidock, D.A., Schiehsler, G.A., Jacobus, D.P., and Sacchettini, J.C., 2005, Synthesis, biological activity, and X-ray crystal structural analysis of diaryl ether inhibitors of malarial enoyl acyl

- carrier protein reductase. Part 1: 4'-Substituted triclosan derivatives, *Bioorganic Med. Chem. Lett.*, 15, 5247–5252.
- Gomez, M.S., Piper, R.C., Hunsaker, L.A., Royer, R.E., Deck, L.M., Makler, M.T., and Vander Jagt, D.L., 1997, Substrate and cofactor specificity and selective inhibition of lactate dehydrogenase from the malarial parasite *P. falciparum*, *Mol. Biochem. Parasitol.*, 90, 235–246.
- Guedes, I.A., De Magalhães, C.S., and Dardenne, L.E., 2014, Receptor-ligand molecular docking, *Biophys Rev.*, 6, 75–87.
- Gutche, C.D., 2008, *Calixarenes an introduction*, 2nd edition, University of Arizona, USA.
- Hanson, B., Westin, C., Rosa, M., Grier, A., Osipovitch, M., MacDonald, M.L., Dodge, G., Boli, P.M., Corwin, C.W., Kessler, H., McKay, T., Bernstein, H.J., and Craig, P.A., 2014, Estimation of protein function using template-based alignment of enzyme active sites, *BMC Bioinformatics*, 15, 1–10.
- Hernandez-Santoyo, A., Yair, A., Altuzar, V., Vivanco-Cid, H., and Mendoza-Barrer, C., 2013, Protein engineering - technology and application: Protein-protein and protein-ligand docking 3th chapter, *IntechOpen*, Tohoko University.
- Hogberg, A.G.S., 1980, Two Stereoisomeric Macrocyclic Resorcinol-Acetaldehyde Condensation Products, *J. Org. Chem.*, 45, 4498-4500.
- Holder, J.B., Bennett, A.F., Chen, J., Spencer, D.S., Byrne, M.P., and Stites, W.E., 2001, Energetics of side chain packing in staphylococcal nuclease assessed by exchange of valines, isoleucines, and leucines, *Biochemistry*, 40, 13998–14003.
- Huey, R., Morris, G.M., Olson, A.J., and Goodsell, D.S., 2007, Software news and update a semiempirical free energy force field with charge-based desolvation, *J. Comput. Chem.*, 28, 1145–1152.
- Iqbal, M., Mangiafico, T., and Gutsche, C.D., 1987, Calixarenes 21: The conformations and structures of the products of aroylation of the, calix[4]arenes, *Tetrahedron*, 43, 4917-4930.
- Iwanek, W. and Wzorek, A., 2009, Introduction to the chirality of resorcinarenes, *Mini. Rev. Org. Chem.*, 6, 398–411.
- Jassem, A.M., and Dhumad, A.M., 2021, Synthesis, Antimicrobial Activity, Anti-HIV Activity, and Molecular Docking of Novel 5-, 6- and 7-Membered Ring (1H-Pyrrol-2-yl)aminolactams, *Eur. J. Chem.*, 6, 2641-2647.
- Jumina, Siswanta, D., Zulkarnain, A.K., Triono, S., Priatmoko, Yuanita, E., Imawan,

- A.C., Fatmasari, N., and Nursalim, I., 2019, Development of C-arylcalix[4]resorcinarenes and c-arylcalix[4]pyrogallolarenes as antioxidant and UV-B protector, *Indones. J. Chem.*, 19, 273–284.
- Kapoor, N., Banerjee, T., Babu, P., Maity, K., Surolia, N., and Surolia, A., 2009, Research communication design, development, synthesis, and docking analysis of 20-substituted triclosan analogs as inhibitors for *Plasmodium falciparum* Enoyl-ACP Reductase, *IUBMB Life*, 61, 1083–1091.
- Karadag, A., Ozcelik, B., and Saner, S., 2009, Review of methods to determine antioxidant capacities, *Food Anal. Methods*, 2, 41–60.
- Kebede, M. and Admassu, S., 2019, Application of antioxidants in food processing industry: Options to improve the extraction yields and market value of natural products, *Adv. Food Technol. Nutr. Sci. – Open J.*, 5, 38–49.
- Kedare, S.B. and Singh, R.P., 2011, Genesis and development of DPPH method of antioxidant assay, *J. Food. Sci. Technol.*, 48, 412–422.
- Lee, C.Y., Anamoah, C., Semenya, J., Chapman, K.N., Knoll, A.N., Brinkman, H.F., Malone, J.I., and Sharma, A., 2020, Electronic (donating or withdrawing) effects of ortho-phenolic substituents in dendritic antioxidants, *Tetrahedron Lett.*, 61, 1–5.
- Levita, J., dan Mustarichie, R., 2012, *Pemodelan molekul dalam kimia medisinal*, Graha Ilmu, Yogyakarta.
- Li, H., Zhong, Y., Wu, W., Zhang, L., Lai, X., and Zeng, X., 2017, Phenolic antioxidants based on calixarene: Synthesis, structural characterization, and antioxidative properties in natural rubber, *J. Appl. Polym. Sci.*, 134, 1–7.
- Li, J., Fu, A., and Le Zhang., 2019, An overview of scoring functions used for protein-ligand interactions in molecular docking, *Interdiscip. Sci. Comput. Life Sci.*, 11, 320–328.
- Lobo, V., Patil, A., Phatak, A., and Chandra, N., 2010, Free radicals, antioxidants and functional foods: Impact on human health, *Pharmacogn. Rev.*, 4, 118–126.
- Lomonaco, S.L., Finniss, S., Xiang, C., Lee, H.K., Jiang, W., Lemke, N., Rempel, S.A., Mikkelsen, T., and Brodie, C., 2011, Cilengitide induces autophagy-mediated cell death in glioma cells, *Neuro. Oncol.*, 13, 857–865.
- Lu, L., Ruan, Z., Ni, J., Chen, J., Shu, H., Wang, Y., and Liu, Y., 2019, Improvement of antioxidative activity of resveratrol by calix[4]arene-like tetramer: A theoretical study, *Comput. Theor. Chem.*, 1148, 1–7.

- Maity, K., Bhargav, S.P., Sankaran, B., Surolia, N., Surolia, A., and Suguna, K., 2010, X-ray crystallographic analysis of the complexes of enoyl acyl carrier protein reductase of *Plasmodium falciparum* with triclosan variants to elucidate the importance of different functional groups in enzyme inhibition, *IUBMB Life*, 62, 467–476.
- Mansoori, B., Mohammadi, A., Davudian, S., Shirjang, S., and Baradaran, B., 2017, The different mechanisms of cancer drug resistance: A brief review, *Adv Pharm Bull*, 7, 339–348.
- Marra, A., Moni, L., Pazzi, D., Corallini, A., Bridi, D., and Dondoni, A., 2008, Synthesis of sialoclusters appended to calix[4]arene platforms via multiple azide-alkyne cycloaddition. New inhibitors of hemagglutination and cytopathic effect mediated by BK and influenza A viruses, *Org. Biomol. Chem.*, 6, 1396–1409.
- Mazumdar, J. and Striepen, B., 2007, Make it or take it: Fatty acid metabolism of apicomplexan parasites, *Eukaryot. Cell*, 6, 1727–1735.
- Mena-Ulecia, K., Tiznado, W., and Caballero, J., 2015, Study of the differential activity of thrombin inhibitors using docking, QSAR, molecular dynamics, and MM-GBSA, *PLoS One*, 10, 1–21.
- Meshnick, S.R., Taylor, T.E., and Kamchonwongpaisan, S., 1996, Artemisinin and the antimalarial endoperoxides: from herbal remedy to targeted chemotherapy, *Microbiol. Rev.*, 60, 301–315.
- Miguel-Blanco, C., Murithi, J.M., Benavente, E.D., Angrisano, F., Sala, K.A., van Schalkwyk, D.A., Vanaerschot, M., Schwach, F., Fuchter, M.J., Billker, O., Sutherland, C.J., Campino, S.G., Clark, T.G., Blagborough, A.M., Fidock, D.A., Herreros, E., Gamo, F.J., Baum, J., and Delves, M.J., 2021, The antimalarial efficacy and mechanism of resistance of the novel chemotype DDD01034957, *Sci. Rep.*, 11, 1–9.
- Morris, G.M., Goodsell, D.S., Halliday, R.S., Huey, R., Hart, W.E., Belew, R.K., and Olson, A.J., 1998, Automated docking using a Lamarckian genetic algorithm and an empirical binding free energy function, *J. Comput. Chem.*, 19, 1639–1662.
- Morvan, C., Halpern, D., Kénanian, G., Pathania, A., Anba-Mondoloni, J., Lamberet, G., Gruss, A., and Gloux, K., 2017, The *Staphylococcus aureus* FASII bypass escape route from FASII inhibitors, *Biochimie.*, 141, 40–46.
- Mutihac, L., Buschmann, H.J., and Diacu, E., 2002, Calixarene derivatives as carriers in liquid membrane transport, *Desalination*, 148, 253–256.

- Naseer, M.M., Ahmed, M., and Hameed, S., 2017, Functionalized calix[4]arenes as potential therapeutic agents, *Chem. Biol. Drug Des.*, 89, 243–256.
- Nasuhi Pur, F. and Dilmaghani, K.A., 2016, New antiradical clusters synthesized using the first green biginelli reactions of calix[4]Arene, *Pharm. Chem. J.*, 50, 80–82.
- Ni, J., Lu, L., and Liu, Y., 2019, Antiradical and antioxidative activity of azocalix[4]arene derivatives: combined experimental and theoretical study, *molecules*, 24, 1–11.
- Niederl, J.B., and Vogel, H.J., 1940, Aldehyde—Resorcinol Condensations, *J. Am. Chem. Soc.*, 62, 2512–2514.
- Nogueira, F. and Rosário, V.E. do, 2010, Methods for assessment of antimalarial activity in the different phases of the *Plasmodium* life cycle, *Rev. Pan-Amazônica Saúde*, 1, 109–124.
- Nosten, F. and White, N.J., 2007, *Artemisinin-Based Combination Treatment of Falciparum Malaria*, American Society of Tropical Medicine and Hygiene, America.
- Ohto, K., 2021, Review of adsorbents incorporating calixarene derivatives used for metals recovery and hazardous ions removal: the concept of adsorbent design and classification of adsorbents, *J. Incl. Phenom. Macrocycl. Chem.*, 101, 175–194.
- Okolo, C., Eban, L., Amazu, L., Chukwu, L., Ohadoma, S., and Osuala, F., 2019, *In vitro* antimalarial activity of Chikadoma plant from the rainforest of Southern Nigeria, *J. Drug Deliv. Ther.*, 9, 661–668.
- Oluyemi, W.M., Samuel, B.B., Adewumi, A.T., Adekunle, Y.A., Soliman, M.E.S., and Krenn, L., 2022, An allosteric inhibitory potential of triterpenes from *Combretum racemosum* on the structural and functional dynamics of *Plasmodium falciparum* lactate dehydrogenase binding landscape, *Chem. Biodivers.*, 19, 1–20.
- Ozkan, S.C., Aksakal, F., and Yilmaz, A., 2020, Synthesis of novel calix[4]arene p-benzazole derivatives and investigation of their DNA binding and cleavage activities with molecular docking and experimental studies, *RSC Advances*, 10, 38695–38708.
- Pantsar, T. and Poso, A., 2018, Binding affinity via docking: Fact and fiction, *Molecules*, 23, 1–11.
- Paquet, V., Zumbuehl, A., and Carreira, E.M., 2006, Biologically active amphotericin

- B-calix[4]arene conjugates, *Bioconjug. Chem.*, 17, 1460–1463.
- Park, G.-M., Park, H., Oh, S., and Lee, S., 2017, Antimalarial activity of C-10 substituted triazolyl artemisinin, *Korean J Parasitol*, 55, 661–665.
- Pham-Huy, L.A., He, H., and Pham-Huy, C., 2008, Free radicals, antioxidants in disease and health lien, *Int J Biomed Sci.*, 4, 89–96.
- Pidugu, L.S., Kapoor, M., Surolia, N., Surolia, A., and Suguna, K., 2004, Structural basis for the variation in triclosan affinity to *enoyl reductases*, *J. Mol. Biol.*, 343, 147–155.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D., and Bitto, A., 2017, Oxidative stress: Harms and benefits for human health, *Oxid. Med. Cell. Longev.*, 1–13.
- Plachkova-Petrova, D., Petrova, P., Miloshev, S., and Novakov, C., 2012, Optimization of reaction conditions for synthesis C-tetramethylcalix[4] resorcinarene, *Bulg. Chem. Commun.*, 44, 208–215.
- Prior, R.L., Wu, X., and Schaich, K., 2005, Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements, *Rev. Pneumol. Clin.*, 65, 4290–4302.
- Pur, F.N., 2021, Calix[4]API-s: fully functionalized calix[4]arene-based facial active pharmaceutical ingredients, *Mol. Divers.*, 25, 1247–1258.
- Qin, H.L., Zhang, Z.W., Lekkala, R., Alsulami, H., and Rakesh, K.P., 2020, Chalcone hybrids as privileged scaffolds in antimalarial drug discovery: A key review, *Eur. J. Med. Chem.*, 193, 1–5.
- Robert, B.A., Cave, G.W.V., Raston, C.L., and Scott, J.L., 2021, Solvent-free synthesis of calix[4]resorcinarenes, *Green Chem.*, 3, 280–284.
- Sadeer, N.B., Montesano, D., Albrizio, S., Zengin, G., and Mahomoodally, M.F., 2020, The Versatility of antioxidant assays in food science and safety-chemistry, applications, strengths, and limitations, *Antioxidants*, 9, 1–39.
- Salem, B.A., Sautrey, G., Fontanay, S., Duval, R.E., and Regnouf-De-Vains, J.B., 2011, Molecular drug-organiser: Synthesis, characterization and biological evaluation of penicillin V and/or nalidixic acid calixarene-based podands, *Bioorg. Med. Chem.*, 19, 7534–7540.
- Sardjono, R.E., Kadarohman, A., and Mardhiyah, A., 2012, Green Synthesis of some calix[4]resorcinarene under microwave irradiation, *Procedia Chem.*, 4, 224–231.

- Sardjono, R.E. and Rachmawati, R., 2017, Green synthesis of oligomer calixarenes 4th chapter, *IntechOpen*, Lebanese University.
- Sato, S., 2021, *Plasmodium*-a brief introduction to the parasites causing human malaria and their basic biology, *J. Physiol Anthropol.*, 40, 1–13.
- Sayekti, E., Jumina, Siswanta, D., and Mustofa, 2021, Sintesis dan aktivitas antikanker senyawa C-4-aliloksi-3-metoksifenilkaliks[4]resorsinarena, *Indo. J. Pure App. Chem.*, 4, 91–101.
- Shah, M. and Agrawal, Y., 2012, Calixarene: A new architecture in the analytical and pharmaceutical technology, *J. Sci. Ind. Res.*, 71, 21–26.
- Shah, R.B., Valand, N.N., Pinkesh, P., Sutariya, G., and Menon, S.K., 2015, Design, synthesis and characterization of quinoline-pyrimidine linked calix[4]arene scaffolds as antimalarial agents, *J. Incl. Phenom. Macrocycl. Chem.*, 84, 173–178.
- Silva, D.A.A., Oliveira, L.M., and Alves, C.Q., 2020, Identification of flavonoids as inhibitors of *Plasmodium falciparum* enoyl-*acp* reductase by hierarchical virtual screening, *J. Braz. Chem. Soc.*, 31, 2544–2552.
- Silverstein, R.M., Webster, F.X., and Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds*, 7th Edition, John Wiley & Sons, Inc., US.
- Slater, A.F.G., 1993, Chloroquine: mechanism of drug action and resistance in *Plasmodium falciparum*, *Pharmacol. Ther.*, 57, 203–235.
- Sliwa, W. and Deska, M., 2008, Calixarene complexes with soft metal ions, *Arkivoc*, 2008, 87–127.
- Solomon, B.J., Bauer, T.M., Ou, S.-H.I., Liu, G., Hayashi, H., Bearz, A., Penkov, K., Wu, Y.-L., Arrieta, O., Jassem, J., Calella, A.M., Peltz, G., Polli, A., Thurm, H., and Mok, T., 2022, Post hoc analysis of lorlatinib intracranial efficacy and safety in patients with alk-positive advanced non-small-cell lung cancer from the phase III CROWN Study., *J. Clin. Oncol.*, 1–15.
- Son, S., and Lewis, B.A., 2002, Free radical scavenging and antioxidative activity of caffeic acid amide and ester analogues: Structure-activity relationship, *J. Agric. Food Chem.*, 50, 468–472.
- Sousa, S.F., Fernandes, P.A., and Ramos, M.J., 2006, Protein-ligand docking: Current status and future challenges, *Proteins Struct. Funct. Genet.*, 65, 15–26.
- Su, X.Z., Zhang, C., and Joy, D.A., 2020, Host-malaria parasite interactions and impacts on mutual evolution, *Front. Cell. Infect. Microbiol.*, 10, 1–20.

- Surjadjaja, C., Surya, A., and Baird, J.K., 2016, Epidemiology of *Plasmodium vivax* in Indonesia, *Am. J. Trop. Med. Hyg.*, 9, 121–132.
- Surolia, A., Ramya, T.N.C., Ramya, V., and Surolia, N., 2004, 'FAS't inhibition of malaria, *Biochem. J.*, 383, 401–412.
- Syahri, J., Nasution, H., Nurohmah, B.A., Purwono, B., Yuanita, E., Zakaria, N.H., and Hassan, N.I., 2020, Design, synthesis and biological evaluation of aminoalkylated chalcones as antimalarial agent, *Sains Malaysiana*, 49, 2667–2677.
- Talapko, J., Škrlec, I., Alebić, T.A., Jukić, M.J., and Včev, A., 2019, Microorganisms malaria: The past and the present, *Microorganisms*, 7, 1–17.
- Timmerman, P., Verboom, W., and Reinhoudt, D.N., 1996, Resorcinarenes, *Tetrahedron*, 52, 2663–2704.
- Trott, O. and Olson, A.J., 2010, AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization and multithreading, *J. Comput. Chem.*, 31, 455–461.
- Tsou, L.K., Dutschman, G.E., Gullen, E.A., Telpoukhovskaia, M., Cheng, Y.C., and Hamilton, A.D., 2010, Discovery of a synthetic dual inhibitor of HIV and HCV infection based on a tetrabutoxy-calix[4]arene scaffold, *Bioorganic Med. Chem. Lett.*, 20, 2137–2139.
- Ursing, J., Johns, R., Aydin-Schmidt, B., Calçada, C., Kofoed, P.E., Ghanchi, N.K., Veiga, M.I., and Rombo, L., 2022, Chloroquine-susceptible and resistant *Plasmodium falciparum* strains survive high chloroquine concentrations by becoming dormant but are eliminated by prolonged exposure, *J. Antimicrob. Chemother.*, 77, 1005–1011.
- Utomo, S.B., Jumina, J., Siswanta, D., Mustofa, M., and Kumar, N., 2011, Synthesis of thiomethylated calix[4]resorcinarene based on fennel oil via chloromethylation, *Indones. J. Chem.*, 11, 1–8.
- Varma, A.K., Patil, R., Das, S., Stanley, A., Yadav, L., and Sudhakar, A., 2010, Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of drug-designing, *PLoS One*, 5, 1–10.
- Vaughan, A.M., O'Neill, M.T., Tarun, A.S., Camargo, N., Phuong, T.M., Aly, A.S.I., Cowman, A.F., and Kappe, S.H.I., 2008, Type II fatty acid synthesis is essential only for malaria parasite late liver stage development, *Cell. Microbiol.* 11, 506–520.
- Vieira Varejão, E., de Fátima, Â., and Fernandes, S., 2013, Calix[n]arenes as

- goldmines for the development of chemical entities of pharmaceutical interest, *Curr. Pharm. Des.*, 19, 6507–6521.
- Waingeh, V.F., Groves, A.T., Eberle, J.A., Waingeh, V.F., Groves, A.T., and Eberle, J.A., 2013, Binding of quinoline-based inhibitors to *Plasmodium falciparum* lactate dehydrogenase: A molecular docking study, *Open J. Biophys.*, 3, 285–290.
- Wang, Z., Chen, Y., Yuan, H., Huang, Z., and Liu, G., 2000, Preparation and characterization of calixarene-coated capillaries for capillary electrophoresis, *Electrophoresis*, 21, 1620–1624.
- Wei, L., Jia, J.D., Wang, F.S., Niu, J.Q., Zhao, X.M., Mu, S., Liang, L.W., Wang, Z., Hwang, P., Robertson, M.N., Ingravallo, P., Asante-Appiah, E., Wei, B., Evans, B., Hanna, G.J., Talwani, R., Duan, Z.P., Zhdanov, K., and Cheng, P.N., 2019, Efficacy and safety of elbasvir/grazoprevir in participants with hepatitis C virus genotype 1, 4, or 6 infection from the Asia-Pacific region and Russia: Final results from the randomized C-CORAL study, *J. Gastroenterol. Hepatol.*, 34, 12–21.
- Weinelt, F. and Schneider, H.J., 1991, Mechanisms of macrocycle genesis: The condensation of resorcinol with aldehydes, *J. Org. Chem.*, 56, 5527–5535.
- Wu, R.B., Wu, C.L., Liu, D., Yang, X.H., Huang, J.F., Zhang, J., Liao, B., He, H.L., and Li, H., 2015, Overview of antioxidant peptides derived from marine resources: The sources, characteristic, purification, and evaluation methods, *Appl. Biochem. Biotechnol.*, 176, 1815–1833.
- Yeo, S.J., Liu, D.X., Kim, H.S., and Park, H., 2017, Antimalarial effect of novel chloroquine derivatives as agents for the treatment of malaria, *Malar. J.*, 16, 1–9.
- You, L., An, R., Liang, K., Cui, B., and Wang, X., 2016, Macrocyclic compounds: emerging opportunities for current drug discovery, *Curr. Pharm. Des.*, 22, 4086–4093.
- Yousaf, A., Hamid, S.A., Bunnori, N.M., and Ishola, A.A., 2015, Applications of calixarenes in cancer chemotherapy: Facts and perspectives, *Drug Des. Devel. Ther.*, 9, 2831–2838.
- Yusuff, O.K., Abdul Raheem, M.A.O., Mukadam, A.A., and Sulaimon, R.O., 2019, Kinetics and mechanism of the antioxidant activities of *C. olitorius* and *V. amygdalina* by spectrophotometric and dft methods, *ACS Omega*, 4, 13671–13680.

- Zakiah, M., Syarif, R.A., Mustofa, M., Jumina, J., Fatmasari, N., and Sholikhah, E.N., 2021, In vitro antiplasmodial, heme polymerization, and cytotoxicity of hydroxyxanthone derivatives, *J. Trop. Med.*, 1–11.
- Zarranz, B., Jaso, A., Aldana, I., Monge, A., Maurel, S., Deharo, E., Jullian, V., and Sauvain, M., 2005, Synthesis and antimalarial activity of new 3-arylquinoxaline-2-carbonitrile derivatives, *Arzneimittel-Forschung/Drug Res.*, 55, 754–761.
- Zulaikah, S.T., 2017, The Role of antioxidant to prevent free radicals in the body, *ITB Bandung*, 2, 39–45.