

## DAFTAR PUSTAKA

- Afifah L, Hidayat P, Buchori D, Marwoto, Rahardjo BT. 2015. Pengaruh perbedaan pengelolaan agroekosistem tanaman terhadap struktur komunitas serangga pada pertanaman kedelai di Ngale, Kabupaten Ngawi, Jawa Timur. *Jurnal HPT Tropika* Vol 15 (1): 53-64. DOI: 10.23960/j.hptt.115533-64
- Ajerrar A, Zaafrani M, Qessaoui R, Abd NA, Bahadou H, Lahmyed H, Furze JN, Chebli B, Mayad EH, Bouharroud R. 2022. Terrestrial arthropods diversity in the Argan Biosphere Reserve: Seasonal dynamics and ecological function roles. *Journal of the Saudi Society of Agricultural Sciences*. DOI: 10.1016/j.jssas.2022.05.003
- Allan E, Manning P, Alt F, Binkenstein J, Blaser S, Blüthgen N, Böhm S, Grassein F, Hölzel N, Klaus VH, Kleinerbecker T, Morris EK, Oelmann Y, Prati D, Renner SC, Rillig MC, Schaefer M, Schloter M, Schmitt B, Schöning I, Schruppf, Solly E, Sorkau E, Steckel J, Steffen-Dewemter I, Stempfhuber B, Tshapka M, Weiner CN, Weisser WW, Werner M, Westphal C, Wilcke W, Fischer M. 2015. Land use intensification alters ecosystem multifunctionality via loss of biodiversity and changes to functional composition. *Ecology Letters* Vol 18(9): 834-843. DOI: 10.1111/ele.12469
- Amaral DSSL, Venzon M, dos Santos HH, Sujii ER, Schmidt JM, Harwood JD. 2016. Non-crop plant communities conserve spider populations in chili pepper agroecosystems. *Biological control* Vol. 103: 69-77. DOI: 10.1016/j.biocontrol.2016.07.007
- Andriani R, Kurniahu H, Sriwulan. 2019. Inventarisasi Tumbuhan Pionir Lahan Bekas Tambang Kapur di Kecamatan Rengel Kabupaten Tuban Jawa Timur. *BIOTROPIC The Journal of Tropical Biology* Vol 3 (1): 56 – 61. DOI: 10.29080/biotropic.2019.3.1.56-61
- Anwar EK dan Ginting RCB. 2013. *Mengenai Fauna Tanah dan Cara Identifikasinya*. Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian. IAAD Press: Jakarta.
- Ardillah, J. S., Leksono, A. S., dan Hakim, L. 2014. Diversitas Arthropoda Tanah di Area Restorasi Ranu Pani Kabupaten Lumajang. *Jurnal Biotropika* Vol. 2 No. 4. Hlm: 208-213.
- Asfiya W, Lach L, Majer JD, Heterick B and Didham RK. 2015. Intensive agroforestry practices negatively affect ant (Hymenoptera: Formicidae) diversity and composition in southeast Sulawesi, Indonesia. *Asian Myrmecology* Vol. 7: 87-104. DOI:10.20362/am.007009
- Bagyaraj, D.J., Nethravathi, C.J., Nitin, K.S. (2016). Soil Biodiversity and Arthropods: Role in Soil Fertility. In: Chakravarthy, A., Sridhara, S. (eds) *Economic and Ecological Significance of Arthropods in Diversified Ecosystems*. Springer, Singapore. [https://doi.org/10.1007/978-981-10-1524-3\\_2](https://doi.org/10.1007/978-981-10-1524-3_2)
- Begum F, Bajracharya RM, Sitaula BK, Sharma S, Ali S, Ali H. 2014. Seasonal dynamics and land use effect on soil microarthropod communities in the Mid-hills of Nepal. *International Journal of Agronomy and Agricultural Research* Vol. 5(2): 114-123. DOI:

- Birch JC, Thapa I, Balmford A, Bradbury RB, Brown C, Butchart SHM, Gurung H, Hughes FMR, Mulligan M, Pandeya B, Peh KSH, Stattersfield AJ, Walpole M and Thomas DHL. 2014. What benefits do community forests provide, and to whom? A rapid assessment of ecosystem services from a Himalayan forest, Nepal. *Ecosystem Services* Vol. 8: 118-127. DOI:10.1016/j.ecoser.2014.03.005
- Birkhofer K, Smith HG, Weisser WW, Wolters V, dan Gossner MM. 2015. Land-use effects on the functional distinctness of arthropod communities. *Ecography* 38: 889-900.
- Bomfim LDS, Bitencourt JAG, Rodrigues ENL, Podgaiski LR. 2021. The role of a rosette-shaped plant (*Eryngium horridum*, Apiaceae) on grassland spiders along a grazing intensity gradient. *Insect Conservation and Diversity*. DOI: 10.1111/icad.12475
- Brockerhoff EG, Barbaro L, Castagneyrol B, Forrester DI, Gardiner B, Gonzales-Olabarria JR, Lyver PO, Meurisse N, Oxbrough A, Taki H, Thompson ID, van der Plas F, dan Jactel H. 2017. Forest biodiversity, ecosystem functioning and the provision of ecosystem services. *Biodiversity Conservation* 26: 3005-3035. Doi 10.1007/s10531-017-1453-2
- Călugăr A dan Ivan O. 2016. Soil microarthropods and their bioindicator value regarding the bio-edaphic conditions in forest ecosystems of Danube Delta. *Studia Universitatis Vasile Goldis: Seria Stiintele Vietii* Vol. 26(2): 215-219.
- Deng Y, Bai Y, Cao R, Jiang Y, Wang Z, Li F, Gong H, Yang W. 2022. Key drivers of soil arthropod community shift across a subalpine forest series vary greatly with litter and topsoil layers. *European Journal of Soil Biology* 111 (2022) 103421. DOI: 10.1016/j.ejsobi.2022.103421
- Diehl E, Mader VL, Wolters V, Birkhofer K. 2013. Management intensity and vegetation complexity affect web-building spiders and their prey. *Oecologia* 173: 579-589. DOI: 10.1007/s00442-013-2634-7
- Eckert M. 2022. Conservation of ant (Formicidae) and springtail (Collembola) diversity in South African timber production landscapes. *DISERTASI*. Departemen Konservasi Ekologi dan Entomologi, Fakultas Agriscience. Universitas Stellenbosch.
- Elie F, Vincenot L, Berthe T, Quibel E, Zeller B, Saint-Andre L, Normand M., Chauvat M, Aubert M. 2018. Soil fauna as bioindicatorss of organic matter export in temperate forests. *Forest Ecology and Management* 429: 549-557. DOI: 10.1016/j.foreco.2018.07.053
- Fahmi MM. 2016. Struktur komunitas fauna tanah berdasarkan tipe vegetasi yang berbeda di Taman Safari Indonesia II Prigen Jawa Timur. *SKRIPSI*. Fakultas MIPA Institut Teknologi Sepuluh Nopember: Surabaya.
- Fikri GE, Incaloberty P, Arifianto T, Anggarwanto W, Yanuwiadi B. 2016. Diversitas arthropoda tanah sebagai bioindikator lahan perkebunan dan hutan sekunder di wana wisata Rawa Bayu, Desa Bayu, Banyuwangi. *Jurnal Biotropika* Vol. 4 (2): 32 – 37.
- Ghannem S, Touaylia S, Boumaiza M. 2018. Beetle (Insecta: Coleoptera) as bioindicators of the assessment of environmental pollution. *Human and Ecological Risk Assessment* 24(2): 456-464. DOI:10.1080/10807039.2017.1385387

- Goncalves F, Nunes C, Carlos C, Lopez A, Oliveira I, Crespi A, Teixeira B, Pinto R, Costa CA, dan Torres L. 2020. Do soil management practices affect the activity density, diversity, and stability of soil arthropods in vineyards? *Agriculture, Ecosystem and Environment* 294 (2020) 106863. DOI: 10.1016/j.agee.2020.106863
- Haneda NF dan Marfuah NT. 2013. Diversity of soil arthropods in teak plantation forest at Cepu, Blora, Central Java. *Jurnal Manajemen Hutan Tropika* Vol. 19(3): 169-177. DOI: 10.7226/jtfm.19.3.169
- Haneda NF dan Yuniar N. 2020. Peranan semut di ekosistem transformasi hutan hujan tropis dataran rendah. *Jurnal Ilmu Kehutanan* Vol. 14(1). DOI: 10.22146/jik.57459
- Hanson HI, Palmu E, Birkhofer K, Smith HG, Hedlund K. 2016. Agricultural land use determines the trait composition of ground beetle communities. *Plos One* 11(1): e0146329. DOI: 10.1371/journal.pone.0146329
- Hasegawa, Motohiro. 2001. The relationship between the organic matter composition of a forest floor and the structure of a soil arthropod community. *Eur. J. Soil Biol.* 37 (2001) 281-284
- Heberle H, Meirelles V, da Silva FR, Telles GP, Minghim R. 2015. InteractiVenn: a web-based tool for the analysis of sets through Venn diagrams. *BMC Bioinformatics* 16:169. DOI:10.1186/s12859-015-0611-3
- Hernando A, Wiranegara A, Maghfira R, Farahyah JD, Setyaningrum MN, Kaisa JM, Humaira AA. 2019. Effects of different land-use on arthropods diversity in Situ Cisanti area. *Ecology Project*. DOI: 10.13140/RG.2.2.15560.37126
- Holt, E. A. & Miller, S. W. (2011) Bioindicators: Using Organisms to Measure Environmental Impacts. *Nature Education Knowledge* 2(2):8
- Hunt J, Paterson H, Close P, Pettit NE. 2020. Riparian condition influences spider community structure and the contribution of aquatic carbon subsidies to terrestrial habitats. *Science of the Total Environment* Vol. 746 (2020) 141109. DOI: 10.1016/j.scitotenv.2020.141109
- Jatiningsih H, Atmanto T, Darma IGPS. 2018. Keanekaragaman collembola (ekorpegas) Gua Groda, Ponjong, Gunungkidul, Daerah Istimewa Yogyakarta. *Jurnal Edukasi Biologi* Vol. 7(6).
- Kamau JW, Biber-Freudenberger L, Lamers JPA, Stellmacher T, Borgemeister C. 2019. Soil fertility and biodiversity on organic and conventional smallholder farms in Kenya. *Applied Soil Ecology* 134: 85-97. DOI:10.1016/j.apsoil.2018.10.020
- Kinnebrew E, Neher DA, Ricketts TH, Wallin KF, Darby H, Ziegler SE, Alger SA, dan Galford GL. 2022. Cultivated milkweed hosts high diversity of surface-active and soil-dwelling arthropods in a New England case study. *Agriculture, Ecosystem and Environment* 325, 107749. DOI: 10.1016/j.agee.2021/107749
- Košulić O, Procházka J, Tuf IH, Michalko R. 2021. Intensive site preparation for reforestation wastes multi-trophic biodiversity potential in commercial oak woodlands. *Journal of Environmental Management* 300 (2021) 113741. DOI:10/1016/j.jenvman.2021.113741

- Lee Y, Kuo Y, Lu, S, Chen D, Jean H dan Chao J. 2009. Trampling, litter removal, and variations in the composition and relative abundance of soil arthropods in a subtropical hardwood forest. *Zoological Studies* 48(2): 162-173.
- Lestari NA dan Susanti AI. 2019. Kelimpahan dan keanekaragaman organisme tanah bioindikator kesuburan lahan pertanian dan pembuatan media penyuluhan pertanian. *Agriovet* Vol. 2 No. 1.
- Maulana F. 2015. Peran komunitas arthropoda tanah dalam upaya pelestarian agroforestri berbasis sengan dengan tanaman budidaya porang (*Amorphopallus muelleri* Blumei). *Rawa Sains: Jurnal Sains STIPER Amuntai* 5(1): 6-13. DOI: 10.36589/rs/v5i1.44
- Meehan ML, Song Z, Lumley L, Cobb TP, Proctor H. 2019. Soil mites as bioindicators of disturbance in the boreal forest in northern Alberta, Canada: Testing taxonomic sufficiency at multiple taxonomic levels. *Ecological Indicators* 102: 349–365. DOI: 10.1016/j.ecolind.2019.02.043.
- Meng Y, Cao B, Dong C, Dong X. 2019. Mount Taishan forest ecosystem health assessment based on forest inventory data. *Forests* Vol. 10(657): 1-14. DOI: 10.3390/f10080657
- Menta C, Remelli S. 2020. Soil health and arthropods: From complex system to worthwhile investigation. *Insects* 11: 54. DOI:10.3390/insects11010054
- Mhlanga L, Kapembeza C, Sithole R, Kativu S. 2022. Variation in ground insect diversity, composition and abundance across land use types in an African savanna, Zimbabwe. *Journal of Scientific African* Vol. 16. DOI: 10.1016/j.sciaf.2022.e01204
- Min LC dan Tae-Sung K. 2013. Community structure, species diversity of insects (ants, ground beetles), and forest health in the Hongneung forest. *Journal of Korean Society of Forest Science* Vol. 107(1): 97-106. DOI: 10.14578/JKFS.2013.102.1.097
- Mondal H, Rojo MJA. 2017. Arthropods associated with Dipterocarp saplings at Eco-park conservation area, Los Baños, Laguna, Philippines. *Journal of Entomology and Zoology Studies* 5(6): 929-934
- Munawaroh E. 2019. Keanekaragaman tumbuhan anggrek di Hutan Lindung Bukit Rgis 45B, Kabupaten Lampung Barat, Provinsi Lampung. *Prosiding Seminar Nasional Konservasi dan Pemanfaatan Tumbuhan dan Satwa Liar “Riset sebagai Fondasi Konservasi dan Pemanfaatan Tumbuhan dan Satwa Liar Lestari”*. Pusat Penelitian Biologi Lembaga Ilmu Pengetahuan Indonesia.
- Murniati, Suharti S, Minarningsih, Nuroinah HS, Rahayu S, Dewi S. 2022. What makes agroforestry a potential restoration measure in a degraded conservation forest? *Forests* 13: 1-17. DOI:10.3390/f13020267
- Musdi, Hardjanto, dan Sundawati L. 2020. Kontribusi hutan rakyat terhadap pendapatan petani di Kecamatan Kabawo Kabupaten Muna. *Jurnal Penelitian Kehutanan Bonita* Vol. 2(2):1–8. DOI: 10.55285/bonita.v2i2.493
- Musyafa. 2005. Peranan makrofauna tanah dalam proses dekomposisi serasah *Acacia mangium* Willd. *BIODIVERSITAS* Vol. 6(1): 63-65. DOI: 10.13057/biodiv/d060113

- Niego AGT, Rapior S, Thongklang N, Raspé O, Hyde KD, Mortimer P. 2023. Reviewing the contributions of macrofungi to forest ecosystem processes and services. *Fungal Biology Reviews* 44. DOI:10.1016/j.fbr.2022.11.002
- Noviyanto A, Purwanto, Minardi S, Supriyadi. 2017. The assessment of soil quality of various age of land reclamation after coal mining: a chronosequence study. *Journal of Degraded and Mining Lands Management* 5(1): 1009-1018. DOI:10.15243/kdmlm.2017.051.1009
- Oktavianti R, Nurdin J dan Herwina H. 2017. Komunitas collembola pada hutan konservasi dan perkebunan sawit Tidar Kerinci Agung (TKA), Sumatera Barat. *Jurnal Biologi Universitas Andalas* 5(1): 16-24. DOI: 10.25077/jbioua.5.1.16-24.2017
- Parmar TK, Rawtani D dan Agrawal YK. 2016. Bioindicators: the natural indicator of environmental pollution. *Frontiers in Life Science* 9(2): 110-118, DOI: 10.1080/21553769.2016.1162753
- Perry KI, Wallin KF, Wenzel JW, Herms DA. 2018. Forest disturbance and arthropods: Small-scale canopy gaps drive invertebrate community structure and composition. *Ecosphere* 9(10):e02463. DOI: 10.1002/ecs2.2463
- Petcharad B, Miyashita R, Gale GA, Sotthibandhu S, Bumrungsri S. 2016. Spatial patterns and environmental determinants of community composition of web-building spiders in understory across edges between rubber plantation and forests. *Journal of Arachnology* 44(2): 182-193. DOI: <http://www.jstor.org/stable/24892335>
- Postma-Blaauw MB, de Goede RGM, Bloem J, Faber JH, Brussaard L. 2010. Soil Biota Community Structure and Abundance under Agricultural Intensification and Extensification. *Ecol* 91(2):460– 473
- Preez GC, Daneel MS, Wepener V, Fourie H. 2018. Beneficial nematodes a bioindicators of ecosystem health in irrigated soils. *Applied Soil Ecology* Vol. 132: 155-168. DOI: 10.1016/j.apsoil.2018.08.008
- Raven PH dan Wagner DL. 2020. Agricultural intensification and climate change are rapidly decreasing insect biodiversity. *PNAS* Vol. 118(2) <https://doi.org/10.1073/pnas.2002548117>
- Rigal F, Cardoso P, Lobo JM, Triantis KA, Whittaker RJ, Amorim IR, Borges PAV. 2017. Functional traits of indigenous and exotic ground-dwelling arthropods show contrasting responses to land-use change in an oceanic island, Treceiera, Azores. *Biodiversity Research* 24(1): 36-47. DOI: 10.1111/ddi.12655
- Rohyani IS. 2020. Community structure analysis of soil insects and their potential role as bioindicators in various ecosystem types in Lombok, West Nusa Tenggara, Indonesia. *Biodiversitas* 21(9): 4221-4227. DOI: 10.13057/biodiv/d210937
- Roy S, Roy MM, Jaiswal AK, Baitha A. 2018. Soil arthropods in maintaining soil health: thrust areas for sugarcane production systems. *Sugar Tech* 20: 376-391. DOI: 10.1007/s12355-018-0591-5
- Roy S, Ahmed R, Sanyal AK, Babu A, Bora D, Rahman A, Handique G. 2021. Biodiversity of soil arthropods with emphasis on oribatid mites in three different tea agro-ecosystem with three different agronomical practices in Assam, India.



- International Journal of Tropical Insect Science 41(2): 1245–1254. DOI: 10.1007/s42690-020-00315-4.
- Rui G, Yiping W dan Hong W. 2012. Relationship between arthropods in forest litter and forest health. *Scientia Silvae Sinicae* 48(3): 122-127. DOI: 10.11707/j/10017488.20120320
- Sabrina T, Mustika AD, Hafira FP, Guchi H, Mukhlis. 2019. Soil fauna diversity on the area with several treatments on the oil palm trunk. *International Seminar and Congress of Indonesian Soil Science Society Series: Earth And Environmental Science* 393: 012025. DOI:10.1088/1755 1315/393/1/012025.
- Sari RN, Safe'i R, dan Iswandaru D. 2019. Biodiversitas fauna sebagai salah satu indikator kesehatan hutan mangrove. *Jurnal Perennial* Vol. 15 (2): 62-66. DOI: 10.24259/perennial.v15i2.6061
- Schowalter TD. 2016. *Insect Ecology 4rd Edition: An Ecosystem Approach*. London: Academic Press.
- Simon, Hasanu. 2008. *Pengelolaan Hutan Bersama Rakyat*. Pustaka Pelajar: Yogyakarta.
- Solihin MA dan Fitriatin BN. 2017. Sebaran mikroba tanah pada berbagai jenis penggunaan lahan di Kawasan Bandung Utara. *Jurnal Soilrens* Vol. 15 (1): 38-45. SOI: 10.24198/soilrens.v15i1.13345
- Stokes A, Douglas GB, Fourcaud T, Giadrossich F, Gillies C, Hubble T, Kim JH, Loades KW, Mao Z, McIvor IR, Mickovski SB, Mitchell S, Osman N, Phillips C, Poesen J, Polster D, Preti F, Raymond P, Rey F, Schwarz M, Walker LR. 2014. Ecological mitigation of hillslope instability: ten key issues facing researchers and practitioners. *Plant Soil* 377: 1-23. DOI: 10.1007/s11104-014-2044-6
- Suhardjono YR, Deharveng L, dan Bedos A. 2012. *Biologi-Skologi-Klasifikasi Colembola (Ekorpegas)*. Vegamedia: Bogor.
- Suin, Nurdin M. 2003. *Ekologi Hewan Tanah*. Bumi Aksara: Jakarta.
- Taradipha MRR, Rushayati SB, Haneda NF. 2019. Karakteristik lingkungan terhadap komunitas serangga. *Jurnal Pengelolaan Sumber Daya Alam dan Lingkungan* 9(2): 394-404. DOI:10.2944/jpsl.9.2.394-404
- Torralba M, Fagerholm N, Burgess PJ, Moreno G, Plieniger T. 2016. Do European agroforestry systems enhance biodiversity and ecosystem services? A meta-analysis. *Agriculture, Ecosystems and Environment* 230: 150-161. DOI: 10.1016/j.agee.2016.06.2002
- Triyogo A, Adriansyah AZ and Adriyanti DT. 2022. Monitoring of natural enemies (Hymenoptera) on different land use: study from agroforestry, community forest, and pioneer land. *Jurnal Manajemen Hutan Tropika* 28(2): 162-173. Doi: <https://10.7226/jtfm.28.2.162>
- Triyogo A, Budiadi, Widyastuti SM, Subrata SA, Budi SS. 2020. Abundance of ants (Hymenoptera: Formicidae) and the functional groups in two different habitats. *Biodiversitas* Vol. 21(5): 2079–2087. DOI: 10.13057/biodiv/d210535.
- Triyogo A, Suryanto P, Widyastuti SM, Baresi AD, Zuhgro IF. 2017. Kemelimpahan dan struktur tingkat trofik serangga pada tingkat perkembangan agroforestri jati yang berbeda di Nglangeran, Gunungkidul, Yogyakarta. *Jurnal Ilmu Kehutanan* 11(2): 239–248. DOI: 10.22146/jik/28287

- Triplehorn CA dan Johnson NF. 2005. *Borrer and Delong's Introduction to the Study of Insect* 7th Edition. Thomson: USA.
- Tsiafouli MA, Thebault E, Sgardelis SP, De Ruiter PC, Van der Putten WH, Birkhofer K, Hemerik L, De Vries FT, Bardgett RD, Brday MV, Bjornlund L, Jorgensen HB, Christensen S, D'Hertefeldt T, Hotes S, Hol WHG, Frouz J, Liiri M, Mortimer SR, Setälä H, Tzanopoulos J, Uteseny K, Pizl V, Stary J, Wolters V, dan Hedlund K. 2014. Intensive agriculture reduces soil biodiversity across Europe. *Global Change Biology*. DOI:10/1111/gcb.12752
- Villanueva-Lopez G. Lara-Perez LA. Oros-Ortega I. Ramirez-Barajas PJ. Casanova-Lugo F. Ramos-Reyes R, dan Aryal DR. 2019. Diversity of soil macro-arthropods correlates to the richness of plant species in traditional agroforestry systems in the humid tropics of Mexico. *Agriculture, Ecosystems and Environment* 286 (2019) 106658. DOI: 10.1016/j.agee.2019.106658
- Wahyuningtyas, R. S. 2009. *Kelimpahan dan Diversitas Makrofauna Tanah pada Berbagai Pola Tanam Berbasis Sengon*. Tesis. Program Studi Ilmu Kehutanan Program Pasca Sarjana Unviersitas Gadjah Mada. Yogyakarta.
- Warino J. 2016. *Keanekaragaman dan kelimpahan collembola pada perkebunan kelapa sawit di Kecamatan Bajubang, Jambi*. TESIS. Sekolah Pascasarjana Institut Pertanian Bogor: Bogor.
- Warren WA. 2007. What is a healthy forest?: Definition, rationales, and the lifeworld. *Society and Natural Resources* 20:99-117. DOI:10.1080/08941920600901890
- Widyati E. 2013. Pentingnya keragaman fungsional organisme tanah terhadap produktivitas lahan. *Jurnal Tekno Hutan Tanaman* Vol. 6(1): 29 – 37.
- Yuniar N dan Haneda NF. 2015. Keanekaragaman semut (Hymenoptera: Formicidae) pada empat tipe ekosistem yang berbeda di Jambi. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* Vol 1(7):1582-1585. DOI: 10.13057/psnmbi/m0107
- Zhafran A. 2020. *Diversitas serangga pada tiga tipe intensitas kelola lahan*. SKRIPSI. Fakultas Kehutanan Universitas Gadjah Mada.
- Zhang L, Zhang X, Cui W. 2014. Relationship between land use pattern and the structure and diversity of soil meso-micro arthropod community. *Ecotoxicology* 23: 707-717. DOI: 10.1007/s10646-014-1186-x
- Zulkaidhah, Musyafa, Soemardi, Hardiwinoto S. 2014. Kajian komunitas rayap akibat alih guna hutan menjadi agroforestri di Taman Nasional Lore Lindu, Sulawesi Tengah. *Jurnal Manusia dan Lingkungan* 21(2): 213-219. DOI: 10.22146/jml.18546