

DAFTAR PUSTAKA

- [1] N. F. Thornhill, B. Huang, and H. Zhang, "Detection of multiple oscillations in control loops," *Journal of Process Control*, vol. 13, no. 1, pp. 91–100, 2003, doi: 10.1016/S0959-1524(02)00007-0.
- [2] X. Lang, Y. Zhang, L. Xie, X. Jin, A. Horch, and H. Su, "Use of Fast Multivariate Empirical Mode Decomposition for Oscillation Monitoring in Noisy Process Plant," *Industrial and Engineering Chemistry Research*, vol. 59, no. 25, pp. 11537–11551, 2020, doi: 10.1021/acs.iecr.9b06351.
- [3] L. Xie, X. Lang, A. Horch, and Y. Yang, "Online oscillation detection in the presence of signal intermittency," *Control Engineering Practice*, vol. 55, pp. 91–100, Oct. 2016, doi: 10.1016/j.conengprac.2016.06.020.
- [4] K. Taunk, S. De, S. Verma, and A. Swetapadma, "A Brief Review of Nearest Neighbor Algorithm for Learning and Classification," in *2019 International Conference on Intelligent Computing and Control Systems (ICCS)*, May 2019, pp. 1255–1260. doi: 10.1109/ICCS45141.2019.9065747.
- [5] J. W. V. Dambros, J. O. Trierweiler, M. Farenzena, and M. Kloft, "Oscillation detection in process industries by a machine learning-based approach," *Industrial and Engineering Chemistry Research*, vol. 58, no. 31, pp. 14180–14192, 2019, doi: 10.1021/acs.iecr.9b01456.
- [6] L. Xie, X. Lang, A. Horch, and Y. Yang, "Online oscillation detection in the presence of signal intermittency," *Control Engineering Practice*, vol. 55, pp. 91–100, 2016, doi: 10.1016/j.conengprac.2016.06.020.
- [7] S. Yean, B. S. Lee, C. K. Yeo, and Z. Chen, "Automated oscillation detection and correction of fused wearable sensor signals using machine learning," *Wireless Telecommunications Symposium*, vol. 2018-April, pp. 1–6, 2018, doi: 10.1109/WTS.2018.8363935.
- [8] Y. Meng *et al.*, "Time Series Classification for Locating Forced Oscillation Sources," vol. 12, no. 2, pp. 1712–1721, 2021.
- [9] Y. Y. S. Henry, C. Aldrich, and H. Zabiri, "Detection and severity identification of control valve stiction in industrial loops using integrated partially retrained CNN-PCA frameworks," *Chemometrics and Intelligent Laboratory Systems*, vol. 206, p. 104143, Nov. 2020, doi: 10.1016/j.chemolab.2020.104143.
- [10] S. Yin, S. X. Ding, A. Haghani, H. Hao, and P. Zhang, "A comparison study of basic data-driven fault diagnosis and process monitoring methods on the benchmark Tennessee Eastman process," *Journal of Process Control*, vol. 22, no. 9, pp. 1567–1581, Oct. 2012, doi: 10.1016/j.jprocont.2012.06.009.



- [11] C. K. Lau, K. Ghosh, M. A. Hussain, and C. R. Che Hassan, "Fault diagnosis of Tennessee Eastman process with multi-scale PCA and ANFIS," *Chemometrics and Intelligent Laboratory Systems*, vol. 120, pp. 1–14, Jan. 2013, doi: 10.1016/j.chemolab.2012.10.005.
- [12] E. L. Russell, L. H. Chiang, and R. D. Braatz, *Data-driven Methods for Fault Detection and Diagnosis in Chemical Processes*. London: Springer London, 2000. doi: 10.1007/978-1-4471-0409-4.
- [13] J. J. Downs and E. F. Vogel, "A plant-wide industrial process control problem," *Computers & Chemical Engineering*, vol. 17, no. 3, pp. 245–255, Mar. 1993, doi: 10.1016/0098-1354(93)80018-I.
- [14] S. Yin, X. Gao, H. R. Karimi, and X. Zhu, "Study on Support Vector Machine-Based Fault Detection in Tennessee Eastman Process," *Abstract and Applied Analysis*, vol. 2014, p. e836895, Apr. 2014, doi: 10.1155/2014/836895.
- [15] T. Jockenhövel, L. T. Biegler, and A. Wächter, "Dynamic optimization of the Tennessee Eastman process using the OptControlCentre," *Computers & Chemical Engineering*, vol. 27, no. 11, pp. 1513–1531, Nov. 2003, doi: 10.1016/S0098-1354(03)00113-3.
- [16] J. W. V. Dambros, J. O. Trierweiler, and M. Farenzena, "Oscillation detection in process industries – Part I: Review of the detection methods," *Journal of Process Control*, vol. 78, pp. 108–123, Jun. 2019, doi: 10.1016/j.jprocont.2019.04.002.
- [17] F. Klug, "Modelling oscillations in the supply chain: the case of a just-in-sequence supply process from the automotive industry," *J Bus Econ*, vol. 92, no. 1, pp. 85–113, Jan. 2022, doi: 10.1007/s11573-021-01049-6.
- [18] M. a. A. Shoukat Choudhury *et al.*, "Detection and Diagnosis of Plant-Wide Oscillations," *The Canadian Journal of Chemical Engineering*, vol. 85, no. 2, pp. 208–219, 2007, doi: 10.1002/cjce.5450850209.
- [19] M. Jelali and B. Huang, Eds., *Detection and Diagnosis of Stiction in Control Loops*. London: Springer London, 2010. doi: 10.1007/978-1-84882-775-2.
- [20] P. Duan, T. Chen, S. L. Shah, and F. Yang, "Methods for root cause diagnosis of plant-wide oscillations," *AIChE Journal*, vol. 60, no. 6, pp. 2019–2034, 2014, doi: 10.1002/aic.14391.
- [21] S. Ankit, U. Raksha, and K. Abhay, "Analysis of Colored Noise and its Effect on BER performance of Wireless Communication".
- [22] L. Cabañero, R. Hervás, J. Bravo, L. Rodríguez-Benitez, and C. Nugent, "eeglib: computational analysis of cognitive performance during the use of video games," *J Ambient Intell Human Comput*, vol. 13, no. 11, pp. 5351–5362, Nov. 2022, doi: 10.1007/s12652-019-01592-9.



- [23] G. C. Hillar, *Hands-On MQTT Programming with Python: work with the lightweight iot protocol in python*. Place of publication not identified: PACKT Publishing Limited, 2018.
- [24] G. C. Hillar, *MQTT Essentials - A Lightweight IoT Protocol*. Packt Publishing Ltd, 2017.
- [25] “emMQTT: Client Functionality.” <https://www.segger.com/products/security-iot/emmqtt/> (accessed Sep. 22, 2022).
- [26] A. L. Samuel, “Some Studies in Machine Learning Using the Game of Checkers,” *IBM Journal of Research and Development*, vol. 3, no. 3, pp. 210–229, Jul. 1959, doi: 10.1147/rd.33.0210.
- [27] B. Mahesh, “Machine Learning Algorithms - A Review,” *International Journal of Science and Research (IJ)*, vol. 2020, no. 1, pp. 381–386, doi: 10.21275/ART20203995.
- [28] G. James, D. Witten, T. Hastie, and R. Tibshirani, *An Introduction to Statistical Learning*, vol. 103. New York, NY: Springer New York, 2013. doi: 10.1007/978-1-4614-7138-7.
- [29] A. Geron, *Hands-On Machine Learning with Scikit-Learn, Keras & Tensorflow*, 2nd ed. Sebastopol: O’Reilly, 2019.
- [30] Z. Ghahramani, “Unsupervised Learning,” in *Advanced Lectures on Machine Learning: ML Summer Schools 2003, Canberra, Australia, February 2 - 14, 2003, Tübingen, Germany, August 4 - 16, 2003, Revised Lectures*, O. Bousquet, U. von Luxburg, and G. Rätsch, Eds. Berlin, Heidelberg: Springer, 2004, pp. 72–112. doi: 10.1007/978-3-540-28650-9_5.
- [31] Y. Reddy, V. Pulabaigari, and E. B, “Semi-supervised learning: a brief review,” *International Journal of Engineering & Technology*, vol. 7, p. 81, Feb. 2018, doi: 10.14419/ijet.v7i1.8.9977.
- [32] R. Gautron, O.-A. Maillard, P. Preux, M. Corbeels, and R. Sabbadin, “Reinforcement learning for crop management support: Review, prospects and challenges,” *Computers and Electronics in Agriculture*, vol. 200, p. 107182, Sep. 2022, doi: 10.1016/j.compag.2022.107182.
- [33] C. H. C. Ribeiro, “A Tutorial on Reinforcement Learning Techniques.”
- [34] A. Subasi, “Chapter 1 - Introduction,” in *Practical Machine Learning for Data Analysis Using Python*, A. Subasi, Ed. Academic Press, 2020, pp. 1–26. doi: 10.1016/B978-0-12-821379-7.00001-1.
- [35] P. Cunningham and S. J. Delany, “k-Nearest Neighbour Classifiers: 2nd Edition (with Python examples),” *ArXiv*, 2020, doi: 10.1145/3459665.



- [36] N. Ali, D. Neagu, and P. Trundle, "Evaluation of k-nearest neighbour classifier performance for heterogeneous data sets," *SN Appl. Sci.*, vol. 1, no. 12, p. 1559, Nov. 2019, doi: 10.1007/s42452-019-1356-9.
- [37] M. Nishom, "Perbandingan Akurasi Euclidean Distance, Minkowski Distance, dan Manhattan Distance pada Algoritma K-Means Clustering berbasis Chi-Square," *Jurnal Informatika: Jurnal Pengembangan IT*, vol. 4, pp. 20–24, Jan. 2019, doi: 10.30591/jpit.v4i1.1253.
- [38] "Effects of Distance Measure Choice on K-Nearest Neighbor Classifier Performance: A Review | Big Data." <https://www.liebertpub.com/doi/abs/10.1089/big.2018.0175> (accessed Aug. 07, 2022).
- [39] H. Abdi and L. J. Williams, "Principal component analysis," *WIREs Computational Statistics*, vol. 2, no. 4, pp. 433–459, 2010, doi: 10.1002/wics.101.
- [40] N. Salem and S. Hussein, "Data dimensional reduction and principal components analysis," *Procedia Computer Science*, vol. 163, pp. 292–299, Jan. 2019, doi: 10.1016/j.procs.2019.12.111.
- [41] K. Keerthi Vasana and B. Surendiran, "Dimensionality reduction using Principal Component Analysis for network intrusion detection," *Perspectives in Science*, vol. 8, pp. 510–512, Sep. 2016, doi: 10.1016/j.pisc.2016.05.010.
- [42] D. Singh and B. Singh, "Investigating the impact of data normalization on classification performance," *Applied Soft Computing*, vol. 97, p. 105524, Dec. 2020, doi: 10.1016/j.asoc.2019.105524.
- [43] *Practical Machine Learning with Python*. Accessed: Aug. 19, 2022. [Online]. Available: <https://link.springer.com/book/10.1007/978-1-4842-3207-1>
- [44] M. Barandas *et al.*, "TSFEL: Time Series Feature Extraction Library," *SoftwareX*, vol. 11, p. 100456, Jan. 2020, doi: 10.1016/j.softx.2020.100456.
- [45] T. Yu and H. Zhu, "Hyper-Parameter Optimization: A Review of Algorithms and Applications." arXiv, Mar. 12, 2020. doi: 10.48550/arXiv.2003.05689.
- [46] E. Elgeldawi, A. Sayed, A. R. Galal, and A. M. Zaki, "Hyperparameter Tuning for Machine Learning Algorithms Used for Arabic Sentiment Analysis," *Informatics*, vol. 8, no. 4, Art. no. 4, Dec. 2021, doi: 10.3390/informatics8040079.
- [47] S. Raschka and V. Mirjalili, *Python machine learning: machine learning and deep learning with Python, scikit-learn, and TensorFlow*, Second edition, Fourth release, [fully revised and Updated]. Birmingham Mumbai: Packt Publishing, 04.
- [48] M. Lovrić, M. Milanović, and M. Stamenković, "Algorithmic methods for segmentation of time series: An overview," *Journal of Contemporary Economic and Business Issues*, vol. 1, no. 1, pp. 31–53, 2014.



- [49] H. S. Hota, R. Handa, and A. K. Shrivastava, "Time Series Data Prediction Using Sliding Window Based RBF Neural Network," p. 12.
- [50] Z. Shi, "Improving k-Nearest Neighbors Algorithm for Imbalanced Data Classification," *Materials Science and Engineering*, p. 7, 2019.
- [51] J. W. V. Dambros, J. O. Trierweiler, M. Farenzena, and M. Kloft, "Oscillation Detection in Process Industries by a Machine Learning-Based Approach," *Ind. Eng. Chem. Res.*, vol. 58, no. 31, pp. 14180–14192, Aug. 2019, doi: 10.1021/acs.iecr.9b01456.
- [52] C. Zhang, Q. Guo, and Y. Li, "Fault Detection in the Tennessee Eastman Benchmark Process Using Principal Component Difference Based on K-Nearest Neighbors," *IEEE Access*, vol. 8, pp. 49999–50009, 2020, doi: 10.1109/ACCESS.2020.2977421.
- [53] H. Zhivomirov, "A Method for Colored Noise Generation," vol. 15, no. 1.
- [54] P. R. Lyman and C. Georgakis, "Plant-wide control of the Tennessee Eastman problem," *Computers & Chemical Engineering*, vol. 19, no. 3, pp. 321–331, Mar. 1995, doi: 10.1016/0098-1354(94)00057-U.

