

DAFTAR PUSTAKA

- Abraham, E.M., Kyriazopoulos, A.P., and Parissi, Z.M. 2014. Growth, dry matter production, phenotypic plasticity, and nutritive value of three natural populations of *Dactylis glomerata* L. under various shading treatments. *Agroforest. Syst.* 88: 287-299.
- Andersen, K. Baldwin, B.G., and Bremer, B. 1999. Phylogenetic utility of nuclear rDNA ITS region in subfamily *Ixoroidae* (Rubiaceae): Comparisons with cpDNA *rbcL* sequence data. *Plant Systematic Evolution* (217) : 119-135.
- Annisa, Chen, S., and Cowling, W. 2013. Global genetic diversity in oilseed *Brassica rapa*. *Crop Pasture Sci* 64: 993-1007.
- Arif, I. A., Bakir, M. A., Khan, H. A., Al Farhan, A. H., Al Homaidan, A. A., Bahkali, A. H., Al Sadoon, M., and Shobrak, M. 2010. A Brief Review of Molecular Techniques to Assess Plant Diversity. *International Journal of Molecular Sciences* 11 (5): 2079-2096.
- Arrijani. 2003. Phenetic relationship of Genus *Knema*, *Horsfieldia*, and *Myristica* in Java based on pollen morphological evidence. *Biodiversitas, Journal of Biological Diversity*, 4(2): 83-88.
- Axmacher, J.C., Brehm, G., Hemp, A., Tunte, H., Lyaruu H.V.M., Muller-Hohenstein, K., and Fiedler, K. 2009. Determinants of Diversity in Afrotropic Herbivorous Insects (Lepidoptera: Geometridae): Pant Diversity, Vegetation Structure or Abiotic Factors?. *Journal of Biogeography*. 36: 337-349.
- Azuma H., Thein, L.B., and Kawano S., 1999. Molecular phylogeny of *Magnolia* (Magnoliaceae) inferred from cpDNA sequences and evolutionary divergence of the floral scents. *J. Plant Research*, 112: 291-306.
- Baldwin, B. G., M. J. Sanderson, J. M. Porter, M. F. Wojciechowski, C. S. Campbell, and M. J. Donoghue. 1995. The ITS Region of Nuclear Ribosomal DNA: a Valuable Sources of Evidence on Angiospermae Phylogeny. *Ann. Missouri Bot. Gard.*, 82: 247-277.
- Barrera Jr., W.B., De Guzman, V.J.D and Mergilla, R.M.R. 2019. Functional adaptations of *Begonia oxysperma* A. D.C. and *Begonia ramosii* Merr. (Begoniaceae) revealed through morpho-anatomical analyses. *Philippine Journal of Systematic Biology* 13 (1): 13-27. DOI: 10.26757/pjsb2019a13003.
- Beaumont, M.A., K. M. Ibrahim, P. Boursot and M.W. Bruford. 1998. *Measuring Genetic Distance. Molecular Tools for Screening Biodiversity*. Edited by A. Karp, P. G. Isaac & D. S. Ingram. Chapman & Hall, London. Chapter 17.1. pp. 315-325.
- Bertan, I., de Carvalho, F.I.F and de Oliveira, A.C. 2007. Review article: Parental Selection Strategies in Plant Breeding Programs. *J. Crop Sci. Biotech.* 10 (4) : 211 ~ 222
- Bhambri, P. and Gupta, O. P. 2012. Development of phylogenetic tree based on Kimura's Method. Proceedings of 2012 2nd IEEE International Conference on Parallel, Distributed and Grid Computing, PDGC 2012, 1-3. <https://doi.org/10.1109/PDGC.2012.6449910>.
- Consortium Barcode of Life (CBOL) Plant Working Group 1. 2009. A DNA

- Barcode for Land Plants. *PNAS*, 106 (31): 12794–12797.
- Cheng, T., Xu, C., Lei, L., Li, C., Zhang, Y., and Zhou, S. 2016. Barcoding the kingdom Plantae: new PCR primers for ITS regions of plants with improved universality and specificity. *Molecular Ecology Resources*, 16: 138–149.
- Chiang, T.Y., Schaal, B.A. and Peng, C. 1998. Universal primers for amplification and sequencing a noncoding spacer between the *atpB* and *rbcL* genes of chloroplast DNA. *Botanical Bulletin of Academia Sinica*, 39: 245 – 250.
- Chung, K.F., Leong, W.C., Rubite, R.R., Repin, R., Kiew, R., Liu, Y., and Peng, C.I. 2014. Phylogenetic analyses of *Begonia* sect. *Coelocentrum* and allied limestone species of China shed light on the evolution of Sino-Vietnamese karst flora. *Bot Stud* 55: 1-15. DOI: 10.1186/1999-3110-55-1.
- Darajati, W., Pratiwi, S., Herwinda, E., Radiansyah, A.D., Nalang, V.S., Nooryanto, B., Rahajoe, J.S., Ubaidillah, R., Maryanto, I., Kurniawan, R., Prasetyo, T.A., Rahim, A., Jefferson, J., and Hakim, F. 2016. Indonesian Biodiversity Strategy and Action Plan (IBSAP) 2015 – 2020. Jakarta: Kementerian Perencanaan Pembangunan Nasional (BAPPENAS). Halaman: 1-289.
- Dairawan, M. and Preetha, J.S. 2020. The evolution of DNA extraction methods. *America Journal of Biomedical Science and Research*, 8 (1): 39-46.
- Dewitte, A., Twyford, A., Thomas, D., Kidner C., and Van Huylbroeck, J. 2011. The Origin of Diversity in *Begonia*: Genome Dynamism, Population Processes and Phylogenetic Patterns. In: Grillo, Venora G (eds) *The Dynamical Processes of Biodiversity-Case Studies of Evolution and Spatial Distribution*. In Tech. pp. 27- 52.
- Dharmayanti, I.N.L.P. 2011. Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi. *Wartazoa*, 21 (1): 1-10.
- Dias, L., A.S. 2001. Genetic Improvement Cacao Melhoramento Genetico Du Cacaerurio (Ed. Dias LAS), FUNAFE-UFG, Brazil. Translated to English by Abreu-Ricart CE (<http://ecoport.org>) Diakses 23 Mei 2022.
- Doi, K., Kaga A., Tomooka, N., and Vaughan, D.A. 2002. Molecular phylogeny of genus *Vigna* subgenus *Ceratotropis* based on rDNA ITS and *atpB-rbcL* intergenic spacer of cpDNA sequences. *Genetica*, 114:129–145.
- Doorenbos J., Sosef M.S.M., and de Wilde J.J.F.E. 1998. The sections of *Begonia* including descriptions keys and species lists (Studies in *Begoniaceae* VI). *Wageningen Agricultural University Papers*, 98 (2): 1 - 266.
- Doyle, J.J. and Doyle, J.L. 1990. Isolation of plant DNA from fresh tissue. *Focus* 12:13–15.
- Efendi, M. Tipe stomata tiga puluh dua jenis *Begonia* alam Indonesia koleksi Kebun Raya Cibodas. *Berita Biologi* 18 (2): 175 – 183.
- Efendi, M., Rustandi, U., Sunandar, D. dan Windarsih, G. 2020. Catatan Variasi Morfologi Intraspesies *Begonia areolata* Miq. Berdasarkan Koleksi Kebun Raya Cibodas, Jawa Barat. *Jurnal Biologica Samudra* 2 (2): 103 – 113.
- Engles, J.M.M. 1983. A systematic Description of Cacao Clones : III. Relationship Between Clones, Between Characteristics and Some Consequences for the Cacao Breeding. *Euphytica*, 32 (2) : 719-733.
- Fitmawati, A., Suwita, N., and Sofiyanti, H. 2013. Eksplorasi dan Karakterisasi

- Keanekaragaman Plasma Nutfah Mangga (*Mangifera*) di Sumatera Tengah. *Prosiding Semirata FMIPA Universitas Lampung*, 307–312.
- Fitmawati, Hayati, I., Mahatma, R., and Suzanti, F. 2018. Phylogenetic Study of *Mangifera* from Sumatra, Indonesia using Nuclear and Chloroplast DNA Sequences. *SABRAO Journal of Breeding and Genetics*, 50 (3): 295-312.
- Forrest, L.L. and Hollingsworth, P.M. 2003. A recircumscription of *Begonia* based on nuclear ribosomal sequences. *Plant systematic and evolution.*, 241 (3): 193- 211.
- Fujii N, Ueda K, Watano Y, and Shimizu T. 1997. Intraspecific sequence variation of chloroplast DNA in *Pedicularis chamissonis* Steven (Scrophulariaceae) and geographic structuring of the Japanese ‘alpine’ plants. *J. Plant Research*, 110: 195–207.
- Girmansyah, D. 2008. Keanekaragaman Jenis *Begonia* (*Begoniaceae*) Liar Di Jawa Barat. *Berita Biologi* 9(2). 195-203.
- Girmansyah, D. 2009. A taxonomic study of Bali and Lombok *Begonia* (*Begoniaceae*). *Reinwardtia* 12 (5): 419-434.
- Girmansyah D. 2017. Sinopsis *Begonia* liar di Sumatera Barat. *Berita Biologi* 16 (3) 2017: 219-231.
- Golenberg, E. M., Clegg, M. T., Durbin, M. L., Doebley, J., and Ma, D. P. 1993. Evolution of a noncoding region of the chloroplast genome. *Molecular Phylogenetics and Evolution* 2: 52–64.
- Govindaraj, M., Vetriventhan, M. and Srinivasan, M. 2015. Importance of Genetic Diversity Assessment in Crop Plants and Its Recent Advances: An Overview of Its Analytical Perspectives. *Genetic Research International*, 2015, pp. 1-14. Doi: 10.1155/2015/431487.
- Goodall-Copestake, W., Pérez-Espona, S., Harris, D.J. and Hollingsworth, P.M. 2010. The early evolution of the mega-diverse genus *Begonia* (*Begoniaceae*) inferred from organelle DNA phylogenies. *Biological journal of the linnean society*, Vol.101, No.2, (October 2010), pp. 243-250, ISSN 0024-4074.
- Gower, J.C. 1971. A general coefficient of similarity and some of its properties. *Biometrics* 27: 857-874.
- Gravendeel, B. 2000. Reorganising the orchid genus *Coelogyne*: a phylogenetic classification based on morphology and molecules. Thesis. Nationaal Herbarium Nederland. Universiteit Leiden branch. pp 1-208.
- Ghorbani, A., Saeedi, Y and de Boer, H.J. 2017. Unidentifiable by morphology: DNA barcoding of plant material in local markets in Iran. *PLoS ONE* 12(4): 1-15. DOI: <https://doi.org/10.1371/journal.pone.0175722>.
- Gould, K.S., D.A.Dudle, and H.S. Neifeld. 2010. Why some stems are red: cauline anthocyanins shield photosystem II against high light stress. *Journal of Experimental Botany*. 61(10): 2707-2717.
- Haba, S.R. 2015. Conservation of *Begonia* Germplasm through Seeds: Characterization of Germination and Vigor in Different Species. [Thesis]. Horticulture and Crop Science Program, Ohio State University, Columbus. pp. 1-144.
- Henderson, A. 2006. Traditional morphometrics in plant systematics and its role in

- palm systematics. *Bot. J. Linn. Soc.* 151: 103–111.
- Hidayat, T., Yukawa, T.; Ito, M. 2005. Molecular phylogenetics of subtribe *Aeridinae* (*Orchidaceae*): insight from plastid *matK* and nuclear ribosomal ITS sequences. *J. Plant Res.* 18:271-184.
- Hidayat, T. dan Pancoro, A. 2008. Ulasan: Kajian Filogenetika Molekuler dan Peranannya dalam Menyediakan Informasi Dasar untuk Meningkatkan Kualitas Sumber Genetik Anggrek. *Jurnal AgroBiogen* 4(1):35-40.
- Hillis, D.M., C. Moritz, and B.K. Mable. 1996. *Molecular Systematic*. 2nd Ed. Sinauer Associates, Massachusetts.
- Hoot, S.B. and Douglas, A.W. 1998. Phylogeny of the Proteaceae Based on *atpB* and *atpB-rbcL* Intergenic Spacer Region Sequences. *Australian Systematic Botany*, 11, 301–320.
- Hoover, S.W., J.M. Hunter., H. Wiriadinata and D. Girmansyah, 2006. *Begonias* at Bali Botanic Gardens, Indonesia. *The BEGONIAN* Publication of the American *Begonia* Society, ISSN 0096-8684. November-Desember 2006. pp: 224-225.
- Huang, S.S.F., Hwang, S.Y., and Lin, T.P. 2002. Spatial pattern of chloroplast DNA variation of *Cyclobalanopsis glauca* in Taiwan and East Asia. *Molecular Ecology* 11:2349–2358. <https://doi.org/10.1046/j.1365-294X.2002.01624.x>
- Hughes, M. and P.M. Hollingsworth, 2008. Population genetic divergence corresponds with species level biodiversity patterns in the large genus *Begonia*. *Molecular ecology*.17 (11): 2643-2651.
- Hughes, M., Moonlight, P.W., Jara-Muñoz, A., Tebbitt, M.C., Wilson, H.P. and Pullan, M. 2021. *Begonia Resource Centre*. Online database available from <http://padme.rbge.org.uk/Begonia/> (diakses pada 13 Juni 2021).
- Izhaki, I., Tsahar, E., Paluy, I., and Friedman, J. 2002. Within population variation and interrelationships between morphology, nutritional content, and secondary compounds of *Rhamnus alaternus* fruits. *New Phytologist* 156: 217-223.
- Janssens, S., Geuten, K., Yuan, Y.M., Song, Y., Kupfer, P., and Smets, E. 2006. Phylogenetics of *Impatiens* and *Hydrocera* (*Balsaminaceae*) using Chloroplast *atpB-rbcL* Spacer Sequences. *Systematic Botany* 31(1): pp. 171–180.
- Judd, W.S., Campbell, C.S., Kellogg, E., and Stevens, P. 2008. *Plant Systematics: A phylogenetic approach*. *Taxon* 56 (4), p. 1316. DOI: 10.2307/25065934
- Karsinah, Sudarsono, Setyobudi, L., dan Aswidinnoor, H. 2002. Keragaman Genetik Plasma Nutfah Jeruk Berdasarkan Analisis Penanda RAPD. *Jurnal Bioteknologi Pertanian* 7 (1):8-16.
- Kementerian Pertanian Republik Indonesia. 2014. Panduan Pelaksanaan Uji (PPU) BUSS Kebaruan, Keunikan, Keseragaman dan Kestabilan. Hal. 7-19
- Khoo. H.E., A. Azlan, S.T. Tang and S.M. Lim. 2017. Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food Nutr Res.* 61(1): 1361779.
- Klingenberg, C.P. 2019. Phenotypic Plasticity, Developmental Instability, and Robustness: The Concepts and How They Are Connected. *Front. Ecol. Evol.* 7(56): 1-15. Doi: 10.3389/fevo.2019.00056.

- Kurniawan, A., Sumerta, I.M., Sudiatna, I.N. Suriani, N.M., Merriansyah, H., Armawa, I N., Putri, D.M.S., and Iryadi, R. 2022. An Alphabetical List of Plant Species Cultivated in “Eka Karya” Bali Botanic Garden. Jakarta: BRIN Publishing. 551 pp.
- Li-juan, J. and S. Yu-Min. 2013. Evaluating Candidate DNA Barcodes among Chinese *Begonia* (*Begoniaceae*) Species. *Plant Diversity and Resources*. 35 (6): 715 – 724.
- Liu, C., Wang, G., Wang, H., Xia, T., Zhang, S., Wang, Q., and Fang, Y. 2015. Phylogenetic Relationships in the Genus *Rosa* Revisited Based on *rpl16*, *trnL-F*, and *atpB-rbcL* Sequences. *Hortscience* 50 (11): 1618–1624.
- Liu, Y., Tikunov, Y., Schouten, R. E., Marcelis, L. F. M., Visser, R. G. F., and Bovy, A. 2018. Anthocyanin biosynthesis and degradation mechanisms in solanaceous vegetables: a review. *Front. Chem.* 6, 52. Doi: 10.3389/fchem.2018.00052.
- Makarieva, A.M. and V.G. Gorshkov. 2004. On the nature of intraspecific genetic variability : Evidence againts the ruling paradigm. Theoretical Physics Division, Petersburg Nuclear Physics Institute, 188300, Gatchina, St. Petersburg, Russia, elba@peterlink.ru, <http://www.bioticregulation.ru>. <https://arxiv.org/ftp/arxiv/papers/1101/1101.0579.pdf> .pp. 1-16.
- McLellan, T. and N.G. Dengler. 1995. Pattern and Form in Repeated Elements in the Development of Simple Leaves of *Begonia dregei*. *International Journal of Plant Sciences*. 156 (5):581-589.
- Mondini, L., Noorani, A., and Pagnotta, M.A. 2009. Assessing plant genetic diversity by molecular tools. *Diversity* 1: 19-35.
- Moonlight P.W., Ardi W.H., Padilla L.A., Chung K-F, Fuller D., Girmansyah D., Hollands R., Jara-Muñoz A., Kiew R., Leong W-C, Liu Y., Mahardika A, Marasinghe L.D.K., O’Connor M., Peng C-I, Pérez A.J., Phutthai T., Pullan M., Rajbhandary S., Reynel C., Rubite R.R., Sang J., Scherberich D., Shui Y-M, Tebbitt M.C., Thomas D.C., Wilson H.P, Zaini N.H., and Hughes, M. 2018. Dividing and conquering the fastest-growing genus: towards a natural sectional classification of the mega-diverse genus *Begonia* (*Begoniaceae*). *Taxon* 67 (2): 267-323. DOI: 10.12705/672.3.
- Moritz, C. and D.M. Hillis. 1996. Molecular systematics: Context and controversies. In Hillis, D.M., C. Moritz, B.K. Mable. (Eds.). *Molecular Systematics*, 2nd edition, Sinauer Associate, Sunderland, MA, USA. pp. 1-13.
- Manen, J. F., Savolainen, V., and Simon, P. 1994. The *atpB* and *rbcL* promoters in plastid DNAs of a wide dicot range. *Journal of Molecular Evolution* 38: 577–582.
- Manen, J. F., and Natali, A. 1995. Comparison of the evolution of ribulose-1, 5-biphosphate carboxylase (*rbcL*) and *atpB-rbcL* noncoding spacer sequences in a recent plant group, the tribe Rubieae (*Rubiaceae*). *Journal of Molecular Evolution* 41: 920–927.
- Mauro, D.S. and A. Agorreta, 2010. Molecular Systematics: A Synthesis of The Common Methods and The State of Knowledge. *Cellular & Molecular Biology Letters*. 15: 311-341.

- Natali, A., Manen, J.F., and Ehrendorfer, F. 1995. Phylogeny of the Rubiaceae–Rubioidae, in particular the tribe Rubieae: Evidence from a non-coding chloroplast DNA sequence. *Annals of the Missouri Botanic Garden* 82: 428–439.
- Nazar, N. and Mahmood, T. 2011. Morphological and molecular characterization of selected *Artemisia* species from Rawalakot, Azad Jammu and Kashmir. *Acta Physiol Plant* 33: 625-633. DOI: 10.1007/s11738-010-0545-3.
- Neale, S., Goodall-Copestake, W., and Kidner, C.A. 2006. The evolution of diversity in *Begonia*. In: *Floriculture, Ornamental and Plant Biotechnology*, Teixeira da Silva, JA. (ed.), Global Science books, ISBN 4903313093, Middlesex, UK. pp. 606-611.
- Nei, M. and Kumar, S. 2000. *Molecular Evolution and Phylogenetics*. Oxford University Press, Inc., New York. 352 pp.
- Nie, Z., Wen, J., Sun, H., and Bartholomew, B. 2005. Monophyly of *Kelloggia* Torrey ex Benth. (Rubiaceae) and evolution of it since continental disjunction between western north America and eastern Asia. *American Journal of Botany*, 92 (4): 642–652.
- Nilsson, R.H., E. Kristiansson, M. Ryberg, N. Hallenberg and K.H. Larsson. 2008. Intraspecific ITS Variability in the Kingdom Fungi as Expressed in the International Sequence Databases and Its Implications for Molecular Species Identification. *Evolutionary Bioinformatics*. 4: 193–20.
- Ningrum, W.D.A., Atmaja, M.B., Daryono, B.S., and Purnomo. 2020. Genetic variability of *Begonia longifolia* Blume from Indonesia based on Nuclear DNA internal transcribed spacer (ITS) sequence data. *Biodiversitas* 21 (12): 5778-5785.
- Pangestika, Y., Budiharjo, A., dan Kusumaningrum, H.P. 2015. Analisis Filogenetik *Curcuma zedoaria* (Temu Putih) Berdasarkan Gen *Internal Transcribed Spacer* (ITS). *Jurnal Biologi* 4(4): 8-13.
- Peng, C.-I. and T.Y. Chiang. 2000. Molecular confirmation of unidirectional hybridization in *Begonia xtaipeiensis* Peng (Begoniaceae) from Taiwan. *Ann. Missouri Bot. Gard.* 87: 273-285.
- Permata, D.A. and Susandarini. R. 2022. Morphological diversity and phenetic relationship of wild and cultivated *Begonia* based on morphology and leaf venation. *Biodiversitas* 23 (2): 928-937. DOI: 10.13057/biodiv/d230235.
- Pharmawati, M. 2009. Optimalisasi ekstrak DNA dan PCR-RAPD pada *Grevillea* spp. (Proteaceae). *Jurnal Biologi* XIII (1) : 12-16
- Primack, R. B., Supriatna, J., Indrawan, M., dan Kramadibrata, P. 1998. *Biologi Konservasi*. Edisi ke-1. Jakarta: Yayasan Obor Indonesia. ISBN : 979-461-288-X. 626 hlm.
- Provan, J., Powell, W., and Hollingsworth, P.M. 2001. Chloroplast microsatellites : new tools for studies in plant ecology and evolution. *TREE*. 16 (3): 142 - 147.
- Purnomo, D.W., M. Magandhi, F. Kuswantoro, R.A. Risna dan J.R. Witono. 2015. Pengembangan koleksi tumbuhan Kebun Raya Daerah dalam kerangka strategi konservasi tumbuhan di Indonesia. *Buletin Kebun Raya*. 18 (2): 111-124.

- Putri, L.A., Rivallan, R., Zulhermana, Puspitaningrum, Y., Sudarsono, Perrier, X., Asmono, D., and Norbert Billotte. 2010. Allelic Diversity of 22 Sampoerna Agro's Oil Palm Pisifera Based on Microsatellite Markers. *Prosiding Seminar International Oil Palm Conference (IOPC)*. Yogyakarta, 1–3 Juni 2010. pp. 1-9.
- Rahayu, D.A. dan Nugroho, E.D. 2015. Biologi molekuler dalam perspektif konservasi, Plantaxia, Yogyakarta. 185 hal.
- Rohlf, F.J. 1970. Adaptive hierarchical clustering schemes. *Syst. Zool.* 18: 58-82.
- Retnowati, A. dan Rugayah. 2019. Status Keanekaragaman Hayati Indonesia : Kekayaan Jenis Tumbuhan dan Jamur Indonesia/ Atik Retnowati, Rugayah, Joeni S. Rahajoe, dan Deby Arifiani (ed.). Jakarta: LIPI Press. 139 hal.
- Rosidiani, E.P., Arumingtyas, E.L., and Azrianingsih, R. 2013. Analisis Variasi Genetik *Amorphophallus muelleri* Blume dari Berbagai Populasi di Jawa Timur Berdasarkan Sekuen Intron trnL. *Floribunda*, 4(6): 129–137.
- Savolainen, V., Manen, J. F., Douzery, E., and Spichiger, R. 1994. Molecular phylogeny of families related to Celastrales based on *rbcL* 58 flanking sequences. *Molecular Phylogenetics and Evolution* 3: 27–37.
- Singh, G. 2010. *Plant Systematics an Integrated Approach*. New Hampshire: Science Publisher. 702 p.
- Siregar, H.M. 2005. *Begonia Kebun Raya Bali*. Jakarta: LIPI Press. 163 hal.
- Siregar, H.M., Ardaka, I. dan Siregar, M. 2007. Masa Berbunga 22 Jenis *Begonia* Alam di Kebun Raya “Eka Karya” Bali. *Biodiversitas* 8 (3): 192-196.
- Siregar, H.M., Wahyuni., S., dan Ardaka, I.M. 2018. Karakterisasi Morfologi Daun *Begonia* alam (*Begoniaceae*): Prospek Pengembangan Koleksi Tanaman Hias Daun di Kebun Raya Indonesia. *Jurnal Biologi Indonesia* 14(2): 201-211.
- Small, R. L., Cronn, R. C., and Wendel, J. F. 2004. L. A. S. Johnson Review No. 2: Use of Nuclear Genes for Phylogeny Reconstruction in Plants. *Australian Systematic Botany* 17:145-170.
- Smarda, P. and Bures, P. 2012. The variation of base composition in plant genomes. In: Wendel F, Greilhuber J, Dolezel J, Leitch IJ (eds.). *Plant Genome Diversity Vol. 1*. Springer, Vienna. pp. 209-235.
- Smarda, P., Bures P., Horova, L., Leitch, I.J., Mucina, L., Pacini, E., Tichy, L., Grulich, V., and Rotreklova, O. 2014. Ecological and evolutionary significance of genomic GC content diversity in monocots. *PNAS*, 111 (39): 4096-4102. www.pnas.org/cgi/doi/10.1073/pnas.1321152111.
- Sneath, P.H.A. and Sokal, R.R. 1973. *Numerical Taxonomy: The Principles and Practice of Numerical Classification*. W.H. Freeman and Company, San Francisco. 573 p.
- Sokal, R.H. and P.A Sneath . 1963. *Principal Numerical Taxonomy*. Freeman and Co. San Fransisco. pp 60-163.
- Somura, H., H. Hori, and Y. Manome. 2013. *Nycticebus bengalensis* mitochondrion, complete genome. <https://www.ebi.ac.uk/ena/dataview/KC977312>.
- Stuessy, T.F. 2009. *Plant Taxonomy: The Systematics of Comparative Data (2nd Ed)*. Columbia University Press. New York. 565 pp.
- Susanto, A.H. and Dwiati, M. 2019. Genetic difference between two phenotypically

- similar members of Asteraceae by the use of Intergenic Spacer *atpB – rbcL*. *Biosaintifika* 11(3): 393-399.
- Tallei, T.E., Rembet, R.E., Pelealu, J.J., and Kolondam, B.J. 2016. Sequence Variation and Phylogenetic Analysis of *Sansevieria trifasciata* (Asparagaceae). *Bioscience Research* 13(1): 01-07.
- Tebbitt, M.C. 2005. *Begonias* Cultivation, Identification, and Natural History. Timber press. Inc. Portland, 271 h. 336 p.
- Tebbitt, M.C., Forrest, L.L., Santoriello, A., Clement, W. and Swensen, S.M. 2006. Phylogenetic relationships of Asian *Begonia*, with an emphasis on the evolution of rain-ballist and animal dispersal mechanisms in sections *Platycentrum*, *Sphenanthera* and *Leprosae*. *Syst. Bot.* 31(2): 327–336.
- Thomas, D.C. 2010. Phylogenetics and Historical Biogeography of Southeast Asian *Begonia* L. (Begoniaceae). Thesis. University of Glasgow. 179 p.
- Thomas, D.C., Ardi, W.H., and Hughes, M. 2011. Nine new species of *Begonia* (Begoniaceae) from South and West Sulawesi, Indonesia. *Edinburgh Journal of Botany* 68 (2): 225 – 255. Doi:10.1017/S0960428611000072.
- Thomas, D.C., Hughes, M., Phutthai, T., Rajbhandary, S., Rubite, R.; Ardi, W.H. and Richardson, J.E. 2011. A non-coding plastid DNA phylogeny of Asian *Begonia* (Begoniaceae): Evidence for morphological homoplasy and sectional polyphyly. *Molecular Phylogenetics and Evolution*, 60 (3): 428-444.
- Tjitrosoepomo, G. 2017. Taksonomi Umum (Dasar-Dasar Taksonomi Tumbuhan). Yogyakarta: Gadjah Mada University Press.
- Tnah, L.H., Lee, S.L., Tan, A.L., Lee, C.T., Ng, K.K.S., and Ng, C.H. 2016. Intraspecific classification of *Ficus deltoidea* Jack subsp. *deltoidea* (Moraceae) in Peninsular Malaysia based on morphological and molecular variations. *Biochem Syst Ecol* 67: 119-128. DOI: 10.1016/j.bse.2016.06.001.
- Travers, A. and Muskhelishvili, G. 2015. DNA structure and function. *FEBS Journal*. 2279-2295.
- Tsai, C-C., Sheue, C-R., Chen, C-H., and Chou, C-H. 2010. Phylogenetics and Biogeography of the *Phalaenopsis violacea* (Orchidaceae) Species Complex Based on Nuclear and Plastid DNA. *J. Plant Biol.* 53:453–460.
- Ubaidillah, R. dan H. Sutrisno. 2009. Pengantar Biosistemik : Teori dan Praktek. Pusat penelitian Biologi LIPI. Bogor. Pp 29-139.
- Verma, P., Solanki, R.K., Meghwal., H.P., and Tak, Y. 2021. Variable expression of anthocyanin in flower and stem of coriander (*Coriandrum sativum* L.): Breeding implications. *International Journal of Chemical Studies*. 9(1): 1180-1183. DOI: <https://doi.org/10.22271/chemi.2021.v9.i1q.11384>.
- Vijayan, K., Zhang, W-J., and Tsou, C-H. 2009. Molecular taxonomy of *Camellia* (Theaceae) inferred from nrITS sequences. *Am. J. Bot.* 96 (7): 1348–1360.
- Wang, J., L. Shao, J. Wang, H. Ren, H. Liu, Q.M. Zhang, Q.F. Guo, and X.W. Chen. 2016. Comparison of morphological and physiological characteristics in two phenotypes of a rare and endangered plant, *Begonia fimbristipula* Hance. *Photosynthetica*. 54 (3): 381-389.
- Wang, X., Shen, C., Meng, P and Tan, G. 2021. Analysis and review of trichomes in plants. *BMC Plant Biology* 21 (70): 1-11. DOI:

<https://doi.org/10.1186/s12870-021-02840-x>.

- Wahyuni, S. dan Siregar, H.M. 2020. Keragaman dan Analisis Kekerabatan 30 Jenis *Begonia* berdasarkan Karakter Morfologi. *Buletin Kebun Raya*. 23(2): 91-103.
- Weising, K., H. Nybom, K. Wolff and G. Kahl. 2005. *DNA Fingerprinting in Plants Principles, Methods, and Applications*. 2nd edition. CRC Press. Florida, USA. 472 p.
- Whang, S.S., K. Choi, R.S. Hill and J.H. Pak. 2002. A morphometric analysis of infraspecific taxa within the *Ixeris chinensis* complex (Asteraceae, Lactuceae). *Bot. Bull. Acad. Sin.* 43: 131-138.
- Widodo, P., Chikmawati, T., and Kusuma, Y.W.C. 2019. Placement of *Syzygium boerlagei* (Merr.) Govaerts (Myrtaceae) Confirmed with *atpB-rbcL* Intergenic Spacer. *Biotropia* 26 (1): 9-15.
- Wiriadinata H., D. Girmansyah, S. Hoover, and J. Hunter. 2002. Kekayaan *Begonia* Taman Nasional Gunung Halimun. *Berita Biologi* 6: 91-97.
- Witono, J.R., D.W. Purnomo, D. Usmadi, D.O. Pribadi, D. Asikin, M. Magandhi, Sugiarti dan Yuzammi. 2012. Rencana pengembangan Kebun Raya Indonesia. Pusat Konservasi Tumbuhan Kebun Raya Bogor–Lembaga Ilmu Pengetahuan Indonesia, Bogor Indonesia.
- Yao, H., Song, J., Liu, C., Luo, K., and Han, J. 2010. Use of ITS2 Region as the universal DNA barcode for plants and animals. *PLOS ONE* 5(10): e13102.
- Yuwa-amornpitak, T., Vichitsoonthonkul, T., and Tanticharoen, M. 2006. Molecular Phylogeny of Dipterocarpaceae in Thailand Using *trnL-trnF* and *atpB-rbcL* Intergenic Spacer Region in Chloroplast DNA. *Pakistan Journal of Biological Sciences* 9 (4): 469-653.
- Zeng, X., Yuan, Z., Tong, X., Li, Q., Gao, W., Qin, M., and Liu, Z. 2012. Phylogenetic study of Oryzoideae species and related taxa of the Poaceae based on *atpB-rbcL* and *ndhF* DNA sequences. *Mol.Biol. Rep.* 39:5737–5744.
- Zhang, L., B. Wang, L.Pan and J. Peng. 2013. Recycling Isolation of Plant DNA, A Novel Method. *Journal of Genetics and Genomics*. 40:45-54.
- Zhang, Q-d., R-Z. Jia, C. Meng, C-W. Ti and T-Y. Wang. 2015. Diversity and population structure of a dominant deciduous tree based on morphological and genetic data. *AoB Plants*.7:1-13.
- Zhang, J. and Li, P. 2019. Response of plant functional traits to climate change. *IOP Conf. Series: Earth and Environmental Science* 300 (2019) 032078: 1-4.