

DAFTAR PUSTAKA

- Afifah, E. N., dan A. F. Rohani. 2019. Metabolomik dalam Pemuliaan Tanaman. <
<https://breeding.faperta.ugm.ac.id/2019/09/12/metabolomik-dalam-pemuliaan-tanaman/>> diakses pada 1 Juli 2022.
- Afrokh, A. 2021. Analisis metabolom terhadap padi (*Oryza sativa* L.) peka garam yang diinokulasi dengan rhizobakteri osmotoleran (*Enterobacter flavescens*) di tanah salin. Skripsi. Universitas Gadjah Mada, Yogyakarta.
- Ahmad, M., Z.A. Zahir, H.N. Asghar, and M. Asghar. 2011. Inducing salt tolerance in mung bean through coinoculation with rhizobia and plant-growth-promoting rhizobacteria containing 1-aminocyclopropane-1-carboxylate deaminase. Canadian Journal of Microbiology.
- Angiosperm Phylogeny Group. 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. Botanical Journal of the Linnean Society. 181(1): 1–20.
- Benard, C., S. Da Veiga, and E. Scornet. 2022. MDA for random forests: inconsistency, and a practical solution via the Sobol-MDA. Biometrika. Asac017.
- Bhise K.K, P.K. Bhagwat, P.B. Dandge. 2017. Synergistic effect of *Chryseobacterium gleum* sp. SUK with ACC deaminase activity in alleviation of salt stress and plant growth promotion in *Triticum aestivum* L. Biotech.7(3): 1–13.
- Browne, R.A. and K.M. Brindle. 2007. 1H NMR-based metabolite profiling as a potential selection tool for breeding passive resistance against Fusarium head blight (FHB) in wheat. Molecular Plant Pathology. 8 (4): 401–410.
- Cahyaty, R. A. A., N. Aini, T. Sumarni. 2017. Effect of rhizosphere bacteria application on saline tolerant to proline and chlorophyll contents of cucumber. Bioscience Research 14(4): 949–954.
- Chen, M., Wei, H., Cao, J., Liu, R., Wang, Y., and Zheng, C. 2007. Expression of *Bacillus subtilis* proBA genes and reduction of feedback inhibition of proline synthesis increases proline production and confers osmotolerance in transgenic Arabidopsis. J. Biochem. Mol. Biol. 40, 396–403.
- Chen, Y., W. Huang, F. Zhang, X. Luo, B. Hu, and J. Xie. 2021. Metabolomic profiling of Dongxiang wild rice under salinity demonstrates the significant role of amino acids in rice salt stress. Front. Plant. Sci. 12:729004.
- Chunthaburee S., A. Dongsansuk, J. Sanitchon, W. Pattanagul, P. Theerakulpisut. 2016. Physiological and biochemical parameters for evaluation and clustering of rice cultivars differing in salt tolerance at seedling stage. Saudi J. Biol. Sci. 23: 467–477.
- Datta, S.K. 2009. Rice Improvements in the Genomics Era. CRC Press, Boca Raton.
- De Datta, S. K. 1981. Principles and Practices of Rice Production. IRRI, Philippines.

- Fahad, S., S. Hussain, A. Bano, et al. 2015. Potential role of phytohormones and plant growth-promoting rhizobacteria in abiotic stresses: consequences for changing environment. *Environmental Science and Pollution Research*. 22: 4907–4921.
- Fahad, S., M. Adnan, M. Noor, et al. 2019. Major constraints for global rice production. *In* Hasanuzzaman M., K. Nahar, M. Fujita, and J.K. Biwas (Eds). 2019. *Advances in Rice Research for Abiotic Stress Tolerance*. Woodhead Publishing.
- FAO. 2008. FAO Land and plant nutrition management service.
<<http://www.fao.org/ag/agl/agll/spush>> accessed on September 10, 2020.
- FAO, 2021. World Soil Day: FAO highlights the threat of soil salinization to global food security. < <https://www.fao.org/global-soil-partnership/resources/highlights/detail/en/c/1458974/>> accessed on September 21, 2021.
- Farres, M., S. Platikanov, S. Tsakovski, and R. Tauler. 2015. Comparison of the variable importance in projection (VIP) and of the selectivity ratio (SR) methods for variable selection and interpretation. *Journal of Chemometrics*. 29: 528-536.
- Fathurrohman, A.G. 2020. Profil metabolit rhizobakteri osmotoleran (*Enterobacter flavescens*) yang ditumbuhkan dalam medium ekstrak tanah alfisol dengan penambahan garam. Skripsi. Universitas Gadjah Mada, Yogyakarta.
- Fich, E.A., N.A. Segerson, and J.K.C. Rose. 2016. The plant polyester cutin: biosynthesis, structure, and biological roles. *Annu. Rev. Plant Biol.* 67 (18): 1-27
- Galingging, R. Y. 2018. Kajian genetika, fisiologi dan metabolomik daya adaptasi bawang merah (*Allium ascalonicum* L.) di lahan pasang surut Kalimantan Tengah. Makalah. Program Pasca Sarjana, Institut Pertanian Bogor, Bogor.
- Ganesh, M. and M. Mohankumar. 2017. Extraction and identification of bioactive components in *Sida cordata* (Burm.f.) using gas chromatography–mass spectrometry. *J. Food Science Technology*. 54 (10): 3082-3091.
- Gavaghan, C.L., J.V. Li, S.T. Hadfield, S. Hole, J.K. Nicholson, I.D. Wilson, P.W.A. Howe, P.D. Stanley, and E. Holmes. 2010. Application of NMR-based metabolomics to the investigation of salt stress in maize (*Zea mays*). *Phytochemical Analysis*. 22 (3): 214-224.
- Greenway, H. and R. Munns. 1980. Mechanism of salt tolerance in nonhalophytes. *Annual Review of Plant Physiol.* 31: 149-190
- Gross, B. L. and Z. Zhao. 2014. Archaeological and genetic insights into the origins of domesticated rice. *Proc Natl. Acad. Sci. USA* 111:6190–6197
- Hadi, M.Y., G.J. Mohammed, and I.H. Hameed. 2016. Analysis of bioactive chemical compounds of *Nigella sativa* using gas chromatography-mass spectrometry. *Journal of Pharmacognosy and Phytotherapy*. 8 (2): 8-24.

- Han, H., X. Guo, and H. Yu. 2016. Variable selection using Mean Decrease Accuracy and Mean Decrease Gini based on Random Forest. IEEE Conference.
- He, M. and N. Ding. 2020. Plant unsaturated fatty acids: multiple roles in stress response. *Frontiers in Plant Sciences*. 11: 562785.
- Hunt, I., and R. Spinney. 2020. Solubility of Organic Compounds.
<https://www.chem.ucalgary.ca/courses/351/laboratory/351expt_01_solubility.pdf>. Accessed on July 25th 2022.
- Ilangumaran, G. and D. L. Smith. 2017. Plant growth promoting rhizobacteria in amelioration of salinity stress: a systems biology perspective. *Front. Plant. Sci.*
- Jutono, J.S., S. Hartadi, S. Kabirun, Suhadi, dan Soesanto. 1973. *Pedoman Praktikum Mikrobiologi Umum untuk Perguruan Tinggi*. Universitas Gadjah Mada Press, Yogyakarta
- KEGG. 2018. Peroxisome - *Oryza sativa japonica* (Japanese rice) (RefSeq).
<<https://www.kegg.jp/pathway/map=osa04146&keyword=peroxisome#>>. Accessed on August 10th 2022.
- KEGG. 2019. Fatty acid metabolism - *Oryza sativa japonica* (Japanese rice) (RefSeq).
<<https://www.kegg.jp/pathway/osa01212#>>. Accessed on August 11th 2022.
- Kim, H. K. K., Y. H. Choi and R. Verportee. 2010. NMR-based metabolomic analysis of plants. *Nature protocols*, 5 (3): 536-549.
- Kumar, A., J.S. Patel, V.S. Meena, and R. Srivastava. 2019. Recent advances of PGPR based approaches for stress tolerance in plants for sustainable agriculture. *Biocatalysis and Agricultural Biotechnology*, 20.
- Lautt BS. 2003. *Fisiologi Toleransi Padi Gogo terhadap Naungan: Tinjauan Karakteristik Fotosintesis dan Respirasi*. Disertasi. Program Pasca Sarjana, Institut Pertanian Bogor, Bogor.
- Lee, J., G. Torollo, A. Ndayiragije, J.B. Bizimana, I. Choi, A. Gulles, U. Yeo, O. Jeong, S. Venkatanagappa, B. Kim. 2018. Genetic relationship of tropical region-bred temperate *japonica* rice (*Oryza sativa*) plants and their grain yield variations in three different tropical environments. *Plant Breeding*, 137 (6): 857-864.
- Levitt, J. 1980. *Responses of Plants to Environmental Stresses: Water, Radiation, Salt, and Other Stresses*. Vol. II. Academic Press, New York.
- Lindemann, P. 2015. Steroidogenesis in plants – Biosynthesis and conversions of progesterone and other pregnane derivatives. *Steroids*, 103: 145-152.
- Makarim, A. K. dan E. Suhartatik. 2009. *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi, Subang.

- Manchanda, G., and N. Garg. 2011. Alleviation of salt-induced ionic, osmotic and oxidative stresses in *Cajanus cajan* nodules by AM inoculation. *Plant Biosystems*. 145(1).
- Moritz, T. and A. I. Johansson. 2008. *Plant Metabolomics in Metabolomics, Metabonomics, and Metabolite Profiling*, W. J. Griffiths (Ed.). RSC Publishing, London.
- Mowbray, S.L., L.T. Elfstrom, K.M. Ahlgren, C.E. Andersson, and M. Widersten. 2006. X-ray structure of potato epoxide hydrolase sheds light on substrate specificity in plant enzymes. *Protein Science*. 15: 1628-1637.
- Munns, R and M. Tester. 2008. Mechanism of salinity tolerance. *Annual Review of Plant Biology* 59(1): 651-681.
- Nautiyal, C. S., Srivastava, S., Chauhan, P. S., Seem, K., Mishra, A., and Sopory, S. K. (2013). Plant growth-promoting bacteria *Bacillus amyloliquefaciens* NBRISN13 modulates gene expression profile of leaf and rhizosphere community in rice during salt stress. *Plant Physiol. Biochem.* 66, 1–9. doi: 10.1016/j.plaphy.2013.01.020
- Nawaz, A. and M. Farouq. 2017. *Rice Physiology in Rice Production Worldwide*, B. S. Chauhan, K. Jabran, and G. Mahajan (Eds.). Springer.
- Naworyta, A. 2010. Structure-function studies of epoxide hydrolase. Doctoral Thesis, Swedish University of Agricultural Sciences. Uppsala.
- Pang, C., and B. Wang. 2008. Oxidative stress and salt tolerance in plants. In *Progress in Botany*. Luttge, U., Beyschlag, W., and Murata, J. (Ed). Springer, Berlin.
- Parijadi, A. A. R. dan S. P. Putri. 2017. Aplikasi pendekatan metabolomik untuk ilmu tanaman. Bunga Rampai MIND 2017.
- Parsons, L.R. 1982. Plant responses to water stress. In *Breeding Plants for Less Favorable Environments*. Christiansen, M.N. and Lewis, C.F. (Ed). John Wiley & Sons, New York.
- Putri, S. P., Yamamoto, S., Tsugawa, H., & Fukusaki, E. (2013). Current metabolomics: Technological advances. *Journal of Bioscience and Bioengineering*, 116(1), 9–16.
- Rachmawati, D. 2000. Tanggapan tanaman sorgum terhadap cekaman NaCl: pertumbuhan dan osmoregulasi. *Biologi* 2: 515-529.
- Rojas-Tapias, D., Moreno-Galván, A., Pardo-Díaz, S., Obando, M., Rivera, D., and Bonilla, R. (2012). Effect of inoculation with plant growth-promoting bacteria (PGPB) on amelioration of saline stress in maize (*Zea mays*). *Appl. Soil Ecol.* 61, 264–272.
- Salek, R., S. Beisken, and L. Emery. 2020. Metabolomics, an introduction: What is metabolomics? < <https://www.ebi.ac.uk/training/online/courses/metabolomics-introduction/what-is/>> accessed on July 1st 2022.

- Santos, C.C.d.P., et al. 2013. Antinociceptive and antioxidant activities of phytol *in vivo* and *in vitro* models. *Neurosci. J.*
- Sari, H. C., S. Darmanti, dan E. D. Hastuti. 2006. Pertumbuhan tanaman jahe emprit (*Zingiber officinale* Var. *Rubrum*) pada media tanam pasir dengan salinitas yang berbeda. *Buletin Anatomi dan Fisiologi XIV* (2).
- Schauer, N., Y. Semel, U. Roessner, et al. 2006. Comprehensive metabolic profiling and phenotyping of interspecific introgression lines for tomato improvement, *Nat. Biotech.* 24: 447–454.
- Sharma, K., S. Sarma, A. Bohra, A. Mitra, N. K. Sharma and A. Kumar. 2018. Plant Metabolomics: An Emerging Technology for Crop Improvement. *Plant Science*.
- Sharma, P., A.B. Jha, R.S. Dubey, and M. Pessarakli. 2012. Reactive oxygen species, oxidative damage, and antioxidative defense mechanism in plants under stressful conditions. *Journal of Botany*.
- Sidorov, R.A., A.V. Zhukov, V.P. Pchelkin, and A.G. Vereshchagin. 2014. Content and fatty acid composition of neutral acylglycerols in euonymus fruits. *Journal of the American Oil Chemists' Society*.
- Singh, R. P., and Jha, P. N. (2016). Alleviation of salinity-induced damage on wheat plant by an ACC deaminase-producing halophilic bacterium *Serratia* sp SL-12 isolated from a salt lake. *Symbiosis* 69, 101–111. doi: 10.1007/s13199-016-0387-x
- Sipayung, R. 2006. Stres garam dan mekanisme toleransi tanaman. *Hayati* 5:18-20
- Suardi, D. 2002. Perakaran padi dalam hubungannya dengan toleransi tanaman terhadap kekeringan dan hasil. *Jurnal Penelitian dan Pengembangan Pertanian* 21(3): 100–108.
- Suwarno. 1985. Pewarisan dan Fisiologi Sifat Toleran terhadap Salinitas pada Tanaman Padi. Disertasi. Program Pasca Sarjana, Institut Pertanian Bogor, Bogor.
- Yuniati, R. 2004. Penapisan galur kedelai (*Glycine max* L.) Merrill toleran terhadap NaCl untuk penanaman di lahan salin. *Makara Sains* 8(1):21–24.
- Yuwono, T., D. Handayani, and J. Soedarsono. 2005. The role of osmotolerant rhizobacteria in rice growth under different drought conditions. *Australian Journal of Agricultural Research*. 56(7): 715-721.
- Yuwono, T. 2005. Metabolism of betaine as a carbon source by an osmotolerant bacterium isolated from the weed rhizosphere. *World Journal of Microbiology & Biotechnology* 21: 69–73.
- Zerrouk, I. Z., Benchabane, M., Khelifi, L., Yokawa, K., Ludwig-Muller, J., and Baluska, F. (2016). A *Pseudomonas* strain isolated from date-palm rhizospheres improves root growth and promotes root formation in maize exposed to salt and

aluminum stress. J. Plant Physiol. 191, 111–119. doi:
10.1016/j.jplph.2015.12.009

Zhao, X., W. Wang, F. Zhang, J. Deng, Z. Li, and B. Fu. 2014. Comparative metabolite profiling of two rice genotypes with contrasting salt stress tolerance at the seedling stage. PloS ONE 9:1-7.