

REFERENCES

- Aide, T. M., Corrada-Bravo, C., Campos-Cerqueira, M., Milan, C., Vega, G., & Alvarez, R. (2013). Real-time bioacoustics monitoring and automated species identification. *PeerJ*, 2013(1), 1–19. <https://doi.org/10.7717/peerj.103>
- Aliando, Y. A., Prayoga, W., & Imron, M. A. (2021). Keragaman jenis dan kondisi habitat herpetofauna paska kebakaran di Taman Nasional Tesso Nilo-Riau. *Jurnal Ilmu Kehutanan*, 15(2), 185–200. <https://doi.org/10.22146/jik.v15i2.1799>
- Allen-Ankins, S., & Schwarzkopf, L. (2021). Spectral overlap and temporal avoidance in a tropical savannah frog community. *Animal Behaviour*, 180, 1–11. <https://doi.org/10.1016/j.anbehav.2021.07.024>
- Almeida-Gomes, M., Frederico Duarte Rocha, C., & van Sluys, M. (2007). Calling activity of *Crossodactylus gaudichaudii* (Anura: Hylodidae) in an Atlantic Rainforest area at Ilha Grande, Rio de Janeiro, Brasil. *Belg. J. Zool*, 137(2), 203–207. <https://www.researchgate.net/publication/239923476>
- Aminah, Krah, C. Y., Perdinan, & Perdinan. (2020). Forest fires and management efforts in Indonesia (a review). *IOP Conference Series: Earth and Environmental Science*, 504(1). <https://doi.org/10.1088/1755-1315/504/1/012013>
- AmphibiaWeb. (2022). *AmphibiaWeb Search*. University of California, Berkeley, CA, USA. https://amphibiaweb.org/cgi/amphib_query?rel-isocc=like&orderbyaw=Order&where-isocc=Indonesia
- Anderson, S. R., & Wiens, J. J. (2017). Out of the dark: 350 million years of conservatism and evolution in diel activity patterns in vertebrates. *Evolution*, 71(8), 1944–1959. <https://doi.org/10.1111/evo.13284>
- Aulia, N. (2017). *Perbandingan keanekaragaman jenis herpetofauna antara lahan pasca terbakar dan tidak terbakar di PT Waimusi Agroindah*. Institut Pertanian Bogor.
- Baihaqi, A. (2019). *Perbandingan keanekaragaman jenis herpetofauna antara areal bekas terbakar dan tidak terbakar di PT National Sago Prima, Riau*. Institut Pertanian Bogor.
- Baker, N., & Lim, K. K. P. (2008). *Wild animals of Singapore: A photographic guide to mammals, reptiles, amphibians and freshwater fishes*. Draco Pub. and Distribution.
- Balai Taman Nasional Sebangau. (2014). *Buku statistik Balai TN Sebangau tahun 2014*.

- Berriozabal-Islas, C., Badillo-Saldaña, L. M., Ramírez-Bautista, A., & Moreno, C. E. (2017). Effects of habitat disturbance on lizard functional diversity in a tropical dry forest of the pacific coast of Mexico. *Tropical Conservation Science*, 10. <https://doi.org/10.1177/1940082917704972>
- Bogert, C. M. (1949). Thermoregulation in reptiles, a factor in evolution. *Evolution*, 3(3), 195–211. <https://doi.org/10.1111/J.1558-5646.1949.TB00021.X>
- Boullhesen, M., Vaira, M., Barquez, R. M., & Akmentins, M. S. (2021). Evaluating the efficacy of visual encounter and automated acoustic survey methods in anuran assemblages of the Yungas Andean forests of Argentina. *Ecological Indicators*, 127. <https://doi.org/10.1016/j.ecolind.2021.107750>
- Bridges, A. S., & Dorcas, M. E. (2000). Temporal variation in anuran calling behavior: Implications for surveys and monitoring programs. *Copeia*, 2, 587–592. [https://doi.org/10.1643/0045-8511\(2000\)000\[0587:TVIACB\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2000)000[0587:TVIACB]2.0.CO;2)
- Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive acoustic monitoring in ecology and conservation. *WWF Conservation Technology Series*, 1(2), 75. <https://www.wwf.org.uk/conservationtechnology/documents/Acousticmonitoring-WWF-guidelines.pdf>
- Cattau, M. E., Harrison, M. E., Shinyo, I., Tungau, S., Uriarte, M., & DeFries, R. (2016). Sources of anthropogenic fire ignitions on the peat-swamp landscape in Kalimantan, Indonesia. *Global Environmental Change*, 39, 205–219. <https://doi.org/10.1016/j.gloenvcha.2016.05.005>
- Cecala, K. K., Davenport, J. M., Ennen, J. R., & Fields, W. R. (2017). Amphibians and reptiles. In F. R. Hauer & G. A. Lamberti (Eds.), *Methods in stream ecology* (3rd Edition, Vol. 1, pp. 1–896). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-416558-8.00017-2>
- Chen, J., Saunders, S. C., Crow, T. R., Naiman, R. J., Broszofski, K. D., Mroz, G. D., Brookshire, B. L., & Franklin, J. F. (1999). Microclimate in forest ecosystem and landscape ecology: Variations in local climate can be used to monitor and compare the effects of different management regimes. *BioScience*, 288(297), 1–10. www.jstor.org
- Climate-Data.org. (2022). *Climate: Central Kalimantan*. <https://en.climate-data.org/asia/indonesia/central-kalimantan-1214/>
- Cochrane, M. A. (2003). Fire science for rainforests. *Nature*, 421(6926), 913–919. <https://doi.org/10.1038/nature01437>
- Collier, S. (2015). *Acoustic monitoring indicates maintenance of anuran diversity in heavily disturbed peat swamp forest in Borneo*. University of Exeter.
- Collins, W. B., & Becker, E. F. (2001). Estimation of horizontal cover. *Journal of Range Management*, 54(1), 67–70. <https://doi.org/10.2307/4003530>

- Crump, M. L., Scott, N. J., & Jaeger, R. G. (1994). Standard techniques for inventory and monitoring. In W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L.-A. C. Hayek, & M. S. Foster (Eds.), *Measuring and monitoring biological diversity: Standard methods for amphibians* (pp. 84-91;103-107). Smithsonian Institution Press.
- Daan, S. (1981). Adaptive daily strategies in behavior. In *Biological rhythms* (pp. 275–298). Springer, Boston, MA. https://doi.org/10.1007/978-1-4615-6552-9_15
- Das, I. (2010). *A field guide to the reptiles of South-East Asia*. <https://doi.org/10.1108/rr-08-2016-0210>
- de Frenne, P., Zellweger, F., Rodríguez-Sánchez, F., Scheffers, B. R., Hylander, K., Luoto, M., Vellend, M., Verheyen, K., & Lenoir, J. (2019). Global buffering of temperatures under forest canopies. *Nature Ecology and Evolution*, 3(5), 744–749. <https://doi.org/10.1038/s41559-019-0842-1>
- de Miranda, E. B. P. (2017). The plight of reptiles as ecological actors in the tropics. In *Frontiers in Ecology and Evolution* (Vol. 5, Issue DEC). Frontiers Media S. A. <https://doi.org/10.3389/fevo.2017.00159>
- Decena, S. C. P., Avorque, C. A., Decena, I. C. P., Asis, P. D., & Pacle, B. (2020). Impact of habitat alteration on amphibian diversity and species composition in a lowland tropical rainforest in Northeastern Leyte, Philippines. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-67512-6>
- DePalma, E. (2019, September 2). *OC: Borneo is Burning...AGAIN - Orangutan Conservancy*. <https://www.orangutan.com/oc-borneo-is-burning-again/>
- DeWalt, S. J., Maliakal, S. K., & Denslow, J. S. (2003). Changes in vegetation structure and composition along a tropical forest chronosequence: Implications for wildlife. *Forest Ecology and Management*, 182(1–3), 139–151. [https://doi.org/10.1016/S0378-1127\(03\)00029-X](https://doi.org/10.1016/S0378-1127(03)00029-X)
- Díaz-Ricaurte, J. C., Serrano, F. C., & Martins, M. (2022). Behavioral thermoregulation of amphibians and reptiles from two Brazilian hotspots. *The Bulletin of the Ecological Society of America*, 103(2). <https://doi.org/10.1002/bes2.1965>
- Dilbe, Ö., Kırac, A., & Başkale, E. (2022). Distribution and habitat suitability of two neighboring Lycian salamanders. *Amphib. Reptile Conserv*, 16(1), 94–105. <http://www.iucnredlist.org>;
- Doan, T. M. (2004). Extreme weather events and the vertical microhabitat of rain forest anurans. *Source: Journal of Herpetology*, 38(3), 422–425.
- dos Anjos, A. G., Solé, M., & Benchimol, M. (2021). Fire effects on anurans: What we know so far? In *Forest Ecology and Management* (Vol. 495). Elsevier B.V. <https://doi.org/10.1016/j.foreco.2021.119338>

- Duellman, W. E., & Trueb, L. (1994). *Biology of amphibians*. The Johns Hopkins University Press.
<https://books.google.co.id/books?id=CzxVvKmrIGC&printsec=frontcover&hl=id#v=onepage&q&f=false>
- Farina, A. (2014). *Soundscape ecology: Principles, patterns, methods and applications*. Springer Dordrecht Heidelberg. <https://doi.org/10.1007/978-94-007-7374-5>
- Felton, A. M., Engström, L. M., Felton, A., & Knott, C. D. (2003). Orangutan population density, forest structure and fruit availability in hand-logged and unlogged peat swamp forests in West Kalimantan, Indonesia. *Biological Conservation*, 114(1), 91–101. [https://doi.org/10.1016/S0006-3207\(03\)00013-2](https://doi.org/10.1016/S0006-3207(03)00013-2)
- Finlayson, C. M., & Milton, G. R. (2016). Peatlands. In C. M. Finlayson, G. R. Milton, R. C. Prentice, & N. C. Davidson (Eds.), *The wetland book* (pp. 227–244). Springer, Dordrecht. https://doi.org/10.1007/978-94-007-4001-3_202
- Flury, J. M., Haas, A., Brown, R. M., Das, I., Pui, Y. M., Boon-Hee, K., Scheidt, U., Iskandar, D. T., Jankowski, A., & Hertwig, S. T. (2021). Unexpectedly high levels of lineage diversity in Sundaland puddle frogs (Dicroglossidae: Occidozyga Kuhl and van Hasselt, 1822). *Molecular Phylogenetics and Evolution*, 163. <https://doi.org/10.1016/j.ympev.2021.107210>
- Frolking, S., Palace, M. W., Clark, D. B., Chambers, J. Q., Shugart, H. H., & Hurtt, G. C. (2009). Forest disturbance and recovery: A general review in the context of spaceborne remote sensing of impacts on aboveground biomass and canopy structure. *Journal of Geophysical Research: Biogeosciences*, 114(3), 1–27. <https://doi.org/10.1029/2008JG000911>
- Gamble, T., Greenbaum, E., Jackman, T. R., & Bauer, A. M. (2015). *Into the light: diurnality has evolved multiple times in geckos*. <https://academic.oup.com/biolinnean/article/115/4/896/2440166>
- Global Forest Watch. (2022, March). *Global Deforestation Rates & Statistics by Country / GFW*. World Resource Institute. <https://www.globalforestwatch.org/dashboards/global/?category=fires&map>
- Greenpeace Southeast Asia-Indonesia. (2020). *Karhutla dalam Lima Tahun Terakhir: Omnibus Law Hadiah Impunitas bagi Pembakar di Sektor Perkebunan Terbesar*. <https://www.greenpeace.org/indonesia/publikasi/44219/karhutla-dalam-lima-tahun-terakhir/>
- Grismer, L. L., Rödel, M.-O., & Channing, J. (2011). *Lizards of Peninsular Malaysia, Singapore, and their adjacent archipelagos*. Edition Chimaira, Frankfurt am Main.

- Guyer, C., Donnelly, M. A., Lovich, E. R., Hayes, W. K., Mushinsky, H., & Rodda, G. H. (2012). Standard techniques for inventory and monitoring. In R. W. McDiarmid, M. S. Foster, C. Guyer, J. W. Gibbons, & N. Chernoff (Eds.), *Reptile biodiversity standard methods for inventory and monitoring* (pp. 218–220, 227–234). University of California Press.
- Hager, H. A. (1998). Area-sensitivity of reptiles and amphibians: are there indicator species for habitat fragmentation? *Ecoscience*, 5(2), 139–147. <https://doi.org/10.1080/11956860.1998.11682463>
- Hall, F. G., & Root, R. W. (1930). The influence of humidity on the body temperature of certain poikilotherms. *Bulletin*, 58(1), 52–58. <https://about.jstor.org/terms>
- Harel, R., Alavi, S., Ashbury, A. M., Aurisano, J., Berger-Wolf, T., Davis, G. H., Hirsch, B. T., Kalbitzer, U., Kays, R., Mclean, K., Núñez, C. L., Vining, A., Walton, Z., Havmøller, R. W., & Crofoot, M. C. (2022). Life in 2.5D: Animal movement in the trees. *Frontiers in Ecology and Evolution*, 10, 1–8. <https://doi.org/10.3389/fevo.2022.801850>
- Harja, D., & Vincént, G. (2008). *SEXI-FS Spatially Explicit Individual-based Forest Simulator: User guide and software*. World Agroforestry Centre (ICRAF) and Institut de Recherche pour le Développement (IRD).
- Harrington, S. M., de Haan, J. M., Shapiro, L., & Ruane, S. (2018). Habits and characteristics of arboreal snakes worldwide: arboreality constrains body size but does not affect lineage diversification. In *Biological Journal of the Linnean Society* (Vol. 125). <https://academic.oup.com/biolinnean/article/125/1/61/5056838>
- Harrison, M. E., Capilla, B. R., Thornton, S. A., Cattau, M. E., & Page, S. E. (2016). Impacts of the 2015 fire season on peat-swamp forest biodiversity in Indonesian Borneo. *15Th International Peat Congress, 2006*(August 2006), 713–717.
- Harrison, M. E., Ottay, J. B., D'Arcy, L. J., Cheyne, S. M., Anggodo, Belcher, C., Cole, L., Dohong, A., Ermiasi, Y., Feldpausch, T., Gallego-Sala, A., Gunawan, A., Höing, A., Husson, S. J., Kulu, I. P., Soebagio, S. M., Mang, S., Mercado, L., Morrogh-Bernard, H. C., ... van Veen, F. J. F. (2020). Tropical forest and peatland conservation in Indonesia: Challenges and directions. In *People and Nature* (Vol. 2, Issue 1, pp. 4–28). Blackwell Publishing Ltd. <https://doi.org/10.1002/pan3.10060>
- Hatano, F. H., Rocha, C. F. D., & Sluys, M. van. (2002). Environmental factors affecting calling activity of a tropical diurnal frog (*Hylodes phyllodes*: Leptodactylidae). *Source: Journal of Herpetology*, 36(2), 314–318.
- Heatwole, H. (1977). A review of structuring in herpetofaunal assemblages. *Herpetological Communities: A Symposium of the Society for the Study of*

- Amphibians and Reptiles and the Herpetologist League*, 1–20.
<https://www.researchgate.net/publication/291799861>
- Heyer, W. R., Donnellu, M. A., McDiarmid, R. W., Hayek, L.-A., & Foster, M. S. (1994). *Measuring and monitoring biological diversity - Standard methods for amphibians*. Smithsonian Institution Press.
- Hocking, D. J., & Babbitt, K. J. (2014). Amphibian contributions to ecosystem services. *Herpetological Conservation and Biology*, 9(1), 1–17.
<https://www.researchgate.net/publication/269112594>
- Hoscilo, A., Page, S. E., Tansey, K. J., & Rieley, J. O. (2011). Effect of repeated fires on land-cover change on peatland in southern Central Kalimantan, Indonesia, from 1973 to 2005. *International Journal of Wildland Fire*, 20(4), 578–588. <https://doi.org/10.1071/WF10029>
- Hossack, B. R., & Pilliod, D. S. (2011). Amphibian responses to wildfire in the western united states: Emerging patterns from short-term studies. *Fire Ecology*, 7(2), 129–144. <https://doi.org/10.4996/fireecology.0702129>
- Husson, S. J., Limin, S. H., Adul, Boyd, N. S., Brousseau, J. J., Collier, S., Cheyne, S. M., D'Arcy, L. J., Dow, R. A., Dowds, N. W., Dragiewicz, M. L., Ehlers Smith, D. A., Iwan, Hendri, Houlihan, P. R., Jeffers, K. A., Jarrett, B. J. M., Kulu, I. P., Morrogh-Bernard, H. C., ... Harrison, M. E. (2018). Biodiversity of the sebangau tropical peat swamp forest, Indonesian Borneo. *Mires and Peat*, 22, 1–50. <https://doi.org/10.19189/MaP.2018.OMB.352>
- Independent Forest Monitoring Network. (2018). *The Loss of Our Forest and Peatland: An investigation into forest and peatland conversion and illegal logging in Sebangau National Park*. <https://eia-international.org/report/lost-forest-peatland/>
- Inger, R. F., & Stuebing, R. B. (2005). A field guide to the frogs of Borneo. In *Natural History Publications* (Second Edi).
- Iskandar, D. T., & Erdelen, W. R. (2006). Conservation of amphibians and reptiles in Indonesia: issues and problems. *Amphibian & Reptile Conservation*, 4(1), 60–87. <https://doi.org/10.1514/journal.arc.0040016>
- Jennings, S. B., Brown, N. D., & Sheil, D. (1999). Assessing forest canopies and understorey illumination: Canopy closure, canopy cover and other measures. *Forestry*, 72(1), 59–73. <https://doi.org/10.1093/forestry/72.1.59>
- Kafash, A., Kaboli, M., Koehler, G., Yousefi, M., & Asadi, A. (2016). Ensemble distribution modeling of the Mesopotamian spiny-tailed lizard, *Saara loricata* (Blanford, 1874), in Iran: An insight into the impact of climate change. *Turkish Journal of Zoology*, 40(2), 262–271. <https://doi.org/10.3906/zoo-1504-10>
- Kasih, R. C., Simon, O., Pratama, M. P., & Wirada, F. (2016). Rewetting of degraded tropical peatland by canal blocking technique in Sebangau National

Park, Central Kalimantan, Indonesia. *15th International Peat Congress 2016, 2016*, 467–471.

- Klys, J. (2010). *An estimation of anurans species richness and abundance in Sebangau Peat-Swamp Forest, Indonesia, Borneo*. University of Roehampton.
- Knapp, D. D., Howze, J., Dziadzio, M., Smith, L., & Jones, J. W. (2018). Prescribed fire affects diurnal vertebrate use of Gopher Tortoise (*Gopherus polyphemus*) burrows in a longleaf pine (*Pinus palustris*) forest. *Article in Herpetological Conservation and Biology*.
<https://www.researchgate.net/publication/330837913>
- Köhler, J., Jansen, M., Rodríguez, A., Kok, P. J. R., Toledo, L. F., Emmrich, M., Glaw, F., Haddad, C. F. B., Rödel, M. O., & Vences, M. (2017). The use of bioacoustics in anuran taxonomy: Theory, terminology, methods and recommendations for best practice. In *Zootaxa* (Vol. 4251, Issue 1, pp. 1–124). Magnolia Press. <https://doi.org/10.11646/zootaxa.4251.1.1>
- Kurniati, H. (2009). Negative impact of forest degradation to herpetofauna species in Kerinci Seblat National Park, Sumatra. *Berita Biologi*, 9(6), 699–713.
- Kusrini, M. D., Khairunnisa, L. R., Nusantara, A., Kartono, A. P., Prasetyo, L. B., Ayuningrum, N. T., & Faz, F. H. (2020). Diversity of amphibians and reptiles in various anthropogenic disturbance habitats in Nantu Forest, Sulawesi, Indonesia. *Jurnal Manajemen Hutan Tropika*, 26(3), 291–302.
<https://doi.org/10.7226/JTFM.26.3.291>
- Lampela, M., Jauhiainen, J., Sarkkola, S., & Vasander, H. (2017). Promising native tree species for reforestation of degraded tropical peatlands. *Forest Ecology and Management*, 394, 52–63. <https://doi.org/10.1016/j.foreco.2016.12.004>
- LeBien, J., Zhong, M., Campos-Cerqueira, M., Velez, J. P., Dodhia, R., Ferres, J. L., & Aide, T. M. (2020). A pipeline for identification of bird and frog species in tropical soundscape recordings using a convolutional neural network. *Ecological Informatics*, 59(April 2020), 101113.
<https://doi.org/10.1016/j.ecoinf.2020.101113>
- Lyon, L. J., Crawford, H. S., Czuhai, E., Fredriksen, R. L., Harlow, R. F., Metz, L. J., & Pearson, H. A. (1978). *Effect of fire on fauna: A state-of-knowledge review*.
- Lyon, L. J., Huff, M. H., Hooper, R. G., Telfer, E. S., Schreiner, D. S., & Smith, J. K. (2000). Wildland fire in ecosystems: Effects of fire on fauna. In J. K. Smith (Ed.), *Gen. Tech. Rep. RMRS-GTR-42* (Vol. 1, Issue January). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Majasalmi, T., & Rautiainen, M. (2020). The impact of tree canopy structure on understory variation in a boreal forest. *Forest Ecology and Management*, 466.
<https://doi.org/10.1016/j.foreco.2020.118100>

- Mardiastuti, A., Mulyani, Y. A., Ahmadi, R. A., Permana, M. F., & Hernowo, J. B. (2015). Bird diversity in different disturbance gradients in Lambusango Forest, Southeast Sulawesi. *The International Conference of Indonesia Forestry Researchers III, August 2016*, 451–461.
- McKelvey, K. S. (2015). The effects of disturbance and succession on wildlife habitat and animal communities. *Wildlife Habitat Conservation: Concepts, Challenges, and Solutions*, 143–156.
- Meredith, M., & Ridout, M. (2017). *Overview of the overlap package* (pp. 1–9). <https://cran.r-project.org/web/packages/overlap/vignettes/overlap.pdf>
- Michaels, C. J., Antwis, R. E., & Preziosi, R. F. (2014). Impact of plant cover on fitness and behavioural traits of captive red-eyed tree frogs (*Agalychnis callidryas*). *PLoS ONE*, 9(4). <https://doi.org/10.1371/journal.pone.0095207>
- Monterroso, P., Alves, P. C., & Ferreras, P. (2014). Plasticity in circadian activity patterns of mesocarnivores in Southwestern Europe: Implications for species coexistence. *Behavioral Ecology and Sociobiology*, 68(9), 1403–1417. <https://doi.org/10.1007/s00265-014-1748-1>
- Moorman, C. E., Russell, K. R., & Greenberg, C. H. (2011). Reptile and amphibian response to hardwood forest management and early successional habitats. In C. Greenberg, B. Collins, & F. Thompson III (Eds.), *Sustaining young forest communities: Ecology and management of early successional habitats in the Central Hardwood Region, USA* (Vol. 21, pp. 191–208). Springer. https://doi.org/10.1007/978-94-007-1620-9_11
- Morrison, M. L., Marcot, B. G., & Mannan, R. W. (2006). *Wildlife-habitat relationships: concepts and applications* (Third Edit). Island Press. <https://doi.org/10.2307/4002558>
- Nikonovas, T., Spessa, A., Doerr, S. H., Clay, G. D., & Mezbahuddin, S. (2020). Near-complete loss of fire-resistant primary tropical forest cover in Sumatra and Kalimantan. *Communications Earth and Environment*, 1(1). <https://doi.org/10.1038/s43247-020-00069-4>
- Noon, B. R. (1981). Techniques for Sampling Avian Habitats. In D. E. Capen (Ed.), *The use of multivariate statistics in studies of wildlife habitat*. Rocky Mountain Forest and Range Experiment Station. <https://doi.org/10.5962/bhl.title.99662>
- Nowakowski, A. J., Watling, J. I., Thompson, M. E., Brusch, G. A., Catenazzi, A., Whitfield, S. M., Kurz, D. J., Suárez-Mayorga, Á., Aponte-Gutiérrez, A., Donnelly, M. A., & Todd, B. D. (2018). Thermal biology mediates responses of amphibians and reptiles to habitat modification. In *Ecology Letters* (Vol. 21, Issue 3, pp. 345–355). Blackwell Publishing Ltd. <https://doi.org/10.1111/ele.12901>

- Nudds, T. D. (1973). Quantifying the vegetative structure of wildlife cover. *Wildlife Society Bulletin*, 5(3), 113–117.
<https://www.jstor.org/stable/3781453?seq=1&cid=pdf->
- Owens, A. K., Moseley, K. R., McCay, T. S., Castleberry, S. B., Kilgo, J. C., & Ford, W. M. (2008). Amphibian and reptile community response to coarse woody debris manipulations in upland loblolly pine (*Pinus taeda*) forests. *Forest Ecology and Management*, 256(12), 2078–2083.
<https://doi.org/10.1016/j.foreco.2008.07.030>
- Page, S., & Hooijer, A. (2016). In the line of fire: The peatlands of Southeast Asia. *Phil. Trans. R. Soc. B*, 371(20150176), 1–9.
<https://doi.org/10.1098/rstb.2015.0176>
- Page, S., Hooijer, A., Rieley, J., Banks, C., & Hoscilo, A. (2012). The tropical peat swamps of Southeast Asia: human impacts on biodiversity, hydrology and carbon dynamics. In D. Gower, K. Johnson, J. Richardson, B. Rosen, L. Rüber, & S. Williams (Eds.), *Biotic evolution and environmental change in Southeast Asia* (pp. 406–433). Cambridge University Press.
<https://doi.org/10.1017/cbo9780511735882.018>
- Page, S., Rieley, J. O., & Banks, C. J. (2011). Global and regional importance of the tropical peatland carbon pool. *Global Change Biology*, 17(2), 798–818.
<https://doi.org/10.1111/j.1365-2486.2010.02279.x>
- Pausas, J. G., & Keeley, J. E. (2019). Wildfires as an ecosystem service. *Frontiers in Ecology and the Environment*, 17(5), 289–295.
<https://doi.org/10.1002/fee.2044>
- Penny, S., Andreone, F., Crottini, A., Holderied, M., Rakotozafy, L., Schwitzer, C., & Rosa, G. (2014). A new species of the *Boophis rappiodes* group (Anura, Mantellidae) from the Sahamalaza Peninsula, northwest Madagascar, with acoustic monitoring of its nocturnal calling activity. *ZooKeys*, 435, 111–132.
<https://doi.org/10.3897/zookeys.435.7383>
- Pilliod, D. S., Bury, R. B., Hyde, E. J., Pearl, C. A., & Corn, P. S. (2003). Fire and amphibians in North America. *Forest Ecology and Management*, 178(1–2), 163–181. [https://doi.org/10.1016/S0378-1127\(03\)00060-4](https://doi.org/10.1016/S0378-1127(03)00060-4)
- Posa, M. R. C., Wijedasa, L. S., & Corlett, R. T. (2011). Biodiversity and conservation of tropical peat swamp forests. *BioScience*, 61(1), 49–57.
<https://doi.org/10.1525/bio.2011.61.1.10>
- Pounds, J. A. (2000). Amphibians and reptiles. In N. M. Nadkarni & N. T. Wheelwright (Eds.), *Monteverde: Ecology and conservation of a tropical cloud forest*. Oxford University Press.
- Prayitno, M. (2021, September 8). *Pembahasan Revisi Zona Taman Nasional Sebangau*. Direktorat Jenderal Konservasi Sumber Daya Alam Dan

Ekosistem. <http://ksdae.menlhk.go.id/artikel/9902/pembahasan-revisi-zona-taman-nasional-sebangau.html>

- Purnomo, H., Okarda, B., Shantiko, B., Achdiawan, R., Dermawan, A., Kartodihardjo, H., & Dewayani, A. A. (2019). Forest and land fires, toxic haze and local politics in Indonesia. *International Forestry Review*, 21(4), 486–500. <https://doi.org/10.1505/146554819827906799>
- Rejeki, S. S. S., & Santosa, Y. (2020). The impact of fire on herpetofauna species diversity: case study in PT Waimusi Agroindah, Sumatera Selatan. *IOP Conference Series: Earth and Environmental Science*, 504(1). <https://doi.org/10.1088/1755-1315/504/1/012008>
- Rochester, C. J., Brehme, C. S., Clark, D. R., Stokes, D. C., Hathaway, A., Fisher, R. N., Rochester, C. J., Brehme, C. S., Clark, D. R., Stokes, D. C., Hathaway, S. A., & Fisher, R. N. (2010). Reptile and amphibian responses to large-scale wildfires in Southern California. *Journal of Herpetology*, 44(3), 333–351. <https://www.jstor.org/stable/40983586>
- Rogers, P. (1996). Disturbance ecology and forest management: A review of the literature: General Technical Report INT-GTR-336. *Gen.Tech.Rep. INT-GTR-336, May*, 1–16.
- Russell, K. R., van Lear, D. H., & Guynn, D. C. (1999). Prescribed fire effects on herpetofauna: Review and management implications. *Wildlife Society Bulletin*, 27(2), 374–384. <https://www.jstor.org/stable/3783904>
- Santos, J. L., Sitters, H., Keith, D. A., Geary, W. L., Tingley, R., & Kelly, L. T. (2022). A demographic framework for understanding fire-driven reptile declines in the ‘land of the lizards’.’ *Global Ecology and Biogeography*, 31(10), 2105–2119. <https://doi.org/10.1111/geb.13520>
- Saputro, P. B., Putra, A. D., Setiawan, I., & Setiadi, T. (2019). Potential suitable habitat distribution for two endemic and highly threatened species of Leptophryne (Amphibia; Bufonidae) in Java. In *Zoo Indonesia* (Vol. 28, Issue 2). <http://worldclim.org>,
- Schalk, C. M., & Saenz, D. (2016). Environmental drivers of anuran calling phenology in a seasonal neotropical ecosystem. *Austral Ecology*, 41(1), 16–27. <https://doi.org/10.1111/aec.12281>
- Segura, C., Feriche, M., Pleguezuelos, J. M., & Santos, X. (2007). Specialist and generalist species in habitat use: Implications for conservation assessment in snakes. *Journal of Natural History*, 41(41–44), 2765–2774. <https://doi.org/10.1080/00222930701664203>
- Seidler, R. (2017). Patterns of biodiversity change in anthropogenically altered forests. In B. D. Roitberg (Ed.), *Reference module in life sciences*. Elsevier. <https://doi.org/10.1016/B978-0-12-809633-8.02186-5>

- Spies, T. A. (1998). Forest structure: A Key to the ecosystem. In J. A. Trofymow & MacKinnon A (Eds.), *Structure, process, and diversity in successional forests of Coastal British Columbia* (Vol. 72, Issue 2, pp. 34–39). Northwest Science.
https://scholar.google.co.jp/scholar?hl=ja&q=Forest+Structure%3A+A+Key+to+the+Ecosystem&btnG=&lr=lang_en%7Clang_ja
- Sykes, L. (2016). *Freshwater Turtle Populations in the Sabangau catchment, Central Kalimantan, Indonesia* _____.
- Tachinardi, P. (2019). Diurnality. *Encyclopedia of Animal Cognition and Behavior*, 1–3. https://doi.org/10.1007/978-3-319-47829-6_916-1
- Tang, Y.-Z., Zhuang, L.-Z., & Wang, Z.-W. (2001). Advertisement calls and their relation to reproductive cycles in Gekko gecko (Reptilia, Lacertilia). *Copeia*, 2001(1), 248–253.
- Taylor, E. N., Diele-Viegas, L. M., Gangloff, E. J., Hall, J. M., Halpern, B., Massey, M. D., Rödder, D., Rollinson, N., Spears, S., Sun, B. jun, & Telemeco, R. S. (2021). The thermal ecology and physiology of reptiles and amphibians: A user's guide. In *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology* (Vol. 335, Issue 1, pp. 13–44). John Wiley and Sons Inc. <https://doi.org/10.1002/jez.2396>
- Time and Date. (2021). *Sunrise and sunset times in Palangka Raya, August 2021*. <https://www.timeanddate.com/sun/indonesia/palangkaraya?month=8&year=2021>
- Turetsky, M. R., Benscoter, B., Page, S., Rein, G., van der Werf, G. R., & Watts, A. (2015). Global vulnerability of peatlands to fire and carbon loss. *Nature Geoscience*, 8(1), 11–14. <https://doi.org/10.1038/ngeo2325>
- Uetz, P., Hallermann, J., & Hošek, J. (2022). *Search results / The Reptile Database*. The Reptile Database. https://reptile-database.reptarium.cz/advanced_search?location=indonesia&submit=Search
- Valencia-Aguilar, A., Cortés-Gómez, A. M., & Ruiz-Agudelo, C. A. (2013). Ecosystem services provided by amphibians and reptiles in Neotropical ecosystems. In *International Journal of Biodiversity Science, Ecosystem Services and Management* (Vol. 9, Issue 3, pp. 257–272). Taylor and Francis Ltd. <https://doi.org/10.1080/21513732.2013.821168>
- van Sluys, M., Marra, R. v., Boquimpani-Freitas, L., & Rocha, C. F. D. (2012). Environmental factors affecting calling behavior of sympatric frog species at an Atlantic rain forest area, Southeastern Brazil. *Journal of Herpetology*, 46(1), 41–46. <https://doi.org/10.1670/10-178>
- Vasconcelos, V. V., & Sacht, H. M. (2020). Influence of canopy cover on surface temperature. *Revista Brasileira de Geografia Física*, 13(7), 3275–3286. <https://doi.org/10.26848/rbgf.v13.07.p3275-3286>

- Vitt, L. J., & Caldwell, J. P. (2009). Herpetology. In *Journal of Experimental Psychology: General* (3rd ed., Issue 1). Elsevier Inc.
- Wogan, G., Thaksinham, W., Phimmachak, S., Lwin, K., Neang, T., Stuart, B. L., Danaisawat, P., Yang, J., & Wang, Y. (2021). *Takydromus sexlineatus* (Asian Grass Lizard). The IUCN Red List of Threatened Species 2021: E.T178424A102341848. <https://dx.doi.org/10.2305/IUCN.UK.2021-3.RLTS.T178424A102341848.en>
- Woods, P. (1989). Effects of logging, drought, and fire on structure and composition of tropical forests in Sabah, Malaysia. *Biotropica*, 21(4), 290–298. <https://doi.org/10.2307/2388278>
- Xie, J., Michael, T., Zhang, J., & Roe, P. (2016). Detecting frog calling activity based on acoustic event detection and multi-label learning. *Procedia Computer Science*, 80, 627–638. <https://doi.org/10.1016/j.procs.2016.05.352>
- Yager, L. Y., Hinderliter, M. G., Heise, C. D., & Epperson, D. M. (2007). Gopher Tortoise response to habitat management by prescribed burning. *Journal of Wildlife Management*, 71(2), 428–434. <https://doi.org/10.2193/2006-337>
- Yeager, C. P., Marshall, A. J., Stickler, C. M., & Chapman, C. A. (2003). Effects of fires on peat swamp and lowland dipterocarp forests in Kalimantan, Indonesia. *Tropical Biodiversity*, 8(1), 121–138.
- Yule, C. M. (2010). Loss of biodiversity and ecosystem functioning in Indo-Malayan peat swamp forests. *Biodiversity and Conservation*, 19(2), 393–409. <https://doi.org/10.1007/s10531-008-9510-5>
- Zug, G. R., Vitt, L. J., & Caldwell, J. P. (2001). Thermoregulation, performance, and energetics. In *Herpetology: An introductory biology of amphibians and reptiles* (2nd ed., pp. 179–196). Academic Press. <https://doi.org/10.1016/B978-0-12-374346-6.X0001-6>