



DAFTAR PUSTAKA

- Abbass J. 2018. Secondary Structure-Based Template Selection for Fragment-Assembly Protein Structure Prediction.
- Abdulfatai U, Uzairu A, Uba S. 2016. Quantitative structure-activity relationship and molecular docking studies of a series of quinazolinonyl analogues as inhibitors of gammaamino butyric acid aminotransferase. *J. Adv. Res.* 8.doi:10.1016/j.jare.2016.10.004.
- Al-Hasani R, Bruchas MR. 2011. Molecular mechanisms of opioid receptor-dependent signaling and behavior. *Anesthesiology*. 115(6):1363–1381.doi:10.1097/ALN.0b013e318238bba6.
- Arifin S. 1986. *Buku materi pokok kimia organik bahan alam PKIM 4438/2 SKS/Modul 1-3*. Departemen Pendidikan dan Kebudayaan, Universitas Terbuka.
- Aswin RK, Tridiganita IS, Arif NMA, Gavrila AP, Dina DA, Gabrielle AVP. 2022. Abrus precatorius: A comprehensive insight into the phytochemical, pharmacological, therapeutic activities and safety. *J. Drug Deliv. Ther.* 12(1):151–157.doi:10.22270/jddt.v12i1.5173.
- Attal A, Otari K, Shete R, Upasani C, Nandgude T. 2010. Abrus precatorius Linnaeus: A Phytopharmacological Review. *J. Pharm. Res.* 3:2585–2587.
- Bahrudin M. 2017. Patofisiologi Nyeri (Pain). *Saintika Med.* 13(1):7–13.doi:10.22219/sm.v13i1.5449.
- Beffort K, Tabbara L, Kling D, Maigret B, Kieffer BL. 1996. Role of Aromatic Transmembrane Residues of the δ -Opioid Receptor in Ligand Recognition (*). *J. Biol. Chem.* 271(17):10161–10168.doi:10.1074/jbc.271.17.10161.
- Bhardwaj DK, Bisht MS, Mehta CK. 1980. Flavonoids from Abrus Precatorius. *Phytochemistry*. 19(9):2040–2041.doi:10.1016/0031-9422(80)83038-X.
- Calder PC. 2006. n-3 Polyunsaturated fatty acids, inflammation, and inflammatory diseases. *Am. J. Clin. Nutr.* 83(6):1505S–1519S.doi:10.1093/ajcn/83.6.1505S.
- Casy AF, Parfitt RT. 1986. Opioid Receptors: Facts and Speculations. Di dalam: Casy AF, Parfitt RT, editor. *Opioid Analgesics: Chemistry and Receptors*. [internet] Boston, MA. Boston, MA: Springer US. hlm. 445–502. [diunduh 2022 Feb 12]. Tersedia pada: https://doi.org/10.1007/978-1-4899-0585-7_13



Chiang T-C, Chang H-M, Mak TCW. 1983. New Oleanene-type Triterpenes from *Abrus precatorius* and X-ray Crystal Structure of Abrusgenic Acid-Methanol 1:1 Solvate. *Planta Med.* 49(11):165–169.doi:10.1055/s-2007-969840.

Cole J, Nissink J, Taylor R. 2005 Jan 1. Protein-ligand docking and virtual screening with GOLD. *Virtual Screen. Drug Discov.*:379–415.

Cong X, Campomanes P, Kless A, Schapitz I, Wagener M, Koch T, Carloni P. 2015. Structural Determinants for the Binding of Morphinan Agonists to the μ -Opioid Receptor. *PLOS ONE*. 10(8):e0135998.doi:10.1371/journal.pone.0135998.

Daga PR, Zaveri NT. 2012. Homology modeling and molecular dynamics simulations of the active state of the nociceptin receptor reveal new insights into agonist binding and activation. *Proteins.* 80(8):1948–1961.doi:10.1002/prot.24077.

Dar AM, Mir S. 2017. Molecular Docking: Approaches, Types, Applications and Basic Challenges. *J. Anal. Bioanal. Tech.* 08(02).doi:10.4172/2155-9872.1000356. [diunduh 2022 Jul 30]. Tersedia pada: <https://www.omicsonline.org/open-access/molecular-docking-approaches-types-applications-and-basic-challenges-2155-9872-1000356.php?aid=88070>

Das A, Jain V, Mishra A. 2021. A brief review on a traditional herb: *abrus precatorius* (L.). *IP Int. J. Forensic Med. Toxicol. Sci.* 1(1):1–10.doi:10.18231/j.ijfmst.2016.001.

Davis MP. 2012. Drug management of visceral pain: concepts from basic research. *Pain Res. Treat.* 2012:265605.doi:10.1155/2012/265605.

Dhaliwal A, Gupta M. 2022. Physiology, Opioid Receptor. Di dalam: *StatPearls*. [internet] Treasure Island (FL). Treasure Island (FL): StatPearls Publishing. [diunduh 2022 Okt 14]. Tersedia pada: <http://www.ncbi.nlm.nih.gov/books/NBK546642/>

Dubin AE, Patapoutian A. 2010. Nociceptors: the sensors of the pain pathway. *J. Clin. Invest.* 120(11):3760–3772.doi:10.1172/JCI42843.

Elisabetsky E, Figueiredo W, Oliveria G. 1992. Traditional Amazonian Nerve Tonics as Antidepressant Agent: *J. Herbs Spices Med. Plants.* 1(1–2):125–162.doi:10.1300/J044v01n01_11.

Ferreira LG, Dos Santos RN, Oliva G, Andricopulo AD. 2015. Molecular docking and structure-based drug design strategies. *Mol. Basel Switz.* 20(7):13384–13421.doi:10.3390/molecules200713384.



Freye E, Levy JV. 2008. Mechanism of Action of Opioids and Clinical Effects. *Opioids Med.*:85–187.doi:10.1007/978-1-4020-5947-6_2.

Gaba M, Punam G, Sarbjot S. 2010. An overview on Molecular Docking. *Int. J. Drug Dev. Res.* 2:219–231.

Garaniya N, Bapodra A. 2014. Ethno botanical and Phytophrmacological potential of *Abrus precatorius L.*: A review. *Asian Pac. J. Trop. Biomed.* 4(Suppl 1):S27–S34.doi:10.12980/APJT.B.4.2014C1069.

Hevener KE, Zhao W, Ball DM, Babaoglu K, Qi J, White SW, Lee RE. 2009. Validation of Molecular Docking Programs for Virtual Screening against Dihydropteroate Synthase. *J. Chem. Inf. Model.* 49(2):444–460.doi:10.1021/ci800293n.

Idris AA. 2013. Karakteristik Penderita Nyeri Kanker di RSUP Dr. Wahidin Sudirohusodo Periode Januari 2013. Makassar: Universitas Hasanudin.

Jakowiecki J, Orzeł U, Chawananon S, Miszta P, Filipek S. 2020. The Hydrophobic Ligands Entry and Exit from the GPCR Binding Site-SMD and SuMD Simulations. *Molecules*. 25(8):1930.doi:10.3390/molecules25081930.

JMJ. 2014. Pentingnya Aktualisasi Penanganan Nyeri Kronis. *J. Online Med.* 11(2).

Kennelly EJ, Cai L, Kim N-C, Douglas Kinghorn A. 1996. Abrusoside e, a further sweet-tasting cycloartane glycoside from the leaves of *Abrus precatorius*. *Phytochemistry*. 41(5):1381–1383.doi:10.1016/0031-9422(95)00792-X.

Khedr AIM, Ibrahim SRM, Mohamed GA, Ahmed HEA, Ahmad AS, Ramadan MA, Abd El-Baky AE, Yamada K, Ross SA. 2016. New ursane triterpenoids from *Ficus pandurata* and their binding affinity for human cannabinoid and opioid receptors. *Arch. Pharm. Res.* 39(7):897–911.doi:10.1007/s12272-016-0784-y.

Khifalah L. 2019. Pengaruh Kompres Hangat Terhadap Penurunan Skala Nyeri Pada Lansia Dengan Reumatik. *Citra Delima J. Ilm. STIKES Citra Delima Bangka Belitung*. 2(2):136–143.doi:10.33862/citradelima.v2i1.11.

Kim JH, Min B-I, Na HS, Park DS. 2004. Relieving effects of electroacupuncture on mechanical allodynia in neuropathic pain model of inferior caudal trunk injury in rat: mediation by spinal opioid receptors. *Brain Res.* 998(2):230–236.doi:10.1016/j.brainres.2003.11.045.

Kinjo J, Matsumoto K, Inoue M, Takeshita T, Nohara T. 1991. A New Sapogenol and Other Constituents in Abri Semen, the Seeds of *Abrus precatorius L.* I. *Chem. Pharm. Bull. (Tokyo)*. 39(1):116–119.doi:10.1248/cpb.39.116.



- Kitchen DB, Decornez H, Furr JR, Bajorath J. 2004. Docking and scoring in virtual screening for drug discovery: methods and applications. *Nat. Rev. Drug Discov.* 3(11):935–949.doi:10.1038/nrd1549.
- Le Bars D, Gozariu M, Cadden SW. 2001. Animal models of nociception. *Pharmacol. Rev.* 53(4):597–652.
- Lee S-M, Booé JM, Pioszak AA. 2015. Structural insights into ligand recognition and selectivity for class A, B, and C GPCRs. *Eur. J. Pharmacol.* 763(0 0):196–205.doi:10.1016/j.ejphar.2015.05.013.
- Lefar MS, Firestone D, Coleman EC, Brown N, Shaw DW. 1968. Lipids from the Seeds of *Abrus precatorius*. *J. Pharm. Sci.* 57(8):1442–1444.doi:10.1002/jps.2600570840.
- Ma C, Nakamura N, Hattori M. 1998. Saponins and C-Glycosyl Flavones from the Seeds of *Abrus precatorius*. *Chem. Pharm. Bull. (Tokyo)*. 46(6):982–987.doi:10.1248/cpb.46.982.
- Mafi A, Kim S-K, Goddard WA. 2021. The G protein-first activation mechanism of opioid receptors by Gi protein and agonists. *QRB Discov.* 2:e9.doi:10.1017/qrd.2021.7.
- Mandava N, Anderson JD, Dutky SR. 1974. Indole plant-growth inhibitor from *Abrus precatorius* seeds. *Phytochemistry*. 13(12):2853–2856.doi:10.1016/0031-9422(74)80256-6.
- McFadyen IJ, Houshyar H, Liu-Chen L-Y, Woods JH, Traynor JR. 2000. The Steroid 17 α -Acetoxy-6-dimethylaminomethyl-21-fluoro-3-ethoxy-pregna-3,5-dien-20-one (SC17599) Is a Selective μ -Opioid Agonist: Implications for the μ -Opioid Pharmacophore. *Mol. Pharmacol.* 58(4):669–676.doi:10.1124/mol.58.4.669.
- Mele T, Čarman-Kržan M, Jurič DM. 2010. Regulatory role of monoamine neurotransmitters in astrocytic NT-3 synthesis. *Int. J. Dev. Neurosci.* 28(1):13–19.doi:10.1016/j.ijdevneu.2009.10.003.
- Meng X-Y, Zhang H-X, Mezei M, Cui M. 2011. Molecular docking: a powerful approach for structure-based drug discovery. *Curr. Comput. Aided Drug Des.* 7(2):146–157.doi:10.2174/157340911795677602.
- Morgan GE, Mikhail MS, Murray MJ. 2006. *Clinical Anesthesiology*. New York: Lange Medical Books/McGraw Hill. [diunduh 2022 Feb 12]. Tersedia pada: <http://www.accessanesthesiology.com/resource/53>
- Munk C, Isberg V, Mordalski S, Harpsøe K, Rataj K, Hauser AS, Kolb P, Bojarski AJ, Vriend G, Gloriam DE. 2016. GPCRdb: the G protein-coupled



receptor database – an introduction. *Br. J. Pharmacol.* 173(14):2195–2207.doi:10.1111/bph.13509.

Okhale S, Nwanosike E. 2016. *Abrus precatorius* Linn (Fabaceae): phytochemistry, ethnomedicinal uses, ethnopharmacology and pharmacological activities. 1:2455–4685.

Oladimeji AO, Babatunde O, Musa RT, M'civer FA, Lawal AT, Ogunwande IA. 2016. GC-MS analysis and cytotoxic activity of essential oils from the leaves of *Abrus precatorius* L. Gaertn. *Asian Pac. J. Trop. Dis.* 6(5):372–375.doi:10.1016/S2222-1808(15)61050-7.

Ortiz-Flores M, Portilla-Martínez A, González-Ruiz C, Villarreal F, Meaney E, Nájera N, Ceballos G. 2020. Catechins modulate the activity of mu opioid receptor (μ OR): An in silico approach. *Inform. Med. Unlocked.* 20:100431.doi:10.1016/j.imu.2020.100431.

Pan H-L, Wu Z-Z, Zhou H-Y, Chen S-R, Zhang H-M, Li D-P. 2008. Modulation of pain transmission by G-protein-coupled receptors. *Pharmacol. Ther.* 117(1):141–161.doi:10.1016/j.pharmthera.2007.09.003.

Prabandari DA, Indriasari I, Maskoen TT. 2018. Efektivitas Analgesik 24 Jam Pascaoperasi Elektif di RSUP Dr. Hasan Sadikin Bandung Tahun 2017. *J. Anestesi Perioper.* 6(2):98–104.doi:10.15851/jap.v6n2.1221.

Ramírez D, Caballero J. 2018. Is It Reliable to Take the Molecular Docking Top Scoring Position as the Best Solution without Considering Available Structural Data? *Molecules.* 23(5):1038.doi:10.3390/molecules23051038.

Ross IA. 2003. *Abrus precatorius L.* Di dalam: Ross IA, editor. *Medicinal Plants of the World: Volume 1 Chemical Constituents, Traditional and Modern Medicinal Uses.* [internet] Totowa, NJ. Totowa, NJ: Humana Press. hlm. 15–31. [diunduh 2022 Feb 11]. Tersedia pada: https://doi.org/10.1007/978-1-59259-365-1_2

Sayhan H, Beyaz SG, Çeliktaş A. 2017. *The Local Anesthetic and Pain Relief Activity of Alkaloids.* IntechOpen. [diunduh 2022 Feb 25]. Tersedia pada: <https://www.intechopen.com/chapters/56301>

Scholz C, Knorr S, Hamacher K, Schmidt B. 2015. DOCKTITE—A Highly Versatile Step-by-Step Workflow for Covalent Docking and Virtual Screening in the Molecular Operating Environment. *J. Chem. Inf. Model.* 55(2):398–406.doi:10.1021/ci500681r.

Sengkey L, Angliadi L, Gessal J, Mogi T. 2006. *Diktat ilmu kedokteran fisik dan rehabilitasi.* Manado: FK Unsrat.



Shim J, Coop A, MacKerell AD. 2013. Molecular Details of the Activation of the μ Opioid Receptor. *J. Phys. Chem. B.* 117(26):7907–7917.doi:10.1021/jp404238n.

Sivakumar R, Alagesaboopathi C. 2011. Studies on wound healing activity of red and black coloured seed, white coloured seed extracts of abrus precatorius l. *Int. J. Pharma Bio Sci.* Volume 2 Issue 1. [diunduh 2022 Feb 25]. Tersedia pada: <http://www.ijpbs.net/abstract.php?article=562>

Sojka A, Brennan K, Maizels E, Young C. 2017. The Science Behind G Protein-Coupled Receptors (GPCRs) and Their Accurate Visual Representation in Scientific Research. *J. Biocommun.* 41.doi:10.5210/jbc.v41i1.7309.

Southon IW, Bisby FA, Buckingham J, Harborne JB, Zarucchi JL. 1994. *Phytochemical Dictionary of the Leguminosae*. 1st ed. London: Chapman & Hall.

Starnowska-Sokół J, Przewłocka B. 2020. Multifunctional Opioid-Derived Hybrids in Neuropathic Pain: Preclinical Evidence, Ideas and Challenges. *Molecules.* 25(23):5520.doi:10.3390/molecules25235520.

Stone LS, Molliver DC. 2009. In Search of Analgesia: Emerging Poles of GPCRs in Pain. *Mol. Interv.* 9(5):234–251.doi:10.1124/mi.9.5.7.

Sweetman SC. 2009. *Martindale: The Complete Drug Reference*. London; Chicago: Pharmaceutical Press.

Tauchen J, Huml L, Rimpelova S, Jurášek M. 2020. Flavonoids and Related Members of the Aromatic Polyketide Group in Human Health and Disease: Do They Really Work? *Molecules.* 25(17):3846.doi:10.3390/molecules25173846.

Taylor Jr R, Raffa R, Pergolizzi J. 2011. Naltrexone extended-release injection: An option for the management of opioid abuse. *Subst. Abuse Rehabil.* 2:219–226.doi:10.2147/SAR.S17920.

Tjay TH, Rahardja K. 2002. *Obat-Obat Penting, Khasiat, Penggunaan dan Efek Sampingnya*. Ed ke-5. Jakarta: Efek Media Komputindo.

Trowbridge HO, Emling RC. 1993. *Inflammation: A Review of the Process*. Quintessence Publishing Company. Ed ke-Google-Books-ID: TMppAAAAMAAJ.

Ubaldi M, Cannella N, Borruto AM, Petrella M, Micioni Di Bonaventura MV, Soverchia L, Stopponi S, Weiss F, Cifani C, Ciccioppo R. 2021. Role of Nociceptin/Orphanin FQ-NOP Receptor System in the Regulation of Stress-Related Disorders. *Int. J. Mol. Sci.* 22(23):12956.doi:10.3390/ijms222312956.



UNIVERSITAS
GADJAH MADA

Studi In Silico Konstituen Kimia Tumbuhan Saga Rambat (*Abrus precatorius L.*) Sebagai Agen Analgetika

Tertarget Reseptor Opioid

BAYU ANGGORO, Dr. B.S. Ari Sudarmanto, M.Si.; Dr. apt. Purwanto, M.Sc.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Usha S, Selvaraj S. 2016. Prediction of kinase-inhibitor binding affinity using energetic parameters. *Bioinformation*. 12(3):172–181.doi:10.6026/97320630012172.

Woolf CJ, American College of Physicians, American Physiological Society. 2004. Pain: moving from symptom control toward mechanism-specific pharmacologic management. *Ann. Intern. Med.* 140(6):441–451.doi:10.7326/0003-4819-140-8-200404200-00010.

Wu H, Wacker D, Katritch V, Mileni M, Han GW, Vardy E, Liu W, Thompson AA, Huang X-P, Carroll FI, et al. 2012. Structure of the human kappa opioid receptor in complex with JDTic. *Nature*. 485(7398):327.doi:10.1038/nature10939.

Xiao Z, Wang F, Yin H, Sun A, Li C, Li Q, Zhang S. 2012. A new flavanone glucoside from *Abrus precatorius*. *Chem. Nat. Compd.* 48(4):565–567.doi:10.1007/s10600-012-0311-4.

Yusransyah, Izati RR, Setiawan AA. 2017. Penggunaan Daun Saga (*Abrus Precatorius*) sebagai Obat Alternatif untuk Membantu Mengobati Sariawan di Kampung Cisimeut Kecamatan Leuwidamar RT 002 RW 002. *J. Farmagazine*. 1(2):29–34.doi:10.47653/farm.v1i2.48.