

DAFTAR PUSTAKA

- Armstrong, M., Moore, R.A. and Kerndt, C.C. (2019). Physiology, Baroreceptors. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK538172/>.
- Arzu, D., Tuzun, E.H. and Eker, L. (2006). Perceived barriers to physical activity in university students. *Journal of sports science & medicine*, [online] 5(4), pp.615–20. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3861763/>.
- Bolívar, J.J. (2013). Essential Hypertension: An Approach to Its Etiology and Neurogenic Pathophysiology. *International Journal of Hypertension*, [online] 2013, pp.1–11. doi:10.1155/2013/547809.
- Börjesson, M., Onerup, A., Lundqvist, S. and Dahlöf, B. (2016). Physical activity and exercise lower blood pressure in individuals with hypertension: narrative review of 27 RCTs. *British Journal of Sports Medicine*, 50(6), pp.356–361. doi:10.1136/bjsports-2015-095786.
- Boy, E., Lelo, A., Tarigan, A.P., Machrina, Y., Yusni, Y., Harahap, J., Sembiring, R.J., Syafril, S. and Sumartiningsih, S. (2021). Salat Dhuha Improves Blood Pressure: A Randomized Controlled Trial. *Media Ilmu Keolahragaan Indonesia*, 11(2), pp.47–52. doi:10.15294/miki.v11i2.34225.
- Brzezinski, W.A. (2017). Blood Pressure. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK268/>.
- Budiman, A. (2021). Waktu Shalat: Baca Ini! Agar Kita Tahu Batasan Waktu-waktu Shalat. [online] Muslim.or.id. Available at:

<https://muslim.or.id/6258-waktu-waktu-shalat.html> [Accessed 2 Dec. 2021].

- Bull, F.C., Al-Ansari, S.S., Biddle, S., Borodulin, K., Buman, M.P., Cardon, G., Carty, C., Chaput, J.-P., Chastin, S., Chou, R., Dempsey, P.C., DiPietro, L., Ekelund, U., Firth, J., Friedenreich, C.M., Garcia, L., Gichu, M., Jago, R., Katzmarzyk, P.T. and Lambert, E. (2020). World Health Organization 2020 Guidelines on Physical Activity and Sedentary Behaviour. *British Journal of Sports Medicine*, [online] 54(24), pp.1451–1462. doi:10.1136/bjsports-2020-102955.
- Caspersen, C.J., Powell, K.E. and Christenson, G.M. (1985). Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. *Public health reports (Washington, D.C. : 1974)*, [online] 100(2), pp.126–31. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1424733/>.
- Cornelissen, V.A. and Smart, N.A. (2013). Exercise Training for Blood Pressure: A Systematic Review and Meta-analysis. *Journal of the American Heart Association*, [online] 2(1). doi:10.1161/jaha.112.004473.
- Dempsey, P.C., Larsen, R.N., Dunstan, D.W., Owen, N. and Kingwell, B.A. (2018). Sitting Less and Moving More. *Hypertension*, 72(5), pp.1037–1046. doi:10.1161/hypertensionaha.118.11190.
- Diaz, K.M. and Shimbo, D. (2013). Physical Activity and the Prevention of Hypertension. *Current Hypertension Reports*, [online] 15(6), pp.659–668. doi:10.1007/s11906-013-0386-8.

- Diyono, D. and Musnidawati, S.K. (2018). Hubungan Intensitas Sholat Tahajud dengan Tekanan Darah. *KOSALA : Jurnal Ilmu Kesehatan*, 6(1). doi:10.37831/jik.v6i1.138.
- Doufesh, H., Faisal, T., Lim, K.-S. and Ibrahim, F. (2012). EEG spectral analysis on Muslim prayers. *Applied Psychophysiology and Biofeedback*, [online] 37(1), pp.11–18. doi:10.1007/s10484-011-9170-1.
- Doufesh, H., Ibrahim, F., Ismail, N.A. and Ahmad, W.A.W. (2013). Assessment of Heart Rates and Blood Pressure in Different Salat Positions. *Journal of Physical Therapy Science*, 25(2), pp.211–214. doi:10.1589/jpts.25.211.
- Doufesh, H., Ibrahim, F., Ismail, N.A. and Wan Ahmad, W.A. (2014). Effect of Muslim Prayer (Salat) on α Electroencephalography and Its Relationship with Autonomic Nervous System Activity. *The Journal of Alternative and Complementary Medicine*, [online] 20(7), pp.558–562. doi:10.1089/acm.2013.0426.
- Edmond, S.N., Turk, D.C., Williams, D.A. and Kerns, R.D. (2019). Considerations of trial design and conduct in behavioral interventions for the management of chronic pain in adults. *PAIN Reports*, 4(3), p.e655. doi:10.1097/pr9.0000000000000655.
- Febriyona, R. and Saleh, S.W. (2021). Pengaruh Gerakan Shalat Wajib Diikuti Shalat Sunnah Terhadap Penurunan Tekanan Darah Lansia di Desa Lauwono. *Jurnal Zaitun Universitas Muhammadiyah Gorontalo*.
- Fikri, M. and Boy, E. (2020). Pengaruh Gerakan Sholat Terhadap Tekanan Darah Pada Lansia. *MAGNA MEDICA: Berkala Ilmiah Kedokteran dan Kesehatan*, 6(2), p.130. doi:10.26714/magnamed.6.2.2019.130-137.

- Fletcher, J. (2007). What is heterogeneity and is it important? *BMJ : British Medical Journal*, [online] 334(7584), pp.94–96. doi:10.1136/bmj.39057.406644.68.
- Freedland, K.E., Mohr, D.C., Davidson, K.W. and Schwartz, J.E. (2011). Usual and Unusual Care. *Psychosomatic Medicine*, 73(4), pp.323–335. doi:10.1097/psy.0b013e318218e1fb.
- Fujita, T. (2014). Mechanism of Salt-Sensitive Hypertension: Focus on Adrenal and Sympathetic Nervous Systems. *Journal of the American Society of Nephrology*, 25(6), pp.1148–1155. doi:10.1681/asn.2013121258.
- Ganeshkumar, P. and Gopalakrishnan, S. (2013). Systematic reviews and meta-analysis: Understanding the best evidence in primary healthcare. *Journal of Family Medicine and Primary Care*, [online] 2(1), p.9. doi:10.4103/2249-4863.109934.
- Gerritsen, R.J.S. and Band, G.P.H. (2018). Breath of Life: The Respiratory Vagal Stimulation Model of Contemplative Activity. *Frontiers in Human Neuroscience*, [online] 12(12). doi:10.3389/fnhum.2018.00397.
- Ghiasi, A. and Keramat, A. (2018). The effect of listening to holy quran recitation on anxiety: A systematic review. *Iranian Journal of Nursing and Midwifery Research*, 23(6), p.411. doi:10.4103/ijnmr.ijnmr_173_17.
- Goldstein, C.M., Josephson, R., Xie, S. and Hughes, J.W. (2012). Current Perspectives on the Use of Meditation to Reduce Blood Pressure. *International Journal of Hypertension*, [online] 2012, pp.1–11. doi:10.1155/2012/578397.
- Greenhalgh, T. and Peacock, R. (2005). Effectiveness and efficiency of search methods in systematic reviews of complex evidence: audit of primary

sources. *BMJ (Clinical research ed.)*, 331(7524), pp.1064–5.
doi:10.1136/bmj.38636.593461.68.

Hagins, M., States, R., Selfe, T. and Innes, K. (2013). Effectiveness of Yoga for Hypertension: Systematic Review and Meta-Analysis. *Evidence-Based Complementary and Alternative Medicine*, [online] 2013, pp.1–13.
doi:10.1155/2013/649836.

HarperCollins (n.d.). Salat definition and meaning | Collins English Dictionary. [online] www.collinsdictionary.com. Available at: <https://www.collinsdictionary.com/dictionary/english/salat> [Accessed 2 Dec. 2021].

Hegde, S. and Aeddula, N.R. (2019). Secondary Hypertension. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK544305/>.

Hidayat, A.D. (2021). Tata Cara Shalat Rawatib: Niat, Dalil, Waktu, dan Fungsinya
Sumber: <https://islam.nu.or.id/shalat/tata-cara-shalat-rawatib-niat-dalil-waktu-dan-fungsinya-ga01H>. [online] NU Online. Available at: <https://islam.nu.or.id/shalat/tata-cara-shalat-rawatib-niat-dalil-waktu-dan-fungsinya-ga01H>.

Hidayati, B.N., Ariyanti, M. and Salfarina, A.L. (2018). Efektifitas Gerakan Sholat Duha Terhadap Penurunan Tekanan Darah pada Lansia Hipertensi. PROSIDING HEFA (Health Events for All).

Higgins, J.P.T. and Thomas, J. (2019). *Cochrane Handbook For Systematic Reviews Of Interventions*. S.L.: Wiley-Blackwell.

Hua, L.P.T., Brown, C.A., Hains, S.J.M., Godwin, M. and Parlow, J.L. (2009). Effects of low-intensity exercise conditioning on blood pressure, heart rate, and autonomic modulation of heart rate in men and women with

hypertension. *Biological Research for Nursing*, [online] 11(2), pp.129–143.
doi:10.1177/1099800408324853.

Imrey, P.B. (2020). Limitations of Meta-analyses of Studies with High Heterogeneity. *JAMA Network Open*, 3(1), p.e1919325.
doi:10.1001/jamanetworkopen.2019.19325.

Informedhealth.org (2019). What is blood pressure and how is it measured? [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK279251/>.

Iqbal, A.M. and Jamal, S.F. (2019). Essential Hypertension. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK539859/>.

Irmachatsalihah, R. and Armiyati, Y. (2019). Murottal Therapy Lowers Blood Pressure in Hypertensive Patients. *Media Keperawatan Indonesia*, 2(3), p.97. doi:10.26714/mki.2.3.2019.97-104.

Istiana, D., Purqoti, D.N.S., Romadonika, F. and Pusparini, M. (2021). Upaya Menurunkan Tekanan Darah pada Lansia Melalui Terapi Shalat Dhuha. *AS-SYIFA : Jurnal Pengabdian dan Pemberdayaan Kesehatan Masyarakat*, 2(1), p.69. doi:10.24853/assyifa.2.1.69-76.

Jahan, N., Naveed, S., Zeshan, M. and Tahir, M.A. (2016). How to Conduct a Systematic Review: A Narrative Literature Review. *Cureus*, [online] 8(11). doi:10.7759/cureus.864.

Jamil, M., Herdiana, Y. and Ta'adi (2020). The Effectiveness of Recitation Al-Qur'an Intervention and Deep Breathing Exercise on Improving Vital Sign and anxiety Level among Congestive Heart Failure (CHF) Patients.

Japakeeya, N., Phumdoung, S. and Chunuan, S. (2021). Effects of Listening to Holy Quran and Zikrullah Recitation on Stress and Physiological Stress

Responses Among Muslim Pregnant Women with Premature Uterine Contractions: A Randomized Controlled Trial. *Songklanagarind Journal of Nursing*, [online] 41(4), pp.1–14. Available at: <https://he02.tci-thaijo.org/index.php/nur-psu/article/view/252556>.

Kamran, G. (2018). Physical benefits of (Salah) prayer - Strengthen the faith & fitness. *Journal of Novel Physiotherapy and Rehabilitation*, [online] 2(2), pp.043–053. Available at: <https://www.heighpubs.org/jnpr/jnpr-aid1020.php>.

Kelly, J., Mangos, G., Williamson, P. and Whitworth, J. (1998). CORTISOL AND HYPERTENSION. *Clinical and Experimental Pharmacology and Physiology*, 25(S1), pp.S51–S56. doi:10.1111/j.1440-1681.1998.tb02301.x.

Khairuddin, M., Safee, M., Abu Bakar, W., Abas, W. and Helmi Rizal Salahuddin, M. (2012). Electromyographic Activity of the Lower Limb Muscles during Salat and Specific Exercises. [online] Available at: http://eprints.um.edu.my/9504/1/Electromyographic_activity_of_the_lower_limb_muscles_during_salat_and_specific_exercises.pdf [Accessed 14 Oct. 2021].

Lane, T. (n.d.). Advantages and disadvantages of systematic reviews – Edanz Learning Lab. [online] learning.edanz.com. Available at: <https://learning.edanz.com/courses/slr1-2020/lessons/1-what-are-systematic-reviews/topic/advantages-and-disadvantages-of-systematic-reviews/>.

Laterza, M.C., de Matos, L.D.N.J., Trombetta, I.C., Braga, A.M.W., Roveda, F., Alves, M.J.N.N., Krieger, E.M., Negrão C.E. and Rondon, M.U.P.B. (2007). Exercise Training Restores Baroreflex Sensitivity in Never-Treated

Hypertensive Patients. *Hypertension*, 49(6), pp.1298–1306.
doi:10.1161/hypertensionaha.106.085548.

LeBouef, T. and Whited, L. (2019). *Physiology, Autonomic Nervous System*.
[online] Nih.gov. Available at:
<https://www.ncbi.nlm.nih.gov/books/NBK538516/>.

Long, L. (2014). Routine piloting in systematic reviews—a modified approach?
Systematic Reviews, 3(1). doi:10.1186/2046-4053-3-77.

Magnon, V., Dutheil, F. and Auxiette, C. (2018). Sedentariness: A Need for a
Definition. *Frontiers in Public Health*, [online] 6.
doi:10.3389/fpubh.2018.00372.

Matko, K. and Sedlmeier, P. (2019). What Is Meditation? Proposing an Empirically
Derived Classification System. *Frontiers in Psychology*, [online] 10.
doi:10.3389/fpsyg.2019.02276.

McCorry, L.K. (2007). *Physiology of the Autonomic Nervous System*. *American
Journal of Pharmaceutical Education*, [online] 71(4), p.78.
doi:10.5688/aj710478.

Mills, K.T., Stefanescu, A. and He, J. (2020). The global epidemiology of
hypertension. *Nature Reviews Nephrology*, 16(4), pp.223–237.
doi:10.1038/s41581-019-0244-2.

Mu, S., Shimosawa, T., Ogura, S., Wang, H., Uetake, Y., Kawakami-Mori, F.,
Marumo, T., Yatomi, Y., Geller, D.S., Tanaka, H. and Fujita, T. (2011).
Epigenetic modulation of the renal β -adrenergic–WNK4 pathway in salt-
sensitive hypertension. *Nature Medicine*, 17(5), pp.573–580.
doi:10.1038/nm.2337.

- Mubarak, M. (2017). Pengaruh Shalat Terhadap Tekanan Darah dan Denyut Nadi pada Penderita Hipertensi Primer Stage 1. Skripsi.
- Muntaha, A. (2021a). Tata Cara Shalat Dhuha dan Keutamaanny Sumber: <https://islam.nu.or.id/shalat/tata-cara-shalat-dhuha-dan-keutamaannya-dM81x>. [online] Nu Online. Available at: <https://islam.nu.or.id/shalat/tata-cara-shalat-dhuha-dan-keutamaannya-dM81x>.
- Muntaha, A. (2021b). Tata Cara Shalat Tahajud: Niat, Rakaat, Bacaan Surat, dan Doanya Sumber: <https://islam.nu.or.id/shalat/tata-cara-shalat-tahajud-niat-rakaat-bacaan-surat-dan-doanya-rd75P>. [online] Available at: <https://islam.nu.or.id/shalat/tata-cara-shalat-tahajud-niat-rakaat-bacaan-surat-dan-doanya-rd75P>.
- Nakano, D. and Muniz Jr., J. (2018). Writing the literature review for empirical papers. *Production*, 28(0). doi:10.1590/0103-6513.20170086.
- NU Online (2019). Mengapa Jumlah Rakaat Tarawih Berbeda-beda? Ini Penjelasannya Sumber: <https://islam.nu.or.id/ramadhan/mengapa-jumlah-rakaat-tarawih-berbeda-beda-ini-penjelasannya-4ePAQ>. [online] Available at: <https://islam.nu.or.id/ramadhan/mengapa-jumlah-rakaat-tarawih-berbeda-beda-ini-penjelasannya-4ePAQ>.
- Oparil, S., Acelajado, M.C., Bakris, G.L., Berlowitz, D.R., Cífková, R., Dominiczak, A.F., Grassi, G., Jordan, J., Poulter, N.R., Rodgers, A. and Whelton, P.K. (2018). Hypertension. *Nature Reviews Disease Primers*, [online] 4(4), p.18014. doi:10.1038/nrdp.2018.14.
- Owen, N., Sparling, P.B., Healy, G.N., Dunstan, D.W. and Matthews, C.E. (2010). Sedentary Behavior: Emerging Evidence for a New Health Risk. *Mayo*

Clinic Proceedings, [online] 85(12), pp.1138–1141.
doi:10.4065/mcp.2010.0444.

Oxman, A.D. (2004). Grading quality of evidence and strength of recommendations. *BMJ*, 328(7454), p.1490.
doi:10.1136/bmj.328.7454.1490.

Page, M.J., McKenzie, J.E., Bossuyt, P.M., Boutron, I., Hoffmann, T.C., Mulrow, C.D., Shamseer, L., Tetzlaff, J.M., Akl, E.A., Brennan, S.E., Chou, R., Glanville, J., Grimshaw, J.M., Hróbjartsson, A., Lalu, M.M., Li, T., Loder, E.W., Mayo-Wilson, E., McDonald, S. and McGuinness, L.A. (2021). The PRISMA 2020 statement: an Updated Guideline for Reporting Systematic Reviews. *BMJ*, [online] 372(71), p.n71. doi:10.1136/bmj.n71.

Panahi, S. and Tremblay, A. (2018). Sedentariness and Health: Is Sedentary Behavior More Than Just Physical Inactivity? *Frontiers in Public Health*, 6. doi:10.3389/fpubh.2018.00258.

Park, J.H., Moon, J.H., Kim, H.J., Kong, M.H. and Oh, Y.H. (2020). Sedentary Lifestyle: Overview of Updated Evidence of Potential Health Risks. *Korean Journal of Family Medicine*, [online] 41(6), pp.365–373. doi:10.4082/kjfm.20.0165.

Parry, S. and Straker, L. (2013). The contribution of office work to sedentary behaviour associated risk. *BMC Public Health*, 13(1). doi:10.1186/1471-2458-13-296.

Ponte, P., Castella, M., Filella, D., Feliu, A., Matas, L., Soler, J., Ruiz, M., Sole, M.J., Ferrero, M., Aguilera, M., Roca-Cusachs, A. and Arroyo, J.A. (2018). BENEFITS OF MINDFULNESS MEDITATION IN REDUCING BLOOD PRESSURE AND STRESS IN PATIENTS WITH ARTERIAL

HYPERTENSION. *Journal of Hypertension*, 36, pp.e294–e295.
doi:10.1097/01.hjh.0000539863.81866.ac.

Porges, S.W. (2007). The polyvagal perspective. *Biological Psychology*, 74(2), pp.116–143. doi:10.1016/j.biopsycho.2006.06.009.

Porges, S.W. (2021). Polyvagal Theory: A biobehavioral journey to sociality. *Comprehensive Psychoneuroendocrinology*, 7, p.100069.
doi:10.1016/j.cpnc.2021.100069.

Princewel, F., Cumber, S.N., Kimbi, J.A., Nkfusai, C.N., Keka, E.I., Viyoff, V.Z., Beteck, T.E., Bede, F., Tsoka-Gwegweni, J.M. and Akum, E.A. (2019). Prevalence and risk factors associated with hypertension among adults in a rural setting: the case of Ombe, Cameroon. *The Pan African Medical Journal*, [online] 34. doi:10.11604/pamj.2019.34.147.17518.

Rahmawan, A. riski (2015). *Buku Tuntunan Ibadah Fardhu dan Sunnah*. Yogyakarta: Pustaka Baru Press.

Reza, M.F., Urakami, Y. and Mano, Y. (2002). Evaluation of a New Physical Exercise Taken from Salat (Prayer) as a Short-Duration and Frequent Physical Activity in the Rehabilitation of Geriatric and Disabled Patients. *Annals of Saudi Medicine*, 22(3-4), pp.177–180. doi:10.5144/0256-4947.2002.177.

Shaaban, J. (2014). The Effect of Listening to Al-quran Recitation Among Uncontrolled Hypertensive Muslim Patient Attending Primary Care Clinic, Hospital Usm. [online] WONCA ASIA PACIFIC REGIONAL CONFERENCE 2014. Available at: https://www.researchgate.net/publication/264006183_THE_EFFECT_OF_LISTENING_TO_AL-

QURAN_RECITATION_AMONG_UNCONTROLLED_HYPERTENSIVE_MUSLIM_PATIENT_ATTENDING_PRIMARY_CARE_CLINIC_HOSPITAL_USM [Accessed 6 Dec. 2022].

Shen, Y., Chang, C., Zhang, J., Jiang, Y., Ni, B. and Wang, Y. (2017). Prevalence and risk factors associated with hypertension and prehypertension in a working population at high altitude in China: a cross-sectional study. *Environmental Health and Preventive Medicine*, 22(1). doi:10.1186/s12199-017-0634-7.

Shi, L., Zhang, D., Wang, L., Zhuang, J., Cook, R. and Chen, L. (2017). Meditation and blood pressure. *Journal of Hypertension*, 35(4), pp.696–706. doi:10.1097/hjh.0000000000001217.

Siddiq, I., Amri, S.A.A., Nouri, L.A. and Algarni, A. (2019). The Effect and Determinants of Listening To Quran on Blood pressure among Adult Hypertensive Patients Attending Gwaiza primary health care center (PCC) in Jeddah city 2016. The Effect and Determinants of Listening To Quran on Blood pressure among Adult Hypertensive Patients Attending Gwaiza primary health care center (PCC) in Jeddah city 2016, [online] 35(2), pp.20–20. Available at: <https://ijrp.org/paper-detail/699> [Accessed 14 Oct. 2021].

Stanaway, J.D., Afshin, A., Gakidou, E., Lim, S.S., Abate, D., Abate, K.H., Abbafati, C., Abbasi, N., Abbastabar, H., Abd-Allah, F., Abdela, J., Abdelalim, A., Abdollahpour, I., Abdulkader, R.S., Abebe, M., Abebe, Z., Abera, S.F., Abil, O.Z., Abraha, H.N. and Abrham, A.R. (2018). Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the

- Global Burden of Disease Study 2017. *The Lancet*, [online] 392(10159), pp.1923–1994. doi:10.1016/s0140-6736(18)32225-6.
- Suleman, Z. (2013). Wawasan Al-Qur'an Tentang Khusyu'. *Farabi*, [online] 10(2), pp.157–168. Available at: <https://www.journal.iaingorontalo.ac.id/index.php/fa/article/view/773/584> [Accessed 21 Oct. 2021].
- Tackling, G. and Borhade, M.B. (2019). Hypertensive Heart Disease. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK539800/>.
- Tremblay, M.S., Aubert, S., Barnes, J.D., Saunders, T.J., Carson, V., Latimer-Cheung, A.E., Chastin, S.F.M., Altenburg, T.M. and Chinapaw, M.J.M. (2017). Sedentary Behavior Research Network (SBRN) – Terminology Consensus Project process and outcome. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1). doi:10.1186/s12966-017-0525-8.
- Vassar, M., Atakpo, P. and Kash, M.J. (2016). Manual search approaches used by systematic reviewers in dermatology. *Journal of the Medical Library Association : JMLA*, 104(4), pp.302–304. doi:10.3163/1536-5050.104.4.009.
- Waxenbaum, J.A., Varacallo, M. and Reddy, V. (2019). Anatomy, Autonomic Nervous System. [online] Nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK539845/>.
- WHO (2021). Hypertension. [online] Who.int. Available at: <https://www.who.int/news-room/fact-sheets/detail/hypertension>.
- Williams, B., Mancia, G., Spiering, W., Agabiti Rosei, E., Azizi, M., Burnier, M., Clement, D.L., Coca, A., de Simone, G., Dominiczak, A., Kahan, T., Mahfoud, F., Redon, J., Ruilope, L., Zanchetti, A., Kerins, M., Kjeldsen,

S.E., Kreutz, R., Laurent, S. and Lip, G.Y.H. (2018). 2018 ESC/ESH Guidelines for the management of arterial hypertension. *European Heart Journal*, [online] 39(33), pp.3021–3104. doi:10.1093/eurheartj/ehy339.

Wirakhmi, I.N., Novitasari, D. and Purnawan, I. (2020). Differences Between Ar Rahman Murotal Therapy and Progressive Muscle Relaxation in Decreasing Blood Pressure in Patients with Hypertension at Rw 3 Sumampir. *Proceedings of the 1st International Conference on Community Health (ICCH 2019)*. doi:10.2991/ahsr.k.200204.032.

Zhou, B., Carrillo-Larco, R.M., Danaei, G., Riley, L.M., Paciorek, C.J., Stevens, G.A., Gregg, E.W., Bennett, J.E., Solomon, B., Singleton, R.K., Sophiea, M.K., Iurilli, M.L., Lhoste, V.P., Cowan, M.J., Savin, S., Woodward, M., Balanova, Y., Cifkova, R., Damasceno, A. and Elliott, P. (2021). Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. *The Lancet*. doi:10.1016/s0140-6736(21)01330-1.