

## DAFTAR PUSTAKA

- Ashar, F., Amaratunga, D., & Haigh, R. (2018). Tsunami Evacuation Routes Using Network Analysis: A case study in Padang. *Procedia Engineering*, 212, 109–116. <https://doi.org/10.1016/J.PROENG.2018.01.015>
- Berryman, K. (2005). Review of Tsunami Hazard and Risk in New Zealand.
- Blyenburgh, P. V. (1999). UAV's-current situation and considerations for the way forward. *Development and Operation of UAVs for Military and Civil Applications*.
- BNPB. (2013). Perencanaan Tempat Evakuasi Sementara (TES) Tsunami.
- Bonabeau, E. (2002). Agent-Based Modeling: Methods and Techniques for Simulating Human Systems. *Proceedings of the National Academy of Sciences of the United States of America*, 7280–7287. [www.pnas.org/cgi/doi/10.1073/pnas.082080899](http://www.pnas.org/cgi/doi/10.1073/pnas.082080899)
- Bonilauri, E. M., Harris, A. J. L., Morin, J., Ripepe, M., Mangione, D., Lacanna, G., Ciolli, S., Cusolito, M., & Deguy, P. (2021). Tsunami evacuation times and routes to safe zones: a GIS-based approach to tsunami evacuation planning on the island of Stromboli, Italy. *Journal of Applied Volcanology*, 10(1), 1–19. <https://doi.org/10.1186/S13617-021-00104-9/FIGURES/13>
- Bryant, E. (2008). *Tsunami The Underrated Hazard (Second Edition)*. In Springer.
- Chang, K.-T. (2017). Geographic Information System. In *International Encyclopedia of Geography: People, the Earth, Environment and Technology* (pp. 1–9). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781118786352.wbieg0152>
- Cheff, I., Nistor, I., & Palermo, D. (2019). Pedestrian evacuation modelling of a Canadian West Coast community from a near-field Tsunami event. *Natural Hazards*, 98(1), 229–249. <https://doi.org/10.1007/S11069-018-3487-5/FIGURES/9>
- Dall'Osso, F., & Dominey-Howes, D. (2010). Public assessment of the usefulness of “draft” tsunami evacuation maps from Sydney, Australia -implications for the establishment of formal evacuation plans. *Natural Hazards and Earth System Science*, 10(8), 1739–1750. <https://doi.org/10.5194/nhess-10-1739-2010>
- Dewi, R. S. (2012). A-Gis Based Approach of an Evacuation Model for Tsunami Risk Reduction. *Journal of Integrated Disaster Risk Management*, 2(2), 108–139. <https://doi.org/10.5595/idrim.2012.0023>
- Direktorat Bina Sistem Lalu Lintas Angkutan Kota. (1998). *Pedoman Perencanaan dan Pengoperasian Fasilitas Parkir*. Dirjen Perhubungan Darat. Jakarta.
- Faucher, J. E., Dávila, S., & Hernández-Cruz, X. (2020). Modeling pedestrian evacuation for near-field tsunamis fusing ALCD and agent-based approaches: A case study of Rincón, PR. *International Journal of Disaster Risk Reduction*, 49, 101606. <https://doi.org/10.1016/J.IJDRR.2020.101606>
- FEMA P-646. (2009). *Guidelines for Design of Structures for Vertical Evacuation from Tsunamis Third Edition*.
- Fischer, M. M., & Nijkamp, P. (1993). *Geographic Information Systems, Spatial Modelling and Policy Evaluation*. Springer-Verlag.

- Ganesan, R., Mercilin Raajini, X., Nayyar, A., Sanjeevikumar, P., Hossain, E., & Ertas, A. H. (2020). BOLD: Bio-Inspired Optimized Leader Election for Multiple Drones. *Sensor*, 20. <https://doi.org/10.3390/s20113134>
- Giordan, D., Hayakawa, Y., Nex, F., Remondino, F., & Tarolli, P. (2018). Review article: The use of remotely piloted aircraft systems (RPASs) for natural hazards monitoring and management. In *Natural Hazards and Earth System Sciences* (Vol. 18, Issue 4, pp. 1079–1096). Copernicus GmbH. <https://doi.org/10.5194/nhess-18-1079-2018>
- Giordan, D., Manconi, A., Remondino, F., & Nex, F. (2017). Use of unmanned aerial vehicles in monitoring application and management of natural hazards. In *Geomatics, Natural Hazards and Risk* (Vol. 8, Issue 1, pp. 1–4). Taylor and Francis Ltd. <https://doi.org/10.1080/19475705.2017.1315619>
- Gomez, C., & Purdie, H. (2016). UAV-based Photogrammetry and Geocomputing for Hazards and Disaster Risk Monitoring-A Review. *Geoenvironmental Disasters*, 3(23). <https://doi.org/10.1186/s40677-016-0060-y>
- Gonçalves, J. A., & Henriques, R. (2015). UAV photogrammetry for topographic monitoring of coastal areas. *ISPRS Journal of Photogrammetry and Remote Sensing*, 104, 101–111. <https://doi.org/10.1016/j.isprsjprs.2015.02.009>
- González-Riancho, P., Aguirre-Ayerbe, I., Aniel-Quiroga, I., Abad, S., González, M., Larreynaga, J., Gavidia, F., Gutiérrez, O. Q., Álvarez-Gómez, J. A., & Medina, R. (2013). Tsunami evacuation modelling as a tool for risk reduction: Application to the coastal area of El Salvador. *Natural Hazards and Earth System Sciences*, 13(12), 3249–3270. <https://doi.org/10.5194/nhess-13-3249-2013>
- GTZ-IS, & GITEWS. (2010). *Guidebook Planning For Tsunami Evacuation*. Indonesia: GTZ IS-GITEWS.
- Grumbly, S. M., Frazier, T. G., & Peterson, A. G. (2019). Examining the Impact of Risk Perception on the Accuracy of Anisotropic, Least-Cost Path Distance Approaches for Estimating the Evacuation Potential for Near-Field Tsunamis. *Journal of Geovisualization and Spatial Analysis*, 3(1), 1–14. <https://doi.org/10.1007/S41651-019-0026-1/TABLES/1>
- Gupta, H. K., & Gahalaut, V. K. (2013). *Three Great Tsunamis: Lisbon (1755), Sumatra–Andaman (2004) and Japan (2011)*. Springer. <http://www.springer.com/series/8897>
- Hall, S., Emmett, C., Cope, A., Harris, R., Setiadi, G. D., Meservy, W., & Berrett, B. (2019). Tsunami knowledge, information sources, and evacuation intentions among tourists in Bali, Indonesia. *Journal of Coastal Conservation*, 23(3), 505–519. <https://doi.org/10.1007/S11852-019-00679-X/TABLES/2>
- Hara, Y., & Kuwahara, M. (2015). Traffic Monitoring immediately after a major natural disaster as revealed by probe data - A case in Ishinomaki after the Great East Japan Earthquake. *Transportation Research Part A: Policy and Practice*, 75, 1–15. <https://doi.org/10.1016/j.tra.2015.03.002>

- Hinga, R., & D, B. (2015). Ring of Fire (An Encyclopedia of the Pacific Rim's Earthquakes, Tsunamis, and Volcanoes. ABC-CLIO.
- Hulu, M., Baiquni, M., Fandeli, C., & Wirasanti, N. (2019). Community Participation on Tourism Development in Parangtritis Tourism Area, Bantul Regency. *E-Journal of Tourism*, 6(2), 225–234. <https://doi.org/10.24922/EOT.V6I2.4671>
- InaTEWS (Indonesia Tsunami Early Warning System). (2012). Pedoman Pelayanan Peringatan Dini Tsunami. Pusat Gempa Bumi dan Tsunami Kedeputan Bidang Geofisika-BMKG.Jakarta
- Iriani, L. G. (2015). Determining Tsunami Evacuation Building Location And Evacuation Routes Based On Population Dynamic And Human Behaviour In Disaster Evacuation In Pacitan Sub-District Area. Thesis: Universitas Gadjah Mada and University of Twente
- Isshiki, M., Asai, M., Eguchi, S., & O-Tani, H. (2016). 3D Tsunami Run-up Simulation and Visualization using Particle Method with Gis-Based Geography Model. *Journal of Earthquake and Tsunami*, 10(5). <https://doi.org/10.1142/S1793431116400200>
- Ito, E., Kosaka, T., Hatayama, M., Urura, L., Mas, E., & Koshimura, S. (2021). Method to extract difficult-to-evacuate areas by using tsunami evacuation simulation and numerical analysis. *International Journal of Disaster Risk Reduction*, 64, 102486. <https://doi.org/10.1016/J.IJDRR.2021.102486>
- Kandrot, S., Hayes, S., & Holloway, P. (2021). Applications of Uncrewed Aerial Vehicles (UAV) Technology to Support Integrated Coastal Zone Management and the UN Sustainable Development Goals at the Coast. *Estuaries and Coasts*, 1–20. <https://doi.org/10.1007/S12237-021-01001-5/FIGURES/3>
- Kelman, I., Spence, R., Palmer, J., Petal, M., & Saito, K. (2008). Tourists and disasters: lessons from the 26 December 2004 tsunamis. *J Coast Conserv*, 12, 105–113. <https://doi.org/10.1007/s11852-008-0029-4>
- Khan, A., Gupta, S., & Gupta, S. K. (2020). Multi-hazard disaster studies: Monitoring, detection, recovery, and management, based on emerging technologies and optimal techniques. *International Journal of Disaster Risk Reduction*, 47, 101642. <https://doi.org/10.1016/J.IJDRR.2020.101642>
- Khomarudin, M. (2010). Tsunami Risk and Vulnerability: Remote Sensing and GIS Approaches for Surface Roughness Determination, Settlement Mapping and Population Distribution Modeling. Dissertation: Universität München
- Kim, K., Kaviari, F., Pant, P., & Yamashita, E. (2022). An agent-based model of short-notice tsunami evacuation in Waikiki, Hawaii. *Transportation Research Part D: Transport and Environment*, 105, 103239. <https://doi.org/10.1016/J.TRD.2022.103239>
- Kucharczyk, M., & Hugenholtz, C. H. (2021). Remote sensing of natural hazard-related disasters with small drones: Global trends, biases, and research opportunities. *Remote Sensing of Environment*, 264, 112577. <https://doi.org/10.1016/J.RSE.2021.112577>
- Kusumayudha, S.B. (2005). Hidrogeologi Karst dan Geometri Fraktal di Daerah Gunungsewu. Yogyakarta: Adi Cita.

- Kusumayudha, et al (2015). Geomorphologic Model of Gunungsewu Karst, Gunungkidul Regency, Yogyakarta Special Territory, Indonesia: The Role of Lithologic Variation and Geologic Structure. *Journal of Geological Resource and Engineering*, 3.
- Mardiatno, D., et al (2007). Misconception of Run-up Definition and Its Implification to Tsunami Risk Assessment. A Case Study in Pacitan Coastal Area, Indonesia. *Indonesian Journal of Geography*. 39 (2), 173-188.
- Mardiatno, D., Malawani, M. N., & Ma'rifatun Nisaa', R. (2020). The future tsunami risk potential as a consequence of building development in Pangandaran Region, West Java, Indonesia. *International Journal of Disaster Risk Reduction*, 46, 2212–4209. <https://doi.org/10.1016/j.ijdr.2020.101523>
- Marfai, M. A., Cahyadi, A., & Anggraini, D. F. (2013). Tipologi, Dinamika, dan Potensi Bencana Pesisir Kawasan Karst Kabupaten Gunungkidul. *Forum Geografi*, 27(2), 147-158.
- Marfai, M. A., Fatchurohman, H., & Cahyadi, A. (2019). An Evaluation of Tsunami Hazard Modeling in Gunungkidul Coastal Area using UAV Photogrammetry and GIS. Case Study: Drini Coastal Area. *E3S Web of Conferences*. <https://doi.org/10.1051/e3sconf/201>
- Marfai, M. A., Khakim, N., Fatchurohman, H., & Salma, A. D. (2021). Planning tsunami vertical evacuation routes using high-resolution UAV digital elevation model: case study in Drini Coastal Area, Java, Indonesia. *Arabian Journal of Geosciences*, 14(19). <https://doi.org/10.1007/s12517-021-08357-9>
- Marfai, M. A., Sunarto, Khakim, N., Fatchurohman, H., Cahyadi, A., Wibowo, Y. A., & Rosaji, F. S. C. (2019). Tsunami hazard mapping and loss estimation using geographic information system in Drini Beach, Gunungkidul Coastal Area, Yogyakarta, Indonesia. *E3S Web of Conferences*, 76, 03010. <https://doi.org/10.1051/E3SCONF/20197603010>
- Marfai, M., Sunarto, Khakim, N., Cahyadi, A., Rosaji, F. S. C., Fatchurohman, H., & Wibowo, A. (2018). Topographic data acquisition in tsunami-prone coastal area using Unmanned Aerial Vehicle (UAV). *IOP Conference Series: Earth and Environmental Science*, 148. <https://doi.org/10.1088/1755-315/148/1/012004>
- Mas, E., Suppasri, A., Imamura, F., & Koshimura, S. (2012). Agent-based Simulation of the 2011 Great East Japan Earthquake/Tsunami Evacuation: An Integrated Model of Tsunami Inundation and Evacuation. *Journal of Natural Disaster Science*, 34(1), 41–57. <https://doi.org/10.2328/JNDS.34.41>
- Mauro, M. di, Megawati, K., Cedillos, V., & Tucker, B. (2013). Tsunami risk reduction for densely populated Southeast Asian cities: analysis of vehicular and pedestrian evacuation for the city of Padang, Indonesia, and assessment of interventions. *Nat Hazards*, 68, 373–404. <https://doi.org/10.1007/s11069-013-0632-z>

- Mori, J., Mooney, W. D., Afnimar, Kurniawan, S., Anaya, A. I., & Widiyantoro, S. (2007). The 17 July 2006 Tsunami Earthquake in West Java, Indonesia. *Seismological Research Letters*, 78(2), 201–207. <https://doi.org/10.1785/GSSRL.78.2.201>
- Morlok Edward, K. (1991). *Pengantar Teknik dan Perencanaan Transportasi*. (Terjemahan) Erlangga, Jakarta.
- Mostafizi, A., Wang, H., Cox, D., & Dong, S. (2019). An agent-based vertical evacuation model for a near-field tsunami: Choice behavior, logical shelter locations, and life safety. *International Journal of Disaster Risk Reduction*, 34, 467–479. <https://doi.org/10.1016/J.IJDRR.2018.12.01>
- Munadi, K., Nurdin, Y., Dirhamsyah, M., & Muchalil, S. (2012). Multiagent Based Tsunami Evacuation Simulation: A Conceptual Model. *The Proceedings of 2nd Annual International Conference Syiah Kuala University*, 2(2), 254–259.
- Murakami, H., Takimoto, K., & Pomonis, A. (2012). Tsunami Evacuation Process and Human Loss Distribution in the 2011 Great East Japan Earthquake-A Case Study of Natori City, Miyagi Prefecture. *World Conference on Earthquake Engineering*.
- Nikolakopoulos, K. G., & Koukouvelas, I. K. (2017). Emergency response to landslide using GNSS measurements and UAV. *Earth Resources and Environmental Remote Sensing/GIS Applications VIII*, 10428, 374–385. <https://doi.org/10.1117/12.2278728>
- Ouellette, W., & Getinet, W. (2016). Remote sensing for Marine Spatial Planning and Integrated Coastal Areas Management: Achievements, challenges, opportunities and future prospects. *Remote Sensing Applications: Society and Environment*, 4, 138–157. <https://doi.org/10.1016/J.RSASE.2016.07.003>
- Pajares, G. (2015). Overview and Current Status of Remote Sensing Applications Based on Unmanned Aerial Vehicles (UAVs). *Photogrammetric Engineering & Remote Sensing*, 81(4), 281–329. <https://doi.org/10.14358/PERS.81.4.281>
- Prothero, D. R. (2011). *Catastrophes! The Johns Hopkins University Press*.
- Pugh, David., & Woodworth, Philip. (2014). *Sea-level science : understanding tides, surges, tsunamis and mean sea-level changes*. Cambridge University Press.
- Putri, R., F. (2011). *SAND DUNE CONSERVATION ZONE BASED ON TSUNAMI INUNDATION HAZARD IN PARANGTRITIS COASTAL AREA, BANTUL REGENCY, YOGYAKARTA SPECIAL PROVINCE : Remote Sensing and Geographic Information System A pplication*. Tesis: Universitas Gadjah Mada
- Qin, X., Motley, M. R., & Marafi, N. A. (2018). Three-dimensional modeling of tsunami forces on coastal communities. <https://doi.org/10.1016/j.coastaleng.2018.06.008>
- Rezaldi, M. Y., Yoganingrum, A., Hanifa, N. R., Kaneda, Y., Kushadiani, S. K., Prasetyadi, A., Nugroho, B., & Riyanto, A. M. (2021). Unmanned aerial vehicle (Uav) and photogrammetric technic for 3d tsunamis safety



- modeling in cilacap, indonesia. *Applied Sciences* (Switzerland), 11(23). <https://doi.org/10.3390/app112311310>
- Rosaji, F. S. C. (2017). Pemanfaatan Teknologi *Unmanned Aerial Vehicle* (UAV) untuk Perencanaan Evakuasi Tsunami di Kawasan Wisata Pantai Studi Kasus: Pantai Pulang Syawal dan sekitarnya, Kabupaten Gunungkidul. Tesis: Universitas Gadjah Mada.
- Samaddar, S., Si, H., Jiang, • Xinyu, Choi, J., & Tatano, H. (2022). How Participatory is Participatory Flood Risk Mapping? Voices from the Flood Prone Dharavi Slum in Mumbai. *Int J Disaster Risk Sci*, 230–248. <https://doi.org/10.1007/s13753-022-00406-5>
- Satake, K., Okal, E. A., & Borrero, J. C. (2007). Tsunami and its Hazard in the Indian and Pacific Oceans: Introduction. *Pure Appl. Geophys.*, 164, 249–259. <https://doi.org/10.1007/s00024-006-0172-5>
- Schaefer, M., Teeuw, • Richard, Day, • Simon, Zekkos, D., Weber, P., Meredith, T., Cees, •, & van Westen, J. (2020). Low-cost UAV surveys of hurricane damage in Dominica: automated processing with co-registration of pre-hurricane imagery for change analysis. *Natural Hazards*, 101, 755–784. <https://doi.org/10.1007/s11069-020-03893-1>
- Schmidtlein, M. C., & Wood, N. J. (2015). Sensitivity of tsunami evacuation modeling to direction and land cover assumptions. *Applied Geography*, 56, 154–163. <https://doi.org/10.1016/j.apgeog.2014.11.014>
- Strusińska-Correia, A. (2017). Tsunami mitigation in Japan after the 2011 Tōhoku Tsunami. *International Journal of Disaster Risk Reduction*, 22, 397–411. <https://doi.org/10.1016/j.ijdrr.2017.02.001>
- Takabatake, T., Shibayama, T., Esteban, M., Ishii, H., & Hamano, G. (2017). Simulated tsunami evacuation behavior of local residents and visitors in Kamakura, Japan. *International Journal of Disaster Risk Reduction*, 23, 1–14. <https://doi.org/10.1016/J.IJDRR.2017.04.003>
- Tjia, H. D. (2013). Morphostructural Development of Gunungsewu Karst, Jawa Island Perkembangan Morfostruktur Kars Gunungsewu di Pulau Jawa. In *Indonesian Journal of Geology* (Vol. 8, Issue 2).
- Trindade, A., Teves-Costa, P., & Catita, C. (2018). A GIS-based analysis of constraints on pedestrian tsunami evacuation routes: Cascais case study (Portugal). *Natural Hazards*, 93(1), 169–185. <https://doi.org/10.1007/S11069-017-3152-4/FIGURES/8>
- Valavanis, K. P., & Vachtsevanos, G. J. (2015). Handbook of unmanned aerial vehicles. In *Handbook of Unmanned Aerial Vehicles*. Springer Netherlands. <https://doi.org/10.1007/978-90-481-9707-1>
- Wang, H., Mostafizi, A., Cramer, L. A., Cox, D., & Park, H. (2016). An agent-based model of a multimodal near-field tsunami evacuation: Decision-making and life safety. *Transportation Research Part C: Emerging Technologies*, 64, 86–100. <https://doi.org/10.1016/j.trc.2015.11.010>
- Wang, Z., & Jia, G. (2021). A novel agent-based model for tsunami evacuation simulation and risk assessment. *Natural Hazards*, 105(2), 2045–2071. <https://doi.org/10.1007/S11069-020-04389-8/FIGURES/9>

- Widiyantoro, S., Gunawan, E., Muhari, A., Rawlinson, N., Mori, J., Hanifa, N. R., Susilo, S., Supendi, P., Shiddiqi, H. A., Nugraha, A. D., & Putra, H. E. (2020). implications for megathrust earthquakes and tsunamis from seismic gaps south of Java indonesia. *Scientific Reports*, 10(15274). <https://doi.org/10.1038/s41598-020-72142-z>
- Wood, N. J., & Schmidtlein, M. C. (2012). Anisotropic path modeling to assess pedestrian-evacuation potential from Cascadia-related tsunamis in the US Pacific Northwest. *Natural Hazards*, 62(2), 275–300. <https://doi.org/10.1007/S11069-011-9994-2/TABLES/3>
- Wood, N., Jones, J., Schelling, J., & Schmidtlein, M. (2014). Tsunami vertical-evacuation planning in the U.S. Pacific Northwest as a geospatial, multi-criteria decision problem. *International Journal of Disaster Risk Reduction*, 9, 68–83. <https://doi.org/10.1016/J.IJDRR.2014.04.009>