

DAFTAR PUSTAKA

- [1] S. F. Singer, “World Energy Outlook.,” *Symp. Pap. - Energy Model.*, pp. 567–575, 2019.
- [2] E. al. Djoko Siswanto, “Indonesia Energy Outlook 2019,” 2019.
- [3] International Atomic Energy Agency, *REFERENCE DATA SERIES No. 1 2020 Edition*, no. 1. 2020.
- [4] M. Gomez-Fernandez, K. Higley, A. Tokuhira, K. Welter, W. K. Wong, and H. Yang, “Status of research and development of learning-based approaches in nuclear science and engineering: A review,” *Nucl. Eng. Des.*, vol. 359, p. 110479, Apr. 2020, doi: 10.1016/J.NUCENGDES.2019.110479.
- [5] J. Vujić, R. M. Bergmann, R. Škoda, and M. Miletić, “Small modular reactors: Simpler, safer, cheaper?,” *Energy*, vol. 45, no. 1, pp. 288–295, Sep. 2012, doi: 10.1016/j.energy.2012.01.078.
- [6] P. M. Udiyani, I. Husnayani, Deswandri, and G. R. Sunaryo, “Analysis of radiation safety for Small Modular Reactor (SMR) on PWR-100 MWe type,” in *Journal of Physics: Conference Series*, Mar. 2018, vol. 962, no. 1, p. 12035. doi: 10.1088/1742-6596/962/1/012035.
- [7] D. T. Ingersoll, Z. J. Houghton, R. Bromm, and C. Desportes, “Integration of NuScale SMR with desalination technologies,” 2014. doi: 10.1115/SMR2014-3392.
- [8] A. Fakhraei, F. Faghihi, A. Rabiee, and M. Safarina, “Coolant flow rate instability during extended station blackout accident in NuScale SMR: Two approaches for improving flow stability,” *Prog. Nucl. Energy*, vol. 131, p. 103602, Jan. 2021, doi: 10.1016/j.pnucene.2020.103602.
- [9] A. S. Alpeev and A. M. Bukrinskii, “Development of the job concept of a nuclear power plant operator,” *At. Energy*, vol. 75, no. 5, pp. 871–874, Nov. 1993, doi: 10.1007/BF00738967.
- [10] R. L. Boring, T. A. Ulrich, and T. J. Mortenson, “Level-of-automation considerations for advanced reactor control rooms,” *11th Nucl. Plant Instrumentation, Control. Human-Machine Interface Technol. NPIC HMIT 2019*, no. June, pp. 1210–1221, 2019.
- [11] A. Khairunnisa Ghazali, M. K. Hassan, A. C. Soh, R. Zafira, A. Rahman, and M. Sabri Minhat, “PID Controller for Nuclear Reactor Power Control System,” *Int. J. Pure Appl. Math.*, vol. 118, no. 24, 2018.
- [12] S. M. H. Mousakazemi, N. Ayoobian, and G. R. Ansarifar, “Control of the reactor core power in PWR using optimized PID controller with the real-coded

- GA,” *Ann. Nucl. Energy*, vol. 118, pp. 107–121, 2018, doi: 10.1016/j.anucene.2018.03.038.
- [13] G. Wang, J. Wu, B. Zeng, Z. Xu, and X. Ma, “A nonlinear adaptive sliding mode control strategy for modular high-temperature gas-cooled reactors,” *Prog. Nucl. Energy*, vol. 113, pp. 53–61, May 2019, doi: 10.1016/j.pnucene.2019.01.006.
- [14] M. Cetin and S. Iplikci, “A novel auto-tuning PID control mechanism for nonlinear systems,” *ISA Trans.*, vol. 58, pp. 292–308, 2015, doi: 10.1016/j.isatra.2015.05.017.
- [15] V. Vajpayee, V. Becerra, N. Bausch, J. Deng, S. R. Shimjith, and A. J. Arul, “LQGI/LTR based robust control technique for a pressurized water nuclear power plant,” *Ann. Nucl. Energy*, vol. 154, p. 108105, May 2021, doi: 10.1016/j.anucene.2020.108105.
- [16] M. Zarei, “An optimization based output power regulation in small modular reactors,” *Nucl. Eng. Des.*, vol. 344, pp. 144–152, Apr. 2019, doi: 10.1016/j.nucengdes.2019.01.032.
- [17] D. Bose, S. Banerjee, M. Kumar, P. P. Marathe, S. Mukhopadhyay, and A. Gupta, “An Interval Approach to Nonlinear Controller Design for Load-Following Operation of a Small Modular Pressurized Water Reactor,” *IEEE Trans. Nucl. Sci.*, vol. 64, no. 9, pp. 2474–2488, Sep. 2017, doi: 10.1109/TNS.2017.2728187.
- [18] P. Wang, Z. Chen, L. Liao, J. Wan, and S. Wu, “A multiple-model based internal model control method for power control of small pressurized water reactors,” *Energy*, vol. 210, p. 118527, Nov. 2020, doi: 10.1016/j.energy.2020.118527.
- [19] B. Zhang, M. Peng, S. Cheng, and L. Sun, “Novel fuzzy logic based coordinated control for multi-unit small modular reactor,” *Ann. Nucl. Energy*, vol. 124, pp. 211–222, Feb. 2019, doi: 10.1016/j.anucene.2018.10.007.
- [20] R. Shrestha, D. Wagner, and I. Al-Anbagi, “Fuzzy AHP-based Siting of Small Modular Reactors for Power Generation in the Smart Grid,” Dec. 2018. doi: 10.1109/EPEC.2018.8598393.
- [21] M. Z. Nejad and G. R. Ansarifar, “Optimal design of a Small Modular Reactor core with dual cooled annular fuel based on the neutronics and natural circulation parameters,” *Nucl. Eng. Des.*, vol. 360, p. 110518, Apr. 2020, doi: 10.1016/j.nucengdes.2020.110518.
- [22] G. Li, X. Wang, B. Liang, X. Li, B. Zhang, and Y. Zou, “Modeling and control of nuclear reactor cores for electricity generation: A review of advanced technologies,” *Renewable and Sustainable Energy Reviews*, vol. 60. Elsevier Ltd, pp. 116–128, Jul. 01, 2016. doi: 10.1016/j.rser.2016.01.116.

- [23] S. E. Arda and K. E. Holbert, "Nonlinear dynamic modeling and simulation of a passively cooled small modular reactor," *Prog. Nucl. Energy*, vol. 91, pp. 116–131, Aug. 2016, doi: 10.1016/j.pnucene.2016.03.033.
- [24] K. Frick and S. Bragg-Sitton, "Development of the NuScale Power Module in the INL Modelica Ecosystem," *Nucl. Technol.*, 2020, doi: 10.1080/00295450.2020.1781497.
- [25] J. Kapernick, "Dynamic Modeling of a Small Modular Reactor for Control and Monitoring," *Masters Theses*, May 2015, Accessed: Apr. 23, 2022. [Online]. Available: https://trace.tennessee.edu/utk_gradthes/3377
- [26] K. E. Holbert, J. Undrill, D. Tylavsky, and G. Karady, "Nonlinear Dynamic Modeling and Simulation of a Passively Cooled Small Modular," ARIZONA STATE UNIVERSITY, 2016.
- [27] K. Wang and P. Sun, "Control System Design for NuScale," Jul. 2017. doi: 10.1115/icon25-66629.
- [28] NuScale LLC, "Reactor," 2018.
- [29] NuScale LLC, "FSAR Chapter one: Introduction and General Description of the Plant," 2020. [Online]. Available: <https://www.nrc.gov/docs/ML2022/ML20224A481.pdf>
- [30] NuScale LLC, "Instrumentation and Control," 2019.
- [31] M. Zarei, "A physically based PID controller for the power maneuvering of nuclear reactors," *Prog. Nucl. Energy*, vol. 127, no. June, p. 103431, 2020, doi: 10.1016/j.pnucene.2020.103431.
- [32] I. Morales-Mata and Y. Tang, "An effective fuzzy PD control for high precision servo mechanisms," *Proc. World Congr. Intell. Control Autom.*, vol. 1, no. 1, pp. 134–138, 2006, doi: 10.1109/WCICA.2006.1712377.
- [33] M. Kocur, S. Kozak, and B. Dvorscak, "Design and implementation of FPGA - Digital based PID controller," *Proc. 2014 15th Int. Carpathian Control Conf. ICC 2014*, no. May 2014, pp. 233–236, 2014, doi: 10.1109/CarpathianCC.2014.6843603.
- [34] D. Zeng *et al.*, "Research on Improved Auto-Tuning of a PID Controller Based on Phase Angle Margin," *Energies 2019, Vol. 12, Page 1704*, vol. 12, no. 9, p. 1704, May 2019, doi: 10.3390/EN12091704.
- [35] E. E. Cruz-Miguel, J. R. García-Martínez, J. Rodríguez-Reséndiz, and R. V. Carrillo-Serrano, "A new methodology for a retrofitted self-tuned controller with open-source fpga," *Sensors (Switzerland)*, vol. 20, no. 21, pp. 1–21, 2020, doi: 10.3390/s20216155.

- [36] M. D. Pedroso, C. B. Nascimento, A. M. Tusset, and M. D. S. Kaster, "A Hyperbolic Tangent Adaptive PID + LQR Control Applied to a Step-Down Converter Using Poles Placement Design Implemented in FPGA," *Math. Probl. Eng.*, vol. 2013, 2013, doi: 10.1155/2013/101650.
- [37] K. Wang and P. Sun, "Control System Design for NuScale," Jul. 2017. doi: 10.1115/icone25-66629.
- [38] E. Magdy and M. Z. Abdelaal, "Design of Multi Objectives Control Systems to Control Nuclear Reactor Power," 2013.
- [39] N. A. Selamat, F. S. Daud, H. I. Jaafar, and N. H. Shamsudin, "Comparison of LQR and PID controller tuning using PSO for Coupled Tank System," in *Proceedings - 2015 IEEE 11th International Colloquium on Signal Processing and Its Applications, CSPA 2015*, Aug. 2015, pp. 46–51. doi: 10.1109/CSPA.2015.7225616.
- [40] S. Dasgupta *et al.*, "Networked control of a large pressurized heavy water reactor (PHWR) with discrete proportional-integral-derivative (PID) controllers," *IEEE Trans. Nucl. Sci.*, vol. 60, no. 5, pp. 3879–3888, 2013, doi: 10.1109/TNS.2013.2274199.
- [41] V. Kumar, K. P. S. Rana, and V. Kumar, "Real time comparative study of the performance of FPGA based PID and fuzzy controllers for a rectilinear plant," *India Int. Conf. Power Electron. IICPE 2010*, 2011, doi: 10.1109/IICPE.2011.5728154.
- [42] E. Hatami, N. Vosoughi, and H. Salarieh, "Design of a fault tolerated intelligent control system for load following operation in a nuclear power plant," *Int. J. Electr. Power Energy Syst.*, vol. 78, pp. 864–872, Jun. 2016, doi: 10.1016/j.ijepes.2015.11.073.
- [43] J. L. Tylee, "On-Line Failure Detection in Nuclear Power Plant Instrumentation," *IEEE Trans. Automat. Contr.*, vol. 28, no. 3, pp. 406–415, 1983, doi: 10.1109/TAC.1983.1103240.
- [44] D. Y. Oh and H. C. No, "Instrument Failure Detection and Estimation Methodology for the Nuclear Power Plant," *IEEE Trans. Nucl. Sci.*, vol. 37, no. 1, pp. 21–30, 1990, doi: 10.1109/23.52605.
- [45] A. K. Mishra, S. R. Shimjith, and A. P. Tiwari, "Adaptive Extended Kalman Filtering for Reactivity Estimation," *IFAC-PapersOnLine*, vol. 51, no. 1, pp. 702–707, Jan. 2018, doi: 10.1016/j.ifacol.2018.05.118.
- [46] J. Wan and P. Wang, "LQG/LTR Controller Design Based on Improved SFACC for the PWR Reactor Power Control System," *Nucl. Sci. Eng.*, vol. 194, no. 6, pp. 433–446, Jun. 2020, doi: 10.1080/00295639.2019.1710419.

- [47] C. Liu, J. F. Peng, F. Y. Zhao, and C. Li, "Design and optimization of fuzzy-PID controller for the nuclear reactor power control," *Nucl. Eng. Des.*, vol. 239, no. 11, pp. 2311–2316, 2009, doi: 10.1016/j.nucengdes.2009.07.001.
- [48] H. Arab-Alibeik and S. Setayeshi, "Improved Temperature Control of a PWR Nuclear Reactor Using an LQG/LTR Based Controller," *IEEE Trans. Nucl. Sci.*, vol. 50, no. 1, pp. 211–218, 2003, doi: 10.1109/TNS.2002.807860.
- [49] M. Zarei, R. Ghaderi, N. Kojuri, and A. Minuchehr, "Robust PID control of power in lead cooled fast reactors: A direct synthesis framework," *Ann. Nucl. Energy*, vol. 102, pp. 200–209, 2017, doi: 10.1016/j.anucene.2016.12.017.
- [50] K. Wang and P. Sun, "ICONE25-66629," pp. 1–10, 2017.
- [51] Syarip, *Pengenalan Kinetika dan Pengendalian Reaktor Nuklir*, II. Yogyakarta: Pustaka Pelajar, 2019.
- [52] H. Anglart, "Applied Reactor Technology," KTH Royal Institute of Technology, 2011. Accessed: May 11, 2021. [Online]. Available: <http://urn.kb.se/resolve?urn=urn:nbn:se:kth:diva-86312>
- [53] J. K. Shultis and R. E. Faw, *Fundamentals of Nuclear Science and Engineering*. CRC Press, 2002. doi: 10.1201/9780203910351.
- [54] C. Introini, A. Cammi, S. Lorenzi, and G. Magrotti, "An improved zero-dimensional model for simulation of TRIGA Mark II dynamic response," *Prog. Nucl. Energy*, vol. 111, pp. 85–96, 2019, doi: 10.1016/j.pnucene.2018.10.025.
- [55] T. Aldemir, G. Torri, M. Marseguerra, E. Zio, and J. A. Borkowski, "Using point reactor models and genetic algorithms for on-line global xenon estimation in nuclear reactors," *Nucl. Technol.*, vol. 143, no. 3, pp. 247–255, 2003, doi: 10.13182/NT03-A3414.
- [56] G. W. Kim, G. C. Park, and H. K. Cho, "Scaling analysis for single-phase natural circulation under dynamic motion and its verification using MARS-KS code," *Ann. Nucl. Energy*, vol. 159, p. 108308, Sep. 2021, doi: 10.1016/j.anucene.2021.108308.
- [57] M. Colombo and M. Fairweather, "Study of nuclear reactor external vessel passive cooling using computational fluid dynamics," *Nucl. Eng. Des.*, vol. 378, p. 111186, Jul. 2021, doi: 10.1016/j.nucengdes.2021.111186.
- [58] J. Hui, J. Ling, H. Dong, G. Wang, and J. Yuan, "Distributed parameter modeling for the steam generator in the nuclear power plant," *Ann. Nucl. Energy*, vol. 152, p. 107945, Mar. 2021, doi: 10.1016/j.anucene.2020.107945.
- [59] M. D. Carelli and D. T. Ingersoll, *Handbook of small modular nuclear reactors*. Elsevier Inc., 2014. doi: 10.1016/C2013-0-16379-9.

- [60] A. Dutta, I. Thangamani, G. Chakraborty, and A. K. Ghosh, “SIMULATION MODEL OF NUCLEAR POWER PLANT TURBINE,” 2016.
- [61] NuScale Power LLC., “NuScale Standard Plant Design Certification Application: Chapter 10 Steam and Power Conversion System,” no. July, 2020.
- [62] P. V Shankar, “Simulation Model of a Nuclear Reactor Turbine,” *Nucl. Eng. Des.*, vol. 44, pp. 269–277, 1977.
- [63] G. Li, C. Yan, and J. Wang, “Optimization of a moisture separator reheater,” *Ann. Nucl. Energy*, vol. 73, pp. 537–546, Nov. 2014, doi: 10.1016/j.anucene.2014.04.030.
- [64] D. Zeng *et al.*, “Research on improved auto-tuning of a pid controller based on phase angle margin,” *Energies*, vol. 12, no. 9, 2019, doi: 10.3390/en12091704.
- [65] G. L. Deshmukh and C. B. Kadu, “Design of two degree of freedom PID controller for temperature control system,” *Int. Conf. Autom. Control Dyn. Optim. Tech. ICACDOT 2016*, pp. 586–589, 2017, doi: 10.1109/ICACDOT.2016.7877653.
- [66] R. L. Pereira and K. H. Kienitz, “Robust controllers using generalizations of the LQG/LTR method,” *J. Control. Autom. Electr. Syst.*, vol. 25, no. 3, pp. 273–282, Mar. 2014, doi: 10.1007/s40313-014-0120-z.
- [67] S. Sumathi and P. Surekha, “LabVIEW based Advanced Instrumentation Systems.”
- [68] N. Ertugrul, *LabVIEW for electric circuits, machines, drives, and laboratories*. 2002.
- [69] S. S. Mustafa, “The effect of control rods on the reactivity and flux distribution of BWR 4 bundle using MCNPX Code,” *Sci. Reports 2021 111*, vol. 11, no. 1, pp. 1–17, Apr. 2021, doi: 10.1038/s41598-021-88067-0.
- [70] C.-C. Yu, “Autotuning of PID Controllers A Relay Feedback Approach 2nd Edition”, Accessed: Dec. 26, 2022. [Online]. Available: <http://www.mathworks.com>
- [71] NuScale Power LLC., “NuScale Standard Plant Design Certification Application: Chapter 5 Reactor Coolant System and Connecting System Part 2 – Tier 2 Revision 5,” no. July, 2020.
- [72] NuScale Power-LLC, “NuScale Standard Plant: Design Certification Application: CHAPTER 15: Transient and Accident Analyses, Rev. 5, July 2020,” no. July, 2020.