

## DAFTAR PUSTAKA

- Al-Kawaz, S. A. (2014) 'Factors that predict mortality rate in biliary atresia', *J Fac Med Baghdad*, 56(2), pp. 136–140.
- Bezerra, J. A. *et al.* (2018) 'Biliary Atresia: Clinical and Research Challenges for the Twenty-First Century', *Hepatology*, 68(3), pp. 1163–1173.
- Bijl, E. J. *et al.* (2013) 'The long-term outcome of the Kasai operation in patients with biliary atresia: A systematic review', *Neth J Med*, 71(4), pp. 170–173.
- Czubkowski, P. *et al.* (2015) 'The limited prognostic value of liver histology in children with biliary atresia', *Ann Hepatol*, 14(6), pp. 902–909.
- Degtyareva, A. *et al.* (2020) 'Long-Term Effects of Kasai Portoenterostomy for Biliary Atresia Treatment in Russia', *Diagnostics (Basel)*, 10(9), pp. 686.
- Giannini, E. G., Testa, R. and Savarino, V. (2005) 'Liver enzyme alteration: A guide for clinicians', *CMAJ*, 172(3), pp. 367–379.
- Govindarajan, K. K. (2016) 'Biliary atresia: Where do we stand now?', *World J Hepatol*, 8(36), pp. 1593-1601.
- Gunadi *et al.* (2018) 'Liver transplant score for prediction of biliary atresia patients' survival following Kasai procedure', *BMC Res Notes*, 11, p. 381.
- Gunadi *et al.* (2020) 'Histopathological findings for prediction of liver cirrhosis and survival in biliary atresia patients after Kasai procedure', *Diagn Pathol*, 15(1), pp. 1–8.
- Gupta, L., Gupta, S. D. and Bhatnagar, V. (2012) 'Extrahepatic biliary atresia:

Correlation of histopathology and liver function tests with surgical outcomes', *J Indian Assoc Pediatr Surg*, 17(4), pp. 147–152.

Kuo, Y. *et al.* (2015) 'Immunohistochemical characterization of the regenerative compartment in biliary atresia: a comparison between Kasai procedure and transplant cases', *Hum Pathol*, 46, pp. 1633–1639.

Lala, V., Zubair, M. and Minter, D. A. (2022) 'Liver Function Tests', in *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing, pp. 1–13.

Muthukanagarajan, S. J. *et al.* (2016) 'Diagnostic and prognostic significance of various histopathological features in extrahepatic biliary atresia', *J Clin Diagn Res*, 10(6), pp. EC23–EC27.

Nightingale, S. *et al.* (2017) 'Early Posthepatopertoenterostomy Predictors of Native Liver Survival in Biliary Atresia', *J Pediatr Gastroenterol Nutr*, 64(2), pp. 203–209.

Obayashi, J. *et al.* (2016) 'Relation between amount of bile ducts in portal canal and outcomes in biliary atresia', *Pediatr Surg Int*, 32(9), pp. 833–838.

Obayashi, J. *et al.* (2017) 'Prognostic factors indicating survival with native liver after Kasai procedure for biliary atresia', *Pediatr Surg Int*, 33(10), pp. 1047–1052.

Russo, P *et al.* (2016) 'Key histopathological features of liver biopsies that distinguish biliary atresia from other causes of infantile cholestasis and their correlation with outcome: a multicenter study HHS Public Access', *Am J Surg Pathol*, 40(12), pp. 1601–1615.

- Siddiqui, A. I. and Ahmad, T. (2021) 'Biliary Atresia', in *StatPearls [Internet]*.  
Treasure Island (FL): StatPearls Publishing, pp. 29–31.
- Sira, M., Sira, A. and Salem, T. A. H. (2013) 'Biliary Atresia: A Challenging  
Diagnosis', *Global Journal of Gastroenterology & Hepatology*, 1(1).
- Song, Z. *et al.* (2017) 'Surgical outcome and etiologic heterogeneity of infants with  
biliary atresia who received Kasai operation less than 60 days after birth A  
retrospective study', *Medicine (Baltimore)* 96(26).
- Venkat, V. *et al.* (2020) 'Modeling Outcomes in Children With Biliary Atresia With  
Native Liver After 2 Years of Age', *Hepatol Commun*, 4(12), pp. 1824–  
1834.
- Vij, M. and Rela, M. (2020) 'Biliary atresia: Pathology, etiology and pathogenesis',  
*Future Sci OA*, 6(5).
- Wildhaber, B. E. *et al.* (2012) 'Biliary Atresia: 50 Years After The First Kasai', *Epub*,  
p. 15.