

DAFTAR PUSTAKA

- [1] M. Ahsan, “Tantangan dan Peluang Pembangunan Proyek Pembangkit Listrik Energi Baru Terbarukan (EBT) di Indonesia,” *Sutet*, vol. 11, no. 2, pp. 81–93, 2021, doi: 10.33322/sutet.v11i2.1575.
- [2] Menteri ESDM RI, “Rencana Usaha Penyediaan Tenaga Listrik (RUPTL) PT PLN (Persero) 2021-2030.,” 2021.
- [3] A. Zipp, “The marketability of variable renewable energy in liberalized electricity markets – An empirical analysis,” *Renew. Energy*, vol. 113, pp. 1111–1121, 2017, doi: 10.1016/j.renene.2017.06.072.
- [4] L. Mehigan, J. . Deanae, B. P. O. Gallachoir, and V. Bertsch, “A review of the role of distributed generation (DG) in future electricity systems,” *Energy*, vol. 163, pp. 822–836, 2018, doi: 10.1016/j.energy.2018.08.022.
- [5] Menteri ESDM RI, “Peraturan Menteri Energi Dan Sumber Daya Mineral Republik Indonesia Nomor 11 Tahun 2021 Tentang Pelaksanaan Usaha Ketenagalistrikan,” p. 163, 2021.
- [6] Hermawan; and T. Andromeda, “Comparison of Cost Estimation Methods in Power Wheeling for Java-Bali Interconnection System,” in *Int. Conf. on Information Tech., Computer, and Electrical Engineering*, 2017, pp. 127–130. doi: 10.1109/ICITACEE.2017.8257689.
- [7] A. B. Abdullahi, L. Olatomiwa, J. Tsado, and A. A. Sadiq, “Impact Assessment of Wheeling Renewable Distributed Generation to Residential Load,” *Int. Conf. Electr. Comput. Energy Technol. ICECET 2021*, 2021, doi: 10.1109/ICECET52533.2021.9698780.
- [8] W. Murray and M. Adonis, “Efficacy of Energy Wheeling to Endorse Renewable Energy Generation,” *SSRN Electron. J.*, 2020, doi: 10.2139/ssrn.3658901.
- [9] S. Larbwisuthisaroj and S. Chaitusaney, “Wheeling charge considering line flow differentiation based on power flow calculation,” *ECTI-CON 2018 -*

- 15th Int. Conf. Electr. Eng. Comput. Telecommun. Inf. Technol.*, pp. 293–296, 2019, doi: 10.1109/ECTICON.2018.8619951.
- [10] B. Li, D. A. Robinson, and A. Agalgaonkar, “Identifying the wheeling costs associated with solar sharing in LV distribution networks in Australia using power flow tracing and MW-Mile methodology,” *2017 Australas. Univ. Power Eng. Conf. AUPEC 2017*, vol. 2017-Novem, pp. 1–6, 2018, doi: 10.1109/AUPEC.2017.8282392.
- [11] R. Fatchurrahman and A. B. Zakaria, “Study of Determining Cost Compensation of Power Wheeling Transaction on Composite System Reliability by Optimal Power Flow,” *2019 Int. Conf. Technol. Policies Electr. Power Energy, TPEPE 2019*, 2019, doi: 10.1109/IEEECONF48524.2019.9102562.
- [12] Y. Susilo Wijoyo, S. Pramono Hadi, and Sarjiya, “Review Perhitungan Biaya Wheeling (Wheeling Cost Calculation Review),” *J. Nas. Tek. Elektro dan Teknol. Inf.*, vol. 9, no. 1, pp. 116–122, 2020, doi: 10.22146/jnteti.v9i1.114.
- [13] Badan Standarisasi Nasional, “Tegangan Standar,” no. 391, p. 5, 2013.
- [14] R. R. Maulana, S. Salahuddin, E. Ezwarsyah, B. Ismail, A. Shrestha, and D. V. Astonkar, “Analysis of Technical Loss Calculation Using Load Curve Approach on 20 kV Distribution Network,” *J. Renew. Energy, Electr. Comput. Eng.*, vol. 1, no. 2, p. 85, 2021, doi: 10.29103/jreece.v1i2.5238.
- [15] T. Ackermann, G. Andersson, and L. Söder, “Distributed generation: a definition,” *Electr. Power Syst. Res.*, vol. 57, no. 3, pp. 195–204, Apr. 2001, doi: 10.1016/S0378-7796(01)00101-8.
- [16] O. Ayan, N. Jafarzadeh, and B. Turkay, “An examination of the effects of distributed generation on distribution systems by load flow analysis,” *2018 20th Int. Symp. Electr. Appar. Technol. SIELA 2018 - Proc.*, 2018, doi: 10.1109/SIELA.2018.8447117.
- [17] D. Q. Hung, N. Mithulananthan, and R. C. Bansal, “Analytical expressions for DG allocation in primary distribution networks,” *IEEE Trans. Energy Convers.*, vol. 25, no. 3, pp. 814–820, 2010, doi:

10.1109/TEC.2010.2044414.

- [18] M. Purlu and B. E. Turkay, "Optimal Allocation of Renewable Distributed Generations Using Heuristic Methods to Minimize Annual Energy Losses and Voltage Deviation Index," *IEEE Access*, vol. 10, pp. 21455–21474, 2022, doi: 10.1109/ACCESS.2022.3153042.
- [19] S. Jiang, C. Wan, C. Chen, E. Cao, and Y. Song, "Distributed photovoltaic generation in the electricity market: status, mode and strategy," *CSEE J. Power Energy Syst.*, vol. 4, no. 3, pp. 263–272, 2018, doi: 10.17775/cseejpes.2018.00600.
- [20] J. Armas and A. Ivanov, "Determination of the total cost of active power losses and methods to reduce power losses in low-voltage distribution networks," *2019 IEEE 60th Annu. Int. Sci. Conf. Power Electr. Eng. Riga Tech. Univ. RTUCON 2019 - Proc.*, no. 4, pp. 1–6, 2019, doi: 10.1109/RTUCON48111.2019.8982319.
- [21] M. Rosyada, H. Hermawan, and Susatyo Handoko Jurusan, "Perhitungan Biaya Sewa Jaringan Transmisi 500 Kv Jawa-Bali Dengan Metode MW-Mile," *Transient*, vol. 3, 2014, doi: 10.14710/transient.v3i4.642-649.
- [22] B. Kharbas, M. Fozdar, and H. Tiwari, "Comparative assessment of MW-mile and MVA-mile methods of transmission tariff allocation and revenue reconciliation," *IEEE Power Energy Soc. Gen. Meet.*, no. 1, 2013, doi: 10.1109/PESMG.2013.6672407.
- [23] S. Ghasemi and J. Moshtagh, "Radial distribution systems reconfiguration considering power losses cost and damage cost due to power supply interruption of consumers," *Int. J. Electr. Eng. Informatics*, vol. 5, no. 3, pp. 297–315, 2013, doi: 10.15676/ijeei.2013.5.3.5.
- [24] A. Wazir and N. Arbab, "Analysis and Optimization of IEEE 33 Bus Radial Distributed System Using Optimization Algorithm," *JETA E*, vol. 1, no. 2, pp. 2518–4059, 2016.
- [25] M. E. Baran and F. F. Wu, "Network Reconfiguration In Distribution Systems For Loss Reduction And Load Balancing," *IEEE Trans. Power*

- Deliv.*, vol. 4, no. 2, pp. 1401–1407, 1989, doi: 10.1080/23277556.1989.10871109.
- [26] K. Huang, Z. Li, W. Tang, and T. Qian, “Voltage Assessment of High PV Penetration in Radial Power Distribution Network,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 838, no. 1, 2021, doi: 10.1088/1755-1315/838/1/012009.
- [27] T. Fetouh and A. M. Elsayed, “Optimal Control and Operation of Fully Automated Distribution Networks Using Improved Tunicate Swarm Intelligent Algorithm,” *IEEE Access*, vol. 8, pp. 129689–129708, 2020, doi: 10.1109/ACCESS.2020.3009113.
- [28] M. Sheikhan and N. Mohammadi, “Time series prediction using PSO-optimized neural network and hybrid feature selection algorithm for IEEE load data,” *Neural Comput. Appl.*, vol. 23, no. 3–4, pp. 1185–1194, Sep. 2013, doi: 10.1007/s00521-012-0980-8.
- [29] PT PLN (Persero), *PLN Statistics 2017*. 2018.
- [30] R. D. Zimmerman and C. E. Murillo-s, “Matpower User’s Manual Version 7.1,” p. 248, 2020, [Online]. Available: <https://matpower.org/doc/>