

DAFTAR PUSTAKA

- Alber, B. E. and Ferry, J. G. 1994. A carbonic anhydrase from the archaeon *Methanosarcina thermophila*. *Proc. Natl. Acad. Sci. USA*, 91, p.6909-6913.
- Alber, B. E., Colangelo, C. M., Dong, J., Stalhandske, C. M., Baird, T. T., Tu, C. and Ferry, J. G. 1999. Kinetic and spectroscopic characterization of the gamma-carbonic anhydrase from The methanoarcheon *Methanosarcina thermophila*. *Biochemistry*, 38, p.13119-13128.
- Arahal, D. R., Garcia, M. T., Vargas, C., Canovas, D., Nieto, J. J. and Ventosa, A. 2001. *Chromohalobacter salexigens* sp. nov., a moderately halophilic species that includes *Halomonas elongata* DSM 3043 and ATCC 33174. *Int. J. Syst. Evol. Microbiol.*, 51, p.1457-1462.
- Baker, N. A., Sept, D., Joseph, S., Holst, M. J. and McCammon, J. A. 2001. Electrostatics of nanosystem application to microtubules and the ribosome. *Proc. Natl. Acad. Sci. USA*, 98, p.10037-10041.
- Banerjee, S. and Deshpande, P. A. 2016. On origin and evolution of carbonic anhydrase isozymes: a phylogenetic analysis from whole-enzyme to active site. *Comput. Biol. and Chem.*, 61, p.121-129.
- Bose, H. and Satyanarayana, T. 2017. Microbial carbonic anhydrase in biomimetic carbon sequestration for mitigating global warming: prospects and perspectives. *Front. Microbiol.*, 8, p.1-20.
- Capasso, C. and Supuran, C. T. 2015. An overview of the alpha, beta, and gamma-carbonic anhydrases from bacteria: can bacterial carbonic anhydrase shed new light on evolution of bacteria? *J. Enzyme Inhib. Med. Chem.*, 30, p.325-332.
- Capra, J. A. and Singh, M. 2007. Predicting functionally important residues from sequence conservation. *Bioinformatics*, 23, p.1875-1882.
- Chothia, C. and Lesk, A. M. 1986. The relation between the divergence of sequence and structure in proteins. *EMBO J.*, 5, p.823-826.
- De Simone, G., di Fiore, A., Capasso, C., and Supuran, C. T. 2015. The zinc coordination pattern in the beta-carbonic anhydrase from *Plasmodium*

falciiparum is different from all other carbonic anhydrase genetic families. *Bioorg. Med. Chem. Lett.*, 25, p.1385-1389.

- Deole, R., Challacombe, J., Raiford, D. W. and Hoff, W. D. 2013. An extremely halophilic proteobacterium combines a highly acidic proteome with a low cytoplasmic potassium content. *J. Biol. Chem.*, 288, p.581-588.
- DiMario, R. J., Clayton, H., Mukherjee, A., Ludwig, M., and Moroney, J. V. 2017. Plant carbonic anhydrase: structures, locations, evolution, and physiological roles. *Mol. Plant*, 10, p.30-46.
- Domingues, F., Lackner, P., Andreeva, A. and Sippl, M. 2000. Structure-based evaluation of sequence comparison to structural alignments. *Protein Science*, 9, p.2278-2284.
- Drablos, F. 1999. Clustering of non-polar contacts in proteins. *Bioinformatics*, 15, p.501-509.
- Falb, M., Muller, K., Konigsmair, L., Oberwinkler, T., Horn, P., von Gronau, S., Gonzalez, O., Pfeiffer, F., Bornberg-Bauer, E. and Oesterhelt, D. 2008. Metabolism of halophilic archaea. *Extremophiles*, 12, p.177-196.
- Ferry, J. G. 2010. The gamma class of carbonic anhydrases. *Biochim. Biophys. Acta*, 1804, p.374-381.
- Fu, X., Long-Jiang, X., Wei, L. M. L., Wu, C., and Yun-feng, M. 2008. Evolution of structure in γ -class carbonic anhydrase and structurally related proteins. *Mol. Phylogenet. Evol.*, 47, p.211-220.
- Gunde-Cimerman, N., Ramos, J., and Plemenitas, A. 2009. Halotolerant and halophilic fungi. *Mycol. Res.*, 113, p.1231-1241.
- Hewett-Emmett, D. 2000. Evolution and distribution of the carbonic anhydrase gene families. *EXS*, 90, p.29-76.
- Jeffery, C. J. 2020. Enzymes, pseudoenzymes, and moonlighting proteins: diversity of function in protein superfamilies. *FEBS J.*, 287, p.4141-4149.
- Jeyakantahan, J., Rangarajan, S., Mridula, P., Kanaujia, S. P., Shiro, Y., Kuramitsu, S. and Sekar, K. 2008. Observation of a calcium-binding site in the gamma-class carbonic anhydrase from *Pyrococcus horikoshii*. *Acta Crystallogr. D. Biol. Crystallogr.*, 64, p.1012-1019.
- Kastritis, P. L., Papandreou, N. C., and Hamodrakas, S. J. 2007. Haloadaptation: insights from comparative modeling studies of halophilic archaeal DHFRs. *Int. J. Biol. Macromol.*, 41, p.447-453.
- Kimber, M. S. and Pai, E. F. 2000. The active site architecture of *Pisum sativum* β -carbonic anhydrase is a mirror image of that of α -carbonic anhydrases. *EMBO J.*, 19, p.1407-1418.

- Kozakov, D., Hall, D. R., Xia, B., Porter, K. A., Padhorny, D., Yueh, C., Beglov, D., and Vajda, S. 2017. The ClusPro web server for protein-protein docking. *Proc. Natl. Acad. Sci.* 12, p.255-278.
- Kozlowski, L. P. 2016. IPC - Isoelectric Point Calculator. *Biol Direct*, 11, p.1-16.
- Lanyi, J. K. 1974. Salt-dependent properties of proteins from extreme halophilic bacteria. *Bacteriol. Rev.*, 38, p.272-290.
- Lionetto, M. G., Caricato, R., Giordano, M. E., and Schettino, T. 2016. The complex relationship between metals and carbonic anhydrase: new insights and perspectives. *Int. J. Mol. Sci.*, 17, p.1-14.
- Lu, S., Wang, J., Chitsaz, F., Derbyshire, M. K., Geer, R. C., Gonzales, N. R., Gwadz, M., Hurwitz, D. I., Marchler, G. H., Song, J. S., Thanki, N., Yamashita, R. A., Yang, M., Zhang, D., Zheng, C., Lanczycki, C. J. and Marchler-Bauer, A. 2020. CDD/SPARCLE: the domain database in 2020. *Nucleic Acid Research*, 48, p.1-4.
- Martin, V., Villarreal, F., Miras, I., Navaza, A., Haouz, A., Gonzalez-babrer, R. M., Kaufman, S. B. and Zabaleka, E. 2009. Recombinant plant gamma carbonic homotrimers bind inorganic carbon. *FEBS Lett.*, 583, p.3425-3430.
- Michel, A. J., Acuna, M. B., Molinari, G., Ünal, C. M., Will, S., Derksen, E., Barthels, S., Bartram, W., Schrader, M., Rohde, M., Zhang, H., Hoffman, T., Naumann-Schaal, M., Bremer, E. and Jahn, D. 2022. Cellular adaptation of *Clostridioides difficile* to high salinity encompasses a compatible solute-responsive change in cell morphology. *Environ. Microbiol.*, 24, p.1499-1517.
- Mitsuhashi, A., J. Ohnishi, M. Hayashi, and M. Ikeda. 2004. A gene homologous to β -type carbonic anhydrase is essential for the growth of *Corynebacterium glutamicum* under atmospheric conditions. *Appl. Microbiol. Biotechnol.*, 63, p.592-601.
- Neri, D. and Supuran, C. T. 2011. Interfering with pH regulation in tumors as a therapeutic Strategy. *Nat. Rev. Drug Discov.*, 10, p.767-777.
- Notredame, C., Higgins, D. G., and Haringa, J. 2000. T-coffee: a novel method for fast and accurate multiple sequence alignment. *J. Mol. Biol.*, 302, p.205-217.
- Oren, A. 2008. Microbial life at high salt concentrations: phylogenetic and metabolic diversity. *Saline Syst.*, 4, p.1-13.
- Oren, A. 2013. Life at high salt concentrations, intracellular KCl concentrations, and acidic proteomes. *Front. Microbiol.*, 4, p.1-6.

- Ortega, G., Lain, A., Tadeo, X., Lopez-Mendez, B., Castano, D. and Millet, O. 2011. Halophilic enzyme activation induced by salts. *Sci. Rep.*, 1, p.1-6.
- Parisi, G., Fornasari, M., and Echave, J. 2000. Evolutionary Analysis of γ -carbonic Anhydrase and Structurally Related Proteins. *Mol. Phylogenet. Evol.*, 14, p.323-334.
- Paul, S., Bag, S. K., Das, S., Harvill, E. T. and Dutta, C. 2008. Molecular Signature of Hypersaline Adaptation: Insights from Genome and Proteome Composition of Halophilic Prokaryotes. *Genome Biol.*, 9, p.1-19.
- Riziotis, I. G., Ribeiro, A. J. M., Borkakoti, N. and Thornton, J. M. 2022. Conformational Variation in Enzyme Catalysis : A Structural Study on Catalytic Residues. *J. Mol. Biol.*, 434, p.167517-167536.
- Roberts, M. F. 2005. Organic Compatible Solutes of Halotolerant and Halophilic Microorganism. *Saline Syst.*, 1, p.1-30.
- Rohman, M. S., Prijambada, I. D., Indriani, Y. A., and Hendrosatriyo, H. 2012. Identification of Protease Producing Halophilic Bacteria from Bledug Kuwu-Mud Volcano. *IJBioTech.*, 17, p.35-41.
- Sambrook, J. & Russel, D. W. 2001. Molecular cloning: a laboratory manual (3rd edition). New York : Cold Spring Harbour Laboratory Press.
- Shaw, A. S. and Filbert, E. L. 2009. Scaffold Proteins and Immune-cell Signaling. *Nat. Rev. Immunol.*, 1, p.47-56.
- Shivanand, P. and Mugeraya, G. 2011. Halophilic Bacteria and Their Compatible Solutes – Osmoregulation and Potential Applications. *Current Science*, 100, p.1516-1521.
- Silverman, D. N. and Lindskog, S. 1988. The catalytic mechanism of carbonic anhydrase: implications of a rate limiting protolysis of water. *Acc. Chem. Res.*, 21, p.30-36.
- Simarjot, K., Mishra, M. N. and Tripathi, A. K. 2010. Gene Encoding γ -Carbonic Anhydrase is Contranscribed with *argC* and Induced in Response to Stationary Phase and High CO₂ in *Azospirillum brasilense* Sp7. *BMC Microbiol.* 10, p.1-12.
- Smith, K. S., Jakubick, C., Whittam, T. S. and Ferry, J. G. 1999. Carbonic Anhydrase is an Ancient Enzyme Widespread in Prokaryotes. *Proc. Natl. Acad. Sci. USA*, 96, p.15184-15189.
- Srivastava, S., Lal, S. B., Mishra, D. C., Angadi, U. B., Chaturvedi, K. K., Rai, S. N. and Rai, A. 2016. An Efficient Algorithm for Protein Structure Comparison Using Elastic Shape Analysis. *Algorithms Mol. Biol.*, 11, p.1-11.

- Steenhoudt, O. and Vanderleyden, J. 2000. *Azospirillum*, a Free-living Nitrogen Fixing Bacterium Closely Associated with Grasses : Genetic, Biochemical, and Ecological Aspects. *FEMS Microbiology Reviews*, 24, p.487-506.
- Supuran, C. T., Scozzafava, A., and Casini, A. 2003. Carbonic Anhydrase Inhibitors. *Med. Res. Rev.*, 23, p.146-189.
- Tadeo, X, Lopez-Mendez, B., Trigueros, T., Lain, A., Castano, D. and Millet, O. 2009. Structural Basis for The Amino Acid Composition of Proteins from Halophilic Archaea. *PLoS Biol.*, 7, p.1-9.
- Tateno, Y., Takezaki, N., and Nei, M. 1994. Relative efficiencies of the maximum-likelihood, neighbor-joining, and maximum-parsimony methods when substitution rate varies with site. *Mol. Biol. Evol.*, 11, 261-277.
- Tripp, B. C., and Ferry, J. G. 2000. A Structure-function Study of a Proton Transport Pathway in a Novel γ -class Carbonic Anhydrase from *Methanosarcina thermophila*. *Biochemistry*, 39, p.9232-9240.
- Tripp, B. C., Smith, K. S. and Ferry, J. G. 2001. Carbonic Anhydrase : New Insights for an Ancient Enzyme. *J. Biol. Chem.*, 276, p.48615-48618.
- Tripp, B. C., Tu, C. and Ferry, J. G. 2002. Role of Arginine 59 in The γ -class Carbonic Anhydrase. *Biochemistry*, 41, p.669-678.
- Tu, C., Tripp, B. C., Ferry, J. G. and Silverman, D. N. 2001. Bicarbonate as a Proton Donor in Catalysis by Zn(II) and Co(II)-Containing Carbonic Anhydrase. *J. Am. Chem. Soc.*, 123, p.5861-5866.
- Vogler, M., Karan, R., Renn, D., Vancea, A., Vielberg, M. T., Grotzinger, S. W., DasSarma, P., DasSarma, S., Eppinger, J., Groll, M. and Rueping, M. 2020. Crystal Structure and Active Site Engineering of a Halophilic – Carbonic Anhydrase. *Front. Microbiol.*, 11, p.1-12.
- Waterhouse, A., Bertoni, M., Bienert, S., Studer, G., Tauriello, G., Gumienny, R., Heer, F. T., de Beer, T. A. P., Rempfer, C., Bordoli, L., Lepore, R. and Schwede, T. 2018. SWISS-MODEL: Homology Modelling of Protein Structures and Complexes. *Nucleic Acids Research*, 46, p.1-8.
- Xu, J. and Zhang, Y. 2010. How significant is a protein structure similarity with TM-score = 0.5?. *Bioinformatics*, 26, p.889-895.
- Zimmerman, S. A. and Ferry, J. G. 2006. Proposal for a Hydrogen Bond Network in the Active Site of the Prototypic γ -Class Carbonic Anhydrase. *Biochemistry*, 45, p.5149-5157.