

## DAFTAR PUSTAKA

- Abbas, T., Rizwan, M., Ali, S., Adrees, M., Mahmood, A., Rehman, M.Z., Ibrahim, M., Arshad, M., Qayyum, M.F. (2018). Biochar application increased the growth and yield and reduced cadmium in drought stressed wheat grown in an aged contaminated soil. *Ecotoxicol. Environ. Saf.* 148, 825e833.
- Aini, C. (2018). Uji efektivitas arang sekam padi, jerami bakar dan pupuk kandang ayam terhadap pertumbuhan dan hasil tanaman bawang merah (*Allium Ascalonicum* L.). *Jurnal Universitas Brawijaya*.
- Akmalia, H.A dan Suharyanto, E. (2017). Pengaruh perbedaan intensitas cahaya dan penyiraman pada pertumbuhan jagung (*Zea Mays* L.) 'Sweet boy-02'. *Jurnal Sains Dasar* 2017 6 (1) 8-16.
- Alexieva, V., Sergiev, I., Mapelli, S., Karanov, E. (2001). The effect of drought and ultraviolet radiation on growth and stress markers in pea and wheat. *Plant, Cell and Environmental*, 24, pp. 1337-1344.
- Alsamadany, H. (2022). Physiological, biochemical and molecular evaluation of mungbean genotypes for agronomical yield under drought and salinity stresses in the presence of humic acid, *Saudi Journal of Biological Sciences*. Doi: <https://doi.org/10.1016/j.sjbs.2022.103385>.
- Alzueta, I., Abeledo, L.G., Mignone, C.M., Miralles, D.J. (2012). Differences between wheat and barley in leaf and tillering coordination under contrasting nitrogen and sulfur conditions, *Eur. J. Agron.* 41 (2012) 92–102.
- Amaru, K. (2013). Kajian kelembaban tanah dan kebutuhan air beberapa varietas hibrida DR UNPAD. *Jurnal Keteknik Pertanian* Vol. 1 No. 1, Oktober 2013.
- Amen, Y., Arung, E.T., Afifi, M.S. (2017). Melanogenesis inhibitors from *Coix lacryma-jobi* seeds in B16-F10 melanoma cells. *Natural Product Research*, 1–7, in press.
- Anjum, S.A., Xie, X.-y., Wang, L.-c., Saleem, M.F., Man, C., Lei, W. (2011). Morphological, physiological and biochemical responses of plants to drought stress. *Afr. J. Agric. Res.* 6, 2026e2032.
- Antal, M.J., Groli, M. (2003). The art, science and technology of charcoal production. *Ind. Eng. Chem. Res.* 2003, 42, 1619–1640.
- Asadi, M., Eshghizadeh, M. R. 2021. Response of sorghum genotypes to water deficit stress under different CO<sub>2</sub> and nitrogen levels. *Plant Physiology and Biochemistry* 158, 255-264.
- Ashraf, M., Harris, P.J.C. (2013). Photosynthesis under stressful environments: an overview. *Photosynthetica*. 51 (2), 163–190. Baerenfaller, K., Massonnet, C., Walsh, S., Baginsk.
- Babita, M., Maheswari, M., Rao, L. M., Shanker, A. K., Rao, D. G. (2010). Osmotic adjustment, drought tolerance and yield in castor (*Ricinus communis* L.) Hybrids. *Environ. Exp. Bot.* 69, 243-249.

- Bailey, L. F., Rothacher, J. S., & Cummings, W. H. (1952). A critical study of the cobalt chloride method of measuring transpiration. *Plant Physiology*, 27(3), pp. 563-574.
- Balai Penelitian Lingkungan Pertanian. (2015). Pengukuran kadar lengas tanah untuk menghemat air bagi pertumbuhan tanaman di musim kemarau. Balai Penelitian Lingkungan Pertanian. Pati.
- Balai Penelitian Tanah. (2008). Biochar pembenah tanah yang potensial. *Jurnal Balai Penelitian Tanah*.
- Bandurska, H., Niedziela, J., Pietrowska-Borek, M., Nuc, K., Chadzinikolau, T., Radzikowska, D. (2017). Regulation of proline biosynthesis and resistance to drought stress in two barley (*Hordeum vulgare* L.) genotypes of different origin. *Plant Physiol. Biochem.* 118, 427–437.
- Banon, S., Ochoa, J., Franco, J., Alarco, J., Sanchez-Blanco, M. J. (2006). Hardening of oleander seedlings by deficit irrigation and low air humidity. *Environ Exp Bot* 56(1):36-43.
- Bates, L. S., Waldren, R. P. Teare, I. D. (1973). Rapid determination of free proline for water-stress studies. *Plant and soil*, 39, pp. 205-207.
- BBPPT. (2008). Teknologi budidaya jagung. Balai Pengkajian Teknologi Pertanian. Lampung (ID).
- Boy, R. (2020). Hubungan karakter fisiologis dan morfologis dengan tingkat ketahanan kekeringan dan hasil kultivar padi gogo lokal Sulawesi tengah. Disertasi Universitas Gadjah Mada.
- Brady, N.C. (1974). The nature and properties of soil (8<sup>th</sup> Edition). MacMillan Publishing Co-Inc. New York.
- Brennan, A., Jimenez, E. M., Puschenreiter, M., Alberquerque, J. A., Switzer, C. (2014). Effects of biochar amendment on root traits and contaminant availability of maize plants in a copper and arsenic impacted soil. *Plant Soil* 2014, 379, 351–360.
- Campbell, N. A., dan Reece, J. B. (2000). *Biologi*. Jakarta.
- Caravaca, F., Alguacil, M. M., Hern'andez, J. A., Rolda'in, A. (2005). Involvement of antioxidant enzyme and nitrate reductase activities during water stress and recovery of mycorrhizal *Myrtus communis* and *Phillyrea angustifolia* plants. *Plant Science* 169:191–97. . [Crossref](#). [ISI](#).
- Chan K. Y., dan Xu, Z. (2009). Biochar: Nutrient properties and their enhancement. In: Lehmann J, Joseph S D, eds., *Biochar for Environmental Management. Science and Technology*, London, UK. pp. 67–84.
- Chen S.L., Li, D.Z., Zhu, G., Wu, Z., Lu, S.L., Liu, L., Wang, Z.P., Sun, B.X., Zhu, Z.D., Xia, N. (2006). *Poaceae*. In: Wu ZY, Raven PH, Hong DY, editors. *Flora of China*. Vol. 22. Beijing (China) and St. Louis (MO): Science Press and Missouri Botanical Garden Press [accessed 2018 June 29] [http://www.efloras.org/florataxon.aspx?flora\\_id 142&taxon\\_id 1410711](http://www.efloras.org/florataxon.aspx?flora_id 142&taxon_id 1410711).
- Choi, M.S., Koh, E.B., Woo, M.O., Piao, R., Oh, C.S., Koh, H.J. (2012). Tiller formation in rice is altered by overexpression of OslAGLU gene encoding an IAA-

- conjugating enzyme or exogenous treatment of free IAA. J. Plant Biol. 55 (2012) 429–435.
- Chutipaijit, S. (2016). Changes in physiological and antioxidant activity of indica rice seedlings in response to mannitol-induced osmotic stress. Chil. J. Agric. Res. 76, 455–462.
- Ciptaningtyas, D.S., Indradewa, D., Tohari. (2011). Pengaruh interval penyiraman terhadap pertumbuhan dan hasil empat kultivar jagung (*Zea mays* L.). Jurnal Universitas Gadjah Mada. Yogyakarta.
- Cresna, Napitupulu, M., Ratman. (2014). Analysis of vitamin C in the fruit of papaya, soursop, sugar apple, and langsung that grown in donggala. J. Akad. Kim, 3(3), pp. 58-65.
- Cunino, I. I., Roberto I. C. O., Taolin. (2018). Pengaruh Takaran Arang Sekam Padi dan Bokashi Cair terhadap Pertumbuhan dan Hasil Mentimun (*Cucumis sativus* L.). Jurnal Pertanian Konservasi Lahan Kering. International Standard of Serial Number 2477-7927.
- Djumali. (2011). Karakter agronomi yang berpengaruh terhadap hasil dan mutu rajangan kering tembakau temanggung. Buletin Tanaman Tembakau, Serat & Minyak Industri 3(1), April 2011:17-29. ISSN: 2085-6717.
- Efendi, R. (2009). Metode dan karakter seleksi toleransi genotype jagung terhadap cekaman kekeringan. Thesis. FMIPA, Bogor.
- Erfandi, D., Kurnia, U. dan Juarsah, I. (2004). Pemanfaatan bahan organik dalam perbaikan sifat fisik dan kimia tanah ultisols. Halaman 77-85. Dalam Prosiding Semnas. Pendayagunaan Tanah Masam, Buku II, Puslitbang Tanah dan Agroklimat, Bogor.
- Fagi, A. M., Sanusi, S. A. (1983). Meningkatkan efisiensi air irigasi dengan teknik budidaya tanaman pangan dan teknik pengairan. Risalah Lokakarya Penelitian Padi: Masalah dan Hasil Penelitian Padi. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor. Hlm 51-65.
- Fauzi, A. M., Widayat, D., Nurmala, T. 2020. Pengaruh perlakuan ratun, jenis hanjeli dan kadar air terhadap pertumbuhan tanaman hanjeli jenis pulut (*Coix lacryma jobi* var. *Ma-yuen*) dan Batu (*Coix lacryma jobi* var. *Stenocarpa*). Jurnal Agrikultura 31(3): 182-192.
- Fischer, R.A. (1975). Yield potential in dwarf spring wheat and the effect of shading. Crop Sci. 15:607-613.
- Girmay, G., Singh, B., Mitiku, H., Borresen, T., Lal, R. (2008). Carbon stocks in Ethiopian soils in relation to land use and soil management. Land Degrad. Dev. 19,351e367.
- Grant, B. W. dan Vatnick, I. (2004). Environmental correlates of leaf stomata density. Teaching issues and experiments in ecology. 1: 1-24.
- Grubben, G. J. H., Partohardjono, S. (1996). Plant resources of South-East Asia No. 10: Cereal. PROSEA Foundation, Bogor.
- Gultom, F. B. (2020). Penggunaan arang sekam dan interval penyiraman terhadap pertumbuhan bibit *Eucalyptus* IND 73. Jurnal universitas Sumatera Utara.

- Gustiana, V. (2017). Pengaruh pemberian arang sekam dan pupuk kandang ayam terhadap pertumbuhan dan hasil tanaman gandum (*Triticum aestivum* L.) di lahan panjang kabupaten solok. Jurnal Universitas Andalas.
- Hadi, T. (2019). Pengaruh Mikoriza dan arang sekam terhadap pertumbuhan jagung yang tercekam kekeringan pada entisol cangkran. Fakultas Pertanian Universitas Gadjah Mada.
- Halliwell, B., Gutteridge, J. (2007). Free Radicals in Biology and Medicine, ed 4. Oxford University Press.
- Hamanishi, E. T., Thomas, B. R., dan Campbell, M. M. (2012). Drought induces alterations in the stomatal development program in populus. J Exp Bot. 63(13): 4959-4971.
- Handayani, M. (2009). Pengaruh Dosis Pupuk NPK dan Kompos terhadap Pertumbuhan Bibit *Eugenia polyantha*. Wight (Salam). Skripsi. Bogor: Departemen Silviculture. Fakultas Kehutanan, Institut Pertanian Bogor.
- Harjadi, S. S., dan Yahya, S. (1988). Fisiologi stress lingkungan. PAU Bioteknologi Institut Pertanian Bogor. 236 p.
- Harvin J.L., Beaton, J.D., Tisdale, S. L., dan Nelson, W.L. (2005). Soil Fertility and Fertilizer. An Introduction to Nutrient Management. Seventh Edition. Pearson Education Inc. Upper Saddle River, New Jersey.
- Haryanti, S. (2010). Jumlah dan distribusi stomata pada daun beberapa spesies tanaman dikotil dan monokotil. Jurnal Buletin Anatomi dan Fisiologi, 18(2), pp. 21-28.
- Hashtanashombut, S., Ntui, V., Supaibulwatana, K., Mii, M., Nakamura, I. (2010). Expression of Indica rice OsBADH1 gene under salinity stress in transgenic tobacco. Plant Biotechnol, 4, pp. 75-83.
- Herlina, N., dan Prasetyorini, A. (2019). Pengaruh perubahan iklim pada musim tanam dan produktivitas jagung (*Zea mays* L.) di Kabupaten Malang. Jurnal Ilmu Pertanian Indonesia (JIPI).
- Huang, S., Fan, T. L., Liu, M. J., Chen, R. H., Liang, C. T., Cheng, W. L., Chen, Y. H., Xue, S., Yang, X. M. (2021). Effects of plastic film residues on photophysiological characteristics and biomass accumulation of soybean (*Glycine max*). Chin. J. Eco Agric. 29, 979–990.
- Indranada, H.K. (1989). Pengelolaan kesuburan tanah. Jakarta: Bina Aksara
- Irawanto, R., Lestari, D. A., Hendrian, R. (2017). Jali (*coix lacryma jobi* L.): biji, perkecambah, dan potensinya. Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia. Pasuruan 1 Februari 2017. 147-153.
- Irianto, G., Sosiawan H. & Karama, S. (1998). Strategi pembangunan pertanian lahan kering untuk mengantisipasi persaingan global. Halaman 1-12 Dalam Prosiding Pertemuan Pembahasan Dan Komunikasi Hasil Penelitian Tanah Dan Agroklimat. Makalah Utama. Publikasi No.04-2b/Puslittanak/2000. Pusat Penelitian Tanah Dan Agroklimat. Bogor.

- Jaafar, N.M., Clode, P.L., Abbott, L.K. (2014). Microscopy observations of habitable space in biochar for colonization by fungal hyphae from soil. *J. Integr. Agric.* 2014, 13, 483–490. [CrossRef].
- Juhaeti, T. (2015). Jali (*coix lacryma jobi* L.; *Poaceae*) untuk diversifikasi pangan: produktivitas pada berbagai taraf pemupukan. Pusat Penelitian Biologi-LIPI. Cibinong.
- Jung, H., Lee, D.K., Choi, Y.D., Kim, J.K. (2015). OslAA6, a member of the rice Aux/IAA gene family, is involved in drought tolerance and tiller outgrowth. *Plant Sci.* 236 (2015) 304–312.
- Jungklang, J., Saengnil, K., Uthaibutra, J. (2017). Effect of water-deficit stress and paclobutrazol on growth, relative water content, electrolyte leakage, proline content and some antioxidant changes in *curcuma alismatifolia* Gagnep. Cv. Chiang Mai Pink. *Saudi Journal of Biological Sciences* (2017) 24, 1505-1512.
- Kalefetoğlu, T., dan Ekmekçi, Y., (2005). The effects of drought on plants and tolerance mechanisms. *Gazi. Univ. J. Sci.* 18 (4), 723–740.
- Khan, Z., Khan, M. N., Zhang, K., Luo, T., Zhu, K., Hu, L. (2021). The application of biochar alleviated the adverse effects of drought on the growth, physiology, yield and quality of rapeseed through regulation of soil status and nutrients availability. *Industrial Crops & Products* 171 (2021) 113878.
- Klepper, B., Rickman, R.W. (1990). Modeling crop root growth and function. *Advances in Agronomy* 4, 113–132.
- Kolo, A. & Raharjo, K.T.P. (2016). Pengaruh Pemberian Arang Sekam Padi dan Frekuensi Penyiraman terhadap Pertumbuhan dan Hasil Tanaman Tomat (*Lycopersicon esculentum* Mill). *Savana Cendana*, 1(03): 102–104.
- Komarayati, S., Pari, G., dan Gusmailina. (2003). Pengembangan Penngunaan Arang untuk Rehabilitasi Lahan dalam Buletin Penelitian dan Pengembangan Kehutanan 4:1. Jakarta: Badan Penelitian dan Pengembangan Kehutanan.
- Kurniawati, S., Khumaida, N., Ardie, S. W., Hartati, N. S., Sudarmonowati, E. (2014). Pola Akumulasi Prolin dan Poliamin Beberapa Aksesori Tanaman Terung pada Cekaman Kekeringan. *J. Agron. Indonesia* 42 (2) : 136 - 141 (2014). Pusat Penelitian Bioteknologi, Lembaga Ilmu Pengetahuan Indonesia.
- Kusuma, A. H., Izzati, M., Saptiningsih, E. (2013). Pengaruh Penambahan Arang dan Abu Sekam dengan Proporsi yang Berbeda terhadap Permeabilitas dan Porositas Tanah Liat serta Pertumbuhan Kacang Hijau (*Vigna radiata* L). *Bul. Anat. & Fisiol.* Vol. XXI(1): 1-9.
- Lauriks, F., Salomon, R. L., Roo, L. D., Plata, J. S., Garcia, A. R., Steppe, K. (2022). Limited mitigation effect of elevated CO<sub>2</sub> in young aspen trees to face drought stress. *Environment and Experimental Botany* 201 (2022) 104942.
- Li, S.-C. & Mu, P.T.K. (1959). 1596. Pen-t'sao kang mu (Systematic Pharmacopoeia), China.
- Li, Y., Yang, Y., Sun, Y., Jiao, Y., Wang, Y., Chen, H., Wu, Q., Chi, D. (2022). Using nitrogen-loaded biochar for soil improvement to decrease applied nitrogen and



- stabilize rice yield under alternate wet-dry irrigation. *Soil & Tillage Research* 223 (2022) 105493.
- Liu, X., Zhang, X., Rong, Y.-Z., Wu, J.-H., Yang, Y.-J., & Wang, Z.-W. (2015). Rapid determination of fat, protein and amino acid content in *Coix* seed using near-infrared spectroscopy technique. *Food Analytical Methods*, 8, 334–342.
- Lolomsait, Y. (2016). Pengaruh Takaran Arang Sekam Padi dan Frekuensi Penyemprotan Pupuk Organik Cair terhadap Pertumbuhan dan Hasil Tanaman Cabe Merah (*Capsicum annum* L.). *Savana Cendana*, 1(04): 125– 127.
- Luo, L., Pan, S., Liu, X., Wang, H., Xu, G. (2017). Nitrogen deficiency inhibits cell divisiondetermined elongation, but not initiation, of rice tiller buds, *Isr. J. Plant Sci.* 64 (2017) 1–9.
- Mahdiannoor. (2011). Respon pertumbuhan dan hasil tanaman cabe besar (*Capsicum annum* L.) terhadap pemberian arang sekam padi dan dosis pupuk kandang kotoran itik di lahan rawa lebak. *J. Agroscientiae*. 18(3).
- Malik, M.A., Wani, A. H., Mir, S. H., Rehman, I. U., Tahir, I., Ahmad, P. (2021). Elucidating the role of silicon in drought stress tolerance in plants. *Plant Physiol. Biochem.* 165, 187–195.
- Manosroi, J., Khositsuntiwong, N., Manosroi, A. (2014). Biological activities of fructooligosaccharide (fos)- containing *coix lachryma-jobi linn.* Extract. *J. Food Sci. Tech. Mys.* 2014, 51, 341–346. DOI: 10.1007/s13197-011-0498-6.
- Margolang, R. D., Jamilah, M., Sembiring. (2015). Karakteristik beberapa sifat fisik, kimia, dan biologi tanah pada sistem pertanian organik. *Jurnal Online Agroekoteknologi*. Vol.3, No.2 : 717 -723, Maret 2015.
- Marques, D.M., Da Silva, A. B., Mantovani, J. R., Magalhaes, P. C., De Souza, T. C. (2019). Root morphology and leaf gas exchange in *Peltophorum dubium* (Spreng.) Taub. (Caesalpinioideae) exposed to copper-induced toxicity. *South Afr. J. Bot.* 121, 186–192.
- Marschner, H. (1995). Mineral nutrition of hingher plants, Academic Press, New York.
- Meher, P., Shivakrishna, K. A., Reddy, D. M., Rao. (2018). Effect of PEG-600 imposed drought stress on RNA content, relative wáter content (RWC), and chlorophyll content in peanut leaves and roots. *Saudi Journal of Biological Sciences* 25 (2018) 285-289.
- Mekuria, W., Noble, A. (2013). The role of biochar in ameliorating disturbed soils and sequestering soil carbon in tropical agriculture production systems. *Appl. Environ. Soil Sci.* 2013, 2013, 354965. [CrossRef].
- Millya, A. P. (2007). Pengaruh waktu pembenaman orok-orok (*Crotalaria juncea* L.) dan dosis pupuk Urea pada pertumbuhan dan hasil tanaman jagung (*Zea mays* L.) Skripsi. Universitas Brawijaya. Malang.
- Miskin, E. K., Rasmusson, D.C., dan Moss, D.N. (1972). Inheritance and physiological effects of stomatal frequency in barley. *Crop Science* 12:780-783.
- Mubiyanto, B.M. (1997). Tanggapan tanaman kopi terhadap cekaman air. *Jurnal Puslit Kopi dan Kakao* 13(2): 83-95.

- Munné-Bosch, S., Lalueza, P. (2007). Age-related changes in oxidative stress markers and abscisic acid levels in a drought-tolerant shrub, *Cistus clusii* grown under Mediterranean Weld conditions. *Planta*. 225 (4), 1039–1049. <https://doi.org/10.1007/s00425-006-0412-z>
- Nahar, K & Gretzmacher, R. (2002). 'Effect of water stress on nutrient uptake, yield, and quality of tomato (*Lycopersicon esculentum* mill.) under subtropical conditions', *Die Bodenkultur*, vol. 53, no. 1, pp. 45-51.
- Nisa, M. C. (2021). Pengaru pemberian biochar terhadap air tersedia tanah dan pertumbuhan jagung pada tanah bekas tambang emas di Dharmasraya. *Jurnal Universitas Andalas*.
- Nóbrega, C., Marques, H., Moreira, T. (2020). Insights of carbon assimilation and allocation in young cork oak (*Quercus suber* L.) plants using Carbon, *Physiol. Plant*. 168 (2020) 725–735.
- Noctor, G., Mandhi, A., Foyer, C.H. (2014). The roles of reactive oxygen metabolism in drought: not so cut and dried. *Plant Physiol*. 164, 1553–1555. <https://doi.org/10.1104/pp.113.233478>.
- Nurita & Jumberi, A. (1997). Pemupukan KCl dan Abu Sekam pada Padi Gogo di Tanah Podsolik Merah Kuning. *Prosiding Seminar. Pembangunan Pertanian Berkelanjutan Menyongsong Era Globalisasi*. Banjarbaru: Peragi Komisariat Kalimantan Selatan.
- Nurmala T. (1998). *Serealia Sumber Karbohidrat Utama*. Rineka Cipta, Jakarta.
- Ohtsubo, K. I., Yanagi, S. O., Yanase, H. J. (1985). Properties of a trypsin inhibitor from job's-tears (*coix lacryma jobi* L. var. *Ma-yuen Stapf*). Taylor and Francis Group. <http://tandfonline.com.lio./tbbb19>. Doi:10.1080/00021369.1985.10867019.
- Onggo, T. M., Kusmiyati dan Nurfitriana, A. (2017). Pengaruh pe-nambahan arang sekam dan ukuran polybag terhadap pertumbuhan dan hasil tanaman tomat kultivar valouro hasil sambung batang. *J Kultivasi* 16 (1):298–304.
- Padilla F. M., Peña-Fleitas, M. T., Gallardo, M., Thompson, R. B. (2014). Evaluation of optical sensor measurements of canopy reflectance and of leaf flavonols and chlorophyll contents to assess crop nitrogen status of muskmelon. *European Journal of Agronomy*, 58, 39–52.
- Palupi, E. R., Dedywiryanto, Y. 2008. Kajian karakter toleransi cekaman kekeringan pada empat genotype bibit kelapa sawit (*Elaeis guineensis* Jacq). *Bul Agron* 36 (1): 24-32.
- Pitono, J., Mariska, I., Syakir, M., Ragapadmi, Nurhayati, H., Setiawan, Kuswadi, Zaenudin, Santoso, T. (2007). Seleksi ketahanan terhadap stress kurang air pada beberapa nomor somaklon nilam. *Laporan Teknis penelitian Tahun Anggaran 2007*. Balittro.
- Pranasari, R. A., Nurhidayanti, T., Purwani, K. I. (2012). Persaingan Tanaman Jagung (*Zea Mays*) dan Rumput Teki (*Cyperus Rotundus*) pada Pengaruh Cekaman Garam (NaCl). *Jurnal Sains Dan Seni Its* Vol. 1, No. 1.
- Pratt, H. K., & Mendoza, D. B. (1979). Colorimetric determination of carbon dioxide for respiration studies1. *HortScience*, 14(2), 175-176.

- Pratiwi, Y., Kastono, D., Indradewa, D. (2019). Perbandingan perakaran beberapa kultivar kedelai (*Glycine max* L.) yang mengalami kekeringan dengan metode pengamatan berbeda. *Vegetalika* 8(4): 276-291.
- Purba, Z. (2018). Regresi linier berganda kelembaban udara dan intensitas cahaya matahari terhadap produksi tanaman padi diperkotaan. *Jurnal Pembangunan Perkotaan* 6 (2): 112-117.
- Purwanto dan Agustono, T. (2010). Kajian fisiologi tanaman kedelai pada berbagai kepadatan gulma teki dalam kondisi cekamana kekeringan. *Agroland*, 17 (2): 85-90.
- Putra, A., Barmawi, M., Sa'diyah, N. (2015). Penampilan karakter agronomis beberapa genotype harapan tanaman kedelai (*Glycine max* L. Merrill) generative F6 hasil persilangan wilis x Mlg2521. *J. Agrotek Tropika*. ISSN 2337-4993 Vol. 3, No. 3: 348-354, September 2015.
- Qayyum, M. F., Rehman, M.Z., Ali, S., Rizwan, M., Naeem, A., Maqsood, M.A., Khalid, H., Rinklebe, J., Ok, Y.S. (2017). Residual effects of monoammonium phosphate, gypsum and elemental sulfur on cadmium phytoavailability and translocation from soil to wheat in an effluent irrigated field. *Chemosphere* 174, 515e523.
- Qian, Z., Jian, K. L., Zi, S. Y., Dong, Y. X., Jun, Z. H., ti, X. F., Xue, A. (2019). Effect of biochar on grain yield and leaf photosynthetic physiology of soybean cultivars with different phosphorus efficiencies. *Journal of Integrative Agriculture* 2019, 18(10): 2242-2254.
- Radjagukguk, B. & Jutono. (1983). Alternatif-Alternatif Pelaksanaan Program Pengapuran Lahan-Lahan Mineral Masam Indonesia. Prosiding Seminar. Yogyakarta: Fakultas Pertanian Universitas Gadjah Mada.
- Rahmawati, D. E. (2003). Estimasi Heritabilitas dengan Metode Regresi Tetua-Turunan (Parents-Offspring Regression) dan Kemajuan Genetik Beberapa Karakter Penting Hanjeli (*Coix lacryma-jobi* L.) di Arjasari. Skripsi. Universitas Padjadjaran, Bandung.
- Rifai, B. & Soebroto, S. R. (1982). Ilmu Memupuk II. CV. Yasa Guna, Jakarta.
- Rizky, D., Adiwirman & Widodo, W. D. (2009). Respon tanaman tomat terhadap frekuensi dan taraf pemberian air. Skripsi. IPB, Bogor.
- Rizwan, M., Ali, S., Qayyum, M. F., Ibrahim, M., Rehman, M. Z., Abbas, T., Ok, Y.S. (2016). Mechanisms of biochar-mediated alleviation of toxicity of trace elements in plants: a critical review. *Environ. Sci. Pollut. Res.* 23, 2230e2248.
- Rosawanti, P., Ghulamahdi, M., dan Khumaida, N. (2015). Respon Anatomi dan Fisiologi Akar Kedelai terhadap Cekaman Kekeringan. *J. Agron. Indonesia* 43 (3) : 186 - 192.
- Roy, K. S., Bhattacharyya, P., Neogi, S., Rao, K. S., Adhya, T. K. (2012). Combined effect of elevated CO<sub>2</sub> and temperature on dry matter production, net assimilation rate, C and N



- Sakya, A. T., Sulistyaningsih, E., Indradewa, D., Purwanto, B. H. (2015). Tanggapan distribusi asimilat dan luas daun spesifik tanaman tomat terhadap aplikasi  $ZnSO_4$  dan dua interval penyiraman. *J. Hort* Vol. 25 No. 4, Desember 2015, 311-317.
- Sakya, A. T., Sulistyaningsih, E., Indradewa, D., Tome, V. D., & Lubis, J. M. (2013). Dry matter partitioning of tomato under different interval watering. *Proceeding International Conference on Sustainable Agriculture and Environmen*, 27-29 Juni 2013, Solo, Indonesia.
- Sanchez, P. A. (1976). *Properties and Management of Soils in the Tropics*. A Wiley-Interscience Publication. John Wiley and Sons. New York.
- Schmidt, F. A., & Ferguson. (1951). Rainfall types based on wet and dry periods ratios for Indonesia with Western New Guinea. *Verh. No. 42. Djawatan Meteorologi Dan Geofisika, Kementerian Perhubungan*. Jakarta.
- Sembiring, L. K., Sipayung, R. dan Irsal. (2018). Tanggap Pertumbuhan Bibit Kopi Robusta (*Coffea robusta* L.) Terhadap Berbagai Media Tanam dan Frekuensi Penyiraman. *Jurnal Pertanian Tropik*. 5 (1) : 168.
- Serraj. R., Kumar, A., McNally, K. L., Slamet, L.I., Bruskiewich, R., Mauleon, R., Cairns, J., dan Hijmans, R.J. (2009). Improvement of drought resistance in rice. *Adv Agron*, 103: 41-98.
- Setiawan, I. M. D. D., Sumiyati, I. M., Nada. (2017). Pola air tersedia pada beberapa media tanam untuk tanaman strawberry (*Fragaria Virginiana*). *Jurnal Beta (Biosistem Dan Teknik Pertanian)* Volume 5, Nomor 1, Maret, 2017.
- Shao, H.B., Chu, L, Jaleel, C. A. & Zhao, C. (2008). Water deficit stress induced anatomical changes in higher plants. *C. R. Biologies*, vol. 331, pp. 215-25.
- Shi, F. X., Song, C. C., Zhang, X. H., Mao, R., Guo, Y. D., Gao, F. Y. (2015). Plant zonation patterns reflected by the differences in plant growth, biomass partitioning and root traits along a water level gradient among four common vascular plants in freshwater marshes of the Sanjiang Plain, Northeast China. *Ecol. Eng.* 81, 158-164.
- Sinclair, T. R., Ludlow, M. M. (1986). Influence of soil water supply on the plant water balance of four tropical grain legumes. *Funct. Plant Biol.* 13 (3), 329-341.
- Soil survey Staff. (1998). *Keys to soil taxonomy*. Eight et USDA, Natural Resources Conservation Service. Washington DC.
- Song, N. & Banyo, Y. (2011). Konsentrasi klorofil daun sebagai indikator kekurangan air pada tanaman. *Jurnal ilmiah sains* Vol. 11 No. 2. Hal 169-170.
- Suheryanto. (2015). Aplikasi Jenis Pupuk Organik pada Tanaman Padi Sistem Pertanian Organik. *E-Jurnal Agroekoteknologi Tropika* Vol.1, No.2. hal 77-77.
- Sujinah., Jamil, A. (2016). Mekanisme respon tanaman padi terhadap cekaman kekeringan dan varietas toleran. *Balai Besar Penelitian Tanaman Padi*. Subang.
- Sun, W., Shi, F., Chen, H., Zhang, Y., Guo, Y., Mao, R. (2021). Relationship between relative growth rate and C:N:P stoichiometry for the marsh herbaceous plants

- under water-level stress conditions. *Global Ecology and Conservation* 25 (2021) e01416.
- Supriyanto., Fiona, F. (2010). Pemanfaatan Arang Sekam untuk Memperbaiki Pertumbuhan Semai Jabon (*Anthocephalus cadamba* (Roxb.) Miq) pada Media Subsoil. *Jurnal Silvikultur Tropika* Vol. 01 No. 01 Desember 2010, Hal. 24 – 28.
- Suseela, V. (2019). Chapter 4 potential roles of plant biochemistry in mediating ecosystem responses to warming and drought. *Ecosystem Consequences of Soil Warming*. Elsevier.
- Suwardjo, H., Sinukaban, N., dan Barus, A. (1984). Masalah erosi dan konservasi tanah di Daerah Transmigrasi. *Prosiding Pertemuan Teknis Peneliti Pola Usahatani Menunjang transmigrasi*. Badan Litbang Pertanian. Deptan. Bogor.
- Szarka, A., Tomasskovics, B., Benhegyi, G. (2012). The ascorbate-glutathione- $\alpha$ -tocopherol triad in abiotic stress response. *Int. J. Mol. Sci.* 13: 4458-4483.
- Taek, Risa. (2016). Pengaruh takaran arang sekam dan guano terhadap pertumbuhan dan hasil kacang hijau. *Jurnal Pertanian Konservasi Lahan Kering*. International Standard of Serial Number 2477-7927.
- Taghizadeh-Toosi, A., Clough, T. J., Sherlock, R. R., Condon, L. M. (2012). Biochar adsorbed ammonia is bioavailable. *Plant Soil* 350 (1), 57–69. <https://doi.org/10.1007/s11104-011-0870-3>.
- Talbi, S., Rojas, J. A., Sahrawy, M., Serrano, M. R., Cardenas, K. E., Debouba, M., Sandalio, L. M. (2020). Effect of drought on growth, photosynthesis and total antioxidant capacity of the Saharan plant *Oudeneya africana*. *Environmental and Experimental Botany* 176(2020) 104099.
- Talbi, S., Romero-Puertas, M.C., Hernández, A., Terrón, L., Ferchichi, A., Sandalio, L.M. (2015). Drought tolerance in a Saharian plant *Oudneya africana*: role of antioxidant defences. *Environ. Exp. Bot.* 111, 114–126. <https://doi.org/10.1016/j.envexpbot.2014.11.004>.
- Tuasamu, Y. (2009). Toleransi hotong (*Setaria italica* L. Beauv) pada berbagai cekaman kekeringan: pendekatan anatomi dan fisiologi. Tesis. Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.
- Vurukonda, S. S. K. P., Vardharajula, S., Shrivastava, M., SkZ, A. (2016). Enhancement of drought stress tolerance in crops by plant growth promoting rhizobacteria. *Microbiological Research* 184:13–24. . [Crossref](#). [PubMed](#). [ISI](#).
- Wahyunto & Shofiyanti, R. (2011). Wilayah potensial lahan kering untuk mendukung pemenuhan kebutuhan pangan di Indonesia. Badan Litbang Pertanian.
- Wang, F.L., Zhang, M. Y., Zhou, Y. R., Guan, Q. L., Li, X. Y., Zhong, Q., Zhao, M. Q. (2021). Effects of TS-PAA water retaining agent on growth and photosynthetic characteristics of eigar under drought stress. *J. Agric. Sci Technol.* 24, 162-172.

- Wang, J., Lu, K., Nie, H., Zeng, Q., Wu, B., Qian, J., Fang, Z. (2018). Rice nitrate transporter OsNPF7.2 positively regulates tiller number and grain yield, *Rice* 11 (2018) 12.
- Wang, L., Chen, C., Su, A., Zhang, Y., Yuan, J. & Ju, X. (2016). Structural characterization of phenolic compounds and antioxidant activity of the phenolic-rich fraction from defatted adlay (*Coix lacryma-jobi* L. var. *ma-yuen Stapf*) seed meal. *Food Chemistry*, 196, 509–517.
- Wang, R., J. Qian, Z. Fang, J. Tang. (2020). Transcriptomic and physiological analyses of rice seedlings under different nitrogen supplies provide insight into the regulation involved in axillary bud outgrowth, *BMC Plant Biol.* 20 (2020) 197.
- Wang, X. M., Wang, X. K., Su, Y. B., Zhang, H. X. (2019). Land pavement depresses photosynthesis in urban trees especially under drought stress. *Sci. Total Environ.* 653, 120–130.
- Wang, Z., Huang, H., Yao, B., Deng, J., Ma, Z., Niklasf, K. (2021). Divergent scaling of fine-root nitrogen and phosphorus in different root diameters, orders and functional categories: A meta-analysis. *Forest Ecology and Management* 495(2021) 119384.
- Wang, Z., Shi, H., Yu, S., Zhou, W., Li, J., Liu, S., Deng, M., Ma, J., Wei, Y., Zheng, Y., Liu, Y. (2019). Comprehensive transcriptomics, proteomics, and metabolomics analyses of the mechanisms regulating tiller production in low-tillering wheat, *Theor. Appl. Genet.* 132 (2019) 2181–2193.
- Wang, Z., Yang, Y., Yadav, V., Zhao, W., He, Y., Zhang, X., Wei, C. (2022). Drought-induced proline is mainly synthesized in leaves and transported to roots in watermelon under water deficit. *Horticultural Plant Journal*, <https://doi.org/10.1016/j.hpj.2022.06.009>.
- Wuryaningsih. (2008). Pengaruh media sekam padi terhadap pertumbuhan tanaman hias pot *Spathiphyllum* sp. *Jurnal Hortikultura.* 2 (2); 81-89.
- Xia, H., Liu, X., Wang, Y., Lin, Z., Deng, H., Wang, J., Lin, L., Deng, Q., Lv, X., Xu, K., Liang, D. (2022). 24-Epibrassinolide and nitric oxide combined to improve the drought tolerance in kiwifruit seedlings by proline pathway and nitrogen metabolism. *Scientia Horticulturae* 297 (2022) 110929.
- Xu, L., Yang, N., Wu, F., Jin, Z., Xu, X. (2017). Impact of germination on the chemical components and bioactive properties of adlay (*coix lacryma jobi* L.) water extract. *IFST (International Food and Science Technology)*. DOI:10.1111/ijfs.13603.
- Yang, L. X., Huang, J. Y., Yang, H. J., Dong, G. C., Liu, G., Zhu, J. G., Wang, Y. L. (2006). Seasonal changes in the effects of free-air CO<sub>2</sub> enrichment (FACE) on dry matter production and distribution of rice (*Oryza sativa* L.). *Field Crops Res.* 98, 12–19.
- Yao, Y., Zhu, Y., Gao, Y., & Ren, G. (2015). Effect of ultrasonic treatment on immunological activities of polysaccharides from adlay. *International Journal of Biological Macromolecules*, 80, 246–252.

- Yuan, S., Liu, W. J., Zhang, N. H., Wang, M. B., Liang, H. G., Lin, H. H. (2005). Effect of water stress on major photosystem II gene expression and protein metabolism in barley leaves. *Physiologia Plantarum* 125: 464-473.
- Zandalinas, S. I., Mittler, R., Balfagon, D., Arbona, V., Gomez-Cadenas, A. (2018). Plant adaptations to the combination of drought and high temperatures. *Physiol. Plant.* 162, 2–12.
- Zhang, S. W., Li, C.H., Cao, J., Zhang, Y.C., Zhang, S. Q., Xia, Y.F., Sun, D. Y., Sun, Y. (2009). Altered architecture and enhanced drought tolerance in rice via the downregulation of indole-3-acetic acid by TLD1/OsGH3.13 activation, *Plant Physiol.* 151 (2009) 1889–1901.
- Zou, J., YU, K., Zhang, Z., Jiang, W.S., Liu, D. (2009). Antioxidant response system and chlorophyll fluorescence in chromium (VI)-treated *Zea mays* L. Seedlings. *Acta Biol.Cracov. Bot.* 51 (1), 23–33.