

DAFTAR PUSTAKA

- Adams, B.K., Ferstl, E.M., Davis, M.C., Herold, M., Kurtkaya, S., Camalier, R.F., dkk., 2004. Synthesis and biological evaluation of novel curcumin analogs as anti-cancer and anti-angiogenesis agents. *Bioorganic & Medicinal Chemistry*, **12**: 3871–3883.
- Ahmed, M., Abdul Qadir, M., Imtiaz Shafiq, M., Muddassar, M., Hameed, A., Nadeem Arshad, M., dkk., 2017. Curcumin: Synthesis optimization and in silico interaction with cyclin dependent kinase. *Acta Pharmaceutica (Zagreb, Croatia)*, **67**: 385–395.
- Anand, P., Thomas, S.G., Kunnumakkara, A.B., Sundaram, C., Harikumar, K.B., Sung, B., dkk., 2008. Biological activities of curcumin and its analogues (Congeners) made by man and Mother Nature. *Biochemical Pharmacology*, **76**: 1590–1611.
- Banerjee, S., Biehl, A., Gadina, M., Hasni, S., dan Schwartz, D.M., 2017. JAK–STAT Signaling as a Target for Inflammatory and Autoimmune Diseases: Current and Future Prospects. *Drugs*, **77**: 521–546.
- Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., dkk., 2018. Inflammatory responses and inflammation-associated diseases in organs. *Oncotarget*, **9**: 7204–7218.
- Coutinho, A.E. dan Chapman, K.E., 2011. The anti-inflammatory and immunosuppressive effects of glucocorticoids, recent developments and mechanistic insights. *Molecular and Cellular Endocrinology*, **335**: 2–13.
- Elburki, M.S., Rossa, C., Guimarães-Stabili, M.R., Lee, H.-M., Curylofo-Zotti, F.A., Johnson, F., dkk., 2017. A Chemically Modified Curcumin (CMC 2.24) Inhibits Nuclear Factor κ B Activation and Inflammatory Bone Loss in Murine Models of LPS-Induced Experimental Periodontitis and Diabetes-Associated Natural Periodontitis. *Inflammation*, **40**: 1436–1449.
- Fujiwara, N. dan Kobayashi, K., 2005. Macrophages in Inflammation. *Current Drug Target -Inflammation & Allergy*, **4**: 281–286.
- Grosick, R., Alvarado-Vazquez, P.A., Messersmith, A., dan Romero-Sandoval, E.A., 2018. High glucose induces a priming effect in macrophages and exacerbates the production of pro-inflammatory cytokines after a challenge. *Journal of Pain Research*, **Volume 11**: 1769–1778.
- Gu, Y., Zhu, Y., Deng, G., Liu, S., Sun, Y., dan Lv, W., 2021. Curcumin analogue AI-44 alleviates MSU-induced gouty arthritis in mice via inhibiting cathepsin B-mediated NLRP3 inflammasome activation. *International Immunopharmacology*, **93**: 107375.
- Gupta, S.C., Patchva, S., Koh, W., dan Aggarwal, B.B., 2012. Discovery of curcumin, a component of golden spice, and its miraculous biological activities: Multitargeting by curcumin. *Clinical and Experimental Pharmacology and Physiology*, **39**: 283–299.

- Herrington, F.D., Carmody, R.J., dan Goodyear, C.S., 2016. Modulation of NF- κ B Signaling as a Therapeutic Target in Autoimmunity. *Journal of Biomolecular Screening*, **21**: 223–242.
- Hewlings, S.J. dan Kalman, D.S., 2017. Curcumin: A Review of Its Effects on Human Health. *Foods (Basel, Switzerland)*, **6**: .
- Hofmann, M.A., Drury, S., Fu, C., Qu, W., Taguchi, A., Lu, Y., dkk., 1999. RAGE Mediates a Novel Proinflammatory Axis. *Cell*, **97**: 889–901.
- Huang, J., Fu, J., Liu, B., Wang, R., dan You, T., 2020. A Synthetic Curcuminoid Analog, (2E,6E)-2,6-bis(2-(trifluoromethyl)benzylidene)cyclohexanone, Ameliorates Impaired Wound Healing in Streptozotocin-Induced Diabetic Mice by Increasing miR-146a. *Molecules*, **25**: 920.
- Huang, P., Han, J., dan Hui, L., 2010. MAPK signaling in inflammation-associated cancer development. *Protein & Cell*, **1**: 218–226.
- Kahkhaie, K.R., Mirhosseini, A., Aliabadi, A., Mohammadi, A., Mousavi, M.J., Haftcheshmeh, S.M., dkk., 2019. Curcumin: a modulator of inflammatory signaling pathways in the immune system. *Inflammopharmacology*, **27**: 885–900.
- Kaminska, B., 2005. MAPK signalling pathways as molecular targets for anti-inflammatory therapy—from molecular mechanisms to therapeutic benefits. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, **1754**: 253–262.
- Katzung, B.G., Masters, S.B., dan Trevor, A.J., 2009. *Basic & Clinical Pharmacology*. McGraw-Hill Medical ; McGraw-Hill [distributor, New York; London.
- Kementrian Kesehatan RI, 2017. *Rencana Aksi Kegiatan Pengendalian Penyakit Tidak Menular Tahun 2015-2019 Revisi I*.
- Khanapure, S., Garvey, D., Janero, D., dan Gordon Letts, L., 2007. Eicosanoids in Inflammation: Biosynthesis, Pharmacology, and Therapeutic Frontiers. *Current Topics in Medicinal Chemistry*, **7**: 311–340.
- Kumar, V., Abbas, A.K., Aster, J.C., dan Perkins, J.A. (Editor), 2018. *Robbins Basic Pathology*, Tenth edition. ed. Elsevier, Philadelphia, Pennsylvania.
- Lee, K.-H., Ab. Aziz, F.H., Syahida, A., Abas, F., Shaari, K., Israf, D.A., dkk., 2009. Synthesis and biological evaluation of curcumin-like diarylpentanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities. *European Journal of Medicinal Chemistry*, **44**: 3195–3200.
- Lee, K.-H., Abas, F., Alitheen, N.B.M., Shaari, K., Lajis, N.H., dan Ahmad, S., 2011. A Curcumin Derivative, 2,6-Bis(2,5-dimethoxybenzylidene)-cyclohexanone (BDMC33) Attenuates Prostaglandin E2 Synthesis via Selective Suppression of Cyclooxygenase-2 in IFN- γ /LPS-Stimulated Macrophages. *Molecules*, **16**: 9728–9738.
- Lee, K.-H., Chow, Y.-L., Sharmili, V., Abas, F., Alitheen, N.B.M., Shaari, K., dkk., 2012. BDMC33, A Curcumin Derivative Suppresses Inflammatory Responses in Macrophage-Like Cellular System: Role of Inhibition in NF- κ B and MAPK Signaling Pathways. *International Journal of Molecular Sciences*, **13**: 2985–3008.

- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., dkk., 2009a. Exploration and synthesis of curcumin analogues with improved structural stability both in vitro and in vivo as cytotoxic agents. *Bioorganic & Medicinal Chemistry*, **17**: 2623–2631.
- Liang, G., Zhou, H., Wang, Y., Gurley, E.C., Feng, B., Chen, L., dkk., 2009b. Inhibition of LPS-induced production of inflammatory factors in the macrophages by mono-carbonyl analogues of curcumin. *Journal of Cellular and Molecular Medicine*, **13**: 3370–3379.
- Liongue, C. dan Ward, A.C., 2013. Evolution of the JAK-STAT pathway. *JAK-STAT*, **2**: e22756.
- Liu, T., Zhang, L., Joo, D., dan Sun, S.-C., 2017. NF- κ B signaling in inflammation. *Signal Transduction and Targeted Therapy*, **2**: 17023.
- Liu, W., Guo, W., Zhu, Yongcheng, Peng, S., Zheng, W., Zhang, C., dkk., 2018. Targeting Peroxiredoxin 1 by a Curcumin Analogue, AI-44, Inhibits NLRP3 Inflammasome Activation and Attenuates Lipopolysaccharide-Induced Sepsis in Mice. *The Journal of Immunology*, **201**: 2403–2413.
- Margolin, L., Cope, D.K., Bakst-Sisser, R., dan Greenspan, J., 2007. The Steroid Withdrawal Syndrome: A Review of the Implications, Etiology, and Treatments. *Journal of Pain and Symptom Management*, **33**: 224–228.
- Martinon, F., Pétrilli, V., Mayor, A., Tardivel, A., dan Tschopp, J., 2006. Gout-associated uric acid crystals activate the NALP3 inflammasome. *Nature*, **440**: 237–241.
- Mathur, S. dan Hoskins, C., 2017. Drug development: Lessons from nature. *Biomedical Reports*, **6**: 612–614.
- Medzhitov, R., 2008. Origin and physiological roles of inflammation. *Nature*, **454**: 428–435.
- Medzhitov, R., 2010. Inflammation 2010: New Adventures of an Old Flame. *Cell*, **140**: 771–776.
- Miao, C., Chen, H., Li, Y., Guo, Y., Xu, F., Chen, Q., dkk., 2021. Curcumin and its analog alleviate diabetes-induced damages by regulating inflammation and oxidative stress in brain of diabetic rats. *Diabetology & Metabolic Syndrome*, **13**: 21.
- Ming-Tatt, L., Khalivulla, S.I., Akhtar, M.N., Mohamad, A.S., Perimal, E.K., Khalid, M.H., dkk., 2012. Antinociceptive Activity of a Synthetic Curcuminoid Analogue, 2,6-bis-(4-hydroxy-3-methoxybenzylidene)cyclohexanone, on Nociception-induced Models in Mice: ANTINOCICEPTIVE ACTIVITY OF BHMC. *Basic & Clinical Pharmacology & Toxicology*, **110**: 275–282.
- Moen, U., Kostenko, S., dan Sveinbjörnsson, B., 2013. The Role of Mitogen-Activated Protein Kinase-Activated Protein Kinases (MAPKAPKs) in Inflammation. *Genes*, **4**: 101–133.
- National Center for Biotechnology Information, 2021. 'PubChem Compound Summary for CID 969516, Curcumin', . URL: <https://pubchem.ncbi.nlm.nih.gov/compound/Curcumin> (diakses tanggal 13/1/2021).

- Negi, N., 2014. Possible Role of Curcumin as action an Efflux Pump Inhibitor in Multi Drug Resistant Clinical Isolates of *Pseudomonas aeruginosa*. *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*, .
- Nelson, K.M., Dahlin, J.L., Bisson, J., Graham, J., Pauli, G.F., dan Walters, M.A., 2017. The Essential Medicinal Chemistry of Curcumin: Miniperspective. *Journal of Medicinal Chemistry*, **60**: 1620–1637.
- Oeckinghaus, A. dan Ghosh, S., 2009. The NF- B Family of Transcription Factors and Its Regulation. *Cold Spring Harbor Perspectives in Biology*, **1**: a000034–a000034.
- Olivera, A., Moore, T.W., Hu, F., Brown, A.P., Sun, A., Liotta, D.C., dkk., 2012. Inhibition of the NF-κB signaling pathway by the curcumin analog, 3,5-Bis(2-pyridinylmethylidene)-4-piperidone (EF31): Anti-inflammatory and anti-cancer properties. *International Immunopharmacology*, **12**: 368–377.
- Pan, Y., Wang, Y., Cai, L., Cai, Y., Hu, J., Yu, C., dkk., 2012. Inhibition of high glucose-induced inflammatory response and macrophage infiltration by a novel curcumin derivative prevents renal injury in diabetic rats. *British Journal of Pharmacology*, **166**: 1169–1182.
- Pan, Y., Zhang, X., Wang, Yi, Cai, L., Ren, L., Tang, L., dkk., 2013a. Targeting JNK by a new curcumin analog to inhibit NF-κB-mediated expression of cell adhesion molecules attenuates renal macrophage infiltration and injury in diabetic mice. *PloS One*, **8**: e79084.
- Pan, Y., Zhu, G., Wang, Y., Cai, L., Cai, Y., Hu, J., dkk., 2013b. Attenuation of high-glucose-induced inflammatory response by a novel curcumin derivative B06 contributes to its protection from diabetic pathogenic changes in rat kidney and heart. *The Journal of Nutritional Biochemistry*, **24**: 146–155.
- Priyadarsini, K., 2014. The Chemistry of Curcumin: From Extraction to Therapeutic Agent. *Molecules*, **19**: 20091–20112.
- Rai, D., Singh, J.K., Roy, N., dan Panda, D., 2008. Curcumin inhibits FtsZ assembly: an attractive mechanism for its antibacterial activity. *Biochemical Journal*, **410**: 147–155.
- Rock, K.L. dan Kono, H., 2008. The Inflammatory Response to Cell Death. *Annual Review of Pathology: Mechanisms of Disease*, **3**: 99–126.
- Sardjiman, S.S., Reksohadiprodjo, M.S., Hakim, L., van der Goot, H., dan Timmerman, H., 1997. 1,5-Diphenyl-1,4-pentadiene-3-ones and cyclic analogues as antioxidative agents. Synthesis and structure-activity relationship. *European Journal of Medicinal Chemistry*, **32**: 625–630.
- Sokol, C.L., Barton, G.M., Farr, A.G., dan Medzhitov, R., 2008. A mechanism for the initiation of allergen-induced T helper type 2 responses. *Nature Immunology*, **9**: 310–318.
- Tham, C.L., Lam, K.W., Rajajendram, R., Cheah, Y.K., Sulaiman, M.R., Lajis, N.H., dkk., 2011. The effects of a synthetic curcuminoid analogue, 2,6-bis-(4-hydroxyl-3-methoxybenzylidene)cyclohexanone on proinflammatory signaling pathways and CLP-induced lethal sepsis in mice. *European Journal of Pharmacology*, **652**: 136–144.

- Tham, C.L., Liew, C.Y., Lam, K.W., Mohamad, A.-S., Kim, M.K., Cheah, Y.K., dkk., 2010. A synthetic curcuminoid derivative inhibits nitric oxide and proinflammatory cytokine synthesis. *European Journal of Pharmacology*, **628**: 247–254.
- Tyagi, P., Singh, M., Kumari, H., Kumari, A., dan Mukhopadhyay, K., 2015. Bactericidal activity of curcumin I is associated with damaging of bacterial membrane. *PloS One*, **10**: e0121313.
- Vilekar, P., Awasthi, S., Natarajan, A., Anant, S., dan Awasthi, V., 2012. EF24 suppresses maturation and inflammatory response in dendritic cells. *International Immunology*, **24**: 455–464.
- Vohr, H.-W. (Editor), 2005. Vasoactive Amine, dalam: *Encyclopedic Reference of Immunotoxicology*. Springer-Verlag, Berlin/Heidelberg, hal. 686–686.
- Vyas, A., Dandawate, P., Padhye, S., Ahmad, A., dan Sarkar, F., 2013. Perspectives on new synthetic curcumin analogs and their potential anticancer properties. *Current Pharmaceutical Design*, **19**: 2047–2069.
- Wang, Y., Yu, C., Pan, Y., Li, J., Zhang, Y., Ye, F., dkk., 2011. A novel compound C12 inhibits inflammatory cytokine production and protects from inflammatory injury in vivo. *PloS One*, **6**: e24377.
- Wang, Y., Yu, C., Pan, Y., Yang, X., Huang, Y., Feng, Z., dkk., 2012. A Novel Synthetic Mono-Carbonyl Analogue of Curcumin, A13, Exhibits Anti-Inflammatory Effects In vivo by Inhibition of Inflammatory Mediators. *Inflammation*, **35**: 594–604.
- Wang, Z., Mu, W., Li, P., Liu, G., dan Yang, J., 2021. Anti-inflammatory activity of ortho-trifluoromethoxy-substituted 4-piperidione-containing mono-carbonyl curcumin derivatives in vitro and in vivo. *European Journal of Pharmaceutical Sciences*, **160**: 105756.
- Wehling, M., 2014. Non-steroidal anti-inflammatory drug use in chronic pain conditions with special emphasis on the elderly and patients with relevant comorbidities: management and mitigation of risks and adverse effects. *European Journal of Clinical Pharmacology*, **70**: 1159–1172.
- World Health Organization, 2018. Noncommunicable diseases.
- Wu, J., Zhang, Y., Cai, Y., Wang, J., Weng, B., Tang, Q., dkk., 2013. Discovery and evaluation of piperid-4-one-containing mono-carbonyl analogs of curcumin as anti-inflammatory agents. *Bioorganic & Medicinal Chemistry*, **21**: 3058–3065.
- Xiao, Z., Xu, F., Zhu, X., Bai, B., Guo, L., Liang, G., dkk., 2019. Inhibition Of JNK Phosphorylation By Curcumin Analog C66 Protects LPS-Induced Acute Lung Injury. *Drug Design, Development and Therapy*, **Volume 13**: 4161–4171.
- Xie, X., Tu, J., You, H., dan Hu, B., 2017. Design, synthesis, and biological evaluation of novel EF24 and EF31 analogs as potential I&#kappa;B kinase &#beta; inhibitors for the treatment of pancreatic cancer. *Drug Design, Development and Therapy*, **Volume 11**: 1439–1451.
- Xu, J., Wu, W., Zhang, L., Dorset-Martin, W., Morris, M.W., Mitchell, M.E., dkk., 2012. The Role of MicroRNA-146a in the Pathogenesis of the

- Diabetic Wound-Healing Impairment: Correction With Mesenchymal Stem Cell Treatment. *Diabetes*, **61**: 2906–2912.
- Xu, X.-Y., Meng, X., Li, S., Gan, R.-Y., Li, Y., dan Li, H.-B., 2018. Bioactivity, Health Benefits, and Related Molecular Mechanisms of Curcumin: Current Progress, Challenges, and Perspectives. *Nutrients*, **10**: .
- Ye, L., Hu, Xueting, Hu, Xiang, Yin, S., Chen, J., He, H., dkk., 2021. Curcumin analogue C66 attenuates obesity-induced renal injury by inhibiting chronic inflammation. *Biomedicine & Pharmacotherapy*, **137**: 111418.
- Yun, D.G. dan Lee, D.G., 2016. Antibacterial activity of curcumin via apoptosis-like response in *Escherichia coli*. *Applied Microbiology and Biotechnology*, **100**: 5505–5514.
- Zhang, J.-M. dan An, J., 2007. Cytokines, Inflammation, and Pain: *International Anesthesiology Clinics*, **45**: 27–37.
- Zhang, Y., Gu, Y., Lee, H.-M., Hambardjjeva, E., Vrankova, K., M. Golub, L., dkk., 2012. Design, Synthesis and Biological Activity of New Polyenolic Inhibitors of Matrix Metalloproteinases: A Focus on Chemically-Modified Curcumins. *Current Medicinal Chemistry*, **19**: 4348–4358.
- Zhang, Y., Liang, D., Dong, L., Ge, X., Xu, F., Chen, W., dkk., 2015. Anti-inflammatory effects of novel curcumin analogs in experimental acute lung injury. *Respiratory Research*, **16**: 43.
- Zhang, Y., Zhao, L., Wu, J., Jiang, X., Dong, L., Xu, F., dkk., 2014. Synthesis and Evaluation of a Series of Novel Asymmetrical Curcumin Analogs for the Treatment of Inflammation. *Molecules*, **19**: 7287–7307.
- Zhao, C., Yang, J., Wang, Y., Liang, D., Yang, X., Li, Xiaoxia, dkk., 2010. Synthesis of mono-carbonyl analogues of curcumin and their effects on inhibition of cytokine release in LPS-stimulated RAW 264.7 macrophages. *Bioorganic & Medicinal Chemistry*, **18**: 2388–2393.