



DAFTAR PUSTAKA

- Ahrenfeldt, L. J., Möller, S., Andersen-Ranberg, K., Vitved, A. R., Lindahl-Jacobsen, R., & Hvidt, N. C. (2017). Religiousness and health in Europe. *European Journal of Epidemiology*, 32(10), 921-929. <https://doi.org/10.1007/s10654-017-0296-1>
- Alexopoulos, G. S. (2005). Depression in the elderly. *The lancet*. 365(9475), 1961-1970. [https://doi.org/10.1016/S0140-6736\(05\)66665-2](https://doi.org/10.1016/S0140-6736(05)66665-2)
- Ambresin, G., Chondros, P., Dowrick, C., Herrman, H., & Gunn, J. M. (2014). Self-rated health and long-term prognosis of depression. *The Annals of Family Medicine*, 12(1), 57-65. <https://doi.org/10.1370/afm.1562>
- American Psychiatric Association. (2020). What is Depression?. (https://psychiatry.org/patients-families/depression/what-is-depression#section_1)
- Amoah, P. A. (2019). The relationship between functional health literacy, self-rated health, and social support between younger and older adults in Ghana. *International Journal of Environmental Research and Public Health*, 16(17), 3188. <https://doi.org/10.3390/ijerph16173188>
- Andresen, E. M., Byers, K., Friary, J., Kosloski, K., & Montgomery, R. (2013). Performance of the 10-item Center for Epidemiologic Studies Depression scale for caregiving research. *SAGE Open Medicine*, 1, 205031211351457.
- Badan Pusat Statistik. (2022). Angka Harapan Hidup (AHH) Menurut Provinsi dan Jenis Kelamin (Tahun), 2019-2021. <https://www.bps.go.id/indicator/40/501/1/angka-harapan-hidup-ahh-menurut-provinsi-dan-jenis-kelamin.html>
- Beck, A. T. (2008). The Evolution of the Cognitive Model of Depression and its Neurobiological Correlates. *American Journal of Psychiatry*, 165(8), 969-977. <https://doi.org/10.1176/appi.ajp.2008.08050721>
- Bombak, A. E. (2013). Self-rated health and public health: a critical perspective. *Frontiers in public health*, 1, 15. <https://doi.org/10.3389/fpubh.2013.00015>
- Bowling, A. (2005). Just one question: If one question works, why ask several? *Epidemiological Community Health*, 59, 342–345. <http://dx.doi.org/10.1136/jech.2004.021204>
- Carstensen, L. L. (1991). Selectivity theory: Social activity in life-span context. *Annual review of gerontology and geriatrics*, 11(1), 195-217.
- Chang-Quan, H., Xue-Mei, Z., Bi-Rong, D., Zhen-Chan, L., Ji-Rong, Y., & Qing-Xiu, L. (2010). Health status and risk for depression among the elderly: a meta-



- analysis of published literature. *Age and ageing*, 39(1), 23-30. <https://doi.org/10.1093/ageing/afp187>
- Choi, H. S., & Lee, J. E. (2022). Factors Affecting Depression in Middle-Aged and Elderly Men Living Alone: A Cross-Sectional Path Analysis Model. *American Journal of Men's Health*, 16(1), 15579883221078134. <https://doi.org/10.1177/15579883221078134>
- Chokkanathan, S., & Mohanty, J. (2013). Factor structure of the CES-D scale among older adults in Chennai, India. *Aging & Mental Health*, 17(4), 517-525. <https://doi.org/10.1080/13607863.2012.751580>
- Cleveland, J. N., Huebner, L. A., Anderson, K. J., & Agbeke, D. V. (2019). Lifespan perspectives on job performance, performance appraisal/management and creative performance. In *Work across the lifespan* (pp. 291-321). Academic Press. <https://doi.org/10.1016/B978-0-12-812756-8.00012-8>
- Croezen, S., Avendano, M., Burdorf, A., & Van Lenthe, F. J. (2015). Social participation and depression in old age: a fixed-effects analysis in 10 European countries. *American journal of epidemiology*, 182(2), 168-176. <https://doi.org/10.1093/aje/kwv015>
- Dao, A., Nguyen, V. T., Nguyen, H. V., & Nguyen, L. T. (2018). Factors associated with depression among the elderly living in urban Vietnam. *BioMed research international*, 2018. <https://doi.org/10.1155/2018/2370284>
- Dunbar, R. I. (2021). Religiosity and religious attendance as factors in wellbeing and social engagement. *Religion, Brain & Behavior*, 11(1), 17-26. <https://doi.org/10.1080/2153599X.2020.1712618>
- Ferrer, R. A., & Klein, W. M. (2015). Risk perceptions and health behavior. *Current opinion in psychology*, 5, 85-89. <https://doi.org/10.1016/j.copsyc.2015.03.012>
- Field, A. (2017). *Discovering Statistic using IBM SPSS Statistic* (5th edition). Sage Publication.
- Galán-Arroyo, C., Pereira-Payo, D., Rojo-Ramos, J., Hernández-Mocholí, M. A., Merellano-Navarro, E., Pérez-Gómez, J., ... & Adsuar, J. C. (2022). Increased odds for depression and antidepressant use in the inactive Spanish population. *International journal of environmental research and public health*, 19(5), 2829. <https://doi.org/10.3390/ijerph19052829>
- Garbarski, D. (2016). Research in and prospects for the measurement of health using self-rated health. *Public Opinion Quarterly*, 80(4), 977-997. <https://doi.org/10.1093/poq/nfw033>
- Gravetter, F. J., & Forzano, L.-A. B. (2016). Research methods for the behavioral. Sixth Edition: USA. Cengage Learning.



- Gunn, J. M., Ayton, D. R., Densley, K., Pallant, J. F., Chondros, P., Herrman, H. E., & Dowrick, C. F. (2012). The association between chronic illness, multimorbidity and depressive symptoms in an Australian primary care cohort. *Social psychiatry and psychiatric epidemiology*, 47(2), 175-184. <https://doi.org/10.1007/s00127-010-0330-z>
- Gupta, D. D., Kelekar, U., & Rice, D. (2020). Associations between living alone, depression, and falls among community-dwelling older adults in the US. *Preventive medicine reports*, 20, 101273. <https://doi.org/10.1016/j.pmedr.2020.101273>
- Hames, J. L., Hagan, C. R., & Joiner, T. E. (2013). Interpersonal processes in depression. *Annual Review of Clinical Psychology*, 9(1), 355–377. <https://doi.org/10.1146/annurev-clinpsy-050212-185553>
- Hsieh, N. (2017). A global perspective on religious participation and suicide. *Journal of Health and Social Behavior*, 58(3), 322-339. <https://doi.org/10.1177/0022146517715896>
<https://doi.org/10.1177/205031211351>
- Institute for Mental Health Metrics and Evaluation. (2017). Disability Adjusted Life Year (DALYs). <https://vizhub.healthdata.org/gbd-compare/>
- Kaleta, D., Polanska, K., Dziankowska-Zaborszczyk, E., Hanke, W., & Drygas, W. (2009). Factors influencing self-perception of health status. *Central European journal of public health*, 17(3), 17 (3): 122–127.
- Kamus Besar Bahasa Indonesia. (n.d.). Partisipasi. <https://kbbi.web.id/partisipasi>
- Kementerian Kesehatan (2013). Informasi Kesehatan: Gambaran Kesehatan lanjut Usia di Indonesia. *Buletin Jendela*. Semester I. Jakarta.
- Kementerian kesehatan Republik Indonesia. (Juli 2019). Indonesia Masuki Periode Aging Population. (Diakses 23 maret 2022). (<https://www.kemkes.go.id/article/view/19070500004/indonesia-masuki-periode-aging-population.html>).
- Kementerian Kesehatan RI (2019) Situasi Kesehatan Jiwa di Indonesia: InfoDATIN Pusat Data dan Informasi Kementerian Kesehatan.
- Kementerian Kesehatan RI. (2016). Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019. Kementerian Kesehatan Republik Indonesia. (http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No._25_ttg_Rencana_Aksi_Nasional_Kesehatan_Lanjut_Usia_Tahun_2016-2019_.pdf)
- Kementerian kesehatan RI. (2018). Laporan Nasional. Jakarta: Badan penelitian dan Pengembangan Kesehatan.



- Koenig, H. G. (2012). Religion, spirituality, and health: The research and clinical implications. *International Scholarly Research Notices*, 2012. doi:10.5402/2012/278730
- Koenig, H. G. (2018). *Religion and mental health: Research and clinical applications*. Academic Press.
- Koenig, H. G., & Larson, D. B. (2001). Religion and mental health: Evidence for an association. *International Review of Psychiatry*, 13(2), 67–78. <https://doi.org/10.1080/09540260124661>
- Koenig, H. G., Berk, L. S., Daher, N. S., Pearce, M. J., Bellinger, D. L., Robins, C. J., ... & King, M. B. (2014). Religious involvement is associated with greater purpose, optimism, generosity and gratitude in persons with major depression and chronic medical illness. *Journal of psychosomatic research*, 77(2), 135-143. <https://doi.org/10.1016/j.jpsychores.2014.05.002>
- Koenig, H., Koenig, H. G., King, D., & Carson, V. B. (2012). *Handbook of Religion and Health*. (2nd ed.). USA: Oxford University Press. https://books.google.co.id/books?hl=en&lr=&id=NiRZcCVbkZ4C&oi=fnd&pg=PP1&ots=DX3k7oUR-x&sig=Fzr-vvGiq7UjoDeVTDrabEg4gqo&redir_esc=y#v=onepage&q&f=false
- Krause, N., Bruce, D., Hayward, R. D., & Woolever, C. (2014). Gratitude to god, self-rated health, and depressive symptoms. *Journal for the Scientific Study of Religion*, 53(2), 341-355. <https://doi.org/10.1111/jssr.12110>
- Kwon, M. J., & Kim, Y. J. (2016). Analysis of convergent factors on subjective health status of patients with depression. *Journal of Digital Convergence*, 14(6), 309-316. <https://doi.org/10.14400/JDC.2016.14.6.309>
- Lee, K. S., Feltner, F. J., Bailey, A. L., Lennie, T. A., Chung, M. L., Smalls, B. L., Schuman, D. L., & Moser, D. K. (2019). The relationship between psychological states and health perception in individuals at risk for cardiovascular disease. *Psychology Research and Behavior Management*, 12, 317–324. <https://doi.org/10.2147/PRBM.S198280>
- Lerman, S., Jung, M., Arredondo, E. M., Barnhart, J. M., Cai, J., Castañeda, S. F., Daviglus, M. L., Espinoza, R. A., Giachello, A. L., Molina, K. M., Perreira, K., Salgado, H., Wassertheil-Smoller, S., & Kaplan, R. C. (2018). Religiosity prevalence and its association with depression and anxiety symptoms among Hispanic/Latino adults. *PloS One*, 13(2), e0185661. <https://doi.org/10.1371/journal.pone.0185661>
- Löckenhoff, C. E., & Carstensen, L. L. (2004). Socioemotional selectivity theory, aging, and health: The increasingly delicate balance between regulating



- emotions and making tough choices. *Journal of personality*, 72(6), 1395-1424. <https://doi.org/10.1111/j.1467-6494.2004.00301.x>
- Lumley, T., Diehr, P., Emerson, S., & Chen, L. (2002). The importance of the normality assumption in large public health data sets. *Annual review of public health*, 23(1), 151169. <https://www.annualreviews.org/doi/pdf/10.1146/annurev.publhealth.23.100901.140546>
- Macias, C., Gold, P. B., Öngür, D., Cohen, B. M., & Panch, T. (2015). Are single-item global ratings useful for assessing health status?. *Journal of Clinical Psychology in Medical Settings*, 22(4), 251-264. <https://doi.org/10.1007/s10880-015-9436-5>
- Madyaningrum, E., Chuang, Y. C., & Chuang, K. Y. (2019). Prevalence and related factors of depression among the elderly in Indonesia. *International Journal of Gerontology*, 13(3), 202-206. [https://doi.org/10.6890/IJGE.201909_13\(3\).0004](https://doi.org/10.6890/IJGE.201909_13(3).0004)
- Mahwati, Y. (2017). The relationship between spirituality and depression among the elderly in Indonesia. *Makara Journal of Health Research*, 13-19. <https://doi.org/10.7454/msk.v21i1.6206>
- Malakouti, S. K., Pachana, N. A., Naji, B., Kahani, S., & Saeedkhani, M. (2015). Reliability, validity and factor structure of the CES-D in Iranian elderly. *Asian journal of psychiatry*, 18, 86-90. <https://doi.org/10.1016/j.ajp.2015.08.007>
- Mamun, M. A., Huq, N., Papia, Z. F., Tasfina, S., & Gozal, D. (2019). Prevalence of depression among Bangladeshi village women subsequent to a natural disaster: A pilot study. *Psychiatry Research*, 276, 124–128. <https://doi.org/10.1016/j.psychres.2019.05.007>
- Mood Disorders Society of Canada. (2010). Depression in elderly. Consumer and Family Support. (<https://troubleshumeur.ca/documents/Consumer%20and%20Family%20Support/Depression%20in%20Elderly%20edited%20Dec16%20202010.pdf>)
- Muhammad, T., & Meher, T. (2021). Association of late-life depression with cognitive impairment: evidence from a cross-sectional study among older adults in India. *BMC geriatrics*, 21(1), 1-13. <https://doi.org/10.1186/s12877-021-02314-7>
- National Institute of Mental Health. (n.d.). Depression. <https://www.nimh.nih.gov/health/topics/depression>
- Nurnainah, N., Ismail, I., & Wahyuni, W. (2020). The relationship between spirituality and depression of elderly in elderly social service. *Indonesian*



journal of global health research, 2(2), 183-190.
<https://doi.org/10.37287/ijghr.v2i2.153>

Orr, J., Tobin, K., Carey, D., Kenny, R. A., & McGarrigle, C. (2019). Religious attendance, religious importance, and the pathways to depressive symptoms in men and women aged 50 and over living in Ireland. *Research on Aging*, 41(9), 891-911. <https://doi.org/10.1177/01640275198602>

Peleg, S., & Nudelman, G. (2021). Associations between self-rated health and depressive symptoms among older adults: Does age matter?. *Social Science & Medicine*, 280, 114024. <https://doi.org/10.1016/j.socscimed.2021.114024>

Purborini, N., Lee, M. B., Devi, H. M., & Chang, H. J. (2021). Associated factors of depression among young adults in Indonesia: a population-based longitudinal study. *Journal of the Formosan Medical Association*, 120(7), 1434-1443. <https://doi.org/10.1016/j.jfma.2021.01.016>

Rantanen, A. T., Korkeila, J. J. A., Kautiainen, H., & Korhonen, P. E. (2019). Poor or fair self-rated health is associated with depressive symptoms and impaired perceived physical health: A cross-sectional study in a primary care population at risk for type 2 diabetes and cardiovascular disease. *European Journal of General Practice*, 25(3), 143–148. <https://doi.org/10.1080/13814788.2019.1635114>

Rosmarin, D. H., & Koenig, H. G. (2020). *Handbook of spirituality, religion, and mental health* (2nd ed.). Cambridge, MA: Academic Press.

Rushing, N. C., Corsentino, E., Hames, J. L., Sachs-Ericsson, N., & Steffens, D. C. (2013). The relationship of religious involvement indicators and social support to current and past suicidality among depressed older adults. *Aging & Mental Health*, 17(3), 366-374. <https://doi.org/10.1080/13607863.2012.738414>

Santero, M., Daray, F. M., Prado, C., Hernández-Vásquez, A., & Irazola, V. (2019). Association between religiosity and depression varies with age and sex among adults in South America: Evidence from the CESCAS I study. *PLoS One*, 14(12), e0226622. <https://doi.org/10.1371/journal.pone.0226622>

Schüz, B., Wurm, S., Warner, L. M., Wolff, J. K., & Schwarzer, R. (2014). Health motives and health behaviour self-regulation in older adults. *Journal of behavioral medicine*, 37(3), 491-500. <https://doi.org/10.1007/s10865-013-9504-y>

Sherkat, D. E., & Reed, M. D. (1992). The effects of religion and social support on self-esteem and depression among the suddenly bereaved. *Social Indicators Research*, 26(3), 259-275. <https://doi.org/10.1007/BF00286562>



- Sigurvinssdottir, R., Asgeirsdottir, B. B., Ullman, S. E., & Sigfusdottir, I. D. (2021). The impact of sexual abuse, family violence/conflict, spirituality, and religion on anger and depressed mood among adolescents. *Journal of interpersonal violence*, 36(1-2), NP577-NP597. <https://doi.org/10.1177/08862605177348>
- Sinha, S. P., Shrivastava, S. R., & Ramasamy, J. (2013). Depression in an older adult rural population in India. *MEDICC review*, 15, 41-44.
- St. John, P. D., Tyas, S. L., & Montgomery, P. R. (2013). Depressive symptoms and frailty. *International journal of geriatric psychiatry*, 28(6), 607-614. <https://doi.org/10.1002/gps.3866>
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). *The fifth wave of the Indonesia family life survey: overview and field report* (Vol. 1, pp. 1-94). Santa Monica, CA, USA: Rand Corporation.
- Stroope, S., Kent, B. V., Zhang, Y., Spiegelman, D., Kandula, N. R., Schachter, A. B., ... & Shields, A. E. (2022). Mental health and self-rated health among US South Asians: The role of religious group involvement. *Ethnicity & health*, 27(2), 388-406. <https://doi.org/10.1080/13557858.2019.1661358>
- Tama, T. D., Astutik, E., & Reuwpassa, J. O. (2021). Focus: Health Equity: Predictors of Depressive Symptoms Based on the Human Capital Model Approach: Findings From the Indonesia Family Life Survey. *The Yale Journal of Biology and Medicine*, 94(3), 395.
- Taylor, W. D. (2014). Depression in the elderly. *New England journal of medicine*, 371(13), 1228-1236. DOI: 10.1056/NEJMcp1402180
- Theodori, G. L., & Robinson, C. S. (2019). A note on religious participation and community involvement. *Community Development*, 50(4), 484-493. <https://doi.org/10.1080/15575330.2019.1642924>
- Van Herreweghe, L., & Van Lancker, W. (2019). Is religiousness really helpful to reduce depressive symptoms at old age? A longitudinal study. *Plos one*, 14(7), e0218557. doi: [10.1371/journal.pone.0218557](https://doi.org/10.1371/journal.pone.0218557)
- Widhiarso, W. (2010). Catatan pada uji linieritas hubungan. (Manuskrip tidak dipublikasikan) Yogyakarta: *Fakultas Psikologi Universitas Gadjah Mada*.
- World Health Organization (Oktober 2022). Ageing and health. <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health>
- World Health Organization. (2015). *World report on ageing and health*. World Health Organization
<https://books.google.com/books?hl=en&lr=&id=n180DgAAQBAJ&oi=fnd&pg=PP1&dq=what+is+health&ots=uTJ6kIM2o2&sig=XKNeaDWM4mHgO7aDbwYzJhJACmk>



PERAN PERSEPSI KESEHATAN DAN PARTISIPASI KEAGAMAAN TERHADAP KECENDERUNGAN

DEPRESI PADA LANSIA

ANY ELVIA JAKFAR, Dr. Arum Febriani, S.Psi., M.A.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

World Health Organization. *Depression*. (n.d.). Retrieved April 13, 2022, from
<https://www.who.int/health-topics/depression>