UNIVERSITAS
GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adjanke, A., Tona, K., Melecony, C., Toko, I. I., & Gbeassor, M. 2016. Effect of dietary inclusion of palm kernel meal on feed intake, growth and body composition of Nile Tilapia, *Oreochromis niloticus* reared in concrete tanks in Togo. International Journal of Fisheries and Aquatic Studies, 4(5), 642–646.

Adrizal, A., Yusrizal, Y., Fakhri, S., Haris, W., Ali, E., & Angel, C. R. 2011. Feeding native laying hens diets containing palm kernel meal with or without enzyme supplementations: Feed conversion ratio and egg production. The Journal of Applied Poultry Research, March, 40–49. https://doi.org/10.3382/japr.2010-00196.

Ahmed, S., Ahmad, F., & Hashmi, A. S. 2010. Production of microbial biomass protein by sequential culture fermentation of *Arachniotus* sp., and *Candida utilis*. Pakistan Journal of Botany, 42(2), 1225–1234.

Almaguer, B. L., Sulabo, R. C., Liu, Y., & Stein, H. H. 2014. Standardized total tract digestibility of phosphorus in copra meal, palm kernel expellers, palm kernel meal, and soybean meal fed to growing pigs. Journal of Animal Science, 92(6), 2473–2480. https://doi.org/10.2527/jas2013-6654.

Almuharef, I., Rahman, M. S., & Qin, W. 2020. High Production of Cellulase by a Newly Isolatd Strain *Paenibacillus* sp. IM7. Waste and Biomass Valorization, 11(11), 6085–6094. https://doi.org/10.1007/s12649-019-00832-5.

Alnahdi, H. S. (2012). Isolation and screening of extracellular proteases produced by new Isolatd *Bacillus* sp environmental samples and screened their capability of protease. Journal of Applied Pharmaceutical Science, 2(9), 71–74. https://doi.org/10.7324/JAPS.2012.2915.

Alshelmani, M. I., Loh, T. C., Foo, H. L., Lau, W. H., & Sazili, A. Q. 2013. Characterization of cellulolytic bacterial cultures grown in different substrates. The Scientific World Journal. 1–7. https://doi.org/10.1155/2013/689235.

Alshelmani, M. I., Loh, T. C., Foo, H. L., Lau, W. H., & Sazili, A. Q. 2014. Biodegradation of Palm Kernel Cake by Cellulolytic and Hemicellulolytic Bacterial Cultures through Solid State Fermentation. The Scientific World Journal. https://doi.org/10.1155/2014/729852.

UNIVERSITAS
GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Alshelmani, M. I., Loh, T. C., Foo, H. L., Sazili, A. Q., & Lau, W. H. 2016. Effect of feeding different levels of palm kernel cake fermented by *Paenibacillus polymyxa* ATCC 842 on nutrient digestibility, intestinal morphology, and gut microflora in broiler chickens. Animal Feed Science and Technology, 216, 216–224. https://doi.org/10.1016/j.anifeedsci.2016.03.019.

Amisah, S., Oteng, M. A., & Ofori, J. K. 2009. Growth performance of the African catfish, *Clarias gariepinus*, fed varying inclusion levels of *Leucaena leucocephala* leaf meal. Journal of Applied Sciences and Environmental Management, 13(1), 21–26.

Arte, E., Rizzello, C. G., Verni, M., Nordlund, E., Katina, K., & Coda, R. 2015. Impact of Enzymatic and Microbial Bioprocessing on Protein Modification and Nutritional Properties of Wheat Bran. Journal of Agricultural and Food Chemistry, 63(39), 8685–8693. https://doi.org/10.1021/acs.jafc.5b03495.

Azarm, H. M., & Lee, S. 2014. Effects of partial substitution of dietary fish meal by fermented soybean meal on growth performance, amino acid and biochemical parameters of juvenile black sea bream *Acanthopagrus schlegeli*. Aquaculture Reseach, 45, 994–1003. https://doi.org/10.1111/are.12040.

Barroso, R., & Al-Baba, I. 2007. Cultured Aquatic Species Information Programme *Oreochromis niloticus*. Fao. https://doi.org/10.3969/j.issn.1009-5470.2012.02.014.

Bastawde, K. B. 1992. Xylan structure, microbial xylanases, and their mode of action. World Journal of Microbiology and Biotechnology, 8, 353–368. https://doi.org/10.1007/BF01198746.

Battan, B., Sharma, J., & Kuhad, R. C. 2006. High-level xylanase production by alkaliphilic *Bacillus pumilus* ASH under solid-state fermentation. World Journal of Microbiology and Biotechnology, 22(12), 1281–1287. https://doi.org/10.1007/s11274-006-9173-x.

Belal, I. E. H. 2005. A review of some fish nutrition methodologies. Bioresource Technology, 96(4), 395–402. https://doi.org/10.1016/j.biortech.2003.11.030.

BFAR-NFFTC. 2000. Basic Biology of Tilapia. NFFTC Aqua-Leafleat No. 2000-06, 6.

Bhoria, P., Singh, G., & Singh Hoondal, G. 2009. Mannase, submerged fermentation. BioResources, 4(3), 1130–1138.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Bi, H. U. A., Zhao, H., Lu, F., Zhang, C., Bie, X., & Lu, Z. 2014. Improvement of the Nutritional Quality and Fibrinolytic Enzyme Activity of Soy Bean Meal by Fermentation of *Bacillus subtilis*. Journal of Food Processing and Preservation, 39(6), 1235–1242. https://doi.org/10.1111/jfpp.12340.

Bohra, V., Dafale, N. A., & Purohit, H. J. 2018. *Paenibacillus polymyxa* ND25: candidate genome for lignocellulosic biomass utilization. 3 Biotech, 8(248), 1–7. https://doi.org/10.1007/s13205-018-1274-3.

Bohra, V., Tikariha, H., & Dafale, N. A. 2019. Genomically Defined *Paenibacillus polymyxa* ND24 for Efficient Cellulase Production Utilizing Sugarcane Bagasse as a Substrate. Applied Biochemistry and Biotechnology, 187(1), 266–281. https://doi.org/10.1007/s12010-018-2820-5.

Brown, R. M. 2004. Cellulose Structure and Biosynthesis: What is in Store for the 21st Century? Journal of Polymer Science, Part A: Polymer Chemistry, 42(3), 487–495. https://doi.org/10.1002/pola.10877.

Bureau, D. P., Kaushik, S. J., & Cho, C. Y. 2002. Bioenergetics. In Fish Nutrition (3rd ed., pp. 1–59). Elsevier Science (USA).

Cai, S., Li, J., Ze Hu, F., Zhang, K., Luo, Y., Janto, B., Boissy, R., Ehrlich, G., & Dong, X. 2010. *Cellulosilyticum ruminicola*, a newly described rumen bacterium that possesses redundant Fibrolytic-protein-encoding genes and degrades lignocellulose with multiple carbohydrateborne fibrolytic enzymes. Applied and Environmental Microbiology, 76(12), 3818–3824. https://doi.org/10.1128/AEM.03124-09.

Careli, R. 2014. Aerobe and anaerobe facultative Gram-negative bacteria rod-shaped in the ruminal fluid of dairy cattle fed with different diets containing tropical forages. Archivos De Medicina Veterinaria, 462, 457–462.

Chauhan, P. S., Puri, N., Sharma, P., & Gupta, N. 2012. Mannanases: Microbial sources, production, properties and potential biotechnological applications. Applied Microbiology and Biotechnology, 93(5), 1817–1830. https://doi.org/10.1007/s00253-012-3887-5.

Chilakamarry, C. R., Mimi Sakinah, A. M., Zularisam, A. W., Sirohi, R., Khilji, I. A., Ahmad, N., & Pandey, A. 2022. Advances in solid-state fermentation for bioconversion of agricultural wastes to value-added products: Opportunities and challenges. In Bioresource Technology (Vol. 343). Elsevier Ltd. https://doi.org/10.1016/j.biortech.2021.126065.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Chong, C. H., Zulkifli, I., & Blair, R. 2008. Effects of Dietary Inclusion of Palm Kernel Cake and Palm Oil, and Enzyme Supplementation on Performance of Laying Hens. Asian-Australasian Journal of Animal Sciences, 21(7), 1053–1058.

Chung, Y. C., Bakalinsky, A., & Penner, M. H. 1997. Analysis of Biomass Cellulose in Simultaneous Saccharification and Fermentation Processes. Applied Biochemistry and Biotechnology - Part A Enzyme Engineering and Biotechnology, 66(3), 249–262. https://doi.org/10.1007/BF02785591.

Committee on Animal Nutrition Board on Agriculture National Research Council. 1993. Nutrient Requirements of Fish. National Academy Press.

Daerah Asal dan Persebaran Ikan Nila. 2016. https://www.ikannila.com/2016/09/daerah-asal-dan-persebaran-ikan-nila.html.

Daniel, N. 2018. A review on replacing fish meal in aqua feeds using plant protein sources. International Journal of Fisheries and Aquatic Studies, 6(2), 164–179.

Das, K. C., & Qin, W. 2012. Isolation and characterization of superior rumen bacteria of cattle (*Bos taurus*) and potential application in animal feedstuff. Open Journal of Animal Sciences, 2(4), 224–228.

Daud, M. J., & Jarvis, M. C. 1992. Mannan of Oil Palm Kernel. Phytochemistry, 31(2), 463–464.

Dawood, M. A. O., & Koshio, S. 2020. Application of fermentation strategy in aquafeed for sustainable aquaculture. Reviews in Aquaculture, 12(2), 987–1002. https://doi.org/10.1111/raq.12368.

Dawood, M. A. O., Koshio, S., Ishikawa, M., & Yokoyama, S. 2015. Effects of Partial Substitution of Fish Meal by Soybean Meal with or without Heat-Killed *Lactobacillus plantarum* (LP20) on Growth Performance, Digestibility, and Immune Response of Amberjack, *Seriola dumerili* Juveniles. BioMed Research International, 2015. https://doi.org/10.1155/2015/514196.

de Gonzalo, G., Colpa, D. I., Habib, M. H. M., & Fraaije, M. W. 2016. Bacterial enzymes involved in lignin degradation. Journal of Biotechnology, 236, 110–119. https://doi.org/10.1016/j.jbiotec.2016.08.011.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Dhawan, S., & Kaur, J. 2007. Microbial mannanases: An overview of production and applications. In Critical Reviews in Biotechnology, 27(4), 197–216. https://doi.org/10.1080/07388550701775919.

Dhawan, S., Singh, R., Kaur, R., & Kaur, J. 2016. A β-mannanase from *Paenibacillus* sp.: Optimization of production and its possible prebiotic potential. Biotechnology and Applied Biochemistry, 63(5), 669–678. https://doi.org/10.1002/bab.1419.

Dileep, N., Pradhan, C., Peter, N., Kaippilly, D., Sashidharan, A., & Sankar, T. v. 2021. Nutritive value of guar and copra meal after fermentation with yeast *Saccharomyces cerevisiae* in the diet of Nile tilapia, *Oreochromis niloticus*. Tropical Animal Health and Production, 53(4). https://doi.org/10.1007/s11250-021-02855-4.

Diógenes, A. F., Fernandes, J. B. K., Dorigam, J. C. P., Sakomura, N. K., Rodrigues, F. H. F., Lima, B. T. M., & Gonçalves, F. H. 2016. Establishing the optimal essential amino acid ratios in juveniles of Nile tilapia (*Oreochromis niloticus*) by the deletion method. Aquaculture Nutrition, 22(2), 435–443. https://doi.org/10.1111/anu.12262.

Dirjenbun. 2016. Statistik Perkebunan Indonesia: Tree Crop Estate Statistics of Indonesia 2014-2016. Statistik Perkebunan Indonesia, December 2015, 79. https://doi.org/http://ditjenbun.pertanian.go.id/tinymcpuk/gambar/file/statistik/2016/SAWIT 2014-2016.pdf.

DuPonte, D. 1998. Livestock Feed Analysis: How to Interpret the Results. University of Hawaii. Honolulu.

https://www.ctahr.hawaii.edu/oc/freepubs/pdf/livestock_feed_analysis.pdf. diakses 7 Dsember 2022.

El-sayed, A. 2006. Tilapia Culture (Issue April 2006). CABI Publishing. https://doi.org/10.1079/9780851990149.0000.

FAO Fisheries and Aquaculture Depatment. (n.d.). *Oreochromis niloticus*. In Cultured aquatic species fact sheets. Retrieved March 28, 2019, from https://www.fao.org/fishery/docs/CDrom/aquaculture/I1129m/file/en/en_niletilapia.htm.

Fitzsimmons, K. 2016. Supply and demand in global Tilapia markets 2015. In Global Tilapia Markets Updates 2015. https://doi.org/10.13140/RG.2.1.2848.9448.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Franzolin, R., & Wright, A. D. G. 2016. Microorganisms in the rumen and reticulum of buffalo (*Bubalus bubalis*) fed two different feeding systems. BMC Research Notes, 9(1), 1–5. https://doi.org/10.1186/s13104-016-2046-y.

Gao, Y. L., Wang, C. S., Zhu, Q. H., & Qian, G. Y. 2013. Optimization of solid-state fermentation with *Lactobacillus brevis* and *Aspergillus oryzae* for trypsin inhibitor degradation in soybean meal. Journal of Integrative Agriculture, 12(5), 869–876. https://doi.org/10.1016/S2095-3119(13)60305-6.

Gírio, F. M., Fonseca, C., Carvalheiro, F., Duarte, L. C., Marques, S., & Bogel-Łukasik, R. 2010. Hemicelluloses for fuel ethanol: A review. Bioresource Technology, 101(13), 4775–4800. https://doi.org/10.1016/j.biortech.2010.01.088.

Gorska, E. B. 2015. Degradation and Colonization of Cellulose by Diazotrophic Strains of *Paenibacillus polymyxa* Isolatd from Soil. Journal of Bioremediation & Biodegradation, 06(02). https://doi.org/10.4172/2155-6199.1000271.

Grady, E. N., MacDonald, J., Liu, L., Richman, A., & Yuan, Z. C. 2016. Current knowledge and perspectives of *Paenibacillus*: A review. In Microbial Cell Factories, 15(1). BioMed Central Ltd. https://doi.org/10.1186/s12934-016-0603-7.

Hambali, E., & Rivai, M. 2017. The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030. IOP Conference Series: Earth and Environmental Science, 65(012050). https://doi.org/doi :10.1088/1755-1315/65/1/012050.

Hassaan, M. S., Goda, A. M. A.-S., & Kumar, V. 2016. Evaluation of nutritive value of fermented de-oiled physic nut, Jatropha curcas, seed meal for Nile tilapia *Oreochromis niloticus* fingerlings. Aquaculture Nutrition. https://doi.org/10.1111/anu.12424.

Hori, K., Kawabata, Y., Nakazawa, Y., Nishizawa, M., & Toeda, K. 2014. A novel β-1,4-mannanase isolatd from *Paenibacillus polymyxa* KT551. Food Science and Technology Research, 20(6), 1261–1265. https://doi.org/10.3136/fstr.20.1261

Indexmundi. (n.d.). Indonesia Soybean Meal Imports by Year (1000 MT). Retrieved September 5, 2018, from

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

https://www.indexmundi.com/agriculture/?commodity=soybean-meal&graph=imports.

Iqbal, M. W., Zhang, Q., Yang, Y., Li, L., Zou, C., Huang, C., & Lin, B. 2018. Comparative study of rumen fermentation and microbial community differences between water buffalo and Jersey cows under similar feeding conditions. Journal of Applied Animal Research, 46(1), 740–748. https://doi.org/10.1080/09712119.2017.1394859.

Islam, F., & Roy, N. 2018. Screening, purification and characterization of cellulase from cellulase producing bacteria in molasses. BMC Research Notes, 11(1). https://doi.org/10.1186/s13104-018-3558-4.

Jadhav, S. K., Deshmukh, G. B., Sathapathy, S., Lende, S. R., Sewatkar, G. G., & Joshi, S. K. 2013. Fiber Degradation in Buffalo-An Innovative Approach. Journal of Agriculture and Veterinary Science, 2(5), 25–27.

Janda, J. M., & Abbott, S. L. 2007. 16S rRNA gene sequencing for bacterial identification in the diagnostic laboratory: Pluses, perils, and pitfalls. In *Journal of Clinical Microbiology*, 45(9), 2761–2764. https://doi.org/10.1128/JCM.01228-07.

Jannathulla, R., Dayal, J., Vasanthakumar, D., Ambasankar, K., & Muralidhar, M. 2018. Effect of fungal fermentation on apparent digestibility coefficient for dry matter, crude protein and amino acids of various plant protein sources in *Penaeus vannamei*. Aquaculture Nutritiom, July 2017, 1–12. https://doi.org/10.1111/anu.12669.

Jantasila, N., Kaewsompong, S., Filer, K., & Nithisinprasert, S. 2012. Pretreatment of agricultural wastes for the production of cellulolytic enzymes from *Aspergillus niger* 386017m1 by solid state fermentation. Kasetsart Journal - Natural Science, 46(5), 783–794.

Jørgensen, H., Kristensen, J., & Felby, C. 2007. Enzymatic conversion of lignocellulose into fermentable sugars: challenges and opportunities. Biofuels, Bioproducts and Biorefining, 1, 119–134. https://doi.org/10.1002/bbb.

Joseph, I., Paul Raj, R., & Bhatnagar, D. 2008. Effect of solid state fermentation on nutrient composition of selected feed ingredients (Vol. 55, Issue 4). https://www.researchgate.net/publication/228707197.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kamalam, B. S., Medale, F., & Panserat, S. 2017. Utilisation of dietary carbohydrates in farmed fishes: new insights on influencing factors, biological limitations and future strategies. Aquaculture, 467, 3–27. https://doi.org/10.1016/j.aquaculture.2016.02.007.

Kampen, W. H. 2014. Nutritional Requirements in Fermentation Processes. In Fermentation and Biochemical Engineering Handbook: Principles, Process Design, and Equipment: Third Edition, pp. 37–57. Elsevier Inc. https://doi.org/10.1016/B978-1-4557-2553-3.00004-0.

Kamra, D. N. 2005. Rumen microbial ecosystem. Current Science, 89(1).

Keong, N. W. 2004. Researching the Use of Palm Kernel Cake in Aquaculture Feeds. In MPOB.

Kiczorowski, P., Kiczorowska, B., Samolińska, W., Szmigielski, M., & Winiarska-Mieczan, A. 2022. Effect of fermentation of chosen vegetables on the nutrient, mineral, and biocomponent profile in human and animal nutrition. Scientific Reports, 12(1). https://doi.org/10.1038/s41598-022-17782-z

Kiers, J. L., van laeken, A. E. A., Rombouts, F. M., & Nout, M. J. R. 2000. In vitro digestibility of *Bacillus* fermented soya bean. International Journal of Food Microbiology, 60(2–3), 163–169. https://doi.org/10.1016/S0168-1605(00)00308-1.

Krishna, C. 2005. Solid-state fermentation systems - An overview. In Critical Reviews in Biotechnology, 25(1–2), 1–30. https://doi.org/10.1080/07388550590925383.

Krogdahl, A., Hemre, G.-I., & Mommsen, T. 2005. Carbohydrates in fish nutrition: digestion and absorption in postlarval stages. Aquaculture Nutrition, 11, 103–122.

Kumar, D., Ashfaque, M., Muthukumar, M., & Garg, N. (2012). Production and characterization of carboxymethyl cellulase from *Paenibacillus polymyxa* using mango peel as substrate Author Details. Journal of Environmental Biology, 33, 81–84. www.jeb.co.in.

Kumar, V., & Barman, D. 2012. Anti-nutritional Factors in Plant Feedstuffs Used in Aquafeeds. World Aquaculture, 43(3), 64–68. https://www.researchgate.net/publication/237046544.

Lateef, A., Oloke, J. K., Gueguim Kana, E. B., Oyeniyi, S. O., Onifade, O. R., Oyeleye, A. O., Oladosu, O. C., & Oyelami, A. O. 2008. Improving the

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

quality of agro-wastes by solid-state fermentation: Enhanced antioxidant activities and nutritional qualities. World Journal of Microbiology and Biotechnology, 24(10), 2369–2374. https://doi.org/10.1007/s11274-008-9749-8.

Li, F., Li, F., Zhao, T., Mao, G., Zou, Y., Zheng, D., Takase, M., Feng, W., Wu, X., & Yang, L. 2013. Solid-state fermentation of industrial solid wastes from the fruits of milk thistle *Silybum marianum* for feed quality improvement. Applied Microbiology and Biotechnology, 97(15), 6725–6737. https://doi.org/10.1007/s00253-013-5002-y.

Lin, C. W., Tran, D. T., Lai, C. Y., I, Y. P., & Wu, C. H. 2010. Response surface optimization for ethanol production from Pennisetum Alopecoider by Klebsiella *oxytoca* THLC0409. Biomass and Bioenergy, 34(12), 1922–1929. https://doi.org/10.1016/j.biombioe.2010.07.032.

Lu, J., Peng, C., Ji, X. J., You, J., Cong, L., Ouyang, P., & Huang, H. 2011. Fermentation characteristics of *Mortierella alpina* in response to different nitrogen sources. Applied Biochemistry and Biotechnology, 164(7), 979–990. https://doi.org/10.1007/s12010-011-9189-z.

Maki, M., Leung, K. T., & Qin, W. 2009. The prospects of cellulase-producing bacteria for the bioconversion of lignocellulosic biomass. International Journal of Biological Sciences, 5(5), 500–516. http://www.biolsci.org500.

Makkar, H. P. S., Aderibigbe, A. O., & Becker, K. 1998. Comparative evaluation of non-toxic and toxic varieties of Jatropha curcas for chemical composition, digestibility, protein degradability and toxic factors. Food Chemistry, 62(2), 207–215. https://doi.org/10.1016/S0308-8146(97)00183-0.

McDougall, G. J., Morrison, I. M., Stewart, D., & Hillman, J. R. 1996. Plant Cell Walls as Dietary Fibre: Range, Structure, Processing and Function. Journal of the Science of Food and Agriculture, 70(2), 133–150. https://doi.org/10.1002/(sici)1097-0010(199602)70:2<133:aid-jsfa495>3.0.co;2-4.

Miller, G. 1959. Use of DinitrosaIicyIic Acid Reagent for Determination of Reducing Sugar. Analytical Chemistry, 31(3), 426–428.

Moreira, L. R. S., & Filho, E. X. F. 2008. An overview of mannan structure and mannan-degrading enzyme systems. Applied Microbiology and Biotechnology, 79(2), 165–178. https://doi.org/10.1007/s00253-008-1423-4.

UNIVERSITAS
GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Mullik, M. L., Oematan, G., Datto, T. D., Permana, B., & Mulik, Y. M. 1997. Effects of Carbon: Nitrogen Ratio on Quality of *Chromolaena odorata* Silage. International Seminar on The 7th Tropical Animal Production: Contribution of Livestock Production on Food Soveregnty in Tropical Countries, 152–155.

Naylor, R. L., Goldburg, R. J., Primavera, J. H., Kautsky, N., Beveridge, M. C. M., Clay, J., Folke, C., Lubchenco, J., Mooney, H., & Troell, M. (2000). Effect of aquaculture on world fish supplies. Nature, 405(6790), 1017–1024. https://doi.org/10.1038/35016500.

Ng, W. K., & Chong, K. K. 2002. The nutritive value of palm kernel meal and the effect of enzyme supplementation in practical diets for red hybrid tilapia (Oreochromis sp.). Asian Fisheries Science, 15, 167–176.

Ng, W. K., & Romano, N. 201). A review of the nutrition and feeding management of farmed tilapia throughout the culture cycle. In Reviews in Aquaculture, 5(4), 220–254. Wiley-Blackwell. https://doi.org/10.1111/raq.12014.

Ng, W.-K., & Chen, M.-I. 2014. Replacement of Soybean Meal with Palm Kernel Meal in Practical Diets for Hybrid Asian-African Catfish, *Clarias macrocephalus* × C. *gariepinus*. Journal of Applied Aquaculture, 12(4), 67–76. https://doi.org/10.1300/J028v12n04.

Ngugi, C. C., Oyoo-okoth, E., Manyala, J. O., Fitzsimmons, K., & Kimotho, A. 2017. Characterization of the nutritional quality of amaranth leaf protein concentrates and suitability of fish meal replacement in Nile tilapia feeds. Aquaculture Reports, 5, 62–69. https://doi.org/10.1016/j.aqrep.2017.01.003.

Norizan, N. A. B. M., Halim, M., Tan, J. S., Abbasiliasi, S., Sahri, M. M., Othman, F., & Ari, A. bin. 2020. Enhancement of β-mannanase production by *Bacillus subtilis* ATCC11774 through optimization of media composition. Molecules, 25(15). https://doi.org/10.3390/molecules25153516.

Norulaini, N., Ab, N., Ben, M. M., Al-rawi, S. S., Ibrahim, A. H., & Ab, M. O. 2011. Comparison of nutritional composition between palm kernel fibre and the effect of the supercritical fluid extraction on its quality. Italian Oral Surgery, 1, 1940–1945. https://doi.org/10.1016/j.profoo.2011.09.285.

Ogello, E. O., Munguti, J. M., Sakakura, Y., & Hagiwara, A. 2014. Complete Replacement of Fish Meal in the Diet of Nile Tilapia (*Oreochromis niloticus* L.) Grow-out with Alternative Protein Sources. A review. International Journal of Advanced Research, 2(8), 962–978.

UNIVERSITAS
GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Olivia-Teles, A. 2012. Review Article Nutrition and health of aquaculture fish. Journal of Fish Diseases, 35, 83–108. https://doi.org/10.1111/j.1365-2761.2011.01333.x.

Olsen, R. E., Henderson, R. J., & Mcandrew, B. J. 1990. The conversion of linoleic acid and linolenic acid to longer chain polyunsatu-rated fatty acids by *Tilapia* (*Oreochromis*) *nilotica* in vivo. In Fish Physiology and Biochemistry (Vol. 8, Issue 3). Kugler Publications.

Olukomaiya, O., Fernando, C., Mereddy, R., Li, X., & Sultanbawa, Y. 2019. Solid-state fermented plant protein sources in the diets of broiler chickens: A review. In Animal Nutrition, 5(4), 319–330. KeAi Communications Co. https://doi.org/10.1016/j.aninu.2019.05.005.

O'Mara, P. P., Mulligan, F. J., Cronin, E. J., Rath, M., & Caffrey, P. J. 1999. The nutritive value of palm kernel meal measured in vivo and using rumen fluid and enzymatic techniques. Livestock Production Science, 60(2–3), 305–316. https://doi.org/10.1016/S0301-6226(99)00102-5.

Ong, L. G. A., Abd-Aziz, S., Noraini, S., Karim, M. I. A., & Hassan, M. A. 2004. Enzyme Production and Profile by *Aspergillus niger* During Solid Substrate Fermentation Using Palm Kernel Cake as Substrate. Applied Biochemistry and Biotechnology, 118, 73–79.

Pandey, A. 2003. Solid-state fermentation. Biochemical Engineering Journal, 13(2–3), 81–84. https://doi.org/10.1016/S1369-703X(02)00121-3.

Pason, P., Kyu, K. L., & Ratanakhanokchai, K. 2006. *Paenibacillus curdlanolyticus* strain B-6 xylanolytic-cellulolytic enzyme system that degrades insoluble polysaccharides. Applied and Environmental Microbiology, 72(4), 2483–2490. https://doi.org/10.1128/AEM.72.4.2483-2490.2006.

Petkowicz, C. L. de O., Reicher, F., Chanzy, H., Taravel, F. R., & Vuong, R. 2001. Linear mannan in the endosperm of *Schizolobium amazonicum*. Carbohydrate Polymers, 44(2), 107–112. https://doi.org/10.1016/S0144-8617(00)00212-5.

Plaipetch, P., & Yakupitiyage, A. 2014. Effect of replacing soybean meal with yeast-fermented canola meal on growth and nutrient retention of nile tilapia, *Oreochromis niloticus* (Linnaeus 1758). Aquaculture Research, 45(11), 1744–1753. https://doi.org/10.1111/are.12119.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Pongmaneerat, J., & Watanabe, T. 1993. Effect of Extrusion Processing on the Utilization of Soybean Meal Diets for Rainbow Trout. Nippon Suisan Gakkaishi, 59(8), 1407–1414. https://doi.org/10.2331/suisan.59.1407.

Priya, V., Lokesh, M., Kesavan, D., & Naveena, S. 2017. Evaluating the Perfect Carbon: Nitrogen (C:N) Ratio for Decomposing Compost. International Research Journal of Engineering and Technology, 4(9), 1144–1147.

Puastuti, W., Yulistiani, D., & Susana, I. W. R. 2014. Evaluasi Nilai Nutrisi Bungkil Inti Sawit yang Difermentasi dengan Kapang Sebagai Sumber Protein Ruminansia. Jurnal Ilmu Ternak Dan Veteriner, 19(2), 143–151.

Puppo, S., Bartocci, S., Terramoccia, S., Grandoni, F., & Amici, A. 2002. Rumen microbial counts and in vivo digestibility in buffaloes and cattle given different diets. Animal Science, 75(October 2002), 323–329.

Rabbani, M., Bagherinejad, M. R., Sadeghi, H. M. M., Shariat, Z. S., Etemadifar, Z., Moazen, F., Rahbari, M., Mafakher, L., & Zaghian, S. 2013. Isolation and characterization of novel thermophilic lipase-secreting bacteria. Brazilian Journal of Microbiology, 44(4), 1113–1119. https://doi.org/10.1590/S1517-83822013000400013.

Rakocy, J. E. 2006. Oreochromis niloticus. FAO Fisheries and Aquaculture Department.

Refstie, S., & Storebakken, T. 2001. Vegetable protein sources for carnivorous fish: potential and challenges. Recent Advances in Animal Nutrition in Australia, 13, 195–204.

Rodrigues, A. T., Mansano, C. F. M., Khan, K. U., Nascimento, T. M. T., Boaratti, A. Z., Sakomura, N. K., & Fernandes, J. B. K. 2020. Ideal profile of essential amino acids for Nile tilapia (*Oreochromis niloticus*) in the finishing growth phase. Aquaculture Research, 51(11), 4724–4735. https://doi.org/10.1111/are.14819.

Rollin, X., Mambrini, M., Abboudi, T., Larondelle, Y., & Kaushik, S. J. 2003. The optimum dietary indispensable amino acid pattern for growing Atlantic salmon (*Salmo salar* L.) fry. British Journal of Nutrition, 90(5), 865–876. https://doi.org/10.1079/bjn2003973.

Roslan, J., Faezah, K., Abdullah, N., & Mazlina, S. 2014. Characterization of Fish Protein Hydrolysate from Tilapia (*Oreochromis niloticus*) by-Product. Italian Oral Surgery, 2, 312–319. https://doi.org/10.1016/j.aaspro.2014.11.044.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Rughoonundun, H., Mohee, R., & Holtzapple, M. T. 2012. Influence of carbon-to-nitrogen ratio on the mixed-acid fermentation of wastewater sludge and pretreated bagasse. Bioresource Technology, 112, 91–97. https://doi.org/10.1016/j.biortech.2012.02.081.

Sadhu, S., & Maiti, T. K. 2013. Cellulase Production by Bacteria: A Review. British Microbiology Research Journal, 3(3), 235–258.

Samaddar, A. 2018. A review of fish meal replacement with fermented biodegradable organic wastes in aquaculture. 6(6), 203–208.

Sargent, J. R., Tocher, D. R., & Bell, J. G. 2002. The Lipidas. In Fish Nutrition (3rd ed., pp. 181–257). Elsevier Science (USA).

Sari, W. N., & Fahrimal, Y. 2017. Isolation and identification of a cellulolytic *Enterobacter* from rumen of Aceh cattle. Veterinary World, 10, 1515–1520. https://doi.org/10.14202/vetworld.2017.1515-1520.

Sasongko, A., Rahmani, N., Lisdiyanti, P., & Saepudin, E. 2015. Enzymatic Hydrolysis of Mannan from Konjac (Amorphophallus sp.) Using Mannanase from *Streptomyces lipmanii* to Produce Manno-oligosaccharides. Makra Journal of Science, 19(3), 110–116. https://doi.org/10.7454/mss.v19i3.4850.

Seesom, W., Thongket, P., Yamamoto, T., Takenaka, S., Sakamoto, T., & Sukhumsirichart, W. 2017. Purification, characterization, and overexpression of an endo-1,4-β-mannanase from thermotolerant *Bacillus* sp. SWU60. World Journal of Microbiology and Biotechnology, 33(3). https://doi.org/10.1007/s11274-017-2224-7.

Shakarami, M. H., Mohammadabadi, T., Motamedi, H., Sari, M., & Teimouri Yansari, A. 2019. Isolation and identification of cellulolytic bacteria from gastrointestinal tract of Arabian horse and investigation of their effect on the nutritional value of wheat straw. Journal of Applied Microbiology, 127(2), 344–353. https://doi.org/10.1111/jam.14251.

Sheng, P., Huang, S., Wang, Q., Wang, A., & Zhang, H. 2012. Isolation, screening, and optimization of the fermentation conditions of highly cellulolytic bacteria from the hindgut of *Holotrichia parallela* larvae (Coleoptera: Scarabaeidae). Applied Biochemistry and Biotechnology, 167(2), 270–284. https://doi.org/10.1007/s12010-012-9670-3.

Shi, C., Zhang, Y., Lu, Z., & Wang, Y. 2017. Solid-state fermentation of corn-soybean meal mixed feed with *Bacillus subtilis* and *Enterococcus faecium* for

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

degrading antinutritional factors and enhancing nutritional value. Journal of Animal Science and Biotechnology, 8(1). https://doi.org/10.1186/s40104-017-0184-2.

Shiu, Y., Wong, S., Guei, W., Shin, Y., & Liu, C. 2013. Increase in the plant protein ratio in the diet of white shrimp, *Litopenaeus vannamei* (Boone), using *Bacillus subtilis* E20-fermented soybean meal as a replacement. Aquaculture Research, 1–13. https://doi.org/10.1111/are.12186.

Shuib, N. H., Nooraida, W., & Mohamed, W. 2013. Use of Palm Oil Products and By-products in Aquaculture Feeds for Tilapia - A Review. Oil Palm Bulletin, 66(May), 13–19.

Shukor, H., Abdeshahian, P., Al-Shorgani, N. K. N., Hamid, A. A., Rahman, N. A., & Kalil, M. S. 2016. Saccharification of polysaccharide content of palm kernel cake using enzymatic catalysis for production of biobutanol in acetone-butanol-ethanol fermentation. Bioresource Technology, 202, 206–213. https://doi.org/10.1016/j.biortech.2015.11.078.

Simões Ribeiro Leite, R., Alonso Bocchini, D., Silva Martins, E. da, Silva, D., Gomes, E., & Silva, R. da. 2007. Production of Cellulolytic and Hemicellulolytic Enzymes From *Aureobasidium pulluans* on Solid State Fermentation. In Applied Biochemistry and Biotechnology (Vol. 281).

Sinha, A. K., Kumar, V., Makkar, H. P. S., Boeck, G. de, & Becker, K. 2011. Non-starch polysaccharides and their role in fish nutrition – A review. Food Chemistry, 127(4), 1409–1426. https://doi.org/10.1016/j.foodchem.2011.02.042.

Sreekanth, M., Vijayendra, S., Joshi, G., & Shamala, T. 2013. Effect of carbon and nitrogen sources on simultaneous production of α -amylase and green food packaging polymer by *Bacillus* sp. CFR 67. Journal of Food Science and Technology, 50(2), 404–408. https://doi.org/10.1007/s13197-012-0639-6.

Stein, H. H., Casas, G. A., Abelilla, J. J., Liu, Y., & Sulabo, R. C. 2015. Nutritional value of high fiber co-products from the copra, palm kernel, and rice industries in diets fed to pigs. Journal of Animal Science and Biotechnology, 6(56), 1–9. https://doi.org/10.1186/s40104-015-0056-6.

Subramaniyan, S., & Prema, P. 2002. Critical Reviews in Biotechnology Biotechnology of Microbial Xylanases: Enzymology, Molecular Biology, and Application Biotechnology of Microbial Xylanases: Enzymology,

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Molecular Biology, and Application. Critical Reviews in Biotechnology, 22(221), 33–6433. https://doi.org/10.1080/07388550290789450.

Takeuchi, T., Satoh, S., & Watanabe, T. (1983). Requirement of Tilapia nilotica for Essential Fatty Acids. In Bulletin of the Japanese Society of Scientific Fisheries, 49 (7), 1127-1134.

Terinte, N., Schuster, K. C., & Aktiengesellschaft, L. 2011. Overview on native cellulose and microcrystalline cellulose I structure studied by X-ray diffraction (WAXD): Comparison between measurement techniques. Lenzinger Berichte, 89, 118-131.

Tewari, D., Cieply, S., & Livengood, J. 2011. Identification of bacteria recovered from animals using the 16s ribosomal RNA gene with pyrosequencing and Sanger sequencing. Journal of Veterinary Diagnostic Investigation, *23*(6), 1104–1108. https://doi.org/10.1177/1040638711425583.

Updegraff, D. M. 1969. Semimicro determination of cellulose inbiological materials. Analytical Biochemistry, 32(3), 420–424. https://doi.org/10.1016/S0003-2697(69)80009-6.

Vanholme, R., Demedts, B., Morreel, K., Ralph, J., & Boerjan, W. 2010. Lignin Biosynthesis and Structure. Plant Physiology, 153(3), 895–905. https://doi.org/10.1104/pp.110.155119.

Vethathirri, R. S., Santillan, E., & Wuertz, S. 2021. Microbial community-based protein production from wastewater for animal feed applications. In Bioresource Technology (Vol. 341). Elsevier Ltd. https://doi.org/10.1016/j.biortech.2021.125723.

Vidal, L.V.O., Xavier, T.O., De Moura, L.B., Graciano, T.S., Martins, E.N., Furuya, W. M. 2015. Apparent digestibility of soybean coproduct in extruded diets Bile Tilapia, Oreochormis niloticus. Aquaculture Nutrition, 1–8. https://doi.org/10.1111/anu.12383.

Vishnivetskaya, T. A., Kathariou, S., & Tiedje, J. M. 2009. The Exiguobacterium genus: biodiversity and biogeography. Extremophiles, 13(3), 541–555. https://doi.org/10.1007/s00792-009-0243-5.

Waeonukul, R., Kyu, K. L., Sakka, K., & Ratanakhanokchai, K. 2009. Isolation and characterization of a multienzyme complex (cellulosome) of the *Paenibacillus curdlanolyticus* B-6 grown on Avicel under aerobic conditions.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Bioscience and Bioengineering, 107(6), 610–614. https://doi.org/10.1016/j.jbiosc.2009.01.010.

Walia, A., Mehta, P., Chauhan, A., & Shirkot, C. K. 2013. Production of alkalophilic xylanases by *Paenibacillus polymyxa* CKWX1 isolatd from decomposing wood. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 83(2), 215–223. https://doi.org/10.1007/s40011-012-0122-1

Wattanaklang, B., Abrar, A., & Cherdthong, A. 2016. Nutritional Value of Fermented Maize Stover as Feed for Ruminant. In Jurnal Peternakan Sriwijaya 5(1): 44-51.

Wathne, A. M., Devle, H., Naess-andresen, C. F., & Ekeberg, D. 2018. Identification and Quantification of Fatty Acids in *T. viridissima*, *C. biguttulus*, and *C. brunneus* by GC-MS. Journal of Lipidas. https://doi.org/https://doi.org/10.1155/2018/3679247 Research.

Wattanakul, W., Thongprajukaew, K., Hahor, W., & Suanyuk, N. 2021. Optimal replacement of soybean meal with fermented palm kernel meal as protein source in a fish meal-soybean meal-based diet of sex reversed red tilapia (*Oreochromis niloticus* × O. *mossambicus*). Animals, 11(8). https://doi.org/10.3390/ani11082287.

Wilson, D. B. 2008. Three microbial strategies for plant cell wall degradation. Annals of the New York Academy of Sciences, 1125, 289–297. https://doi.org/10.1196/annals.1419.026.

Wilson, R. P. (2003). Amino Acids and Proteins. 143–179.

Wilson, R. P., & Halver, J. E. 1986. Protein and Amino Acid Requirements of Fishes. Annual Review of Nutrition, 6, 225–244.

Xu, X., Waters, D., Blanchard, C., & Tan, S. H. 2021. A study on Australian sorghum grain fermentation performance and the changes in *Zaopei major* composition during solid-state fermentation. Journal of Cereal Science, 98. https://doi.org/10.1016/j.jcs.2021.103160.

Yang, W., Meng, F., Peng, J., Han, P., Fang, F., Ma, L., & Cao, B. 2014. Isolation and identification of a cellulolytic bacterium from the tibetan pig's intestine and investigation of its cellulase production. Electronic Journal of Biotechnology, 17(6), 262–267. https://doi.org/10.1016/j.ejbt.2014.08.002.

UNIVERSITAS GADJAH MADA
Fermentasi Bungkil Kelapa Sawit dengan Bakteri Selulolitik dan Mananolitik dari Rumen Kerbau dan Potensi Aplikasinya Sebagai Suplementasi Pakan pada Ikan Nila (Oreochromis niloticus)
SITI LUSI ARUM SARI, Prof. Ir. Irfan Dwidya Prijambada, M.Eng., Ph.D., Dr. Ir. Triyanto, M.Si., Prof. Dr. Ir. Zuprizal,
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, H., Puri, A., Padda, K. P., & Chanway, C. P. 2017. Substrate utilization by endophytic bacteria *Paenibacillus polymyxa* P2b-2R that may facilitate bacterial entrance and survival inside diverse plant hosts. FACETS, 2(1), 120–130. https://doi.org/10.1139/facets-2016-0031.

Yao, W., Zhang, C., Li, X., He, M., Wang, J., & Leng, X. 2020. The replacement of fish meal with fermented soya bean meal or soya bean meal in the diet of Pacific white shrimp (*Litopenaeus vannamei*). Aquaculture Research, 51(6), 2400–2409. https://doi.org/10.1111/are.14583.

Yueling Zhang, Sanying Wang, Anlong Xu, Jun Chen, Bokun Lin, and X. P. 2006. Anti-nutritional Factors in Plant Feedstuffs Used in Aquafeeds. World Aquaculture, February, 815–821.

Zahari, M. W., & Alimon, A. R. 2014. Use of Palm Kernel Cake and Oil Palm By-Products in Compound Feed. Palm Oil Development, 49(July 2014).

Zhang, Y. P., Himmel, M. E., & Mielenz, J. R. 2006. Outlook for cellulase improvement: Screening and selection strategies. Biotechnology Advances, 24, 452–481. https://doi.org/10.1016/j.biotechadv.2006.03.003.

Zhao, H. M., Guo, X. N., & Zhu, K. X. 2017. Impact of solid state fermentation on nutritional, physical and flavor properties of wheat bran. Food Chemistry, 217, 28–36. https://doi.org/10.1016/j.foodchem.2016.08.062.

Zhao, Y. J. P. 2018. Partial substitution of soybean meal with fermented soybean residue in diets for juvenile largemouth bass, *Micropterus salmoides*. Aquaculture Nutrition, 1–10. https://doi.org/10.1111/anu.12659.

Zhu, X., Wang, L., Zhang, Z., Ding, L., & Hang, S. 2021. Combination of fiber-degrading enzymatic hydrolysis and lactobacilli fermentation enhances utilization of fiber and protein in rapeseed meal as revealed in simulated pig digestion and fermentation in vitro. Animal Feed Science and Technology, 278. https://doi.org/10.1016/j.anifeedsci.2021.115001.

Zorec, M., Vodovnik, M., & Marinšek-Logar, R. 2014. Potential of selected rumen bacteria for cellulose and hemicellulose degradation. Food Technology and Biotechnology, 52(2), 210–221.

Zurmiati, Wizna, Abbas, M. H., & Mahata, M. E. 2017. Production of extracellular β-mannanase by Bacillus amyloliquefaciens on a coconut waste substrate. Pakistan Journal of Nutrition, 16(9), 700–707. https://doi.org/10.3923/pjn.2017.700.707.