



DAFTAR PUSTAKA

- Adjanke, A., Tona, K., Melecony, C., Toko, I. I., & Gbeassor, M. 2016. Effect of dietary inclusion of palm kernel meal on feed intake, growth and body composition of Nile Tilapia, *Oreochromis niloticus* reared in concrete tanks in Togo. International Journal of Fisheries and Aquatic Studies, 4(5), 642–646.
- Adrizal, A., Yusrizal, Y., Fakhri, S., Haris, W., Ali, E., & Angel, C. R. 2011. Feeding native laying hens diets containing palm kernel meal with or without enzyme supplementations: Feed conversion ratio and egg production. The Journal of Applied Poultry Research, March, 40–49. <https://doi.org/10.3382/japr.2010-00196>.
- Ahmed, S., Ahmad, F., & Hashmi, A. S. 2010. Production of microbial biomass protein by sequential culture fermentation of *Arachniotus* sp., and *Candida utilis*. Pakistan Journal of Botany, 42(2), 1225–1234.
- Almaguer, B. L., Sulabo, R. C., Liu, Y., & Stein, H. H. 2014. Standardized total tract digestibility of phosphorus in copra meal, palm kernel expellers, palm kernel meal, and soybean meal fed to growing pigs. Journal of Animal Science, 92(6), 2473–2480. <https://doi.org/10.2527/jas2013-6654>.
- Almuharef, I., Rahman, M. S., & Qin, W. 2020. High Production of Cellulase by a Newly Isolated Strain *Paenibacillus* sp. IM7. Waste and Biomass Valorization, 11(11), 6085–6094. <https://doi.org/10.1007/s12649-019-00832-5>.
- Alnahdi, H. S. (2012). Isolation and screening of extracellular proteases produced by new Isolated *Bacillus* sp environmental samples and screened their capability of protease. Journal of Applied Pharmaceutical Science, 2(9), 71–74. <https://doi.org/10.7324/JAPS.2012.2915>.
- Alshelmani, M. I., Loh, T. C., Foo, H. L., Lau, W. H., & Sazili, A. Q. 2013. Characterization of cellulolytic bacterial cultures grown in different substrates. The Scientific World Journal. 1–7. <https://doi.org/10.1155/2013/689235>.
- Alshelmani, M. I., Loh, T. C., Foo, H. L., Lau, W. H., & Sazili, A. Q. 2014. Biodegradation of Palm Kernel Cake by Cellulolytic and Hemicellulolytic Bacterial Cultures through Solid State Fermentation. The Scientific World Journal. <https://doi.org/10.1155/2014/729852>.



- Alshelmani, M. I., Loh, T. C., Foo, H. L., Sazili, A. Q., & Lau, W. H. 2016. Effect of feeding different levels of palm kernel cake fermented by *Paenibacillus polymyxia* ATCC 842 on nutrient digestibility, intestinal morphology, and gut microflora in broiler chickens. *Animal Feed Science and Technology*, 216, 216–224. <https://doi.org/10.1016/j.anifeedsci.2016.03.019>.
- Amisah, S., Oteng, M. A., & Ofori, J. K. 2009. Growth performance of the African catfish, *Clarias gariepinus*, fed varying inclusion levels of *Leucaena leucocephala* leaf meal. *Journal of Applied Sciences and Environmental Management*, 13(1), 21–26.
- Arte, E., Rizzello, C. G., Verni, M., Nordlund, E., Katina, K., & Coda, R. 2015. Impact of Enzymatic and Microbial Bioprocessing on Protein Modification and Nutritional Properties of Wheat Bran. *Journal of Agricultural and Food Chemistry*, 63(39), 8685–8693. <https://doi.org/10.1021/acs.jafc.5b03495>.
- Azarm, H. M., & Lee, S. 2014. Effects of partial substitution of dietary fish meal by fermented soybean meal on growth performance, amino acid and biochemical parameters of juvenile black sea bream *Acanthopagrus schlegeli*. *Aquaculture Research*, 45, 994–1003. <https://doi.org/10.1111/are.12040>.
- Barroso, R., & Al-Baba, I. 2007. Cultured Aquatic Species Information Programme *Oreochromis niloticus*. Fao. <https://doi.org/10.3969/j.issn.1009-5470.2012.02.014>.
- Bastawde, K. B. 1992. Xylan structure, microbial xylanases, and their mode of action. *World Journal of Microbiology and Biotechnology*, 8, 353–368. <https://doi.org/10.1007/BF01198746>.
- Battan, B., Sharma, J., & Kuhad, R. C. 2006. High-level xylanase production by alkaliphilic *Bacillus pumilus* ASH under solid-state fermentation. *World Journal of Microbiology and Biotechnology*, 22(12), 1281–1287. <https://doi.org/10.1007/s11274-006-9173-x>.
- Belal, I. E. H. 2005. A review of some fish nutrition methodologies. *Bioresource Technology*, 96(4), 395–402. <https://doi.org/10.1016/j.biortech.2003.11.030>.
- BFAR-NFFTC. 2000. Basic Biology of Tilapia. NFFTC Aqua-Leaflet No. 2000-06, 6.
- Bhoria, P., Singh, G., & Singh Hoondal, G. 2009. Mannase, submerged fermentation. *BioResources*, 4(3), 1130–1138.



- Bi, H. U. A., Zhao, H., Lu, F., Zhang, C., Bie, X., & Lu, Z. 2014. Improvement of the Nutritional Quality and Fibrinolytic Enzyme Activity of Soy Bean Meal by Fermentation of *Bacillus subtilis*. *Journal of Food Processing and Preservation*, 39(6), 1235–1242. <https://doi.org/10.1111/jfpp.12340>.
- Bohra, V., Dafale, N. A., & Purohit, H. J. 2018. *Paenibacillus polymyxa* ND25: candidate genome for lignocellulosic biomass utilization. *3 Biotech*, 8(248), 1–7. <https://doi.org/10.1007/s13205-018-1274-3>.
- Bohra, V., Tikariha, H., & Dafale, N. A. 2019. Genomically Defined *Paenibacillus polymyxa* ND24 for Efficient Cellulase Production Utilizing Sugarcane Bagasse as a Substrate. *Applied Biochemistry and Biotechnology*, 187(1), 266–281. <https://doi.org/10.1007/s12010-018-2820-5>.
- Brown, R. M. 2004. Cellulose Structure and Biosynthesis: What is in Store for the 21st Century? *Journal of Polymer Science, Part A: Polymer Chemistry*, 42(3), 487–495. <https://doi.org/10.1002/pola.10877>.
- Bureau, D. P., Kaushik, S. J., & Cho, C. Y. 2002. Bioenergetics. In *Fish Nutrition* (3rd ed., pp. 1–59). Elsevier Science (USA).
- Cai, S., Li, J., Ze Hu, F., Zhang, K., Luo, Y., Janto, B., Boissy, R., Ehrlich, G., & Dong, X. 2010. *Cellulosilyticum ruminicola*, a newly described rumen bacterium that possesses redundant Fibrolytic-protein-encoding genes and degrades lignocellulose with multiple carbohydrateborne fibrolytic enzymes. *Applied and Environmental Microbiology*, 76(12), 3818–3824. <https://doi.org/10.1128/AEM.03124-09>.
- Careli, R. 2014. Aerobe and anaerobe facultative Gram-negative bacteria rod-shaped in the ruminal fluid of dairy cattle fed with different diets containing tropical forages. *Archivos De Medicina Veterinaria*, 462, 457–462.
- Chauhan, P. S., Puri, N., Sharma, P., & Gupta, N. 2012. Mannanases: Microbial sources, production, properties and potential biotechnological applications. *Applied Microbiology and Biotechnology*, 93(5), 1817–1830. <https://doi.org/10.1007/s00253-012-3887-5>.
- Chilakamarri, C. R., Mimi Sakinah, A. M., Zularisam, A. W., Sirohi, R., Khilji, I. A., Ahmad, N., & Pandey, A. 2022. Advances in solid-state fermentation for bioconversion of agricultural wastes to value-added products: Opportunities and challenges. In *Bioresource Technology* (Vol. 343). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2021.126065>.



- Chong, C. H., Zulkifli, I., & Blair, R. 2008. Effects of Dietary Inclusion of Palm Kernel Cake and Palm Oil, and Enzyme Supplementation on Performance of Laying Hens. *Asian-Australasian Journal of Animal Sciences*, 21(7), 1053–1058.
- Chung, Y. C., Bakalinsky, A., & Penner, M. H. 1997. Analysis of Biomass Cellulose in Simultaneous Saccharification and Fermentation Processes. *Applied Biochemistry and Biotechnology - Part A Enzyme Engineering and Biotechnology*, 66(3), 249–262. <https://doi.org/10.1007/BF02785591>.
- Committee on Animal Nutrition Board on Agriculture National Research Council. 1993. Nutrient Requirements of Fish. National Academy Press.
- Daerah Asal dan Persebaran Ikan Nila. 2016. <https://www.ikannila.com/2016/09/daerah-asal-dan-persebaran-ikan-nila.html>.
- Daniel, N. 2018. A review on replacing fish meal in aqua feeds using plant protein sources. *International Journal of Fisheries and Aquatic Studies*, 6(2), 164–179.
- Das, K. C., & Qin, W. 2012. Isolation and characterization of superior rumen bacteria of cattle (*Bos taurus*) and potential application in animal feedstuff. *Open Journal of Animal Sciences*, 2(4), 224–228.
- Daud, M. J., & Jarvis, M. C. 1992. Mannan of Oil Palm Kernel. *Phytochemistry*, 31(2), 463–464.
- Dawood, M. A. O., & Koshio, S. 2020. Application of fermentation strategy in aquafeed for sustainable aquaculture. *Reviews in Aquaculture*, 12(2), 987–1002. <https://doi.org/10.1111/raq.12368>.
- Dawood, M. A. O., Koshio, S., Ishikawa, M., & Yokoyama, S. 2015. Effects of Partial Substitution of Fish Meal by Soybean Meal with or without Heat-Killed *Lactobacillus plantarum* (LP20) on Growth Performance, Digestibility, and Immune Response of Amberjack, *Seriola dumerili* Juveniles. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/514196>.
- de Gonzalo, G., Colpa, D. I., Habib, M. H. M., & Fraaije, M. W. 2016. Bacterial enzymes involved in lignin degradation. *Journal of Biotechnology*, 236, 110–119. <https://doi.org/10.1016/j.jbiotec.2016.08.011>.



Dhawan, S., & Kaur, J. 2007. Microbial mannanases: An overview of production and applications. In *Critical Reviews in Biotechnology*, 27(4), 197–216. <https://doi.org/10.1080/07388550701775919>.

Dhawan, S., Singh, R., Kaur, R., & Kaur, J. 2016. A β -mannanase from *Paenibacillus* sp.: Optimization of production and its possible prebiotic potential. *Biotechnology and Applied Biochemistry*, 63(5), 669–678. <https://doi.org/10.1002/bab.1419>.

Dileep, N., Pradhan, C., Peter, N., Kaippilly, D., Sashidharan, A., & Sankar, T. v. 2021. Nutritive value of guar and copra meal after fermentation with yeast *Saccharomyces cerevisiae* in the diet of Nile tilapia, *Oreochromis niloticus*. *Tropical Animal Health and Production*, 53(4). <https://doi.org/10.1007/s11250-021-02855-4>.

Diógenes, A. F., Fernandes, J. B. K., Dorigam, J. C. P., Sakomura, N. K., Rodrigues, F. H. F., Lima, B. T. M., & Gonçalves, F. H. 2016. Establishing the optimal essential amino acid ratios in juveniles of Nile tilapia (*Oreochromis niloticus*) by the deletion method. *Aquaculture Nutrition*, 22(2), 435–443. <https://doi.org/10.1111/anu.12262>.

Dirjenbun. 2016. Statistik Perkebunan Indonesia: Tree Crop Estate Statistics of Indonesia 2014-2016. Statistik Perkebunan Indonesia, December 2015, 79. <https://doi.org/http://ditjenbun.pertanian.go.id/tinymcpuk/gambar/file/statistik/2016/SAWIT 2014-2016.pdf>.

DuPonte, D. 1998. *Livestock Feed Analysis: How to Interpret the Results*. University of Hawaii. Honolulu.

https://www.ctahr.hawaii.edu/oc/freepubs/pdf/livestock_feed_analysis.pdf. diakses 7 Dseember 2022.

El-sayed, A. 2006. *Tilapia Culture* (Issue April 2006). CABI Publishing. <https://doi.org/10.1079/9780851990149.0000>.

FAO Fisheries and Aquaculture Department. (n.d.). *Oreochromis niloticus*. In Cultured aquatic species fact sheets. Retrieved March 28, 2019, from https://www.fao.org/fishery/docs/CDrom/aquaculture/I1129m/file/en/en_niletilapia.htm.

Fitzsimmons, K. 2016. Supply and demand in global Tilapia markets 2015. In *Global Tilapia Markets Updates 2015*. <https://doi.org/10.13140/RG.2.1.2848.9448>.



- Franzolin, R., & Wright, A. D. G. 2016. Microorganisms in the rumen and reticulum of buffalo (*Bubalus bubalis*) fed two different feeding systems. *BMC Research Notes*, 9(1), 1–5. <https://doi.org/10.1186/s13104-016-2046-y>.
- Gao, Y. L., Wang, C. S., Zhu, Q. H., & Qian, G. Y. 2013. Optimization of solid-state fermentation with *Lactobacillus brevis* and *Aspergillus oryzae* for trypsin inhibitor degradation in soybean meal. *Journal of Integrative Agriculture*, 12(5), 869–876. [https://doi.org/10.1016/S2095-3119\(13\)60305-6](https://doi.org/10.1016/S2095-3119(13)60305-6).
- Gírio, F. M., Fonseca, C., Carvalheiro, F., Duarte, L. C., Marques, S., & Bogel-Lukasik, R. 2010. Hemicelluloses for fuel ethanol: A review. *Bioresource Technology*, 101(13), 4775–4800. <https://doi.org/10.1016/j.biortech.2010.01.088>.
- Gorska, E. B. 2015. Degradation and Colonization of Cellulose by Diazotrophic Strains of *Paenibacillus polymyxa* Isolated from Soil. *Journal of Bioremediation & Biodegradation*, 06(02). <https://doi.org/10.4172/2155-6199.1000271>.
- Grady, E. N., MacDonald, J., Liu, L., Richman, A., & Yuan, Z. C. 2016. Current knowledge and perspectives of *Paenibacillus*: A review. In *Microbial Cell Factories*, 15(1). BioMed Central Ltd. <https://doi.org/10.1186/s12934-016-0603-7>.
- Hambali, E., & Rivai, M. 2017. The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030. *IOP Conference Series: Earth and Environmental Science*, 65(012050). <https://doi.org/10.1088/1755-1315/65/1/012050>.
- Hassaan, M. S., Goda, A. M. A.-S., & Kumar, V. 2016. Evaluation of nutritive value of fermented de-oiled physic nut, *Jatropha curcas*, seed meal for Nile tilapia *Oreochromis niloticus* fingerlings. *Aquaculture Nutrition*. <https://doi.org/10.1111/anu.12424>.
- Hori, K., Kawabata, Y., Nakazawa, Y., Nishizawa, M., & Toeda, K. 2014. A novel β -1,4-mannanase isolated from *Paenibacillus polymyxa* KT551. *Food Science and Technology Research*, 20(6), 1261–1265. <https://doi.org/10.3136/fstr.20.1261>
- Indexmundi. (n.d.). Indonesia Soybean Meal Imports by Year (1000 MT). Retrieved September 5, 2018, from



<https://www.indexmundi.com/agriculture/?commodity=soybean-meal&graph=imports>.

Iqbal, M. W., Zhang, Q., Yang, Y., Li, L., Zou, C., Huang, C., & Lin, B. 2018. Comparative study of rumen fermentation and microbial community differences between water buffalo and Jersey cows under similar feeding conditions. *Journal of Applied Animal Research*, 46(1), 740–748. <https://doi.org/10.1080/09712119.2017.1394859>.

Islam, F., & Roy, N. 2018. Screening, purification and characterization of cellulase from cellulase producing bacteria in molasses. *BMC Research Notes*, 11(1). <https://doi.org/10.1186/s13104-018-3558-4>.

Jadhav, S. K., Deshmukh, G. B., Sathapathy, S., Lende, S. R., Sewatkar, G. G., & Joshi, S. K. 2013. Fiber Degradation in Buffalo-An Innovative Approach. *Journal of Agriculture and Veterinary Science*, 2(5), 25–27.

Janda, J. M., & Abbott, S. L. 2007. 16S rRNA gene sequencing for bacterial identification in the diagnostic laboratory: Pluses, perils, and pitfalls. In *Journal of Clinical Microbiology*, 45(9), 2761–2764. <https://doi.org/10.1128/JCM.01228-07>.

Jannathulla, R., Dayal, J., Vasanthakumar, D., Ambasankar, K., & Muralidhar, M. 2018. Effect of fungal fermentation on apparent digestibility coefficient for dry matter, crude protein and amino acids of various plant protein sources in *Penaeus vannamei*. *Aquaculture Nutritiom*, July 2017, 1–12. <https://doi.org/10.1111/anu.12669>.

Jantasila, N., Kaewsompong, S., Filer, K., & Nithisinprasert, S. 2012. Pretreatment of agricultural wastes for the production of cellulolytic enzymes from *Aspergillus niger* 386017m1 by solid state fermentation. *Kasetsart Journal - Natural Science*, 46(5), 783–794.

Jørgensen, H., Kristensen, J., & Felby, C. 2007. Enzymatic conversion of lignocellulose into fermentable sugars: challenges and opportunities. *Biofuels, Bioproducts and Biorefining*, 1, 119–134. <https://doi.org/10.1002/bbb>.

Joseph, I., Paul Raj, R., & Bhatnagar, D. 2008. Effect of solid state fermentation on nutrient composition of selected feed ingredients (Vol. 55, Issue 4). <https://www.researchgate.net/publication/228707197>.



- Kamalam, B. S., Medale, F., & Panserat, S. 2017. Utilisation of dietary carbohydrates in farmed fishes: new insights on influencing factors, biological limitations and future strategies. *Aquaculture*, 467, 3–27. <https://doi.org/10.1016/j.aquaculture.2016.02.007>.
- Kampen, W. H. 2014. Nutritional Requirements in Fermentation Processes. In *Fermentation and Biochemical Engineering Handbook: Principles, Process Design, and Equipment*: Third Edition, pp. 37–57. Elsevier Inc. <https://doi.org/10.1016/B978-1-4557-2553-3.00004-0>.
- Kamra, D. N. 2005. Rumen microbial ecosystem. *Current Science*, 89(1).
- Keong, N. W. 2004. Researching the Use of Palm Kernel Cake in Aquaculture Feeds. In MPOB.
- Kiczorowski, P., Kiczorowska, B., Samolińska, W., Szmigielski, M., & Winiarska-Mieczan, A. 2022. Effect of fermentation of chosen vegetables on the nutrient, mineral, and biocomponent profile in human and animal nutrition. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-17782-z>
- Kiers, J. L., van laeken, A. E. A., Rombouts, F. M., & Nout, M. J. R. 2000. In vitro digestibility of *Bacillus* fermented soya bean. *International Journal of Food Microbiology*, 60(2–3), 163–169. [https://doi.org/10.1016/S0168-1605\(00\)00308-1](https://doi.org/10.1016/S0168-1605(00)00308-1).
- Krishna, C. 2005. Solid-state fermentation systems - An overview. In *Critical Reviews in Biotechnology*, 25(1–2), 1–30. <https://doi.org/10.1080/07388550590925383>.
- Krogdahl, A., Hemre, G.-I., & Mommsen, T. 2005. Carbohydrates in fish nutrition: digestion and absorption in postlarval stages. *Aquaculture Nutrition*, 11, 103–122.
- Kumar, D., Ashfaque, M., Muthukumar, M., & Garg, N. (2012). Production and characterization of carboxymethyl cellulase from *Paenibacillus polymyxa* using mango peel as substrate Author Details. *Journal of Environmental Biology*, 33, 81–84. www.jeb.co.in.
- Kumar, V., & Barman, D. 2012. Anti-nutritional Factors in Plant Feedstuffs Used in Aquafeeds. *World Aquaculture*, 43(3), 64–68. <https://www.researchgate.net/publication/237046544>.
- Lateef, A., Oloke, J. K., Gueguim Kana, E. B., Oyeniyi, S. O., Onifade, O. R., Oyeleye, A. O., Oladosu, O. C., & Oyelami, A. O. 2008. Improving the



quality of agro-wastes by solid-state fermentation: Enhanced antioxidant activities and nutritional qualities. *World Journal of Microbiology and Biotechnology*, 24(10), 2369–2374. <https://doi.org/10.1007/s11274-008-9749-8>.

Li, F., Li, F., Zhao, T., Mao, G., Zou, Y., Zheng, D., Takase, M., Feng, W., Wu, X., & Yang, L. 2013. Solid-state fermentation of industrial solid wastes from the fruits of milk thistle *Silybum marianum* for feed quality improvement. *Applied Microbiology and Biotechnology*, 97(15), 6725–6737. <https://doi.org/10.1007/s00253-013-5002-y>.

Lin, C. W., Tran, D. T., Lai, C. Y., I, Y. P., & Wu, C. H. 2010. Response surface optimization for ethanol production from *Pennisetum Alopecoides* by *Klebsiella oxytoca* THLC0409. *Biomass and Bioenergy*, 34(12), 1922–1929. <https://doi.org/10.1016/j.biombioe.2010.07.032>.

Lu, J., Peng, C., Ji, X. J., You, J., Cong, L., Ouyang, P., & Huang, H. 2011. Fermentation characteristics of *Mortierella alpina* in response to different nitrogen sources. *Applied Biochemistry and Biotechnology*, 164(7), 979–990. <https://doi.org/10.1007/s12010-011-9189-z>.

Maki, M., Leung, K. T., & Qin, W. 2009. The prospects of cellulase-producing bacteria for the bioconversion of lignocellulosic biomass. *International Journal of Biological Sciences*, 5(5), 500–516. <http://www.biolsci.org/500>.

Makkar, H. P. S., Aderibigbe, A. O., & Becker, K. 1998. Comparative evaluation of non-toxic and toxic varieties of *Jatropha curcas* for chemical composition, digestibility, protein degradability and toxic factors. *Food Chemistry*, 62(2), 207–215. [https://doi.org/10.1016/S0308-8146\(97\)00183-0](https://doi.org/10.1016/S0308-8146(97)00183-0).

McDougall, G. J., Morrison, I. M., Stewart, D., & Hillman, J. R. 1996. Plant Cell Walls as Dietary Fibre: Range, Structure, Processing and Function. *Journal of the Science of Food and Agriculture*, 70(2), 133–150. [https://doi.org/10.1002/\(sici\)1097-0010\(199602\)70:2<133:aid-jfsa495>3.0.co;2-4](https://doi.org/10.1002/(sici)1097-0010(199602)70:2<133:aid-jfsa495>3.0.co;2-4).

Miller, G. 1959. Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, 31(3), 426–428.

Moreira, L. R. S., & Filho, E. X. F. 2008. An overview of mannan structure and mannan-degrading enzyme systems. *Applied Microbiology and Biotechnology*, 79(2), 165–178. <https://doi.org/10.1007/s00253-008-1423-4>.



- Mullik, M. L., Oematan, G., Datto, T. D., Permana, B., & Mulik, Y. M. 1997. Effects of Carbon: Nitrogen Ratio on Quality of *Chromolaena odorata* Silage. International Seminar on The 7th Tropical Animal Production: Contribution of Livestock Production on Food Sovereignty in Tropical Countries, 152–155.
- Naylor, R. L., Goldburg, R. J., Primavera, J. H., Kautsky, N., Beveridge, M. C. M., Clay, J., Folke, C., Lubchenco, J., Mooney, H., & Troell, M. (2000). Effect of aquaculture on world fish supplies. *Nature*, 405(6790), 1017–1024. <https://doi.org/10.1038/35016500>.
- Ng, W. K., & Chong, K. K. 2002. The nutritive value of palm kernel meal and the effect of enzyme supplementation in practical diets for red hybrid tilapia (*Oreochromis* sp.). *Asian Fisheries Science*, 15, 167–176.
- Ng, W. K., & Romano, N. 201). A review of the nutrition and feeding management of farmed tilapia throughout the culture cycle. In *Reviews in Aquaculture*, 5(4), 220–254. Wiley-Blackwell. <https://doi.org/10.1111/raq.12014>.
- Ng, W.-K., & Chen, M.-I. 2014. Replacement of Soybean Meal with Palm Kernel Meal in Practical Diets for Hybrid Asian-African Catfish, *Clarias macrocephalus* × *C. gariepinus*. *Journal of Applied Aquaculture*, 12(4), 67–76. <https://doi.org/10.1300/J028v12n04>.
- Ngugi, C. C., Oyoo-okoth, E., Manyala, J. O., Fitzsimmons, K., & Kimotho, A. 2017. Characterization of the nutritional quality of amaranth leaf protein concentrates and suitability of fish meal replacement in Nile tilapia feeds. *Aquaculture Reports*, 5, 62–69. <https://doi.org/10.1016/j.aqrep.2017.01.003>.
- Norizan, N. A. B. M., Halim, M., Tan, J. S., Abbasiliasi, S., Sahri, M. M., Othman, F., & Ari, A. bin. 2020. Enhancement of β-mannanase production by *Bacillus subtilis* ATCC11774 through optimization of media composition. *Molecules*, 25(15). <https://doi.org/10.3390/molecules25153516>.
- Norulaini, N., Ab, N., Ben, M. M., Al-rawi, S. S., Ibrahim, A. H., & Ab, M. O. 2011. Comparison of nutritional composition between palm kernel fibre and the effect of the supercritical fluid extraction on its quality. *Italian Oral Surgery*, 1, 1940–1945. <https://doi.org/10.1016/j.profoo.2011.09.285>.
- Ogello, E. O., Munguti, J. M., Sakakura, Y., & Hagiwara, A. 2014. Complete Replacement of Fish Meal in the Diet of Nile Tilapia (*Oreochromis niloticus* L.) Grow-out with Alternative Protein Sources. A review. *International Journal of Advanced Research*, 2(8), 962–978.



- Olivia-Teles, A. 2012. Review Article Nutrition and health of aquaculture fish. *Journal of Fish Diseases*, 35, 83–108. <https://doi.org/10.1111/j.1365-2761.2011.01333.x>.
- Olsen, R. E., Henderson, R. J., & McAndrew, B. J. 1990. The conversion of linoleic acid and linolenic acid to longer chain polyunsaturated fatty acids by *Tilapia (Oreochromis nilotica)* in vivo. In *Fish Physiology and Biochemistry* (Vol. 8, Issue 3). Kugler Publications.
- Olukomaiya, O., Fernando, C., Mereddy, R., Li, X., & Sultanbawa, Y. 2019. Solid-state fermented plant protein sources in the diets of broiler chickens: A review. In *Animal Nutrition*, 5(4), 319–330. KeAi Communications Co. <https://doi.org/10.1016/j.aninu.2019.05.005>.
- O'Mara, P. P., Mulligan, F. J., Cronin, E. J., Rath, M., & Caffrey, P. J. 1999. The nutritive value of palm kernel meal measured in vivo and using rumen fluid and enzymatic techniques. *Livestock Production Science*, 60(2–3), 305–316. [https://doi.org/10.1016/S0301-6226\(99\)00102-5](https://doi.org/10.1016/S0301-6226(99)00102-5).
- Ong, L. G. A., Abd-Aziz, S., Noraini, S., Karim, M. I. A., & Hassan, M. A. 2004. Enzyme Production and Profile by *Aspergillus niger* During Solid Substrate Fermentation Using Palm Kernel Cake as Substrate. *Applied Biochemistry and Biotechnology*, 118, 73–79.
- Pandey, A. 2003. Solid-state fermentation. *Biochemical Engineering Journal*, 13(2–3), 81–84. [https://doi.org/10.1016/S1369-703X\(02\)00121-3](https://doi.org/10.1016/S1369-703X(02)00121-3).
- Pason, P., Kyu, K. L., & Ratanakhanokchai, K. 2006. *Paenibacillus curdlanolyticus* strain B-6 xylanolytic-cellulolytic enzyme system that degrades insoluble polysaccharides. *Applied and Environmental Microbiology*, 72(4), 2483–2490. <https://doi.org/10.1128/AEM.72.4.2483-2490.2006>.
- Petkowicz, C. L. de O., Reicher, F., Chanzy, H., Taravel, F. R., & Vuong, R. 2001. Linear mannan in the endosperm of *Schizolobium amazonicum*. *Carbohydrate Polymers*, 44(2), 107–112. [https://doi.org/10.1016/S0144-8617\(00\)00212-5](https://doi.org/10.1016/S0144-8617(00)00212-5).
- Plaipetch, P., & Yakupitiyage, A. 2014. Effect of replacing soybean meal with yeast-fermented canola meal on growth and nutrient retention of nile tilapia, *Oreochromis niloticus* (Linnaeus 1758). *Aquaculture Research*, 45(11), 1744–1753. <https://doi.org/10.1111/are.12119>.



- Pongmaneerat, J., & Watanabe, T. 1993. Effect of Extrusion Processing on the Utilization of Soybean Meal Diets for Rainbow Trout. *Nippon Suisan Gakkaishi*, 59(8), 1407–1414. <https://doi.org/10.2331/suisan.59.1407>.
- Priya, V., Lokesh, M., Kesavan, D., & Naveena, S. 2017. Evaluating the Perfect Carbon: Nitrogen (C:N) Ratio for Decomposing Compost. *International Research Journal of Engineering and Technology*, 4(9), 1144–1147.
- Puastuti, W., Yulistiani, D., & Susana, I. W. R. 2014. Evaluasi Nilai Nutrisi Bungkil Inti Sawit yang Difermentasi dengan Kapang Sebagai Sumber Protein Ruminansia. *Jurnal Ilmu Ternak Dan Veteriner*, 19(2), 143–151.
- Puppo, S., Bartocci, S., Terramoccia, S., Grandoni, F., & Amici, A. 2002. Rumen microbial counts and in vivo digestibility in buffaloes and cattle given different diets. *Animal Science*, 75(October 2002), 323–329.
- Rabbani, M., Bagherinejad, M. R., Sadeghi, H. M. M., Shariat, Z. S., Etemadifar, Z., Moazen, F., Rahbari, M., Mafakher, L., & Zaghanian, S. 2013. Isolation and characterization of novel thermophilic lipase-secreting bacteria. *Brazilian Journal of Microbiology*, 44(4), 1113–1119. <https://doi.org/10.1590/S1517-83822013000400013>.
- Rakocy, J. E. 2006. *Oreochromis niloticus*. FAO Fisheries and Aquaculture Department.
- Refstie, S., & Storebakken, T. 2001. Vegetable protein sources for carnivorous fish: potential and challenges. *Recent Advances in Animal Nutrition in Australia*, 13, 195–204.
- Rodrigues, A. T., Mansano, C. F. M., Khan, K. U., Nascimento, T. M. T., Boaratti, A. Z., Sakomura, N. K., & Fernandes, J. B. K. 2020. Ideal profile of essential amino acids for Nile tilapia (*Oreochromis niloticus*) in the finishing growth phase. *Aquaculture Research*, 51(11), 4724–4735. <https://doi.org/10.1111/are.14819>.
- Rollin, X., Mambrini, M., Abboudi, T., Larondelle, Y., & Kaushik, S. J. 2003. The optimum dietary indispensable amino acid pattern for growing Atlantic salmon (*Salmo salar* L.) fry. *British Journal of Nutrition*, 90(5), 865–876. <https://doi.org/10.1079/bjn2003973>.
- Roslan, J., Faezah, K., Abdullah, N., & Mazlina, S. 2014. Characterization of Fish Protein Hydrolysate from Tilapia (*Oreochromis niloticus*) by-Product. *Italian Oral Surgery*, 2, 312–319. <https://doi.org/10.1016/j.aaspro.2014.11.044>.



- Rughoonundun, H., Mohee, R., & Holtzapple, M. T. 2012. Influence of carbon-to-nitrogen ratio on the mixed-acid fermentation of wastewater sludge and pretreated bagasse. *Bioresource Technology*, 112, 91–97. <https://doi.org/10.1016/j.biortech.2012.02.081>.
- Sadhu, S., & Maiti, T. K. 2013. Cellulase Production by Bacteria: A Review. *British Microbiology Research Journal*, 3(3), 235–258.
- Samaddar, A. 2018. A review of fish meal replacement with fermented biodegradable organic wastes in aquaculture. 6(6), 203–208.
- Sargent, J. R., Tocher, D. R., & Bell, J. G. 2002. The Lipidas. In *Fish Nutrition* (3rd ed., pp. 181–257). Elsevier Science (USA).
- Sari, W. N., & Fahrimal, Y. 2017. Isolation and identification of a cellulolytic *Enterobacter* from rumen of Aceh cattle. *Veterinary World*, 10, 1515–1520. <https://doi.org/10.14202/vetworld.2017.1515-1520>.
- Sasongko, A., Rahmani, N., Lisdiyanti, P., & Saepudin, E. 2015. Enzymatic Hydrolysis of Mannan from Konjac (Amorphophallus sp.) Using Mannanase from *Streptomyces lipmanii* to Produce Manno-oligosaccharides. *Makra Journal of Science*, 19(3), 110–116. <https://doi.org/10.7454/mss.v19i3.4850>.
- Seesom, W., Thongket, P., Yamamoto, T., Takenaka, S., Sakamoto, T., & Sukhumsirichart, W. 2017. Purification, characterization, and overexpression of an endo-1,4- β -mannanase from thermotolerant *Bacillus* sp. SWU60. *World Journal of Microbiology and Biotechnology*, 33(3). <https://doi.org/10.1007/s11274-017-2224-7>.
- Shakarami, M. H., Mohammadabadi, T., Motamedi, H., Sari, M., & Teimouri Yansari, A. 2019. Isolation and identification of cellulolytic bacteria from gastrointestinal tract of Arabian horse and investigation of their effect on the nutritional value of wheat straw. *Journal of Applied Microbiology*, 127(2), 344–353. <https://doi.org/10.1111/jam.14251>.
- Sheng, P., Huang, S., Wang, Q., Wang, A., & Zhang, H. 2012. Isolation, screening, and optimization of the fermentation conditions of highly cellulolytic bacteria from the hindgut of *Holotrichia parallela* larvae (Coleoptera: Scarabaeidae). *Applied Biochemistry and Biotechnology*, 167(2), 270–284. <https://doi.org/10.1007/s12010-012-9670-3>.
- Shi, C., Zhang, Y., Lu, Z., & Wang, Y. 2017. Solid-state fermentation of corn-soybean meal mixed feed with *Bacillus subtilis* and *Enterococcus faecium* for



degrading antinutritional factors and enhancing nutritional value. *Journal of Animal Science and Biotechnology*, 8(1). <https://doi.org/10.1186/s40104-017-0184-2>.

Shiu, Y., Wong, S., Guei, W., Shin, Y., & Liu, C. 2013. Increase in the plant protein ratio in the diet of white shrimp, *Litopenaeus vannamei* (Boone), using *Bacillus subtilis* E20-fermented soybean meal as a replacement. *Aquaculture Research*, 1–13. <https://doi.org/10.1111/are.12186>.

Shuib, N. H., Nooraida, W., & Mohamed, W. 2013. Use of Palm Oil Products and By-products in Aquaculture Feeds for Tilapia - A Review. *Oil Palm Bulletin*, 66(May), 13–19.

Shukor, H., Abdeshahian, P., Al-Shorgani, N. K. N., Hamid, A. A., Rahman, N. A., & Kalil, M. S. 2016. Saccharification of polysaccharide content of palm kernel cake using enzymatic catalysis for production of biobutanol in acetone-butanol-ethanol fermentation. *Bioresource Technology*, 202, 206–213. <https://doi.org/10.1016/j.biortech.2015.11.078>.

Simões Ribeiro Leite, R., Alonso Bocchini, D., Silva Martins, E. da, Silva, D., Gomes, E., & Silva, R. da. 2007. Production of Cellulolytic and Hemicellulolytic Enzymes From *Aureobasidium pulluans* on Solid State Fermentation. In *Applied Biochemistry and Biotechnology* (Vol. 281).

Sinha, A. K., Kumar, V., Makkar, H. P. S., Boeck, G. de, & Becker, K. 2011. Non-starch polysaccharides and their role in fish nutrition – A review. *Food Chemistry*, 127(4), 1409–1426. <https://doi.org/10.1016/j.foodchem.2011.02.042>.

Sreekanth, M., Vijayendra, S., Joshi, G., & Shamala, T. 2013. Effect of carbon and nitrogen sources on simultaneous production of α -amylase and green food packaging polymer by *Bacillus* sp. CFR 67. *Journal of Food Science and Technology*, 50(2), 404–408. <https://doi.org/10.1007/s13197-012-0639-6>.

Stein, H. H., Casas, G. A., Abelilla, J. J., Liu, Y., & Sulabo, R. C. 2015. Nutritional value of high fiber co-products from the copra, palm kernel, and rice industries in diets fed to pigs. *Journal of Animal Science and Biotechnology*, 6(56), 1–9. <https://doi.org/10.1186/s40104-015-0056-6>.

Subramaniyan, S., & Prema, P. 2002. Critical Reviews in Biotechnology Biotechnology of Microbial Xylanases: Enzymology, Molecular Biology, and Application Biotechnology of Microbial Xylanases: Enzymology,



Molecular Biology, and Application. Critical Reviews in Biotechnology, 22(221), 33–6433. <https://doi.org/10.1080/07388550290789450>.

Takeuchi, T., Satoh, S., & Watanabe, T. (1983). Requirement of Tilapia nilotica for Essential Fatty Acids. In Bulletin of the Japanese Society of Scientific Fisheries, 49 (7), 1127-1134.

Terinte, N., Schuster, K. C., & Aktiengesellschaft, L. 2011. Overview on native cellulose and microcrystalline cellulose I structure studied by X-ray diffraction (WAXD): Comparison between measurement techniques. Lenzinger Berichte, 89, 118-131.

Tewari, D., Cieply, S., & Livengood, J. 2011. Identification of bacteria recovered from animals using the 16s ribosomal RNA gene with pyrosequencing and Sanger sequencing. Journal of Veterinary Diagnostic Investigation, 23(6), 1104–1108. <https://doi.org/10.1177/1040638711425583>.

Updegraff, D. M. 1969. Semimicro determination of cellulose in biological materials. Analytical Biochemistry, 32(3), 420–424. [https://doi.org/10.1016/S0003-2697\(69\)80009-6](https://doi.org/10.1016/S0003-2697(69)80009-6).

Vanholme, R., Demedts, B., Morreel, K., Ralph, J., & Boerjan, W. 2010. Lignin Biosynthesis and Structure. Plant Physiology, 153(3), 895–905. <https://doi.org/10.1104/pp.110.155119>.

Vethathirri, R. S., Santillan, E., & Wuertz, S. 2021. Microbial community-based protein production from wastewater for animal feed applications. In Bioresource Technology (Vol. 341). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2021.125723>.

Vidal, L.V.O., Xavier, T.O., De Moura, L.B., Graciano, T.S., Martins, E.N., Furuya, W. M. 2015. Apparent digestibility of soybean coproduct in extruded diets Bile Tilapia, *Oreochromis niloticus*. Aquaculture Nutrition, 1–8. <https://doi.org/10.1111/anu.12383>.

Vishnivetskaya, T. A., Kathariou, S., & Tiedje, J. M. 2009. The Exiguobacterium genus: biodiversity and biogeography. Extremophiles, 13(3), 541–555. <https://doi.org/10.1007/s00792-009-0243-5>.

Waeonukul, R., Kyu, K. L., Sakka, K., & Ratanakhanokchai, K. 2009. Isolation and characterization of a multienzyme complex (cellulosome) of the *Paenibacillus curdlanolyticus* B-6 grown on Avicel under aerobic conditions.



Journal of Bioscience and Bioengineering, 107(6), 610–614.
<https://doi.org/10.1016/j.jbiosc.2009.01.010>.

Walia, A., Mehta, P., Chauhan, A., & Shirkot, C. K. 2013. Production of alkalophilic xylanases by *Paenibacillus polymyxia* CKWX1 isolated from decomposing wood. Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 83(2), 215–223.
<https://doi.org/10.1007/s40011-012-0122-1>

Wattanaklang, B., Abrar, A., & Cherdthong, A. 2016. Nutritional Value of Fermented Maize Stover as Feed for Ruminant. In Jurnal Peternakan Sriwijaya 5(1): 44-51.

Wathne, A. M., Devle, H., Naess-andresen, C. F., & Ekeberg, D. 2018. Identification and Quantification of Fatty Acids in *T. viridissima*, *C. biguttulus*, and *C. brunneus* by GC-MS. Journal of Lipidas.
<https://doi.org/https://doi.org/10.1155/2018/3679247> Research.

Wattanakul, W., Thongprajukaew, K., Hahor, W., & Suanyuk, N. 2021. Optimal replacement of soybean meal with fermented palm kernel meal as protein source in a fish meal-soybean meal-based diet of sex reversed red tilapia (*Oreochromis niloticus* × *O. mossambicus*). Animals, 11(8).
<https://doi.org/10.3390/ani11082287>.

Wilson, D. B. 2008. Three microbial strategies for plant cell wall degradation. Annals of the New York Academy of Sciences, 1125, 289–297.
<https://doi.org/10.1196/annals.1419.026>.

Wilson, R. P. (2003). Amino Acids and Proteins. 143–179.

Wilson, R. P., & Halver, J. E. 1986. Protein and Amino Acid Requirements of Fishes. Annual Review of Nutrition, 6, 225–244.

Xu, X., Waters, D., Blanchard, C., & Tan, S. H. 2021. A study on Australian sorghum grain fermentation performance and the changes in *Zaopei major* composition during solid-state fermentation. Journal of Cereal Science, 98.
<https://doi.org/10.1016/j.jcs.2021.103160>.

Yang, W., Meng, F., Peng, J., Han, P., Fang, F., Ma, L., & Cao, B. 2014. Isolation and identification of a cellulolytic bacterium from the tibetan pig's intestine and investigation of its cellulase production. Electronic Journal of Biotechnology, 17(6), 262–267. <https://doi.org/10.1016/j.ejbt.2014.08.002>.



- Yang, H., Puri, A., Padda, K. P., & Chanway, C. P. 2017. Substrate utilization by endophytic bacteria *Paenibacillus polymyxa* P2b-2R that may facilitate bacterial entrance and survival inside diverse plant hosts. *FACETS*, 2(1), 120–130. <https://doi.org/10.1139/facets-2016-0031>.
- Yao, W., Zhang, C., Li, X., He, M., Wang, J., & Leng, X. 2020. The replacement of fish meal with fermented soya bean meal or soya bean meal in the diet of Pacific white shrimp (*Litopenaeus vannamei*). *Aquaculture Research*, 51(6), 2400–2409. <https://doi.org/10.1111/are.14583>.
- Yueling Zhang, Sanying Wang, Anlong Xu, Jun Chen, Bokun Lin, and X. P. 2006. Anti-nutritional Factors in Plant Feedstuffs Used in Aquafeeds. *World Aquaculture*, February, 815–821.
- Zahari, M. W., & Alimon, A. R. 2014. Use of Palm Kernel Cake and Oil Palm By-Products in Compound Feed. *Palm Oil Development*, 49(July 2014).
- Zhang, Y. P., Himmel, M. E., & Mielenz, J. R. 2006. Outlook for cellulase improvement: Screening and selection strategies. *Biotechnology Advances*, 24, 452–481. <https://doi.org/10.1016/j.biotechadv.2006.03.003>.
- Zhao, H. M., Guo, X. N., & Zhu, K. X. 2017. Impact of solid state fermentation on nutritional, physical and flavor properties of wheat bran. *Food Chemistry*, 217, 28–36. <https://doi.org/10.1016/j.foodchem.2016.08.062>.
- Zhao, Y. J. P. 2018. Partial substitution of soybean meal with fermented soybean residue in diets for juvenile largemouth bass, *Micropterus salmoides*. *Aquaculture Nutrition*, 1–10. <https://doi.org/10.1111/anu.12659>.
- Zhu, X., Wang, L., Zhang, Z., Ding, L., & Hang, S. 2021. Combination of fiber-degrading enzymatic hydrolysis and lactobacilli fermentation enhances utilization of fiber and protein in rapeseed meal as revealed in simulated pig digestion and fermentation in vitro. *Animal Feed Science and Technology*, 278. <https://doi.org/10.1016/j.anifeedsci.2021.115001>.
- Zorec, M., Vodovnik, M., & Marinšek-Logar, R. 2014. Potential of selected rumen bacteria for cellulose and hemicellulose degradation. *Food Technology and Biotechnology*, 52(2), 210–221.
- Zurmiati, Wizna, Abbas, M. H., & Mahata, M. E. 2017. Production of extracellular β -mannanase by *Bacillus amyloliquefaciens* on a coconut waste substrate. *Pakistan Journal of Nutrition*, 16(9), 700–707. <https://doi.org/10.3923/pjn.2017.700.707>.