

DAFTAR PUSTAKA

- Abbas, A., 2022. Chapter 2. Cells and Tissues of the Immune System, in: Cellular and Molecular Immunology. pp. 53–130.
- Alberdi-Saugstrup, M., Zak, M., Nielsen, S., Herlin, T., Nordal, E., Berntson, L., Fasth, A., Rygg, M., Klaus Müller, 2017. High-sensitive CRP as a predictive marker of long-term outcome in juvenile idiopathic arthritis. *Rheumatol. Int.* 37, 695–703.
- Al-Hemairi MH, Albokhari SM, Muzaffer MA. 2016. The Pattern of Juvenile Idiopathic Arthritis in a Single Tertiary Center in Saudi Arabia. *Int J Inflam.* doi: 10.1155/2016/7802957.
- Al-Mayouf *et al.*, 2021. Epidemiology and demographics of juvenile idiopathic arthritis in Africa and Middle East. *Pediatric Rheumatology*.19:166 <https://doi.org/10.1186/s12969-021-00650-x>.
- Alzyoud RM, Alsueiti MO, Almaaitah HQ, Alahdaileh BN, Alnoubani K, Alwahadneh AM,. 2021. Juvenile idiopathic arthritis in Jordan: single center experience. *BMC. Pediatric Rheumatology*.
- Broca-Garcia BE, Saavedra MA, Martinez-Bencomo MA, Montes- Cortes DH, Jara LJ, Medina G, et al. 2019. Utility of neutrophil-to-lymphocyte ratio plus C-reactive protein for infection in systemic lupus erythematosus.28(2):217-22. <https://doi.org/10.1177/0961203318821176>.
- Brown RA, Henderlight M, Thuy Do, Yasin S, Grom AA, Delay M, Thomson A, Schulert GS. 2018. Neutrophils from Children With Systemic Juvenile Idiopathic Arthritis Exhibit Persistent Proinflammatory Activation Despite Long-Standing Clinically Inactive Disease. *Front Immunol*.9; 2995.
- Cunha, AL, Miotto e Silva, V.B., Osaku, F.M., Niemxeski, L.B., Furtado, R.N.V., Natour, J. 2016. Intra-articular injection in patients with juvenile idiopathic arthritis: factors associated with a good response. *Rev. Bras. Reumatol.* 56, 490–496.

- Diwasasri A, Sumadiono, dan Mulatsih S. 2019. Juvenile Idiopathic Arthritis, Intraarticular Injection, Remission, Disability, Early Remission Time. *Paediatrica Indonesiana*. Vol. 59 No. 5. doi : 10.14238/pi59.5.2019.237-43.
- Dundar HA, Turkucar S, Acari C, Unsal E. 2020. Treatment of Systemic JIA: When do we need a biologic? Real world data of single center. *Article in Modern Rheumatology*. April 2020. DOI: 10.1080/14397595.2020.1761079.
- Dursun A, Ozsoylu S, Akyildiz BN. Neutrophil-to-lymphocyte ratio and mean platelet volume can be useful markers to predict sepsis in children. 2018. *Pak J Med Sci*. 34(4):918-22. <https://doi.org/10.12669/pjms.344.14547>.
- D'Angelo DM, Donato GD, Breda L, and Chiarelli F. 2021. Growth and puberty in children with juvenile idiopathic arthritis. *Pediatric Rheumatology*. <https://ped-rheum.biomedcentral.com/articles/10.1186/s12969-021-00521-5>.
- Feng JR, Qiu X, Wang F, Chen PF, Gao Q, Peng YN, et al., 2017. Diagnostic Value of Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio in Crohn's Disease. *Gastroenterol Res Pract*.
- Fernandes TA, Corrente JE, Magalhães CS. Remission status follow-up in children with juvenile idiopathic arthritis. *J Pediatr (Rio J)*. 2007;83(2):141-148.
- Forget, P., Khalifa, C., Defour, J.-P., Latinne, D., Van Pel, M.-C. & De Kock, M. 2017. What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Res. Notes*. 10(1): 12.
- Gheith RE, Gazzar II, Bahgat DM, El-Din AM. 2017. Elevated tissue transglutaminase antibodies in juvenile idiopathic arthritis children: Relation to neutrophil-to-lymphocyte ratio and disease activity. Elsevier. Mesir.
- Ghrahani R, Detiabudiawan B, Sapartini G, dan Puspasari H. 2012. Distribusi Subtipe Juvenile Idiopathic Arthritis di Bandung. MKB, Volume 44 No. 2.
- Giancane G, Consolaro A, Lanni S, Davi S, Schiappapietra B, Ravelli A. 2016. Juvenile Idiopathic Arthritis :Diagnosis And Treatment. *Rheumatology and Therapy*. *Springer Health Care*. 3(2): 187–207.

- Giani T, De Masi S, Maccora I, Tirelli F, Simonini G, Falconi M et al., 2019. The Influence of Overweight and Obesity on Treatment Response in Juvenile Idiopathic Arthritis. *Front Pharmacol.* doi: 10.3389/fphar.2019.00637.
- Gunes A, Ece A, Sen V, Uluca U, Aktar F, Tan I et al., 2015. Correlation of mean platelet volume, neutrophil-to-lymphocyte ratio, and disease activity in children with juvenile idiopathic arthritis. *International Journal of Clinical and Experimental.* 8(7): 11337-11341.
- Haar ter NM et al., 2019. Treatment to Target Using Recombinant Interleukin-1 Receptor Antagonist as First-Line Monotherapy in New-Onset Systemic Juvenile Idiopathic Arthritis: Results From a Five-Year Follow-Up Study. *Arthritis Rheumatol.* Jul; 71(7): 1163–1173.
- Hari, Asmae., Samira Rostom, Asmae Hassani, Dalal El Badri, Ilham Bouaadi, Amina Barakat, Bouchra Chkirat, Khalid Elkari, Bouchra Amine, Najia Hajjaj Hassouni. 2014. Body Composition in Children with Juvenile Idiopathic Arthritis: Effect of Dietary Intake of Macronutrient: results from a cross sectional study. *Pan African Medical Journal.*
- Kaplan MJ, Liu Y. 2021. Neutrophils in the Pathogenesis of Rheumatic Diseases: Fueling the Fire. *Springerlink.* Clinical Reviews in Allergy&immunology. 60 ;1–16.
- Katchamart, W., Johnson, S., Lin, H.-J.L., Phumethum, V., Salliot, C., Bombardier, C., 2010. Predictors for remission in rheumatoid arthritis patients: A systematic review. *Arthritis Care Res. (Hoboken).* 62, 1128–1143.
- Laxer R.M and Jariwala MP. 2021.NETosis in Rheumatic Diseases. *Current Rheumatology Report* 2020; 23: 9. <https://doi.org/10.1007/s11926-020-00977-6>.
- Lim JU, Yeo CD, Kang HS, Park CK, Kim JS, Kim JW, et al., 2019. Elevated pretreatment platelet-to-lymphocyte ratio is associated with poor survival in stage IV non-small cell lung cancer with malignant pleural effusion. *Sci Rep.*9(1):4721. <https://doi.org/10.1038/s41598-019-41289-9>.

- Lin, Y.T., Wang, C.T., Gershwin, M.E., Chiang, B.L., 2011. The pathogenesis of oligoarticular/polyarticular vs systemic juvenile idiopathic arthritis. *Autoimmun. Rev.* 10: 482–489. doi:10.1016/j.autrev.2011.02.001
- Mathews, S., Rajan, A., Soans, S.T., 2019. Prognostic value of rise in neutrophil to lymphocyte ratio (NLR) and platelet to lymphocyte ratio (PLR) in predicting the mortality in paediatric intensive care. *International Journal of Contemporary Pediatrics.* 6;1052. <https://doi.org/10.18203/2349-3291.ijcp20191044>.
- Mayadas, T.N., Cullere, X, Lowell, C.A. 2014. The Multifaceted Functions of Neutrophils. *The Annual Review of Pathology: Mechanism of Disease*, 9:181-218.
- Miotto e Silva, Mitraud S, Furtado RN, Natour J, Len CA, Terreri MT. 2017. Patients with juvenile idiopathic arthritis in clinical remission with positive power Doppler signal in joint ultrasonography have an increased rate of clinical flare: a prospective study. *Pediatric Rheumatology.* 15:80 DOI 10.1186/s12969-017-0208-7.
- Nemeth, T., Mocsai, A. 2012. The role of neutrophils in autoimmune diseases. *Immunology Letters*, 143:9-19.
- Nessib DB, Aissa RB, Ferjani H, Dghales A, Triki W, Maatallah K et al., 2022. The Neutrophil-To-Lymphocyte And The Platelet-To-Lymphocyte Ratios As Inflammatory Markers In Juvenile Idiopathic Arthritis. *Scientific Abstract.* Tunisia.
- Oliveira-Ramos F, Eusebio M, Martins M, Mourao AF, Furtado C, Campanilho-Marques R et al. 2016. Juvenile idiopathic arthritis in adulthood: fulfilment of classification criteria for adult rheumatic diseases, long-term outcomes and predictors of inactive disease, functional status and damage. *RMD Open.* 2; e000304.
- Pratiwi AI, Julia M, Satria CD, Sumadiono. 2021. Time To Remission Of Juvenile Idiopathic Arthritis following Intraarticular Steroid Injection. Research Square. doi: <https://doi.org/10.21203/rs.3.rs-1500481/v1>.
- Pribadi, A., Tambunan, T., 2016. Profil Kasus Artritis Idiopatik Juvenil (AIJ) Berdasarkan Klasifikasi International League Against Rheumatism (ILAR). *Sari Pediatr.* 9, 370–374.

- Rego G, Núñez-Cuadros E, Mena-Vázquez N, Aguado Henche S, Galindo-Zavala R, Manrique-Arija S *et al.*, 2021. A. Adiposity Is Related to Inflammatory Disease Activity in Juvenile Idiopathic Arthritis. *J. Clin. Med.*10, 3949. <https://doi.org/10.3390/jcm10173949>.
- Retnoningrum, D., Widyastiti, N., S., Jaludamascena, A. 2017. Hubungan antara Neutrophil/Lymphocyte ratio (NLR) dan High Density Lipoprotein (HDL) Pada Sindrom Koroner Akut. *Media Medika Muda*. 2(2): 131-137.
- Ringold, S., Angeles-Han, S.T., Beukelman, T., Lovell, D., Cuello, C.A., Becker, M.L., *et al.* 2019. American College of Rheumatology/Arthritis Foundation Guideline for the Treatment of Juvenile Idiopathic Arthritis: Therapeutic Approaches for Non- Systemic Polyarthritis, Sacroiliitis, and Enthesitis. *Arthritis Care Res.*71: 717–734. doi:10.1002/acr.23870.
- Sherry, DD *et al.*, 2022. Juvenile Idiopathic Arthritis. Medscape. (Cited 2022 Jun 2). Available from <https://emedicine.medscape.com/article/1007276-overview#a1>.
- Shoop-worrall, SJ, Kearsley-Fleet L, Thomson W, Vertappen SM, Hyrich KL. 2018. Can We Predict Remission in Children With Juvenile Idiopathic Arthritis?. School of Biological Sciences. University of Manchester.
- Singh-Grewal, D., Schneider, R., Bayer, N., Feldman, B.M., 2006. Predictors of disease course and remission in systemic juvenile idiopathic arthritis: Significance of early clinical and laboratory features. *Arthritis Rheum.* 54, 1595–1601.
- Smolewska E, Cebula B, Brózik H, and Stańczyk J. 2008. Relationship between impaired apoptosis of lymphocytes and distribution of dendritic cells in peripheral blood and synovial fluid of children with juvenile idiopathic arthritis. *Arch. Immunol. Ther. Exp.*, 2008, 56, 283–289. DOI: 10.1007/s00005-008-0030-5.
- Snipaitiene A, Ramanauskiene A, Juodvirsiene U, Jankauskaite L. 2020. Prediction of disease remission and exacerbation in Juvenile Idiopathic Arthritis from complete blood count parameters. *Pediatric Rheumatology*.
- Souza, Letícia., Sandra Helena Machado, Markus Bredemeier, João Carlos Tavares Brenol, Ricardo Machado Xavier. 2006. Effect of inflammatory activity and glucocorticoid



[corrected] use on nutritional variables in patients with juvenile idiopathic arthritis. *The Journal of Rheumatology*. 2006;33:601-608.

Zaripova L N, Midgley A, Christmas SE, Beresford SW, Baildam EM and Oldershaw RA. 2021. Juvenile idiopathic arthritis: from aetiopathogenesis to therapeutic approaches. *Pediatric Rheumatology*. 19:135. doi:10.1186/s12969-021-00629-8.