

DAFTAR PUSTAKA

- Akobeng, A.K., 2007. Understanding diagnostic tests 3: Receiver operating characteristic curves. *Acta Paediatr. Int. J. Paediatr.* doi:10.1111/j.1651-2227.2006.00178.x
- Behbodi, E., Villamor-Martínez, E., Degraeuwe, P.L.J., & Villamor, E., 2016. Chorioamnionitis appears not to be a Risk Factor for Patent Ductus Arteriosus in Preterm Infants: A Systematic Review and Meta-Analysis. doi:10.1038/srep37967
- Bernati, N., Nova, R., Tasli, J.M., & Theodorus, T., 2014. Risk factors for patent ductus arteriosus in preterm neonates. *Paediatr. Indones.* 54. doi: 10.14238/pi54.3.2014.132-6
- Bisoffi, Z., Tinto, H., Sirima, B.S., Gobbi, F., Angheben, A., Buonfrate, D., et al., 2013. Should Malaria Treatment Be Guided by a Point of Care Rapid Test? A Threshold Approach to Malaria Management in Rural Burkina Faso. *PLoS One* 8. doi:10.1371/journal.pone.0058019
- Chen, Y.Y., Wang, H.P., Chang, J.T., Chiou, Y.H., Huang, Y.F., & Hsieh, K.S., 2014. Perinatal factors in patent ductus arteriosus in very low-birthweight infants. *Pediatr. Int.* 56. doi:10.1111/ped.12199
- Chiruvolu, A., Punjwani, P., & Ramaciotti, C., 2009. Clinical and echocardiographic diagnosis of patent ductus arteriosus in premature neonates. *Early Hum. Dev.* 85. doi:10.1016/j.earlhumdev.2008.12.008
- Clyman, R.I., Mauray, F., & Roman, C., 1981. Effects of antenatal glucocorticoid administration on ductus arteriosus of preterm lambs. *Am. J. Physiol. - Hear. Circ. Physiol.* 10. doi:10.1152/ajpheart.1981.241.3.h415
- Coceani, F., & Baragatti, B., 2012. Mechanisms for Ductus Arteriosus Closure. *Semin. Perinatol.* doi:10.1053/j.semperi.2011.09.018
- Davis, P., Turner-Gomes, S., Cunningham, K., Way, C., Roberts, R., Schmidt, B., et al., 1994. Precision And Accuracy Of Clinical Signs In Infants At Risk Of Patent Ductus Arteriosus (PDA). *Pediatr. Res.* 1994 352 35: 272–272. doi:10.1203/00006450-199402000-00107
- Decroo, T., Henríquez-Trujillo, A.R., De Wegheleire, A., & Lynen, L., 2017. Rational use of Xpert testing in patients with presumptive TB: Clinicians should be encouraged to use the test-treat threshold. *BMC Infect. Dis.* doi:10.1186/s12879-017-2798-6



UNIVERSITAS
GADJAH MADA

Performa Skoring Simple Modifikasi Dalam Mendiagnosis Hemodinamically Significant PDA Pada

Bayi

Prematur

Mike Lauda, dr. Indah Kartika Murni, M.Kes, Ph.D, Sp.A(K); Dr. dr. Tunjung Wibowo, MPH, M.Kes, Sp.A(K)

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Deselina, B., Putra, S.T., & Suradi, R., 2004. Prevalence of patent ductus arteriosus in premature infants at the Neonatal Ward, Cipto Mangunkusumo Hospital, Jakarta. *Paediatr. Indones.* 44: 223. doi:10.14238/pi44.6.2004.223-7

Dhuper, S., Kim, R., Weichbrod, L., Mahdi, E., Shah, N., Kona, S., et al., 2012. NT-proBNP levels improve the ability of predicting a hemodynamically significant patent ductus arteriosus in very low-birth-weight infants. *J. Clin. Neonatol.* 1. doi:10.4103/2249-4847.96758

Dzukou, T., Rakza, T., Bouissou, A., Alexandre, C., Dalmas, S., & Storme, L., 2011. Impaired Lung function after intubation and mechanical ventilation for surgical ligation of the ductus arteriosus in preterm infants. *J. Cardiothorac. Vasc. Anesth.* 25. doi:10.1053/j.jvca.2011.01.010

Ekure, E.N., Sadoh, W.E., Bode-Thomas, F., Orogade, A.A., Animasahun, A.B., Ogunkunle, O.O., et al., 2017. Audit of availability and distribution of paediatric cardiology services and facilities in Nigeria. *Cardiovasc. J. Afr.* 28. doi:10.5830/CVJA-2016-057

El-Sayed, Y.Y., Borders, A.E.B., & Gyamfi-Bannerman, C., 2017. Antenatal Corticosteroid Therapy for Fetal Maturation. *Obstet. Gynecol.* 130. doi:10.1097/AOG.0000000000002231

El Hajjar, M., Vaksman, G., Rakza, T., Kongolo, G., & Storme, L., 2005. Severity of the ductal shunt: A comparison of different markers. *Arch. Dis. Child. Fetal Neonatal Ed.* 90. doi:10.1136/adc.2003.027698

Elsayed, Y.N., & Fraser, D., 2017. Patent ductus arteriosus in preterm infants, part 1: Understanding the pathophysiologic link between the patent ductus arteriosus and clinical complications. *Neonatal Netw.* 36. doi:10.1891/0730-0832.36.5.265

Evans, N., 2012. Diagnosis of the Preterm Patent Ductus Arteriosus: Clinical Signs, Biomarkers, or Ultrasound? *Semin. Perinatol.* doi:10.1053/j.semperi.2011.09.021

Farkhati, M.Y., Wandita, S., & Anggraini, A., 2019. Pengembangan Sistem Skoring Diagnosis Hemodinamically Significant Patent Ductus Arteriosus. Universitas Gadjah Mada.

Fenn Buderer, N.M., 1996. Statistical methodology: I. Incorporating the prevalence of disease into the sample size calculation for sensitivity and specificity. *Acad. Emerg. Med.* 3. doi:10.1111/j.1553-2712.1996.tb03538.x

Ficial, B., Corsini, I., Fiocchi, S., Schena, F., Capolupo, I., Cerbo, R.M., et al., 2020. Survey of PDA management in very low birth weight infants across Italy. *Ital. J. Pediatr.* doi:10.1186/s13052-020-0773-0



Gillam-Krakauer, M., & Reese, J., 2018. Diagnosis and management of patent ductus arteriosus. *Neoreviews* 19. doi:10.1542/neo.19-7-e394

Gomella T, Cunningham M, & Eyal F, 2013. Lange Neonatology 7th Edition, Neonatology: Management, procedures, on call problems, disease, and drugs.

Gonen, I., Babayigit, A., Bornnaun, H., Yasa, B., Memur, S., Semerci, S.Y., et al., 2021. SIMPLE: A Novel Scoring System for Predicting Hemodynamically Significant Patent Ductus Arteriosus Without Echocardiographic Evaluation in Extremely Low Birth Weight Infants. *Front. Pediatr.* 9. doi:10.3389/fped.2021.649515

Gournay, V., 2011. The ductus arteriosus: Physiology, regulation, and functional and congenital anomalies. *Arch. Cardiovasc. Dis.* doi:10.1016/j.acvd.2010.06.006

Green, C.A., Westreich, D., Laughon, M., Stamilio, D.M., Reese, J.J., Shelton, E.L., et al., 2020. Association of chorioamnionitis and patent ductus arteriosus in a national U.S. cohort. *Am. J. Obstet. Gynecol.* 223: 959. doi:10.1016/J.AJOG.2020.08.116

Grimes, D.A., & Schulz, K.F., 2005. Refining clinical diagnosis with likelihood ratios. *Lancet*. doi:10.1016/S0140-6736(05)66422-7

Hajian-Tilaki, K., 2018. The choice of methods in determining the optimal cut-off value for quantitative diagnostic test evaluation. *Stat. Methods Med. Res.* 27. doi:10.1177/0962280216680383

Hajian-Tilaki, K., 2013. Receiver operating characteristic (ROC) curve analysis for medical diagnostic test evaluation. *Casp. J. Intern. Med.*

İlhan, O., Alkan Özdemir, S., Akbay, S., Bakiler, A., Kanar, B., Memur, S., et al., 2020. Yaşamın üçüncü ayında preterm bebeklerde hemodinamik olarak anlamlı patent duktus arteriosusun tanısında klinik bulguların önemi. *Jinekoloji-Obstetrik ve Neonatoloji Tip Derg.* doi:10.38136/jgon.673678

Ismail, M.T. k, Hidayati, F., Krisdinarti, L., Nugroho, S., & Wahab, A.S., 2017. Epidemiological Profile of Congenital Heart Disease in a National Referral Hospital. *J. Acta Cardiol. Indones.* 1.

Iyer, P., & Evans, N., 1994. Re-evaluation of the left atrial to aortic root ratio as a marker of patent ductus arteriosus. *Arch. Dis. Child.* 70. doi:10.1136/fn.70.2.f112

Jain, A., & Shah, P.S., 2015. Diagnosis, evaluation, and management of patent ductus arteriosus in preterm neonates. *JAMA Pediatr.* doi:10.1001/jamapediatrics.2015.0987

- Kachikis, A., Eckert, L.O., Walker, C., Bardají, A., Varricchio, F., Lipkind, H.S., et al., 2019. Chorioamnionitis: Case definition & guidelines for data collection, analysis, and presentation of immunization safety data. *Vaccine* 37. doi:10.1016/j.vaccine.2019.05.030
- Kindler, A., Seipolt, B., Heilmann, A., Range, U., Rüdiger, M., & Hofmann, S.R., 2017. Development of a diagnostic clinical score for hemodynamically significant patent ductus arteriosus. *Front. Pediatr.* 5. doi:10.3389/fped.2017.00280
- Kluckow, M., & Evans, N., 1995. Early echocardiographic prediction of symptomatic patent ductus arteriosus in preterm infants undergoing mechanical ventilation. *J. Pediatr.* 127. doi:10.1016/S0022-3476(95)70172-9
- Kumar, A., Lakkundi, A., McNamara, P.J., & Sehgal, A., 2010. Surfactant and patent ductus arteriosus. *Indian J. Pediatr.* doi:10.1007/s12098-009-0299-3
- Liu, C., Zhu, X., Li, D., & Shi, Y., 2021. Related Factors of Patent Ductus Arteriosus in Preterm Infants: A Systematic Review and Meta-Analysis. *Front. Pediatr.* 8. doi:10.3389/fped.2020.605879
- Locatelli, A., Lambicchi, L., Incerti, M., Bonati, F., Ferdico, M., Malguzzi, S., et al., 2020. Is perinatal asphyxia predictable? *BMC Pregnancy Childbirth* 20. doi:10.1186/s12884-020-02876-1
- Murni, I.K., Wirawan, M.T., Patmasari, L., Sativa, E.R., Arafuri, N., Nugroho, S., et al., 2021. Delayed diagnosis in children with congenital heart disease: a mixed-method study. *BMC Pediatr.* 21. doi:10.1186/s12887-021-02667-3
- Ngo, S., Profit, J., Gould, J.B., & Lee, H.C., 2017. Trends in patent ductus arteriosus diagnosis and management for very low birth weight infants. *Pediatrics* 139. doi:10.1542/peds.2016-2390
- Ovalı, F., 2020. Molecular and Mechanical Mechanisms Regulating Ductus Arteriosus Closure in Preterm Infants. *Front. Pediatr.* doi:10.3389/fped.2020.00516
- Park, H.W., Choi, Y.S., Kim, K.S., & Kim, S.N., 2015. Chorioamnionitis and patent ductus arteriosus: A systematic review and meta-analysis. *PLoS One* 10. doi:10.1371/journal.pone.0138114
- Park, M.K., 2020. Park's Pediatric Cardiology for practitioner 7th Edition. Elsevier 1–5.
- Pauker, S.G., & Kassirer, J.P., 1980. The Threshold Approach to Clinical Decision Making. *N. Engl. J. Med.* 302. doi:10.1056/nejm198005153022003



UNIVERSITAS
GADJAH MADA

Performa Skoring Simple Modifikasi Dalam Mendiagnosis Hemodinamically Significant PDA Pada

Bayi

Prematur

Mike Lauda, dr. Indah Kartika Murni, M.Kes, Ph.D, Sp.A(K); Dr. dr. Tunjung Wibowo, MPH, M.Kes, Sp.A(K)

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Permyakova, A. V., Porodikov, A., Kuchumov, A.G., Biyanov, A., Arutunyan, V., Furman, E.G., et al., 2021. Discriminant analysis of main prognostic factors associated with hemodynamically significant pda: Apgar score, silverman-anderson score, and nt-pro-bnp level. *J. Clin. Med.* 10. doi:10.3390/jcm10163729
- Rashid, U., Qureshi, A.U., Hyder, S.N., & Sadiq, M., 2016. Pattern of congenital heart disease in a developing country tertiary care center: Factors associated with delayed diagnosis. *Ann. Pediatr. Cardiol.* 9. doi:10.4103/0974-2069.189125
- Rath, C., & Kluckow, M., 2018. Pathophysiology based management of the hemodynamically significant ductus arteriosus in the very preterm neonate, in: *Hemodynamics and Cardiology: Neonatology Questions and Controversies*. doi:10.1016/B978-0-323-53366-9.00025-9
- Reller, M.D., Lorenz, J.M., Kotagal, U.R., Meyer, R.A., & Kaplan, S., 1985. Hemodynamically significant PDA: An echocardiographic and clinical assessment of incidence, natural history, and outcome in very low birth weight infants maintained in negative fluid balance. *Pediatr. Cardiol.* 6. doi:10.1007/BF02265403
- Ruoss, J.L., Bazacliu, C., Giesinger, R.E., & McNamara, P.J., 2020. Patent ductus arteriosus and cerebral, cardiac, and gut hemodynamics in premature neonates. *Semin. Fetal Neonatal Med.* 25. doi:10.1016/j.siny.2020.101120
- Schneider, D.J., & Moore, J.W., 2006. Patent ductus arteriosus. *Circulation* 114: 1873–1882. doi:10.1161/circulationaha.105.592063
- Sehgal, A., Mak, W., Dunn, M., Kelly, E., Whyte, H., McCrindle, B., et al., 2010. Haemodynamic changes after delivery room surfactant administration to very low birth weight infants. *Arch. Dis. Child. Fetal Neonatal Ed.* 95. doi:10.1136/adc.2009.173724
- Shelton, E.L., Waleh, N., Plosa, E.J., Benjamin, J.T., Milne, G.L., Hooper, C.W., et al., 2018. Effects of antenatal betamethasone on preterm human and mouse ductus arteriosus: comparison with baboon data. *Pediatr. Res.* 84. doi:10.1038/s41390-018-0006-z
- Singh, Y., Fraisse, A., Erdeve, O., & Atasay, B., 2020. Echocardiographic Diagnosis and Hemodynamic Evaluation of Patent Ductus Arteriosus in Extremely Low Gestational Age Newborn (ELGAN) Infants. *Front. Pediatr.* 8. doi:10.3389/fped.2020.573627
- Skelton, R., Evans, N., & Smythe, J., 1994. A blinded comparison of clinical and echocardiographic evaluation of the preterm infant for patent ductus arteriosus. *J. Paediatr. Child Health* 30: 406–411.



Skinner, J., 2001. Diagnosis of patent ductus arteriosus. *Semin. Neonatol.* 6: 49–61.
doi:10.1053/SINY.2000.0037

Soliman, R.M., Mostafa, F.A., Abdelmassih, A., Sultan, E., & Mosallam, D., 2020. Patent ductus arteriosus in preterm infants; experience of a tertiary referral neonatal intensive care unit: prevalence, complications, and management. *Egypt. Pediatr. Assoc. Gaz.* 68. doi:10.1186/s43054-020-00046-8

Terrin, G., Di Chiara, M., Boscarino, G., Metrangolo, V., Faccioli, F., Onestà, E., et al., 2021. Morbidity associated with patent ductus arteriosus in preterm newborns: a retrospective case-control study. *Ital. J. Pediatr.* 47. doi:10.1186/s13052-021-00956-2

Van Der Laan, M.E., Roofthooft, M.T.R., Fries, M.W.A., Berger, R.M.F., Schat, T.E., Van Zoonen, A.G.J.F., et al., 2016. A Hemodynamically Significant Patent Ductus Arteriosus Does Not Affect Cerebral or Renal Tissue Oxygenation in Preterm Infants. *Neonatology* 110. doi:10.1159/000445101

Waffarn, F., Schmidt, P.L., & Cabal, L.A., 1983. Effect of Antenatal Glucocorticoids on Clinical Closure of the Ductus Arteriosus. *Am. J. Dis. Child.* 137. doi:10.1001/archpedi.1983.02140300018005

World Health Organization, Centers for Disease Control and Prevention (U.S.), & International Clearinghouse for Birth Defects Monitoring Systems, 2020. Birth defects surveillance: quick reference handbook of selected congenital anomalies and infections. World Health Organization, Geneva.